

Approximation Method for the Heat Equation with Derivative Boundary Conditions

Iman. I. Gorial

Department of Mathematics, College of Education for Pure Science / Ibn Al-Haitham,
Baghdad University, Iraq

* E-mail of the corresponding author: imanisho@yahoo.com

Abstract

In this paper, modification of Adomian decomposition method is introduced for solving heat equation with derivative boundary conditions. Some examples and the obtained results demonstrate efficiency of the proposed method.

Keywords: Modified decomposition method, Heat equation, Derivative boundary conditions.

1. Introduction

Many classes of linear and nonlinear differential equations can solve using Adomian decomposition method and in computation and faster in convergence it is much simpler than any other method available in the open literature.

Many Authors have proposed numerical methods for solving problems [1-10]. Later A. Cheniguel [11], present Adomian decomposition for solving non-homogeneous heat equation with derivative boundary conditions. In this work we propose a new technique based on the modification of Adomian decomposition method.

2. Solution Heat Equation by Modified Adomian's Decomposition Method

In this section, we present modified decomposition method for solving the heat equation with derivative boundary conditions:

$$D_t u(x, t) = D_{xx} u(x, t) + q(x, t) \quad (1)$$

$$u(x, 0) = f(x), 0 \leq x \leq 1 \quad (2)$$

$$u(0, t) = g_1(t), 0 < t \leq T \quad (3)$$

$$u(1, t) = g_2(t), 0 < t \leq T \quad (4)$$

Where f, g_1, g_2 and q are known functions, T is given constant.

We start with Adomian decomposition method

$$u(x, t) = \sum_{n=0}^{\infty} u_n(x, t)$$

Now, Equation (1) can be rewritten as

$$L_t u(x, t) = L_{xx} u(x, t) + q(x, t) \quad (5)$$

Where the differential operators $L_t(\cdot) = \frac{\partial}{\partial t}(\cdot)$ and $L_{xx} = \frac{\partial^2}{\partial x^2}$, the inverse L^{-1} is assumed an integral operator given by

$$L^{-1} = \int_0^t (\cdot) dt \quad (6)$$

The operating with the operator L^{-1} on both sides of Equation (5) we have

$$L^{-1}(L_t u(x, t)) = L^{-1}(L_{xx}(u(x, t))) + L^{-1}(q(x, t))$$

Therefore, we can write,

$$u(x, t) = u(x, 0) + L_t^{-1} \left(L_{xx} \left(\sum_{n=0}^{\infty} u_n \right) \right) + L^{-1}(q(x, t)) \quad (7)$$

By Wazwaz [12], the modified decomposition method is based on the assumption that the function $K(x)$ can be divided into two parts, namely $K_1(x)$ and $K_2(x)$. Under this assumption we set

$$K(x) = K_1(x) + K_2(x)$$

we suggest the following modification

$$u_0 = K_1$$

$$u_1 = K_2 + L_t^{-1}(L_{xx} u_0)$$

$$u_{n+1} = L_t^{-1} \left(L_{xx} \left(\sum_{n=0}^{\infty} u_n \right) \right), n \geq 1$$

3. Numerical Illustration:

Example 1: Consider the problem (1) with the following conditions, as taken in [11]

$$D_t u(x, t) = D_x^2 u(x, t) - 2e^{x-t}$$

$$u(x, 0) = e^x, 0 \leq x \leq 1$$

$$u_x(0, t) = e^{-t}, 0 < t \leq T$$

$$u(1,t) = e^{1-t}, 0 < t \leq T$$

Now after modified decomposition method, we obtain:

$$u_0(x,t) = e^{x-t}$$

$$u_1(x,t) = 0$$

$$u_2(x,t) = 0$$

$$u_3(x,t) = 0$$

Then the series form is given by:

$$u(x,t) = u_0(x,t) + u_1(x,t) + u_2(x,t) + u_3(x,t)$$

$$= e^{x-t}$$

This is the exact solution $u(x,t) = e^{x-t}$.

The plot of the exact solution surface is shown in Figure 1 and the numerical solution surface is shown in Figure 2 for heat equation




Figure 1: Exact solution




Figure 2: Numerical solution

Example 2: Consider the problem (1) with the following derivative boundary and initial conditions, as taken in [11]

$$D_t u(x,t) = D_x^2 u(x,t) + xt^2$$

$$u(x,0) = \sin(x), 0 \leq x \leq 1$$

$$u_x(0,t) = 1, 0 < t < T$$

$$u_x(1,t) = \sin(t), 0 < t < T$$

We apply the above modified decomposition method; we obtain:

$$u_0(x,t) = e^{-t} \sin(x) + \frac{1}{3} t^3 x$$

$$u_1(x,t) = 0$$

$$u_2(x,t) = 0$$

$$u_3(x,t) = 0$$

Then the series form is given by:

$$u(x,t) = u_0(x,t) + u_1(x,t) + u_2(x,t) + u_3(x,t)$$

$$= e^{-t} \sin(x) + \frac{1}{3} t^3 x$$

Which gives the exact solution $u(x,t) = e^{-t} \sin(x) + \frac{1}{3} t^3 x$.

Figure 3 and Figure 4 show the plot of the exact solution surface and the numerical solution surface for heat equation respectively.




Figure 3: Exact solution




Figure 4: Numerical solution

Example 3: Consider heat equation with derivative boundary conditions for the equation (1), as taken in [11]

$$D_t u(x, t) = D_x^2 u(x, t)$$

$$u(x, 0) = \sin(\pi x), 0 \leq x \leq 1$$

$$u_x(0, t) = \pi e^{-\pi^2 t}$$

$$u(1, t) = -\pi e^{\pi^2 t}$$

Now we apply the above modified decomposition method, we obtain:

$$u_0(x, t) = e^{-\pi^2 t} \sin(\pi x)$$

$$u_1(x, t) = 0$$

$$u_2(x, t) = 0$$

$$u_3(x, t) = 0$$

Then the series form is given by:

$$u(x, t) = u_0(x, t) + u_1(x, t) + u_2(x, t) + u_3(x, t)$$

$$= e^{-\pi^2 t} \sin(\pi x)$$

This is the exact solution $u(x, t) = e^{-\pi^2 t} \sin(\pi x)$.

Figure 5 and Figure 6 show the plot of the exact and the numerical solution surface for heat equation respectively.




Figure 5: Exact solution




Figure 6: Numerical solution

4. Conclusion

In this paper, we have applied the modified decomposition method for the solution of the heat equation with derivative boundary conditions. This algorithm is simple and easy to implement. The obtained results confirmed a good accuracy of the method. On the other hand, the calculations are simpler and faster than in traditional techniques.

References

- [1] Wazwaz A. M. (1999), "The modified decomposition method and Pade approximations for solving Thomas Fermi equations", *App. Math. And Computation*, **105**:11-19.
- [2] Adomian G. and Rach R. (1986), "On linear and nonlinear integro-differential equations", *J. Math. Anal. Appl.* **113, no. 1**: 199–201.
- [3] Iman. I. Gorial (2013), "A Semi-Analytic Method for Solving Two-Dimensional Fractional Dispersion Equation", *Advances in Physics Theories and Applications*.**22**: p. 14-18.
- [4] Hossein J. and Varsha D. (2006), "Revised Adomian decomposition method for Solving a system of nonlinear equations", *App. Math. And Computation*, **175**: 1-7.
- [5] Hossein J. and Varsha D. (2006), "Revised Adomian decomposition method for Solving systems of Ordinary and Fractional Differential Equations" , *App. Math. And Computation*, **181**: 598-608.
- [6] Babolian E., Javadi S. H. and Sadeghi H. (2003), "Restarted Adomian Method for Integral Equations", *App. Math. And Computation*, **167**: 1150-1155.
- [7] Wazwaz A. M. (1999), "A Reliable Modification of Adomian Decomposition Method", *App. Math. And Computation*, **102** :77-86.
- [8] Babolian E. and Javadi S. H. (2003), Restarted Adomian Method for Algebraic Equations, *App. Math. And Computation*, **146**: 533- 541.
- [9] Momani S., dibat Z.O (2006), "Analytical solutions of a time-fractional Navier-Stokes equation by Adomiande composition method", *Appl. Math. Comput.* Vol. **177, No.2**: pp. 488-494
- [10] Cheniguel A. and Ayadi A. (2011)," Solving Non Homogeneous Heat Equation by the Adomian Decomposition Method ", *International Mathematical Forum*, **Vol.6, no.13**: 639-649
- [11] Cheniguel A.(2011)," Numerical Method for Solving Non-Homogeneous Heat Equation with Derivative Boundary Conditions ", *International Mathematical Forum*, **Vol.6, , no. 14**: 651 – 658
- [12] Wazwaz A. (1999), "A reliable modification of Adomian decomposition method", *Appl. Math. Comput.*, **102 (1)**: pp. 77–86.

The IISTE is a pioneer in the Open-Access hosting service and academic event management. The aim of the firm is Accelerating Global Knowledge Sharing.

More information about the firm can be found on the homepage:
<http://www.iiste.org>

CALL FOR JOURNAL PAPERS

There are more than 30 peer-reviewed academic journals hosted under the hosting platform.

Prospective authors of journals can find the submission instruction on the following page: <http://www.iiste.org/journals/> All the journals articles are available online to the readers all over the world without financial, legal, or technical barriers other than those inseparable from gaining access to the internet itself. Paper version of the journals is also available upon request of readers and authors.

MORE RESOURCES

Book publication information: <http://www.iiste.org/book/>

Recent conferences: <http://www.iiste.org/conference/>

IISTE Knowledge Sharing Partners

EBSCO, Index Copernicus, Ulrich's Periodicals Directory, JournalTOCS, PKP Open Archives Harvester, Bielefeld Academic Search Engine, Elektronische Zeitschriftenbibliothek EZB, Open J-Gate, OCLC WorldCat, Universe Digital Library, NewJour, Google Scholar

