Journal of Sports Medicine and Allied Health Sciences: Official Journal of the Ohio Athletic Trainers Association

Volume 3 Issue 1 *Ohio Athletic Trainers' Association Special Edition*

Article 2

May 2017

Concussion Knowledge and Prior Concussion Experience of Theater Personnel

Brooke Daniell Ohio University, bk613312@ohio.edu

Jeffery A. Russell Ohio University, jrussel4@ohio.edu

Follow this and additional works at: https://scholarworks.bgsu.edu/jsmahs

Part of the Motor Control Commons, Other Kinesiology Commons, Rehabilitation and Therapy Commons, Sports Medicine Commons, and the Sports Sciences Commons

Recommended Citation

Daniell, Brooke and Russell, Jeffery A. (2017) "Concussion Knowledge and Prior Concussion Experience of Theater Personnel," *Journal of Sports Medicine and Allied Health Sciences: Official Journal of the Ohio Athletic Trainers Association*: Vol. 3 : Iss. 1 , Article 2. DOI: 10.25035/jsmahs.03.01.02 Available at: https://scholarworks.bgsu.edu/jsmahs/vol3/iss1/2

This Professional/Faculty Abstract is brought to you for free and open access by the Journals at ScholarWorks@BGSU. It has been accepted for inclusion in Journal of Sports Medicine and Allied Health Sciences: Official Journal of the Ohio Athletic Trainers Association by an authorized editor of ScholarWorks@BGSU.

Daniell, Russell. Concussion Knowledge and Prior Expereince Theater Personnel. JSMAHS. 2017;3(1). Professional Research

Concussion Knowledge and Prior Concussion Expereince of Theater Personnel

Brooke Daniell, ATC, Jefferey A. Russell, PhD, ATC, FIADMS

Division of Athletic Training, Ohio University

BACKGROUND

Concussion is a neurometabolic brain injury that is well publicized in sports. Performing artists are at risk for concussion, but do not always have access to specialized healthcare to manage this injury. Many on-stage and backstage activities, obstacles, and hazards place actors and production workers at risk of concussion.

OBJECTIVE

The purposes of this study were to determine the knowledge and attitudes of theater personnel regarding concussion and concussion risks and to assess previous experiences with concussion in this population.

DESIGN

Descriptive research study

PARTICIPANTS

University theater departments and professional theater companies.

METHODS

An online survey was sent to members of university theater departments and professional theater companies. Respondents were asked to identify concussion symptoms from a list of correct and incorrect symptoms and to share their regarding attitudes concussion bv completing sentences about sustaining and reporting this injury. Participants then selected mechanisms of sustaining a concussion from a list of correct and incorrect choices. Finally, respondents who indicated they had suffered one or more concussions during theater activity

answered questions regarding mechanism of injury, symptoms experienced, whether they reported the injury, and, if so, to whom.

MAIN OUTCOME MEASURES

Knowledge of concussion mechanisms, signs, and symptoms, history of concussion incidence and care.

RESULLTS

(what data or findings you obtained)

246 participants responded to our study. Based on survey results, we believe that theater personnel have а general understanding of concussion mechanisms and symptoms and perceive the injury as serious and worthy of medical attention. Participants correctly identified 67% of the true concussion symptoms; only 21% of false concussion symptoms were identified as correct by participants. However, 72% of participants indicated they received a head impact while participating in theater activities and experienced concussion symptoms, but did not report the incident. Eighty-two percent of participants who hit their head in a theater environment were participating in an activity related to scene construction or technical elements. Twentyeight percent of the participants who were seen by a healthcare provider and diagnosed with a concussion were not given any activity restrictions.

CONCLUSIONS and PRACTICAL RELEVANCE

Theater personnel work in environments that present risk for concussion. Safety in performing arts environments cannot be Journal of Sports Medicine and Allied Health Sciences: Official Journal of the Ohio Athletic Trainers Association, Vol. 3, Iss. 1 [2017], Art. 2

Daniell, Russell. Concussion Knowledge and Prior Expereince Theater Personnel. JSMAHS. 2017;3(1). Professional Research

accomplished unless risks are identified and personnel are properly educated. This study provides insight into the extent to which theater personnel understand concussion and its risks, as well as the nature of healthcare delivered to concussed theater personnel. Concussions are prevelant in theater, however, better care for this injury is needed among theater participants.

REFERENCES

- Stein CJ, Kinney SA, et al. Dance-related concussion. J Dance Med Sci. 2014; 18(2):1-8.
- 2. Covassin T, Steame D, Elbin R. Concussion history and post-concussion neurocognitive performance and symptoms in collegiate atheltes. *J Athl Train.* 2008;43(2):1-8.
- 3. Morton J. Musical theatre: The hazards of the performer's workplace. *Med Probl Perf Artists.* 2015;30(1):1-7.
- 4. Register-Mihalik JK, Guskiewicz KM, McLeod TC, et al. Knowledge, attitude, and concussion-reporting behaviors among high school athletes: A preliminary study. *J Athl Train.* 2013;48(5):645-653.
- 5. Cantu RC. Second-impact syndrome. *Clin Sports Med.* 1998;17(1):37-44.

KEY WORDS: concussion, theater, performing arts