

1912

## Catalogue: Noyes & Nutter Manufacturing Company 1912

Noyes & Nutter Manufacturing Company

Follow this and additional works at: [https://digicom.bpl.lib.me.us/books\\_pubs](https://digicom.bpl.lib.me.us/books_pubs)

---

### Recommended Citation

Noyes & Nutter Manufacturing Company, "Catalogue: Noyes & Nutter Manufacturing Company 1912" (1912). *Books and Publications*. 188.

[https://digicom.bpl.lib.me.us/books\\_pubs/188](https://digicom.bpl.lib.me.us/books_pubs/188)

This Book is brought to you for free and open access by the Special Collections at Bangor Community: Digital Commons@bpl. It has been accepted for inclusion in Books and Publications by an authorized administrator of Bangor Community: Digital Commons@bpl. For more information, please contact [ccoombs@bpl.lib.me.us](mailto:ccoombs@bpl.lib.me.us).

74c  
NOT  
LATE

# NOYES & NUTTER MANUFACTURING COMPANY



BANGOR, MAINE

# CATALOGUE

---

---

## NOYES & NUTTER MANUFACTURING COMPANY

1912

---

---

FRANK C. NOYES, Pres.

GEORGE H. NUTTER, Treas.

Established 1836  
Incorporated 1891

Foundry on Dutton Street  
Office and Salesrooms: 112 Broad Street  
BANGOR, MAINE

# F O R E W O R D

**I**N presenting to the trade our Catalogue of Furnaces, Ranges, Stoves, Sinks, Hollow Ware, etc., etc., we desire to give you something which will be a help in ordering goods. We wish you to bear in mind the fact that a personal examination of the goods themselves will give you a better idea of the quality and workmanship of all goods of our manufacture, no matter how nearly perfect the illustrator's art is.

RDONAG  
71 1419

# C O N T E N T S


	PAGE
Crown Kineo Furnace . . . . .	5
Regal Kineo Furnace . . . . .	6
Kineo Oak Furnace . . . . .	7
Triangular Grate and Steel Radiator . . . . .	8
Kineo Wood Furnace, Steel Radiator . . . . .	9
Kineo Wood Furnace, Cast Radiator . . . . .	10
Kineo Wood Furnace, Brick Set . . . . .	11
Large Steel Radiator . . . . .	12
Kineo Cast Radiator . . . . .	13
Water Log . . . . .	14
No. 8 King Kineo Range with Gas Attachment . . . . .	15
No. 8 King Kineo Range with Reservoir and Elevated Closet . . . . .	16
No. 8 King Kineo Range with Reservoir and Elevated Shelf . . . . .	17
No. 8 King Kineo Range with Elevated Shelf . . . . .	18
No. 8 King Kineo Range . . . . .	19
No. 8 Pearl Kineo Range with Reservoir and Elevated Shelf . . . . .	20
No. 8 Pearl Kineo Range with Elevated Shelf . . . . .	21
No. 8 Pearl Kineo Range . . . . .	22
No. 8 Star Kineo Range with Reservoir and Elevated Shelf . . . . .	23
No. 8 Star Kineo Range with Elevated Shelf . . . . .	24
No. 8 Star Kineo Range . . . . .	25
No. 8 Kineo "B" Range with Reservoir . . . . .	26
Range Coal Grates . . . . .	27
Brass Coils . . . . .	28
No. 9 Woodsman . . . . .	29
No. 8 Dirigo . . . . .	30
No. 8 Magnet and Reservoir . . . . .	31
No. 8 Magnet . . . . .	32
No. 7 Arctic . . . . .	33
Kineo Coal Parlor, Plain Style . . . . .	34
Kineo Coal Parlor, Ornamental Style . . . . .	35

# CONTENTS - CONTINUED

	PAGE
Kineo Oak	36
Kineo Franklin	37
Plain Franklin, has Folding Doors	38
Kineo Grand Wood Parlor, Plain Style	39
Kineo Grand Wood Parlor, Ornamental Style	40
Napoleon Wood Parlor	41
Cottage Wood Parlor with Sliding Doors	42
Cottage Wood Parlor with Closed Front	43
Pearl Wood Parlor with Closed Front	44
Pearl Wood Parlor with Mica Front	45
Broadside Box Stove	46
Plain Box Stove	47
Cylinder Stove, for Coal	48
Kineo Spud, Manufactured Expressly for Heating Box Cars	49
Tea Kettles	50
Pots	51
Kettles, Spiders	52
Handle and Bailed Griddles	53
Scotch Bowl, Yankee Kettle	54
Roll Pan, Dutch Oven	55
Bean Pots	56
Tank Top, Air Tight Door and Legs	57
Cast Fire Dogs, Hearth Blower	58
Woods and Large Round Bean Pots	59
Funnel Iron, Register	60
Corner Feed Box, Salt Box, Hitch Weights	61
Sinks	62
Ash Mouth, Boiler Mouth	63




# CROWN KINEO FURNACE



Large Radiator, with return flue, which causes the smoke to pass entirely around it before entering the chimney. Reversible, so that smoke pipe can be taken out at different angles. Combustion chamber is large, so as to receive a Water Log that will heat 200 feet of radiation. Fire Pot in two sections. Large Ash Pit. Triangular Grate, with patented device for holding up that allows the sections to be removed independently. Lift Draft Door that can be operated by a chain from above. Water Pan and Dust Flue. (See page 14 for Water Log.)

	Height of Casting	Diameter of Radiator	Diameter of Fire Pot
No. 161	49 inches	32 inches	19 inches
No. 165	53 inches	35 inches	22 inches
No. 167	62 inches	38 inches	24½ inches

# REGAL KINEO FURNACE




Portable, with Triangular Grate, Indirect Radiator, Reversible, so that Smoke Pipe can be taken out at different angles, Fire Pot in Two Sections. Large Ash Pit.

	Height of Casting	Diameter of Radiator	Diameter of Fire Pot
No. 52	49 inches	32 inches	20 inches
No. 54	51 inches	35 inches	24 inches




# KINEO OAK FURNACE




Burning Wood or Coal equally well, with Double Feed Doors to admit wood when required. Grates for Wood and Coal always shipped with Furnace. Has Dock Ash Grates that can be easily removed for repairs.

	Height of Casting	Diameter of Radiator	Diameter of Fire Pot
No. 22	53 inches	35 inches	22 inches
No. 26	57 inches	39 inches	26 inches

# TRIANGULAR GRATE AND STEEL RADIATOR



TRIANGULAR GRATE



STEEL RADIATOR

Used with Crown Kineo and Regal Kineo Furnaces.

# KINEO WOOD FURNACE, STEEL RADIATOR



Portable, with very large Steel Radiator, Direct and Indirect Draft. Wood burns on grate, which allows ashes to be dumped into ash pit.

	Height of Casting	Size of Radiator	Length of Fire Box
No. 38	53 inches	34 x 43 inches	38 inches
No. 44	55 inches	36 x 48 inches	44 inches

# KINEO WOOD FURNACE, CAST RADIATOR



Portable, with Cast Radiator, suitable for low cellars and houses that require three or four registers. Direct and Indirect Draft. Wood burns on grate, which allows ashes to be dumped into ash pit.

	Height of Casting	Size of Radiator	Length of Fire Box
No. 38	45 inches	32 x 39 inches	38 inches


# KINEO WOOD FURNACE BRICK SET



Brick Set, Steel Radiator same as Portable.

	Height of Casting	Size of Radiator	Length of Fire Box
No. 38	53 inches	34 x 43 inches	38 inches
No. 44	55 inches	36 x 48 inches	44 inches

# LARGE STEEL RADIATOR



Used on Kineo Wood Furnaces, Nos. 38 and 44. Portable  
or Brick Set.




# KINEO CAST RADIATOR




Used only on No. 38 Kineo Wood Furnace in Portable Form.

# W A T E R L O G



Used with No. 167 Crown Kineo Furnace.


# NO. 8 KING KINEO RANGE



With Reservoir and Elevated Shelf. Size of Oven, 20 x 20 inches. Coal or Wood. Removable Nickel Bands. End Gas Oven with Broiler. End Shelf with Three Burners.

Length of Fire Box for Wood - - - 27 inches


# NO. 8 KING KINEO RANGE



With Reservoir and Elevated Closet. Size of Oven, 20 x 20 inches. Coal or Wood. Removable Nickel Bands.

Length of Fire Box for Wood - - - 27 inches

# NO. 8 KING KINEO RANGE



With Reservoir and Elevated Shelf. Size of Oven, 20 x 20 inches. Coal or Wood. Removable Nickel Bands.

Length of Fire Box for Wood - - - 27 inches

# NO. 8 KING KINEO RANGE




With Elevated Shelf. Size of Oven, 20 x 20 inches. Coal or Wood. Removable Nickel Bands.

Length of Fire Box for Wood - - - 27 inches




# NO. 8 KING KINEO RANGE



Size of Oven, 20 x 20 inches. Coal or Wood. Removable  
Nickel Bands.

Length of Fire Box for Wood - - - 27 inches


# NO. 8 PEARL KINEO RANGE



With Reservoir and Elevated Shelf. Size of Oven, 20 x 20 inches. Coal or Wood. Removable Nickel Bands.

Length of Fire Box for Wood - - - 25 inches


# NO. 8 PEARL KINEO RANGE



With Elevated Shelf. Size of Oven, 20 x 20 inches. Coal or Wood. Removable Nickel Bands.

Length of Fire Box for Wood . . . . 25 inches


# NO. 8 PEARL KINEO RANGE



Size of Oven, 20 x 20 inches. Coal or Wood. Removable  
Nickel Bands.

Length of Fire Box for Wood . . . . . 25 inches

# NO. 8 STAR KINEO RANGE




With Reservoir and Elevated Shelf. Size of Oven, 20 x 20 inches. Coal or Wood. Removable Nickel Bands.

Length of Fire Box for Wood . . . . . 22½ inches

NO. 7 STAR KINEO RANGE  
SIZE OF OVEN 18 X 18 INCHES



# NO. 8 STAR KINEO RANGE




With Elevated Shelf. Size of Oven, 20 x 20 inches. Coal or Wood. Removable Nickel Bands.

Length of Fire Box for Wood . . . . . 22½ inches



# NO. 8 STAR KINEO RANGE



Size of Oven, 20 x 20 inches. Coal or Wood. Removable Nickel Bands.

Length of Fire Box for Wood - - - 22½ inches

NO. 7 STAR KINEO RANGE  
SIZE OF OVEN 18 X 18 INCHES


# NO. 8 KINEO "B" RANGE




With Reservoir. Size of Oven, 22 x 20 inches. Coal or Wood. Plain Edge.

Length of Fire Box For Wood . . . . . 24½ inches

# RANGE COAL GRATES



Copp Patented Grate



Plain Grate



Dock Ash Grate


King Kineo Ranges fitted with Draw-out Dock Ash or Plain Grates, as ordered.

Kineo "B" Ranges fitted with Copp or Plain Grates, as ordered.

Pearl Kineo Ranges fitted with Dock Ash or Plain Grates, as ordered.


Star Kineo Ranges fitted with Dock Ash or Plain Grates, as ordered.

# B R A S S C O I L S



Small Brass Coil


In King Kineo, Pearl Kineo and Star Kineo Ranges.



Large Brass Coil

Is used in King Kineo, Kineo "B," Pearl Kineo  
and Star Kineo Ranges.

# NO. 9 WOODSMAN



The Stove is fitted with Tin Oven on back and large Copper Tank on top; or tank can be removed and give six nine-inch covers for boiling. Has Oven 22 x 24 inches, and receives wood 27 inches long. Just the stove for logging camps and boarding houses. Burns wood only.

# NO. 8 DIRIGO



## FOR WOOD

Size of Oven	- - - - -	22 x 20 inches
Length of Fire Box	- - - - -	25 inches



# NO. 8 MAGNET AND RESERVOIR



FOR WOOD

Size of Oven	-	-	-	-	-	-	-	-	-	20 x 17 inches
Length of Fire Box	-	-	-	-	-	-	-	-	-	22½ inches

# NO. 8 M A G N E T



FOR WOOD

Size of Oven	- - - - -	20 x 17 inches
Length of Fire Box	- - - - -	22½ inches

# NO. 7 A R C T I C



## FOR WOOD

Size of Oven	- - - - -	20 x 17 inches
Length of Fire Box	- - - - -	22½ inches


# KINEO COAL PARLOR



Oven in top and double base which allows heat to pass under full size of ash pit. Made with plain smooth finished castings.

No. 113	Size of Inside Cylinder	-	-	-	-	13 inches
No. 115	Size of Inside Cylinder	-	-	-	-	15 inches

# KINEO COAL PARLOR



Oven in top and double base which allows heat to pass under full size of ash pit.

- No. 13 Size of Inside Cylinder - - - - 13 inches
- No. 15 Size of Inside Cylinder - - - - 15 inches

K I N E O O A K



No. 16 For Wood or Coal

No. 18 For Wood or Coal



# KINEO FRANKLIN



With Brass Corner Ornaments. Arranged with Fire Dogs,  
Wood Grate or Basket Grate for Coal as ordered.

No. 16 Size of Fire Box for Wood - - - 18 inches

# PLAIN FRANKLIN



For Wood. Has Folding Doors. Smoke Collar on Back or Top as ordered. Fire Dogs extra.

No. 2	Size of Fire Box	-	23 inches long x $12\frac{1}{2}$ inches deep
No. 3	Size of Fire Box	-	$29\frac{1}{2}$ inches long x $13\frac{1}{4}$ inches deep

# KINEO GRAND WOOD PARLOR



Removable Nickel Band and Foot Rail, inside Guard and Fire Back, Swing Cover to admit large wood, with 8 inch kettle-hole for heating water. 6 inch Round Cast Iron Elbow extra. Made with plain smooth finished castings.

No. 130	Length of Fire Box	-	-	-	-	22 inches
No. 140	Length of Fire Box	-	-	-	-	25 inches

# KINEO GRAND WOOD PARLOR



Removable Nickel Band and Foot Rail, inside Guard and Fire Back, Swing Cover to admit large wood, with 8 inch kettle-hole for heating water. 6 inch Round Cast Iron Elbow extra.

No. 30	Length of Fire Box	-	-	-	-	22 inches
No. 40	Length of Fire Box	-	-	-	-	25 inches

# NAPOLEON WOOD PARLOR



Nickel Bands and Foot Rails, inside Guard and Fire Back, Swing Cover to admit large wood, with 8 inch kettle-hole for heating water. 6 inch Round Cast Iron Elbow extra.

No. 21	Length of Fire Box	-	-	-	-	21½ inches
No. 24	Length of Fire Box	-	-	-	-	25 inches

# COTTAGE WOOD PARLOR



Sliding Doors in front. Nickel foot rail. Inside Center with Cover extra, also 6 inch Round Cast Iron Elbow extra.

Length of Fire Box - - - - - 21½ inches



# COTTAGE WOOD PARLOR



Closed Front and Nickel Foot Rail. Inside Center with Cover extra, also 6 inch Round Cast Iron Elbow extra.

Length of Fire Box - - - - 21½ inches

# PEARL WOOD PARLOR



Closed Front and Nickel Rail. With two 7 inch Covers for cooking purposes.

Length of Fire Box - - - - 19 inches


# PEARL WOOD PARLOR



Mica Front and Nickel Foot Rail. Has two 7 inch Covers for cooking purposes.

Length of Fire Box - - - - - 19 inches

# BROADSIDE BOX STOVE



Swing Top and Large End Door.

	Length, Inches	Width, Inches	Height, Inches	Weight, Lbs.
No. 24	- 24	15	18	141
No. 30	- 30	17	20	182
No. 36	- 36	19	23	243

# PLAIN BOX STOVE



Nos. 1 and 2 have Round Cover with Bail. Nos. 3, 4, 5, have Flat Top, with Center Piece containing 8 inch Cover which can be raised to admit large wood.

	Length, Inches	Width, Inches	Height, Inches	Weight, Lbs.
No. 1	18	8	12	57
No. 2	20	9	13	70
No. 3	24	11	14	96
No. 4	28	12	16	150
No. 5	32	14	18	192

# CYLINDER STOVE



For Coal. Round Cover with Bail.

No. 3	Height	-	-	-	-	27	inches
	Diameter	-	-	-	-	14	inches
	Weight	-	-	-	-	200	pounds



# K I N E O S P U D



Manufactured expressly for heating box cars, when the contents are perishable, such as potatoes, etc. Giving absolute safety to shipment and protection from fire. It is strong and durable. The legs are made so that they can be bolted to the floor, and with the addition of long rods fastened securely to sides it is impossible for heater to become dislodged from its upright position. It has a flat shaking and dumping grate.

Diameter of Stove	-	-	-	-	14 inches
Diameter of Smoke Collar	-	-	-	-	5 inches
Height of Stove	-	-	-	-	36 inches



7 inch

8 inch

9 inch

10 inch Tea Kettle with 9 inch bottom.



7 inch

8 inch

9 inch

10 inch

8 inch B Pot ( a Large No. 9 with 8 inch Bottom).

10 inch B Pot ( an extra Large Pot with 9 inch bottom).

# KETTLES, SPIDERS



KETTLE

7 inch

8 inch

9 inch



SPIDER


7 inch

8 inch

9 inch

10 inch


# HANDLE AND BAILED GRIDDLES



HANDLE GRIDDLE

8 inch Diameter

14 inch Diameter



BAILED GRIDDLE

Diameter - - - 14 inches

# SCOTCH BOWL, YANKEE KETTLE



SCOTCH BOWL

No. 1	Diameter of Top	-	-	-	-	-	9½ inches
No. 2	Diameter of Top	-	-	-	-	-	10½ inches
No. 3	Diameter of Top	-	-	-	-	-	12 inches




YANKEE KETTLE

No. 1	Diameter of Top	-	-	-	-	-	8 inches
No. 2	Diameter of Top	-	-	-	-	-	8¼ inches
No. 3	Diameter of Top	-	-	-	-	-	9¾ inches



# ROLL PAN, DUTCH OVEN



ROLL PAN

No. 2

No. 3



DUTCH OVEN


	Diameter, Inches	Capacity, Quarts
No. 10	- 9½	4½
No. 12	- 11	8½
No. 14	- 13½	12½
No. 16	- 15	18

# B E A N P O T S



BEAN POT

No. 1	-	-	-	-	-	-	-	2 quarts
No. 2	-	-	-	-	-	-	-	3 quarts
No. 3	-	-	-	-	-	-	-	5 quarts
No. 5	-	-	-	-	-	-	-	6 quarts



SQUARE BEAN POT

Has a Sheet Iron Cover.


Medium	-	-	-	15½ x 9 x 6 inches deep
Large	-	-	-	18¼ x 13¼ x 7 inches deep

# TANK TOP, AIR TIGHT DOOR AND LEGS



TANK TOP

Black or Galvanized,                      7 inch, 8 inch, 9 inch



AIR TIGHT DOOR AND LEGS

Small Size.


Large Size.

# CAST FIRE DOGS, HEARTH BLOWER



CAST FIRE DOGS

No. 1	Length of Feet	-	-	-	-	9	inches
No. 2	Length of Feet	-	-	-	-	11½	inches
No. 3	Length of Feet	-	-	-	-	14½	inches
No. 4	Length of Feet (extra heavy)	-	-	-	-	16	inches
No. 5	Length of Feet	-	-	-	-	24	inches



HEARTH BLOWER

Size - 4 x 8 inches

# WOODS AND LARGE ROUND BEAN POTS



WOODS BEAN POT

For Baking Beans in Ground with Sheet Iron Cover.  
1, 1½, 2, 3, 4, 5 and 6 Gallons.



LARGE ROUND BEAN POT


Diameter of Top	-	-	-	10½ inches
Diameter of Bottom	-	-	-	8½ inches
Depth	-	-	-	9 inches
Capacity	-	-	-	12 quarts

# FUNNEL IRON, REGISTER



FUNNEL IRON

Length of Flange	-	-	-	-	3 inches
5 inch	5½ inch	6 inch			7 inch




REGISTER AND BORDER

Two Sizes of Registers	-	22 x 28 inches and 28 x 34 inches
Outside measure of 22 x 28 Register Border,		28 x 34 inches
Outside measure of 28 x 34 Register Border,		34 x 40 inches




# CORNER FEED BOX, SALT BOX HITCH WEIGHTS



CORNER FEED BOX

Size, 15 x 15 inches, 9 inches deep



SALT BOX

For Stable Use

10½ x 8 inches, 4 inches deep




HITCH WEIGHTS

15 pounds

20 pounds

27 pounds

# S I N K S



Eight Sizes, each Sink having Heavy Beaded Edge.

24 x 16 x 4 inches

30 x 18 x 4 inches

36 x 20 x 4½ inches

42 x 22 x 5 inches

48 x 23 x 5 inches

54 x 23 x 5 inches

60 x 28 x 5¼ inches

72 x 23½ x 5¼ inches

# ASH MOUTH, BOILER MOUTH.



## ASH MOUTH

No. 00	-	5 x 7 inches	No. 1	-	10 1/2 x 13 inches
No. 0	-	7 x 10 inches	No. 1 1/2	-	9 x 12 1/2 inches
No. 2	-	-	-	-	11 x 14 inches



## BOILER MOUTH

No. 0	-	-	-	-	8 x 9 inches
No. 1	-	-	-	-	10 1/2 x 13 inches
No. 1 1/2	-	-	-	-	9 x 12 1/2 inches
No. 2	-	-	-	-	11 x 14 inches
No. 2 1/2 (heavy)	-	-	-	-	11 1/2 x 14 inches

