



Institute of Transport Studies (Monash)
The Australian Research Council Key Centre in Transport Management

**Institute of Transport Studies, Monash
University
World Transit Research**

World Transit Research

9-1-2011

Geo-spatial analysis of activity spaces in a TOD environment – Tracking impacts of rail transport policy using kernel density estimation

Markus Botte

Doina Olaru

Follow this and additional works at: <http://www.worldtransitresearch.info/research>

Recommended Citation

Botte, M., & Olaru, D. (2011). Geo-spatial analysis of activity spaces in a TOD environment – Tracking impacts of rail transport policy using kernel density estimation. Conference paper delivered at the 34th Australasian Transport Research Forum (ATRF) Proceedings held on 28 - 30 September 2011 in Adelaide, Australia.

This Conference Paper is brought to you for free and open access by World Transit Research. It has been accepted for inclusion in World Transit Research by an authorized administrator of World Transit Research. For more information, please contact pauline.forbes@eng.monash.edu.au.



MONASH University

Geo-spatial analysis of activity spaces in a TOD environment – Tracking impacts of rail transport policy using kernel density estimation

Markus Botte¹, Doina Olaru²

¹The University of Western Australia, Business School, M261, Perth, Australia

²The University of Western Australia, Business School, M261, Perth, Australia

Email for correspondence: mbotte@gosnells.wa.gov.au

Abstract

Activity spaces are dynamic, “people-based” accessibility measures that can be used to analyse spatial arrangements of travel. This paper reports on activity spaces in context of transport policy aimed at changing travel behaviour by offering alternative transport options and new urban services within transit-oriented developments (TOD) environments. Specifically, we explore associations between TOD and activity spaces to derive visually easy comprehensible indicators, assisting practitioners and policy makers in determining decision-making effectiveness.

We analyse results from household travel diaries collected within three unique TOD precincts in Perth, Western Australia situated alongside a 72km new metro-rail link, pre- and post-opening, to identify impacts of the major transport intervention on travel.

While activity spaces have increasingly been applied as metrics for assessing the extent of urban space used by households for satisfying their daily activity needs, their application to explore potential changes in built environment induced travel behaviour is a novel feature of this research.

We employ herein kernel density estimation, which has great flexibility and superior visualisation capabilities in representing activity spaces, to longitudinally track travel behaviour changes. We also expand on previous investigation that considered discrete origin-destination trip data, by applying kernel density estimation to data including generated route information.

Our findings suggest benefits of activity space analysis in investigating past transport infrastructure decisions and associated implications, promising a potential improvement for development of new policies and strategies in the transport sector.

Keywords: activity space, transit-oriented development, kernel density estimator

1. Introduction

Over the last decades considerable research efforts have aimed to explore intrinsic relationships between urban form and activity-travel patterns (Cervero, 2005, Cervero and Sullivan, 2010; Ewing and Cervero, 2010; Zhang, 2005, to name but a few). Provision of mixed land use and multi-purpose activity centres with increased densities, accounting for a carefully balanced job-housing ratios (Cervero and Duncan, 2006) and serviced by high-quality public transport, are commonly hailed as the 'holy grail' in developing sustainable, liveable and less car-reliant urban environments. Hence, careful planning of TODs around key transit nodes holds a promise for stimulating desired travel behaviour changes (Smart Growth Network, 2003; Cervero, 2005).

With this research we reflect on our prior work (Botte and Olaru, 2010) which critically considered a variety of metrics for assessing household activity spaces within a TOD setting and explored changes in activity spaces across three TODs, pre and post-opening of a new 72km long railway corridor connecting them to the city. Our research is based on the theory that if urban planning and infrastructure network development account for a functional and pleasant urban fabric with a select suite of services closer to individuals' residences (in order to meet diverse activity needs) then resulting activity spaces should reflect the conditions inherent to the underlying urban framework.

Thus, the aim of this research is twofold: a) to further explore changes in activity spaces across three TOD precincts along the metro-rail link, now including more recent data, and against the backdrop of an ever evolving transport policy and urban planning framework in Western Australia, and b) to refine kernel density estimation as our preferred tool for assessing household activity spaces within a TOD setting, testing the ability to enrich the analysis by applying generated route information to a discrete sub-sample in an attempt to overcome common data limitations.

The paper is divided into five sections, including this introduction. In the remainder of the introduction we briefly present a summary of key TOD features and the unique and challenging Western Australian environment in which developers, planners, engineers and policy makers operate. Section 2 summarises the basics of activity space analysis, referring to past research that derived and applied activity spaces with various formulations and in different urban environments. In this research we concentrate on the activity space measures of confidence ellipse (CE) and kernel density (KD) and indicate their main benefits and limitations. We then further explain our approach of data enhancement and hypothesise the benefits of our suggested approach. In Section 3 we provide an overview of the geographical setting, a description of the models used in this paper and the methodology applied to derive constructed route data for data enhancement purposes. Section 4 discusses the results and reviews in comparison confidence ellipse and kernel density activity space measures across three railway precincts, before and after the opening of the new sub-regional railway line, both at a precinct and at a household level. Moreover, this section provides results of the refined approach of data enhancement, applying kernel density estimation with generated route data to a subsample of 54 households. In this case the focus lies on individual households' travel patterns based on kernel density measurements we refined with retrospectively enriched survey data. Section 5 comments on the empirical results and the paper concludes with an outline of some of the limitations of the analysis as well as an outlook on future work.

1.1. TOD in Australia – attempts to become more sustainable

Transit Oriented Development (TOD) has arisen as a model integrating land use and transport, discouraging car travel and promoting more active transport modes, injecting vitality and expanding lifestyle choices, whilst reducing urban sprawl (Newman and Kenworthy, 1999; Cervero et al, 2004; Dittmar and Ohland, 2004; Renne and Wells, 2004; Newman, 2005; Renne et al, 2005). TOD is related to concepts of “Smart growth” and “New Urbanism” (Smart Growth Network, 2003; Grant, 2006; Curtis et al., 2009; Ewing and Cervero, 2010) and embeds the principles of “D variables” – density, diversity, design (Cervero and Kockelman, 1997) enriched with destination accessibility and distance (Ewing and Cervero, 2001; Ewing et al., 2009). Over the last decade, TOD has been internationally embraced by planners and politicians, who have realised its benefits are reaching far beyond their individual and originally anticipated potential. Under the term “Green TODs” (Cervero and Sullivan, 2010), next-generation transit-oriented developments are currently taking shape in many places around the world, aiming to create ultra-sustainable, self-sufficient urban environments. While the core planning tasks remain focussed on spatial integration of transport and land use planning, consideration of environmental and community planning aspects are becoming increasingly interlinked with the traditional TOD model (Cervero and Ewing, 2010, Cervero and Sullivan, 2010).

Essentially, TOD is associated with moderate to high density development, located within an easy walk (approximately 800 m) of a major public transport stop (operating on highly synchronised and reliable timetables, at high frequency (5-15 min) and with extended operating hours), generally with a mix of residential, employment, and shopping opportunities, designed for pedestrians and cyclists, without excluding the automobile (TRB - TCPR Report 95, 2007; Centre for Transit Oriented Development, 2006). TOD creates the conditions for a better coordination of services in space and a greater possibility for combining various activities. TOD can be delivered as a new “green-field” development or as a re-development or retro-fitting of existing built-up areas. A well-designed TOD is expected to enhance access to opportunities both at the city level as well as the local level. This means that TODs are likely to better account for the individual diverse activity needs, which has impacts on realised travel patterns (Curtis et al., 2009).

Australian cities, and in this context Perth, are facing significant challenges for planning TODs in existing, low density environments (the average population density for Perth is 3.08/ha (Australian Bureau of Statistics, 2011), with the highest TOD population density in Perth at less than 40 dwelling/ha (Johnson, 2008) struggling to reach even as much as 1/3 of the recommended TOD population and employment densities to support effective transit investments (Guerra and Cervero, 2011; Puget Sound Regional Council, 1999). In this regard the TODs we present here are atypical for the commonly accepted definitions of TOD in the US and Europe.

These unique challenges partially can be seen as a product of the relatively young history of urbanisation as well as associated metropolitan and transport planning paradigms in Australia, which, until recently, have been vastly influenced by the seemingly ubiquitous availability of land, developable at low costs, and the increasingly unlimited access to the automobile, i.e. the ability to use a vehicle whenever it is needed. In the following, we will further delve into a review Western Australia’s strategic planning fundamentals.

1.1.1 Strategic Planning & Policy Background – Western Australia – Past and Future

In the case of Western Australia, formalised strategic metropolitan planning commenced with the adoption of the Stephenson-Hepburn plan in 1955. This plan was replaced by the Corridor Plan (in 1970), Metroplan (in 1990) and recently the plan for a Network City (released in 2004). While earlier planning followed a traditional car-oriented approach,

Network City differed. It focused on a connected network of activity centres, taking due cognisance of the important role of public transport, whilst aiming to stimulate a significant amount of growth from within, i.e. through urban regeneration and densification of existing built-up areas.

The centre-based strategic policy framework, defining spatial arrangements of density and land use parameters, was ideally suited to deliver its promise, forming one of the four key strategic planning tools required to successfully support the implementation of transit oriented developments, as suggested by Newman (2009).

However, compared to its predecessors, Network City was short-lived. It was replaced after just six years by Western Australia's current strategic planning document, titled "Directions 2031 and beyond - metropolitan planning beyond the horizon" (State of Western Australia, 2010a), offering an exciting future direction in metropolitan planning. Directions 2031 builds and expands on the Network City approach. It outlines a spatial planning framework and strategic plan for the future development of a metropolitan Perth and its surrounding region based on a balanced and managed approach to accommodate both urban growth and preservation, transforming the linear development history to achieve a more compact and connected city by relying on both greenfield and infill development at equal importance.

Directions 2031 presents three vital structural planning elements: 1) an integrated network of activity centres; 2) strategic movement webs; and 3) public green spaces to form the basis of the spatial framework. A categorised array of activity centres is tagging key locations for densification, intensification and expansion of public transport corridors and urban fabric, in conjunction with developments aimed to accommodate increased housing needs while encouraging reduced car travel. Thus, activity centres form the backbone of the strategic direction.

The Western Australian State Planning authority defines activity centres as *"places, which vary in scale, composition and character but in essence are commercial" and "communal focal points"* (Department of Planning, p.1). They aim to integrate a range of activities, such as commercial, offices, retail, higher-density housing, entertainment, tourism, civic/community (higher) education and medical services. *"Activity centres vary in size and diversity and are designed to be well-served by public transport."* (Department of Planning, p.1). These characteristics resemble the TOD basic features.

In support of the implementation of the strategic direction, the Western Australian Government released a new State Planning Policy - Activity Centres for Perth and Peel (State of Western Australia, 2010b), making provisions for planning implementation and outlining a performance based approach. While the document specifies main elements for the development of activity centres, the picture remains incomplete as to the minimum values and thresholds of stated performance parameters. Detailed guidance is provided on housing and employment densities, yet for details on the activities – retail, community services, health, recreation, hospitality, cultural, etc. – the policy remains uncertain.

Referring to the broader literature, the policy's implementation is left to market dynamics and limited capabilities of local government planning authorities, both, given the current economic climate, having to rely on scarce resources available to deliver results, i.e. to implement compliant development outcomes and to individually refine and specify activity centres' performance parameters within local planning schemes and/or activity centre structure plans. This means planners and developers are confronted with a multitude of complex questions, such as: What are the appropriate indicators of spatial activity arrangement and distribution to achieve functional activity centres?; Is there a "right" mix of activities?; How and where should activities be located to achieve optimum developments with beneficial economic and sustainability outcomes? These questions reveal a disconnect between the strategic plan

(Directions 2031) and its implementation framework, with critical elements caught in the crossfire of competing influences, such as localised and commercial interests, and routinely exposed to the political agenda at the local level. This is where the success of the strategy will likely face its limitations, given the restricted powers, facts and funds to reinforce the goals of this high level strategic plan.

Considering the state of affairs outlined above, our research introduces geospatial analysis tools that can assist practitioners in unravelling some of the complexities, with potential to develop and display compelling arguments in support of the strategic goals. It provides measures to benchmark, monitor and analyse planning outcomes as they materialise within the urban fabric. This can prove as valuable to assist planners and decision makers in better understanding of the strategic outcomes. Using a local case study, we apply the suggested measures to a real life scenario and investigate associations between transit-oriented development (TOD) conditions and changes in household activity spaces for three precincts along a new 72 km railway corridor in Perth (Perth – Mandurah metro rail).

1.1.2 A practitioner's view – understanding implications & enriching knowledge

Multiple implications of public transport, passenger rail, and associated TOD investments are known; they include reduced car dependence and increased public transport ridership along with more walking and cycling (Cervero, 2005; Chen and McKnight, 2007), increase in property values (Cervero et al., 2004; Hess, 2007; Pagliara and Papa, 2011), as well as stimulus of economic development at the local level.

Notwithstanding their obvious benefits, we seem to experience problems with the broader acceptance, adoption and implementation of TOD, Smart Growth and New Urbanism principles. Strategic policy and political decision makers in Western Australia are yet to fully apply these ideas and frequently fail to place more emphasis on improved public transport and passenger rail investments (Australian Conservation Foundation, 2011). They lack in facilitating the “vehicles” for implementation and to provide market incentives to assist in delivery of successful TOD outcomes, e.g. through valuable and proven Public-Private-Partnerships, formed by State and Local Government Authorities as well as development industry partners (Curtis et al., 2009).

On the other hand, in a marked driven economy which is yet to overcome negative impacts of the recent global financial crisis (GFC), it proves difficult to shift the mind-set of developers and financiers, from a myopic, short-term cost-recovery view to a longer-term view, which ultimately capitalises on the benefits at residential level, using multiplier effects to create lasting value for money outcomes for the development industry. Promising means to achieve this are good quality, functional and attractive built environments with long-term increase in property values, supported by taxation incentives.

At the local community level, a lack of public understanding about strategic planning principles appears evident. While most City planners claim to grasp TOD concepts (but frequently grapple with defining appropriate performance parameters), the general public remains vastly unaware about its myriad advantages. Generally the community seems to fear that dense urban development causes a lack of green space and lack of quality development. Hence, influencing and changing personal attitudes and market dynamics remain major challenges in advancing TOD implementation at a local level. In a re-development situation, this scenario is often complicated by fragmented ownership, requiring amalgamation or conjoint development of multiple small landholdings, restricting the timely and systematic achievement of planned land-use, amenity and accessibility outcomes at the local level. Consequently, any kind of TOD proposal still faces huge obstacles in many communities.

From an institutional perspective, a disconnect between State and local authorities arises when plans are conceived and decisions made separately and even in opposition or conflict, instead of together. A shift to integrated thinking and planning between various agencies seems imperative, with inter-agency collaboration recognised as a crucial element on the TOD agenda (Cervero and Sullivan, 2010); yet, historically, breaking down institutional barriers is known to be difficult.

In Western Australia, redevelopment authorities have frequently been formed to overcome these issues, especially where large landholdings in State Government ownership supported the TOD task or where local government intervention had not been successful in achieving desired outcomes. Despite its benefits, this approach has the potential to introduce market bias, with development gravitating towards those less regulated and favouring re-development agents, which appear more supportive of TOD, Smart Growth and higher density. Hence, comprehensive guidelines for TOD implementation, recognising complexity of in-fill vs. green field locations and outlining key components as well as specific parameters to qualify for government support, would assist in providing consistent conditions across potential (re-)development precincts, removing bias and allowing local governments to pursue strategic targets on a level playing field and in inter-regional collaboration.

2. Concepts and Modelling Approach

2.1. Tracking Activity Space Changes

The motivation for people to travel is the wish for participation in activities required to satisfy daily individual needs and desires. These activities are geographically spread and their location, frequency, and duration is a function of the benefits (utility) they provide, of the time and budgetary restrictions, and of the availability of urban facilities to meet those needs and desires.

The activity space concept has emerged as a tool to gain insights into the relationships between the demand for daily activity and travel. This concept attempts to describe the distribution of activity locations visited through spatial measures, forming a space individuals are likely to be more aware/informed of and hence use it. Activity space is based on the idea that frequent visits to places increase the individual's knowledge of the locations visited, including their immediate surroundings. This knowledge space, also known as a mental map, can then influence the choice for location and travel (Hannes et al., 2008). The activity space reveals both the individual's demand for activity participation and the supply of supporting activity facilities and is considered to be a "people-based accessibility measure" (Miller, 2005).

With this research we aim to reflect on our prior work (Botte and Olaru, 2010) which critically considered a variety of metrics (CEs, Cassini ovals, hyper-ellipses, bean curves, and KDs) for assessing household activity spaces within a TOD setting and explored changes in activity spaces across three TODs, pre and post-opening of the railway corridor connecting them to the city. We then suggest an improved way of assessment focussing on the kernel density activity space measure, but this time we are using generated route data (simulating Global Position System travel survey data information) to allow for better monitoring of changes in human activity patterns, spatially and temporally, with an emphasis on the analysis of potential TOD influenced travel behaviour changes. Various parameters that can change the characteristics of the resulting activity space measure are also explored.

2.1.1 What are Activity Spaces?

The theory of activity spaces (AS) stems from biological research undertaken on habitat use, territoriality behaviour, and mammals' home range studies (Burt, 1943; Jennrich and Turner, 1969; Mazurkiewicz, 1969; Worton, 1989; Seaman and Powell, 1996; Simcharoen et al.,

2008) and has been applied in other areas such as the analysis of crime incident locations (Levine, 2002) or accessibility to health care services (Guagliardo, 2004). Basic work applied simple elliptical measures (Zahavi, 1979; Holzapfel, 1980; Beckmann et al., 1983a and b). Later on kernel densities were applied (Botte, 2003; Axhausen et al., 2004a,b), or minimum spanning tree (Axhausen et al., 2004a,b; Chapleau and Morency, 2007), and more recently alternative geometries were tested (Rai et al., 2007; Botte and Olaru, 2010).

The activity spaces consider jointly travel demand and supply by including locations of required daily activities and the transport services satisfying those travel needs. They reflect a spatial process that cannot be captured in classical demand models, and take into account time limitations and institutional constraints. The activity spaces are geospatial, statistical measures that can describe *spatial use* (Axhausen et al., 2004a,b) or *spatial perception, and spatial awareness* of travellers (Horton and Reynolds, 1971) at individual or aggregate level. Empirical studies have been conducted either on revealed activity spaces (Dijst, 1999; Botte, 2003; Schönfelder and Axhausen, 2003a and b; Olaru et al., 2005; Buliung and Kanaroglu, 2006; Chapleau and Morency, 2007; Kamruzzaman et al., 2009) or focused on travel potentials or opportunities (Brown and Moore, 1970; Burns, 1979; Casas, 2007). Numerous accounts of recent experiences/studies were at the aggregate level or individual level (where data was sufficient – e.g., Mobidrive).

AS are related to the space-time paths and prisms (fish tanks – Kwan, 2000) demarcating possible locations for activities, within a given time “budget” for travel and considering the speed of the transport services (Burns, 1979, based on Hägerstrand, 1970). A significant improvement in the quality of services, resulting in greater potential to reach further destinations, may be either reflected in larger activity space-time prisms or in time savings that can be embedded in stationary activity times. Similarly, two-dimensional AS adjust dynamically as a result of changes in built environment and transport services, and they may increase with higher access to activities further from home or may decrease if the opportunities are brought close to home.

This research belongs to the stream of research exploring realised AS at both individual and aggregate level, in the context of TOD changes.

2.1.2 How do we measure AS?

A variety of methods have been used in the last four decades to measure the extent of the activity space. Usually, the AS has been defined in a two-dimensional form, applying standard distance, confidence ellipse, polygon, kernel density for their sizes (Silverman, 1986; Worton, 1989; Fotheringham et al., 2000; Buliung and Kanaroglu, 2006; Fan and Khattak, 2009), as well as minimum spanning tree, and buffer geometries (Schönfelder and Axhausen 2002, 2003a and b; Chapleau and Morency, 2007). Different formulations have aimed to accentuate the various dimensions of travel related choice decisions or potentials to reach opportunities, whilst providing the connection to spatial information and temporal dimensions (e.g. time spent on both activity and travel) (Chapleau et al., 2008). Rai et al. (2007) compared new geometries such as superellipses, Cassini ovals and bean curves with confidence ellipses, providing insights and recommendations on appropriateness of various shapes for certain conditions. These measures are determined by the household basic places (home, work or other frequently visited activity centres) and the accessibility provided by the transport network (Golledge and Stimson, 1997). Hence, they highlight various travel behaviour aspects and it is difficult to find a single measure to cover the richness of travel behaviour. The most commonly highlighted limitations in previous scholarly work are: a) standard distances (imposing symmetry around the home) tend to exacerbate the effect of spatial outliers and fail to account for weighting of activity locations; b) confidence ellipses are likely to overestimate the size of activity spaces; c) polygons are representing the

maximum geographical extent of the activity space, ignoring weights and considering all locations equally important; moreover, they cannot be estimated for 'pendulum' home-work travel; d) buffers and spanning trees, are assuming that narrow bands of space around a road or track network are known to the user, they are data intensive, and do not incorporate importance of locations in their definition. In the same line of thought, space-time prisms are difficult to analyse quantitatively. Given the above limitations, Botte and Olaru (2010) selected Kernel Density and Confidence Ellipse geometries as candidates of interest for further investigation.

2.1.2. Kernel Density

Botte and Olaru (2010) have examined in detail a variety of metrics and found kernel density a more appropriate tool for exploring travel behaviour changes and for analysis of intra-household interaction via AS. In consequence, this paper focuses on AS measured using kernel densities.

The kernel density bivariate estimator describes the activity spaces by calculating densities based on the locations visited by individuals, assuming no barriers in reaching those locations in any direction and within a predetermined bandwidth. The output densities are obtained in two steps: firstly, by "placing" kernel density distributions (kernels) over the spatially distributed data points and secondly, by overlapping those kernels to derive a more continuous density surface. This surface shows clustering of activities as well as high probabilities for frequenting certain locations (similar "heat maps"). This information is then projected in a raster data set, being assigned a value calculated according to the distance from the starting feature (activity location) and the proximity to the other features in the data set. Kernels can also incorporate other variables associated with travel behaviour, such as the frequency or duration of activity in a particular location. Output areas can be considered at 100% (all inclusive non-zero activity density area) or any other specified level (e.g. 95% interval, as such allowing the analyst to discard parts of the activity space that may consist of infrequent, non-typical activities in the life of the individuals, determined by some special conditions or events) or even density band. Further, the bandwidths (search radius) and kernel function are to be specified by the analyst. This subjectivity is recognised to affect the results.

Gibin et al. (2007) recommended the context-specific choice of the bandwidth for the kernel function. O'Sullivan and Unwin (2003) explored bandwidths between 100 m and 1,000 m, consistent with the average distances between locations. Botte and Olaru (2010) used a bandwidth of 3 km, based on the average distance of trips within three TOD precincts. Here we apply both 1.5k m and 1 km values associated with the walking and cycling distances found in the data.

2.1.3 Data Enhancement - Generating Route Information

As with any research, data resolution and quality dictate what can eventually be examined. The lack of information on the routes is considered a limitation when assessing kernel density based activity spaces. Recent scholarly work supports the use of more detailed travel data (Downs and Horner, 2007; Okabe et al, 2009). Advancements have been made in adapting the traditional kernel density measure to a network based approach, considering distances on the network based on the shortest path algorithm (Downs and Horner, 2007). Okabe et al. (2009) provided evidence of biasness associated with the traditional measuring approach (including only locations), which overestimates densities around activity locations. Their results confirmed that continuous density surfaces can be derived when considering the network. We agree with their comments and here we test the inclusion of detailed information on recreated, most likely travelled routes to provide an enriched analysis of the households' activity travel point patterns.

This research uses data collected using standard trip diaries that did not include information on the travelled routes. Ethical considerations and privacy issues limited the large scale application of more detailed and more passive survey approaches, such as GPS tracking technologies or the use of triangulation of mobile phone signals in the context of travel behaviour analysis. To enhance the survey dataset with route data we had to take a different approach. We devised a method to impute travel routes based on the travel mode chosen by the individual and its availability at the departure time for the trip. GIS coordinates for origin and destination locations were the initial information for these routes. We then constructed travel data points (similar GPS track-points) using on-line route planning (e.g. Google Maps). However, currently being limited to a manual approach, data imputation has been tested on a small sub-sample of households only.

3. Data and Methodology

This research uses a number of comparisons (temporal and spatial) to highlight changes in AS, measured as confidence ellipses and kernel densities. We applied before vs. after railway opening comparisons of a number of travel behaviour indicators and activity spaces. We also compared the travel patterns and activity spaces across the three TOD precincts. The analysis relied on MANCOVA (multivariate analysis of variance with covariates).

3.1. Data collection

Two main sources of data were used in this research: 1) A quasi-longitudinal study – interviewing households on their travel patterns, attitudes towards built environment and location – the focus here is on trip making; 2) GIS information on routes taken by individuals – data imputed for a subsample of 54 households. For this study, we considered the households surveyed in 2006 and 2009 (assuming settled travel behaviour).

3.2. Selection of precincts

The railway corridor was built through both established areas and green fields, offering various opportunities to implement transit-oriented development features at some of the railway stations. We selected for research purposes three unique station precincts, each representing a different TOD environment (Table 1 and 2). This allowed us to assess potential differences in the destination accessibility, design, density and diversity of the three precincts. More details on the precincts can be found in Curtis and Olaru (2007, 2010).

Table 1: Profile of the three precincts

Bull Creek - BC	Cockburn Central – CC	Wellard – W
<ul style="list-style-type: none"> ➤ 12 km from CBD ➤ Brownfield / Transit Interchange ➤ No mix of land use. ➤ Well-defined PT network in area. ➤ Population density↗ ➤ Education & income↗ ➤ Real estate values↗ <p>Note: ↘ indicates “Lowest Values”; ↗ indicates “Highest Values”</p>	<ul style="list-style-type: none"> ➤ 21 km from CBD ➤ Land Agency Model ➤ Mix of TOD features (multifunctional Town Centre, residential, commercial, cultural) ➤ Park & ride facilities ➤ Population density↘ ➤ Family size↗ ➤ Employment rate↗ ➤ % Australian born↗ 	<ul style="list-style-type: none"> ➤ 39 km from CBD ➤ Greenfield / Private Sector Model ➤ TOD features↗ (mixed use - Main street combined with residential) - <i>not fully implemented</i> ➤ % Car trips↗ ➤ % Walk & cycle↘ ➤ Employment rate↘ ➤ Income↘ ➤ Car ownership↘ ➤ Real estate values↘

Table 2: Residential and employment by precinct and suburb

Precinct	State Suburb (SSC)	Manufacturing	Construction	Retail Trade	Accommodation and Food Services	Professional, Scientific and Technical Services	Public Administration and Safety	Education and Training	Health Care and Social Assistance	Total Employment	% Employment
Bull Creek	Bateman	126	109	201	120	195	116	258	208	1855	52.6%
	Booragoon	200	121	278	150	258	142	255	294	2480	46.7%
	Brentwood	68	49	103	44	67	50	85	110	815	47.0%
	Bull Creek	310	241	407	233	368	264	477	462	3881	50.4%
	Mount Pleasant	232	242	323	189	389	169	287	305	3149	49.0%
	Riverton	205	179	248	122	162	141	239	252	2314	49.6%
	Rossmoyne	100	77	160	59	133	80	149	160	1358	44.3%
	Shelley	198	133	237	103	173	154	267	249	2147	48.7%
	Willetton	827	593	1,138	593	717	684	1,010	967	9317	54.0%
	Winthrop	233	163	404	263	337	191	327	311	3141	48.9%
Cockburn Central	Atwell	407	319	367	132	243	237	265	376	3333	48.1%
	Beeliar	322	218	267	90	105	124	109	191	2136	49.5%
	Jandakot	189	155	234	77	132	80	131	170	1780	55.4%
	South Lake	444	238	360	147	123	151	170	317	2883	50.9%
	Success	338	215	271	139	130	170	155	231	2479	51.1%
	Yangebup	494	312	349	143	129	185	175	286	3091	50.8%
Wellard	Calista	78	43	65	30	28	41	18	63	526	30.8%
	Kwinana Beach	6	0	0	0	0	0	0	0	6	50.0%
	Leda	169	83	124	51	35	53	46	87	934	35.2%
	Medina	109	77	68	40	23	41	28	60	684	33.8%
	Orelia	303	166	195	89	61	99	71	144	1671	40.3%
	Parmelia	407	229	263	102	70	124	100	199	2248	37.8%
	Wellard	133	82	62	32	40	45	41	77	771	46.5%

Source: Australian Bureau of Statistics (2006)

A comparison of the residential vs. employment densities of all precincts further attests a different demographic and urban fabric in the three precincts. Bull Creek has the highest employment (despite its highest proportion of retired residents), whereas Wellard has the lowest employment rate. These elements of density and diversity have been previously linked to travel behaviour (Ewing and Cervero, 2010).

Figure 1 and Figure 2 display employment and population levels as well as the type of employment opportunities available in each precinct.

The catchment area for the precincts is delineated as well (in blue Bull Creek, in red Cockburn Central, and in green Wellard). Again, the maps demonstrate the heterogeneity in density and diversity, with Bull Creek “leading” in opportunities, and Wellard displaying the lowest density.

Figure 1: Proportion of employment by precinct and suburb (2006)





Figure 2: Employment by industry in each precinct and suburb (2006)



4. Empirical Results

4.1. Travel behaviour

Table 3 provides a suite of travel behaviour indicators by precinct and before and after the travel and built environment changes associated with the opening of the railway corridor. Residents in Wellard travel further and longer, both before and after the railway opening. They were the heaviest car users and had the lowest share of more active travel modes. Residents in Bull Creek walk and cycle the most and they drive the least. These results reflect both city-level access and the varying stage of TOD implementation in the precincts.

When comparing the number of legs before and after the railway opening, this picture changed, with more residents becoming multi-modal (rather than uni-modal) travellers. Car-based travel decreased significantly, whereas all precincts witnessed increases in walking, cycling, and public transport ridership.

Table 3: Travel Behaviour – distances/day, mode share, times

Variable	Bull Creek	Cockburn Central	Wellard	Total	Bull Creek	Cockburn Central	Wellard	Total
	Before railway opening (2006)				After railway opening (2009)			
Daily travel distance (km)	28.75 (25.11)	34.21 (29.98)	44.58 (40.26)	31.39 (30.27)	24.18 (23.44)	26.09 (24.84)	39.31 (43.97)	28.84 (31.26)
Daily travel time (min)	71.85 (48.41)	73.32 (52.65)	87.35 (70.70)	76.96 (61.74)	71.77 (53.06)	68.02 (66.93)	81.52 (85.56)	73.11 (67.71)
N trips	1,853	1,289	1,984	3,936	1,618	1,081	864	3,563
# trips/day and person	3.95 (2.40)	3.78 (2.84)	3.76 (2.54)	3.85 (2.73)	4.72 (3.07)	3.63 (2.34)	3.81 (2.95)	4.12 (2.86)
% trips by mode:								
- private motorised	75.57	81.50	83.46	80.34	67.60	75.72	72.23	70.20
- public transport	7.29	5.20	4.19	5.54	11.04	6.79	12.08	11.24
- cycling & walking	16.23	11.22	9.88	12.60	17.89	16.65	14.99	16.42
Trips <5km:								
% private motorised	63.60	66.45	81.87	69.23	61.39	66.93	61.88	63.30
% walking and cycling	27.90	24.89	14.71	24.58	29.72	28.18	22.80	27.52
N persons	913	1,095	967	2,975	484	414	284	1,182

4.2. Activity spaces – Origin-Destination locations

This section outlines result of activity spaces reliant on Origin- Destination data only, i.e. route information was not considered. A few interesting findings arose from the comparison by precinct and before-after opening of the rail corridor (Table 4). Kernel density areas (based on 1.5 km bandwidth) are not statistically significant different across precincts ($p=0.619$), but vary significantly between 2006 and 2009 ($p<0.001$), with a consistent increase of the activity spaces in all three precincts evident. This would suggest that residents have taken advantage of the increased accessibility and now reach for farther

destinations. But, the situation is exactly the opposite when analysing activity spaces based on the confidence ellipses. They differ across precincts ($p < 0.001$), but not between 2006 and 2009 ($p = 0.463$). In fact, activity spaces as confidence ellipses for Bull Creek and Cockburn Central increased, whereas they decreased in Wellard. This apparent discrepancy is due to the manner in which the activity spaces are derived. The kernel densities are actually reflecting activity locations, whereas confidence ellipses are “filling” in the space between those locations. If the number of locations is reduced and the locations are further apart, the kernel density based activity space is likely to be formed by discontinuous areas around those separate locations, whereas the confidence ellipse becomes an elongated ellipse.

Table 4: Changes in Activity Spaces before and after railway opening (household level)

AS at HH level	Bull Creek		Cockburn Central		Wellard	
	2006	2009	2006	2009	2006	2009
AS with only locations (all) – in km²						
CE – average (std. deviation)	143.53 (212.08)	177.71 (338.91)	137.61 (168.25)	245.57 (401.06)	396.42 (511.08)	310.87 (475.33)
KD – average (std. deviation)	44.54 (15.99)	57.31 (20.97)	43.90 (15.36)	57.05 (17.72)	49.53 (19.14)	56.09 (20.95)

In terms of magnitude, in average, confidence ellipses are 3.9 times larger than activity spaces measured as kernel densities with a bandwidth parameter of 1.5 km.

To check the validity of the kernel density results we also compared precinct activity spaces. These kernel density areas include the locations of activities of all residents of the precinct and, as shown in Table 5, support the increase in activity spaces for all precincts. Another interesting finding relates to the comparison of 100% and 95% areas. By including all locations (and thus outliers, infrequent activities), we overestimate the kernel densities by at least 30%.

Figures 1 and 2 (see Appendix) show these changes visually and the results can be explained by the increased city-wide accessibility.

Table 5: Changes in AS before & after railway opening (precinct level) – radius 10km

KD - AS at precinct level in km ²	Bull Creek		Cockburn Central		Wellard	
	2006	2009	2006	2009	2006	2009
100% Area	465.6	731.29	425.72	747.64	519.11	1022.38
95% Area	338.19	319.12	319.76	443.29	406.55	777.99

4.3. Activity spaces – with imputed travel routes

As previous research highlighted, more detailed data for derivation of kernel densities is expected to mirror more accurately the daily activity space. Our analysis of a subsample of households concludes that kernel density areas increase in average by 25% when adding the imputed travel routes. Noticeable, there are also increases in the activity spaces derived via confidence ellipses due to adding these routes (but to a smaller extent, an average of 19%). This change can be explained by the fact that more locations are likely to modify the centre of gravity of the ellipse.

Finally, we have also explored the changes in kernel density areas following a modified search radius/bandwidth, reduced from 1.5 km to 1 km. Our results show the areas decreased – as expected - by 33%. Table 6 presents the correlations between various measures of activity spaces, both including the likely travel routes as well as without them.

Table 6: Correlations of Activity Spaces Measures (54 households)

	Kernel density area (routes) Radius = 1.5 km	Kernel density area (routes) Radius = 1 km	Kernel density area (only locations)	Confidence ellipse area (routes)	Confidence ellipse area (only locations)
Kernel density area (routes) Radius = 1.5 km	1	0.998**	0.353*	0.707**	0.635**
Kernel density area (routes) Radius = 1 km	0.998**	1	0.358*	0.695**	0.637**
Kernel density areas (only locations)	0.353*	0.358*	1	0.323*	0.440**
Confidence ellipse area (routes)	0.707**	0.695**	0.323*	1	0.810**
Confidence ellipse area (only locations)	0.635**	0.637**	0.440**	0.810**	1

The results show moderate to high correlations between kernel densities and confidence ellipses (0.635 to 0.707), low correlations between the kernel density areas with and without the routes (0.353, 0.358), and high correlations between confidence ellipses areas (0.81). This suggests that benefits of data enrichment are valid for kernel densities, but not so for confidence ellipses.

Accordingly, Figure 3 (see Appendix) demonstrates there is no clear pattern in the changes for confidence ellipses with data enhancement, i.e. when routes are added. In fact, the example we provide is showing a reduction in the CE both before the railway opening and after the opening following data enhancement. Another interesting feature of this household's activity spaces (the household is located within the Wellard precinct) is the considerable reduction in the activity spaces as a result of more local travel. Although this cannot be extrapolated for the whole precinct, there is a promise that availability of opportunities and diverse urban services in the neighbourhood may have been taken up by the residents.

To further compare the size of the kernel density in time and space, we added five household covariates in the analysis of variance. The results provide evidence that the vectors of activity space metrics vary between 2006 and 2009 (multivariate tests significant at 0.001) and across precincts, whilst accounting for the covariates (household size, number of children and of vehicles, household income, and the level of "busyness" (number of paid and unpaid working/studying hours). More detailed tests indicated that differences are more prominent before and after railway opening, compared with the precincts. The number of residents was the most significant covariate (<0.001).

5. Discussion of Results

Analysis of activity spaces (measured as kernel densities and confidence ellipses) shows mixed results. While kernel densities differences across precincts are not significant, the areas of confidence ellipses are. The activity spaces tend to increase with the distance from the city, with households residing in Bull Creek displaying the smaller activity space areas. The largest activity spaces are recorded for the residents of Wellard. The analysis of travel distances, durations, and destinations revealed that households in Cockburn and Wellard have greater access to the city and to the opportunities provided within the new corridor and they shop more often in the CBD and at Gateways (Cockburn Central).

When comparing the activity spaces between waves, we noticed a consistent increase in all kernel density based activity space areas, but we obtained inconclusive results in the activity spaces measured as confidence ellipses, with increased areas observed in only two precincts. As a potential explanation for this we suggest the significant overestimation that underlies activity spaces derived via confidence ellipses (especially for households/cases with fewer reported trips), whereas the derivation of kernel density based activity spaces includes only the spatial distribution of activities, whether with or without an inclusion of routes. Depending on the bandwidth, the kernels may not always form continuous shapes, i.e. due to the underlying spatial distribution and frequency/duration of activities at the visited locations. This is exactly to the opposite when considering the confidence ellipse based AS, which do cover the vast area between the spatially distributed activity locations.

After the opening of the railway corridor, the activity spaces derived via confidence ellipses have decreased only in Wellard. As shown by the travel data results, the opening of the railway has seen significant reduction in car travel and increases in walking, cycling, and travel by public transport.

6. Conclusions, Implications, and Further Research

6.1. Conclusions

Activity spaces are rich dynamic measures based on the individual/household travel that have frequently been used to identify differences between socio-demographic groups. In this research we performed the same type of analysis. We explored confidence ellipses and kernel densities for households and precincts and found that the distribution of locations, frequency of activities, as well as the presence of the travel routes, affect the measures. Whereas confidence ellipses had huge variations, kernel densities did not vary remarkably across precincts or before and after railway opening. Also, data enrichment did not have an impact on CE measures, but notably improved the KD estimates. We support further investigation of the kernel densities, as they offer continuous activity spaces, reflecting density and intensity patterns at an enhanced and close-to-reality resolution.

The relative “stability” of kernel density estimates is consistent with the observed “inelasticity” of travel with respect to changes in built environment, as highlighted by Ewing and Cervero (2010) in their meta-analysis of over 200 studies published in the last decade on the topic.

Although premature to draw conclusions that TOD has changed the travel behaviour and modified the activity spaces, our findings suggest associations between TOD features (density, diversity, and destination choices) and trip making, as reflected in the activity spaces. The activity spaces are smaller in precincts with higher access (Bull Creek) and this pattern is maintained after the opening of the railway corridor. However, not all precincts experienced the same changes. The increased time accessibility brought about by the railway corridor facilitated residents from Wellard to expand their range of activities towards the city. For residents of Bull Creek and Cockburn Central, the railway opening coincided with new opportunities of walking and cycling (Bull Creek) or mixed land use around the railway precinct (Cockburn Central).

As demonstrated in previous research, the relationship between BE and travel behaviour may be overestimated if we neglect to account for residential sorting and neighbourhood preferences (Handy et al., 2006; Cao et al., 2009; Ewing and Cervero, 2010). Our modelling has shown positive associations between the number of household members, number of children, as well as “busyness” with the activity space area measures. This is expected, as the number and variety of daily commitments create the demand for activities in various locations, which is likely to expand activity spaces. This is essential information for our

planners; the results are encouraging, suggesting further exploration of activity space measures to develop cutting edge tools for analysis of travel behaviour modifications following changes in built environment.

This research has both academic and practical implications. It provides new ideas on how to measure and apply kernel densities for capturing activity spaces and demonstrates the tool's capability to be applied as indicator of the match between supply of urban services and households travel. Without spatial knowledge, planners run a larger risk of creating spatial conditions that do not match the individual needs and desires, and therefore encourage non-sustainable travel behaviours. Analysts as well as urban designers and planners could embrace the activity space concept alongside other geospatial analysis tools as part of their daily assessment routines and research repertoire. With respect to enriched data, if modellers and planners are willing to include routes data in their spatial tools, they should be aware that confidence ellipses remain relatively "immune" to the new data and only kernel densities are likely to benefit from them. As contemporary technologies are now capable of tracking individuals in their daily travel, we recommend that this aspect is kept in mind at an early stage in the design of data collection approaches.

6.2. Limitations and further research

As indicated, this research has shown the effect of routing data on a small subsample of households only due to the onerous manual re-construction process. We have built routes using Google Maps, and then imported the data into ArcGIS for analysis. This could be made easier through either developing sophisticated methodologies to incorporate GPS tracking or by building automated computational tools based on Google Earth/Maps or an integrated network routing model implemented within the GIS software (with the latter currently being further explored).

Another limitation of our model exists with regard to the inclusion of both work and non-work activities in the activity spaces. As TOD benefits are expected to be prevalent at a local level, further research would require removing work and study related travel from the activity space analysis, and assessing the implications of these modifications.

Despite promising results, more advanced research is now required to simultaneously model built environment characteristics, socio-demographics, and attitudes with travel behaviour in a longitudinal approach. This would assist urban planners and transport practitioners to ascertain the separate contribution of built environment features and transport services to achieving successful TODs.

Acknowledgements

This research has received funding from the ARC (Linkage Project LP0562422) including the following partner organisations: Department for Planning WA, Department of Transport WA, Public Transport Authority of WA, LandCorp (Western Australian Land Authority), The Village at Wellard Joint Venture, Subiaco Redevelopment Authority, City of Melville, East Perth Redevelopment Authority, City of Cockburn, Midland Redevelopment Authority, Town of Kwinana, City of Rockingham.

References

- Australian Bureau of Statistics (2006) *Census 2006* CDATA, table generated 22 June 2011 using data provided by the Australian Bureau of Statistics, Canberra, available at <http://www.abs.gov.au/CDATAOnline>, accessed June 2011
- Australian Bureau of Statistics (2011) Regional Population Growth, Australia 2009–10, Canberra, available at <http://www.abs.gov.au/CDATAOnline>, accessed June 2011
- Australian Conservation Foundation (2011) Australia's Public Transport: Investment for a Clean Transport Future, Public Transport Funding Report, available at http://www.acfonline.org.au/uploads/res/ACF_transport_funding_report_27-4-11.pdf, accessed June 2011
- Axhausen, K W, Botte, M and Schönfelder, S (2004a) *Systematic Measurement of Catchment Areas CTPP 2000 Status Report*, US Department of Transportation in cooperation with the TRB Census Subcommittee, available at <http://www.fhwa.dot.gov/ctpp/sr0804.pdf>, accessed February 2010
- Axhausen, K W, Botte, M and Schönfelder, S (2004b) *Measuring the spatial reach of persons, cities or organisations*, STELLA Group 3 meeting, Arlington, available at <http://www.ivtethz.ch/vpl/publications/presentations/v82pdf>, accessed February 2010
- Beckmann, M J, Golob, T F and Zahavi, Y (1983a) Travel probability fields and urban spatial structure: 1 Theory *Environment and Planning A*, 15 (5), 593-606
- Beckmann, M J, Golob, T F and Zahavi, Y (1983b) Travel probability fields and urban spatial structure: 2 Empirical tests *Environment and Planning A*, 15 (6), 727-738
- Botte, M (2003) *Strukturen des Pendelns in der Schweiz 1970 – 2000* (Commuting in Switzerland 1970-2000), MSc Thesis, Institute for Transport Planning and Systems (IVT), Swiss Federal Institute of Technology (ETHZ), Zurich, Switzerland, available at <http://www.ivt.ethz.ch/docs/students/dip36.pdf>, accessed February 2010
- Botte, M and Olaru, D (2010) Exploring Activity Space Metrics along a New Transit Oriented Development Railway Corridor, in Selected Proceedings of the 12th World Conference on Transport Research Society, ISBN 978-989-96986-1-1.
- Brown, L A and Moore, E G (1970) The intra-urban migration process: a perspective *Geografiska Annaler* 52(B), 1-13
- Buliung, R N and Kanaroglou, P S (2006) A GIS toolkit for exploring geographies of household activity/travel behaviour *Journal of Transport Geography*, 14 (1), 35–51
- Burns, L D (1979) *Transportation, temporal and spatial components of accessibility*, Lexington, MA: Lexington Books
- Burt, W H (1943) Territoriality and home range concepts as applied to mammals, *Journal of Mammology*, 24, 346–252
- Cao, X, Mokhtarian, P L and Handy, S (2009) Examining the impacts of residential self-selection on travel behaviour: A focus on empirical findings, *Transport Reviews*, 29(3), 359-395
- Casas, I (2007) Social exclusion and the disabled: an accessibility approach, *The Professional Geographer*, 59 (4), 463-477
- Center for Transit Oriented Development (2006) *Preserving and Promoting Diverse Transit-Oriented Neighborhoods - A collaboration of the Center for Neighborhood Technology, Reconnecting America, and Strategic Economics*, 2006, available at http://www.cnt.org/repository/diverseTOD_FullReport.pdf, accessed February 2010

- Cervero, R and Kockelman, K (1997) Travel demand and the 3Ds: Density, diversity, and network density, *Transportation Research D* 2, 199-219
- Cervero R, Murphy S, Ferrel C, Goguts N, Tsai Y, Arrington G B, Boroski J, Smith-Heimer J, Golem R, Peninger P, Nakajima E, Chui E, Dunphy R, Myers M, McKay Sand Witenstein N (2004) Transit-Oriented Development in the United States: Experiences, Challenges, and Prospects, TCRP Report 102, Transportation Research Board, National Academy Press, Washington, USA
- Cervero, R (2005) *Transit-Oriented Development in America: Strategies, Issues, Policy Directions* Paper presented at the Transit Oriented Development-Making it Happen Conference, Fremantle, Australia
- Cervero, R and Duncan, M (2006) Which reduces vehicle travel more: jobs-housing balance or retail-housing mixing *Journal of the American Planning Association*, 72 (4), 475–490
- Cervero R and Sullivan C (2010) Toward Green TODs, Working Paper UCB-ITS-VWP-2010-7, University Of California, Berkeley, USA, available at <http://www.its.berkeley.edu/publications/UCB/2010/VWP/UCB-ITS-VWP-2010-7.pdf>, accessed June 2011
- Chapleau R and Morency C (2007) Pseudo Panel Study Derived from Three Consecutive 5-Year Interval Household Travel Surveys, in the Proceedings of the 11th World Conference on Transportation Research WCTR, Berkeley, USA, June 24–28
- Chapleau R, Trépanier, M and Chu, K K (2008) The Ultimate Survey for Transit Planning: Complete Information with Smart Card Data and GIS, in the Proceedings of the 8th International Conference on Survey Methods in Transport: Harmonisation and Data Comparability, Annecy, France, May 25-31
- Chen, C and McKnight, C E (2007) Does the built environment make a difference? Additional evidence from the daily activity and travel behavior of homemakers living in New York City and suburbs, *Journal of Transport Geography*, 15 (5), 380–395
- Curtis, C and Olaru, D (2007) Travel ‘minimisation’ and the neighbourhood, in the Proceedings of the European Transport Conference, Noordwijkerhout, The Netherlands, October 17-19
- Curtis, C and Olaru, D (2010) The Impacts of a New Railway Corridor: Travel Behaviour Change of Residents in New Station Precincts, paper reviewed for the 12th World Conference in Transportation Research, Lisbon, Portugal, July 11-15
- Curtis, C, Renne, JL and Bertolini, L (2009) Transit Oriented Development – Making it Happen, Surrey, Ashgate, 13-22, ISBN 9780754673156
- Department of Planning (-) Activity Centres Policy – Frequently Asked Questions, available at http://www.planning.wa.gov.au/FAQ_Activity_Centres.pdf, accessed June 2011
- Dijst, M (1999) Two-earner families and their action spaces: a case study of two Dutch communities *GeoJournal*, 48 (3), 195–206
- Dittmar, H and Ohland, G (2004) The new transit town: best practices in transit-oriented development Island Press, Washington DC
- Downs, J A and Horner, M H (2007) Network-based kernel density estimation for home range analysis, Proceedings of the 9th International Conference on GeoComputation, National Center for Geocomputation, Maynooth
- Ewing, R and Cervero, R (2001) Travel and built environment, *Transportation Research Record* 1780, 87-114

- Ewing, R, Greenwald, M J, Zhang, M, Walters, J, Feldman, M, Cervero, R, ... Thomas, J (2009) Measuring the impact of urban form and transit access on mixed use site trip generation rates, Portland pilot study, Washington, DC, U.S. Environmental Protection Agency
- Ewing, R and Cervero, R (2010) Travel and the Built environment, *Journal of the American Planning Association*, 76(3), 265-294
- Fan, Y and Khattak, A J (2009) Urban form, individual spatial footprints, and travel: An examination of space-use behaviour Travel Behaviour Analysis TRB 2082, ISSN: 0361-1981, 98–106
- Fotheringham, A S, Brunsdon, C and Charlton, M (2000) Quantitative Geography: Perspectives on Spatial Data Analysis Sage Publications, London
- Gibin, M, Longley, P, and Atkinson, P (2007) Kernel Density Estimation and Percent Volume Contours in General Practice Catchment Area Analysis in Urban Areas in the Proceedings of GISRUUK 2007, Nui Maynooth, Ireland, April 11-13
- Golledge, R G and Gärling, T (2003) Cognitive maps and urban travel Research Paper, 601, Transportation Center, University of California, Berkeley, USA
- Golledge, R G and Stimson, R J (1997) Spatial Behaviour: A Geographic Perspective, Guilford Press, New York
- Grant, J (2006) *Planning the Good community. New Urbanism in Theory and Practice*, Routledge, US, ISBN10: 0-415-7004-4
- Guagliardo, M F (2004) Spatial accessibility of primary care: concepts, methods, and challenges International Journal of Health Geographics, 26 (3), 1–13
- Guerra, E and Cervero, R (2011) Mass Transit & Mass: Densities Needed to Make Transit Investments Pay Off, UCTC Policy Brief 2011-02, University of California, Berkeley, available at <http://www.uctc.net/research/briefs/UCTC-PB-2011-02.pdf>, accessed June 2011
- Guo, J Y and Bhat, C R (2004) Modifiable areal units: problem or perception in modeling of residential location choice? Transportation Research Record, 1898, 138–147
- Hägerstrand, T (1970) What about people in regional science? Papers of the Regional Science Association, 24 (1), 7–21
- Handy, S, Cao, X and Mokhtarian, P L (2006) Self-Selection in the Relationship between the Built Environment and Walking Journal of the American Planning Association, 72 (1), 55–74
- Hannes, E, Janssen, D and Wets, G (2008) Destination Choice in Daily Activity Travel Mental Map's Repertoire, Transportation Research Record TRR 2054, 20-27
- Hess, D B (2007) Impact of proximity to light rail rapid transit on station-area property values in buffalo, New York, Urban Studies 5(6), 1041-1068
- Holzapfel, H (1980) Verkehrsbeziehungen in Städten, Schriftenreihe des Instituts für Verkehrsplanung und Verkehrswegebau, 5, University of Technology, Berlin
- Horton, F and Reynolds, DR (1971) Effects of Urban Spatial Structure on Individual Behaviour, Economic Geography, 47, 36-48
- Jennrich, R I und Turner F B (1969) Measurement of non-circular home range Journal of Theoretical Biology, 22, 227–237
- Johnson, C (2008) Greenfield Transit-Oriented Development in Clarkson. Guided Field Trip, *Urban Design for Sustainability Short Course*, Curtin University Sustainability Policy Institute (CUSP) and Urban Design Centre of Western Australia, Perth (WA), 21-24 April

- Kamruzzaman, M D, Hine, J, Gunay, B, and Blair, N (2009) Using GIS to visualise and evaluate student travel behaviour *Journal of Transport Geography*, in press, doi:10.1016/j.jtrangeo.2009.09.004
- Krizek, K (2003) Residential relocation and changes in urban travel Does Neighborhood-Scale Urban Form Matter? *Journal of The American Planning Association*, 69 (3) 265–281
- Kwan, M P (2000) Interactive geovizualization of activity-travel patterns using three-dimensional geographical information systems: a methodological exploration with a large data set *Transportation Research C* 8, 185-203
- Levine, N (2002) CrimeStat (Version 20): A spatial statistics program for the analysis of crime incident locations Ned Levine & Associates, Houston, TX, and the National Institute of Justice, Washington, DC
- Mazurkiewicz, M (1969) Elliptical modification of home range pattern *Bulletin of the Academy of Policy and Science*, 1 (2), 427–431
- Meurs, H and Haaijer, R (2001) Spatial structure and mobility *Transportation Research Part D: Transport and Environment*, 6 (6) 429–446
- Miller, H J (2005) Placed-base versus people-based accessibility, In Levinson, D and Krizek, KJ (eds) *Access to Destinations*, London, Elsevier, 63-89, ISBN 0080446787
- Newman, P (2005) Transit Oriented Development: An Australian Overview Presentation Paper, Transit Oriented Development-Making it Happen Conference, Fremantle, Australia, July 2005
- Newman, P (2009) Planning for Transit Oriented Development: Strategic Principles, In: Curtis, C, Renne, JL and Bertolini, L (eds) *Transit Oriented Development – Making it Happen*, Surrey, Ashgate, 13-22, ISBN 9780754673156
- Newman, P and Kenworthy, J (1999) *Sustainability and Cities: Overcoming Automobile Dependence*, Island Press, Washington, DC
- Newman, P and Kenworthy, J (2006) Urban design to reduce automobile dependence, *Opolis* 2 (1), 35-52, available at www.escholarship.org/uc/item/2b76f089, accessed February 2010
- O'Sullivan, D and Unwin, D J (2003) *Geographic information analysis* John Wiley and Sons New Jersey
- Okabe, A, Satoh, T and Sugihara, K (2009) A kernel density estimation method for networks, its computational method and a GIS-based too, *International Journal of Geographical Information Science*, 23(1) 7-32
- Olaru, D, Smith, N and Peachman, J (2005) Whereabouts from Monday to Sunday? In the Proceedings of the Australasian Transport Research Forum 2005 – Transporting the Future: Transport in a Changing Environment, Sydney, Australia, September 2830, ISBN 1 877040 428, available at [http://www.patrec.org/web_docs/atrf/papers/2005/Olaru%20Smith%20N%20&%20Peachman%20\(2005\).pdf](http://www.patrec.org/web_docs/atrf/papers/2005/Olaru%20Smith%20N%20&%20Peachman%20(2005).pdf), accessed February 2010
- Pagliara, F and Papa, E (2011) Urban rail systems investments: an analysis of the impacts on property values and residents' location, *Journal of Transport Geography* 19, 200-211.
- Puget Sound Regional Council (1999) *Creating transit station communities in the central Puget Sound region: A transit-oriented development workbook*, Seattle, WA
- Rai, R K, Balmer, M, Rieser, M, Vaze, V S, Schönfelder, S, and Axhausen, K W (2007) *Capturing Human Activity Spaces New Geometries*, *Transportation Research Record TRR* 2021, 70-80

- Renne, J L and Wells, J S (2004) Emerging European style planning in the USA: transit-oriented development *World Transport Policy & Practice*, 10 (2), 12–24
- Renne, J L, Wells, J S and Voorhees, A M (2005) *Transit-Oriented Development: Developing a Strategy to Measure Success Research Results Digest*, 294, National Cooperative Highway Research Program (NCHRP), Transportation Research Board, National Academy Press, Washington, DC
- Schönfelder, S and Axhausen, K W (2002) Measuring the size and structure of human activity spaces: The longitudinal perspective Working Paper 135, Institute for Transport Planning and Systems (IVT), Swiss Federal Institute of Technology (ETHZ), Zurich, Switzerland
- Schönfelder S and Axhausen, K W (2003a) Activity spaces: Measures of social exclusion? *Transportation Policy*, 10 (4), 273-286
- Schönfelder, S and Axhausen, K W (2003b) On the variability of human activity spaces, In: Koll-Schretzenmayr, Keiner, M and Nussbaumer, G (eds) *The Real and Virtual Worlds of Spatial Planning*, 237-262, Springer, Heidelberg
- Seaman, D E and Powell, R F (1996) An evaluation of the accuracy of kernel estimators for home range analysis, *Ecology*, 77, 2075-2085
- Silverman, B W (1986) *Density Estimation*, London, Chapman and Hall, UK
- Simcharoen, S, Barlow, A C D, Simcharoen, A and Smith, J L D (2008) Home range size and daytime habitat selection of leopards in HuaiKhaKhaeng Wildlife Sanctuary, Thailand *Biological Conservation* 141, 2242-2250
- Smart Growth Network (2003) *Getting to smart growth II: 100 more policies for implementation*, available at <http://www.smartgrowth.org/pdf/gettosg2.pdf>, accessed February 2010
- State of Western Australia (2010a) *Directions 2031 and beyond – Metropolitan Planning beyond the Horizon*, Western Australian Planning Commission, Perth, Western Australia, ISBN 0 7309 9989 0
- State of Western Australia (2010b) *Activity Centres for Perth and Peel*, State Planning Policy 4.2, Planning and Development Act 2005, Western Australian Government Gazette, 166, ISSN 1448-949X
- Transportation Research Board (2007) *Traveler Response to Transportation System Changes*, Transit Cooperative Research Program (TCRP) Report, 95, Washington, DC
- Worton, B J (1989) Kernel methods for estimating the utilization distribution in home range studies *Ecology*, 70, 164-168
- Zahavi, Y (1979) The “UMOT” Project, US Department of Transportation, Research and Special Programs Administration DPB-10/79/3, US Department of Transportation, Washington, DC
- Zhang, M (2005) Intercity Variations in the Relationship between Urban Form and Automobile Dependence *Transportation Research Record*, 1902, 55–62

Appendices

Figure 1: Kernel densities (10km search radius) at precinct level (before railway opening 2006)




Figure 2: Kernel densities (10km search radius) at precinct level (after railway opening 2009)



Figure 3: Confidence ellipses and kernel densities (1.5km radius) for a Wellard household (a) and b) - after railway opening 2009); c) and d) - before railway opening 2006; a) and c) cases include imputed routes

