



## Dispensing Iptv Amenities Through Simulation By Enhancing Cloud Possessions

T.Manjula#1, P.Harish Reddy #2

Department of CSE, PBR Visvodaya Institute of Technology & Science, Kavali.

### Abstract:

Present we are having virtual technologies these are failure on quality of services. The development of IPTV service delivery through cloud services is of temporary interest in many applications such as failure finding iptv services. However, achieving similar advantages with period of time services are often a challenge. For construct the problem as an optimization formulation that uses a generic cost function. The concept of cloud streaming targets at providing the video over the cloud as a service, so that end users can satisfy their varieties of streaming demands as long as it can access to Internet. Users of different terminal can obtain the same high quality of service, with no special software or hardware required to enable streaming media. Internet content providers can stream their videos to end users, by replying on public cloud streaming platform, instead of building their own streaming media server. ICPs then can share the cost and become rather scalable in serving users.

**Keywords:** Cloud computing, IPTV, Live TV, Video-on-Demand, optimization, earliest deadline first, server capacity region.

### I Introduction:

In 2005, ForceTech first developed the P2P VOD system in China; In 2007, ForceTech was the first to launch

IPTV Streaming platform, and integrated with several main STB chips in China. In 2008, ForceTech began to develop 3G mobile streaming system in funded project with China Mobile. In 2009, ForceTech proposed "cloud streaming" ForceTech start improving its 3-screen video conference system, targeting at providing a video software solution for the national "network convergence" policy. This is particularly evident with Instant Channel Change (ICC) requests in IPTV. IPTV describes as multimedia services such as television/video/audio/text/graphics/data delivered over IP based networks managed to provide the required level of quality of service and experience, security, interactivity and reliability. The playout buffer is stuffed quickly, and so keeps switching latency little. Once the playout buffer is stuffed up to the playout purpose, the set top box activity back to receiving the multicast stream. Our Aim is in this paper is to take advantage of the distinct workloads of the various IPTV services to higher utilize the deployed servers. It offers opportunities for the service provider to deliver the VoD content in anticipation and potentially out of order, taking advantage of the buffering available at the receivers .

### II. Related Work

A number of factors may impact the bandwidth multiplier of a peer swarm. All peers freely compete for cloud bandwidth benefits those aggressive or selfish peer swarms. Proportional-allocate algorithm


Allocates more cloud bandwidth to bigger swarm. This case study is a short extract from a keynote address given to the Doctoral Symposium at Middleware 2009 by Lucy Cherkasova of HP Research Labs Palo Alto. The full keynote is on the course materials page. The keynote focus is **performance modelling**. Ideal assumption: demand of cloud bandwidth only depends on swarm scale. With the typical ICC implemented on current IPTV systems, the content is delivered at an accelerated rate using a unicast stream from the server [6], [7].

There have been multiple efforts in the past to analytically estimate the resource requirements for serving arriving requests which have a delay constraint. These have been studied especially in the context of voice, including delivering VoIP packets, and have generally assumed the arrival process is Poisson [8]. For a concave minimization with linear constraints, the solution is one of the corner points of the polytope formed by the linear constraints [9], [10].

### III Our Contribution:

proposed the PDP model for ensuring possession of files on un-trusted storages and provided an RSA-based scheme for a static case that achieves the communication cost. They also proposed a publicly verifiable version, which allows anyone, not just the owner, to challenge the server for data possession. They proposed a lightweight PDP scheme based on cryptographic hash function and symmetric key encryption, but the servers can deceive the owners by using previous metadata or responses due to the lack of randomness in the challenges. Our goal in this paper is to take advantage of the difference in workloads of the different IPTV services to better utilize the deployed servers. For example, while ICC workload is very bursty with a large peak to average ratio, VoD has a relatively

steady load and imposes “not so stringent” delay bounds.



Isolation for both security and resource allocation needs to be proven in real-world scenarios. A political consensus is needed between all divisions in the company to allow use of VNs for experimentation on production infrastructure. The “real-world data” requirement of VNs used for experimentation conflicts with the isolation requirements of the remaining network. How OPEX would be affected by running several concurrent VNs with different technologies is a question mark. How a new successful networking technology would be integrated to the VN system is an open issue. Coordinated control of IT and network resources (which can now be viewed as a single collection of virtualized, dynamically provisioned resources) Value for Operators: Providing options for VNOs to offer customized cloud networking solutions for individual customers or customer segments. Providing premium distribution of content from origin servers and/or replication servers to the relevant ISPs.




FIG:Basic architecture

In this paper, we consider two potential strategies for serving VoD requests. The first strategy is a postponement based strategy. In this strategy, we assume that each chunk for VoD has a deadline seconds after the request for that chunk. This would let the user play the content up to seconds after the request. The second strategy is an advancement based strategy. In this strategy, we assume that requests for all chunks in the VoD content are made when the user requests the content. Since all chunks are requested at the start, the deadline for each chunk is different with the first chunk having deadline of zero, the second chunk having deadline of one and so on. With this request pattern, the server can potentially deliver huge amount of content for the user in the same time instant

violating downlink bandwidth constraint

#### B. Modules

- 1) Optimization Framework
- 2) Impact of Cost Functions on Server Requirements
- 3) Linear Cost Function

#### IV Conclusion:

We presented the construction of an efficient PDP scheme for distributed cloud storage. Based on homomorphism verifiable response and hash index hierarchy, we have proposed a cooperative

PDP scheme to support dynamic scalability on multiple storage servers. We also showed that our scheme provided all security properties required by zero knowledge interactive proof system, so that it can resist various attacks even if it is deployed as a public audit service in clouds. Furthermore, we optimized the probabilistic query and periodic verification to improve the audit performance. Our experiments clearly demonstrated that our approaches only introduce a small amount of computation and communication overheads. Therefore, our solution can be treated as a new candidate for data integrity verification in outsourcing data storage systems.

#### V References:

- [1] H. A. Lagar-Cavilla, J. A. Whitney, A. Scannell, R. B. P. Patchin, S.M. Rumble, E. de Lara, M. Brudno, and M. Satyanarayanan, "SnowFlock: Virtual machine cloning as a first class cloud primitive," *ACM Trans. Comput. Syst. (TOCS)*, 2011.
- [2] J. A. Stankovic, M. Spuri, K. Ramamritham, and G. C. Buttazzo, *Deadline Scheduling for Real-Time Systems: Edf and Related Algorithm*. Norwell, MA, USA: Kluwer, 1998.
- [3] N. V. Thoai and H. Tuy, "Convergent algorithms for minimizing a concave function," *Math. Oper. Res.*, vol. 5, 1980.
- [4] V. Aggarwal, X. Chen, V. Gopalakrishnan, R. Jana, K. K. Ramakrishnan, and V. Vaishampayan, "Exploiting virtualization for delivering cloud-based IPTV services," in *Proc. IEEE Conf. Computer Communications Workshops (INFOCOM WKSHPS)*, Apr. 2011.
- [5] V. Aggarwal, V. Gopalakrishnan, R. Jana, K. K. Ramakrishnan, and V. Vaishampayan, "Optimizing cloud resources for delivering IPTV services through virtualization," in *Proc. IEEE Int. Conf. Communication Systems and Networks (COMSNETS)*, Jan. 2012.

- [6] D. Banodkar, K. K. Ramakrishnan, S. Kalyanaraman, A. Gerber, and O. Spatscheck, "Multicast instant channel change in IPTV system," *Proc. IEEE COMSWARE*, Jan. 2008.
- [7] Microsoft TV: IPTV Edition. [Online]. Available: <http://www.microsoft.com/tv/IPTVEdition.aspx>.
- [8] G. Ramamurthy and B. Sengupta, "Delay analysis of a packet voice multiplexer by the Queue," *IEEE Trans. Commun.*, pp. 1107–1114, Jul. 1991.
- [9] H. Tuy, "Concave programming under linear constraints," *SovietMath*, vol. 5, pp. 1437–1440, 1964.
- [10] S. Sergeev, "Algorithms to solve some problems of concave programming with linear constraints," *Autom. Remote Control*, vol.68, pp. 399–412, 2007



**T.Manjula** Ph.D. Assoc Professor, Department Of Cse, Email Id: Manjula\_K@Yahoo.Com ,PBR Visvodaya Institute Of Technology & Science, Kavali.



**P.Harish Reddy**, M.Tech (Cs) Student, Department Of Cse, Pbr Visvodaya Institute Of Technology & Science Kavali.