
Reports

2013

Summary Tables: City of Suffolk, Virginia Shoreline Inventory Report

Marcia Berman
Virginia Institute of Marine Science

Karina Nunez
Virginia Institute of Marine Science

Sharon Killeen
Virginia Institute of Marine Science

Tamia Rudnický
Virginia Institute of Marine Science

Kory Angstadt
Virginia Institute of Marine Science

See next page for additional authors

Follow this and additional works at: <https://scholarworks.wm.edu/reports>



Part of the [Environmental Monitoring Commons](#), [Natural Resources Management and Policy Commons](#), and the [Water Resource Management Commons](#)

Recommended Citation

Berman, M.R., Nunez, K., Killeen, S., Rudnický, T., Angstadt, K., Weiss, D., and C. Hershner, 2013. City of Suffolk - Shoreline Inventory Report, SRAMSOE #437, Comprehensive Coastal Inventory Program, Virginia Institute of Marine Science, College of William and Mary, Gloucester Point, Virginia, 23062

This Report is brought to you for free and open access by W&M ScholarWorks. It has been accepted for inclusion in Reports by an authorized administrator of W&M ScholarWorks. For more information, please contact scholarworks@wm.edu.

Authors

Marcia Berman, Karinna Nunez, Sharon Killeen, Tamia Rudnicki, Kory Angstadt, David Weiss, and Carl Hershner

Table 4. City of Suffolk, Virginia Shoreline Attributes - Miles Surveyed and Inventory Dates - River System Summary

RIVER SYSTEM	Field Surveyed (miles)	Remote Surveyed (miles)	Total Miles Surveyed (field + remote)	FIELD SURVEY DATES
Bennett Creek	18.41	16.80	35.21	July 10, 2013 and VBMP 2011 imagery
Blackwater River	0.00	10.49	10.49	VBMP 2009 imagery
Brewers Creek	0.81	4.73	5.54	July 9, 2013 and VBMP 2011 imagery
Chuckatuck Creek	15.59	14.86	30.45	July 9, 2013 and VBMP 2011 imagery
Hoffler Creek	2.95	1.24	4.19	July 10, 2013 and VBMP 2011 imagery
James River	3.40	0.00	3.40	July 9-10, 2013 and VBMP 2011 imagery
Knotts Creek	5.92	8.44	14.36	July 10, 2013 and VBMP 2011 imagery
Nansemond River	72.17	76.35	148.52	July 8-10, 2013 and VBMP 2009 & 2011 imagery
Streeter Creek	4.36	3.10	7.46	July 10, 2013 and VBMP 2011 imagery
Total	123.60	136.02	259.62	

Table 5. City of Suffolk, Virginia Shoreline Attributes - Riparian Land Use (miles) - River System Summary

RIVER SYSTEM	TOTAL* MILES SURVEYED	AGRICULTURE				BARE				COMMERCIAL				FOREST			GRASS				INDUSTRIAL				MILITARY				PAVED									
		no tree buffer	tree fringe only	fringe with canopy over- hang	total	no tree buffer	tree fringe only	fringe with canopy over- hang	total	no tree buffer	tree fringe only	fringe with canopy over- hang	total	no canopy over- hang	canopy over- hang	total	no tree buffer	tree fringe only	fringe with canopy over- hang	total	no tree buffer	tree fringe only	fringe with canopy over- hang	total	no tree buffer	tree fringe only	fringe with canopy over- hang	total	no tree buffer	tree fringe only	fringe with canopy over- hang	total						
Bennett Creek	35.21	0.03	6.08	0.00	6.11	0.00	0.00	0.00	0.00	0.22	0.67	0.00	0.89	15.72	0.00	15.72	1.02	2.44	0.07	3.53	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.46	0.09	0.00	0.55			
Blackwater River	10.49	0.00	0.11	0.00	0.11	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	10.28	0.00	10.28	0.00	0.06	0.00	0.06	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.02	0.00	0.00	0.02	
Brewers Creek	5.54	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	4.87	0.13	5.00	0.03	0.00	0.00	0.03	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.02	0.00	0.00	0.02
Chuckatuck Creek	30.45	0.13	1.84	0.04	2.01	0.00	0.00	0.00	0.00	0.24	0.00	0.00	0.24	18.95	0.00	18.95	1.01	2.44	0.04	3.49	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.18	0.17	0.00	0.35
Hoffler Creek	4.19	0.00	0.00	0.00	0.00	0.01	0.00	0.00	0.01	0.00	0.00	0.00	0.00	0.56	0.00	0.56	0.03	0.06	0.00	0.09	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00		
James River	3.40	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.16	0.00	0.00	0.16	0.50	0.00	0.50	0.80	0.03	0.00	0.83	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.49	0.00	0.00	0.49	
Knotts Creek	14.36	0.03	0.32	0.00	0.35	0.00	0.00	0.00	0.00	0.07	0.18	0.00	0.25	5.11	0.00	5.11	1.09	1.57	0.00	2.66	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00		
Nansemond River	148.52	1.51	14.35	0.09	15.95	0.16	0.00	0.00	0.16	1.54	0.76	0.00	2.30	72.66	1.52	74.18	11.52	13.96	0.11	25.59	0.12	0.00	0.00	0.12	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	1.78	0.49	0.57	2.84	
Streeter Creek	7.46	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	5.16	0.00	5.16	0.65	0.59	0.00	1.24	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.26	0.00	0.26
Total	259.62	1.70	22.70	0.13	24.53	0.17	0.00	0.00	0.17	2.23	1.61	0.00	3.84	133.81	1.65	135.45	16.14	21.16	0.22	37.51	0.12	0.00	0.00	0.12	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	2.95	1.01	0.57	4.54	

RIVER SYSTEM	TOTAL* MILES SURVEYED	RESIDENTIAL				SCRUB-SHRUB				TIMBERED			
		no tree buffer	tree fringe only	fringe with canopy over- hang	total	no tree buffer	tree fringe only	fringe with canopy over- hang	total	no tree buffer	tree fringe only	fringe with canopy over- hang	total
Bennett Creek	35.21	2.90	5.50	0.00	8.40	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
Blackwater River	10.49	0.00	0.03	0.00	0.03	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
Brewers Creek	5.54	0.09	0.41	0.00	0.50	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
Chuckatuck Creek	30.45	2.88	2.51	0.03	5.42	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
Hoffler Creek	4.19	0.88	2.55	0.00	3.43	0.11	0.00	0.00	0.11	0.00	0.00	0.00	0.00
James River	3.40	1.42	0.00	0.00	1.42	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
Knotts Creek	14.36	0.63	5.35	0.00	5.98	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
Nansemond River	148.52	10.98	15.85	0.14	26.97	0.41	0.00	0.00	0.41	0.00	0.00	0.00	0.00
Streeter Creek	7.46	0.06	0.74	0.00	0.80	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
Total	259.62	19.84	32.93	0.17	52.95	0.52	0.00	0.00	0.52	0.00	0.00	0.00	0.00

*Total = field + remote surveys (does not include marsh island shoreline or selected sections of extensive marsh)

Table 6. City of Suffolk, Virginia Shoreline Attributes - Riparian Bank Condition - River System Summary

RIVER SYSTEM	TOTAL* MILES SURVEYED	BANK COVER (miles)			BANK HEIGHT AND EROSION STATUS (miles of shore)																
		bare	partial	full	0-5 FEET				5-10 FEET				10-30 FEET				>30 FEET				
					erosional	erosional/ undercut	stable	transitional	erosional	erosional/ undercut	stable	transitional	erosional	erosional/ undercut	stable	transitional	erosional	erosional/ undercut	stable	transitional	
Bennett Creek	35.21	0.03	0.09	35.09	0.00	0.00	35.19	0.00	0.00	0.00	0.02	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
Blackwater River	10.49	0.00	0.00	10.49	0.00	0.00	10.49	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
Brewers Creek	5.54	0.00	0.00	5.54	0.00	0.00	5.29	0.00	0.00	0.00	0.13	0.00	0.00	0.00	0.12	0.00	0.00	0.00	0.00	0.00	0.00
Chuckatuck Creek	30.45	0.00	0.32	30.13	0.00	0.00	26.31	0.13	0.00	0.00	3.61	0.01	0.00	0.00	0.39	0.00	0.00	0.00	0.00	0.00	0.00
Hoffler Creek	4.19	0.00	0.01	4.18	0.00	0.00	4.18	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
James River	3.40	0.44	0.10	2.86	0.21	0.00	3.02	0.00	0.00	0.00	0.14	0.00	0.00	0.00	0.03	0.00	0.00	0.00	0.00	0.00	0.00
Knotts Creek	14.36	0.00	0.00	14.36	0.00	0.00	14.36	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
Nansemond River	148.52	0.50	0.77	147.25	0.31	0.11	117.80	0.17	0.07	0.00	22.46	0.14	0.00	0.00	7.32	0.14	0.00	0.00	0.00	0.00	0.00
Streeter Creek	7.46	0.00	0.00	7.46	0.00	0.00	7.42	0.00	0.00	0.00	0.04	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
Total	259.62	0.97	1.29	257.36	0.52	0.11	224.06	0.31	0.07	0.00	26.40	0.15	0.00	0.00	7.86	0.14	0.00	0.00	0.00	0.00	0.00

*Total = field + remote surveys (does not include marsh island shoreline or selected sections of extensive marsh)

Table 7. City of Suffolk, Virginia Shoreline Attributes - Natural Buffers, *Phragmites australis* and Marsh Survey Dates - River System Summary

RIVER SYSTEM	BEACH (miles)	# Wetland Polygons		Marsh Type (acres)					MARSH												PHRAGMITES ³ (percent of field checked marshes)	MARSH SURVEY DATES	
		total	field checked	embayed	extensive	fringe	marsh island	total	Community Type ¹ (acres)														
									I	II	III	IV	V	VI	VII	VIII ²	IX	X	XI	XII	DNS ^{**}		
Bennett Creek	0.00	103	73	206.68	152.74	166.20	11.64	537.25	382.70	0.00	0.45	0.07	0.03	0.00	0.00	2.77	0.00	0.00	0.00	21.75	129.49	44	July 10, 2013
Blackwater River	0.00	0	0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0	DNS
Brewers Creek	0.00	20	8	20.76	79.79	7.86	0.00	108.41	4.40	0.00	60.34	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	9.15	34.54	50	July 9, 2013
Chuckatuck Creek	0.03	152	113	181.28	239.90	58.48	4.94	484.61	219.55	0.00	17.74	0.00	7.20	0.00	0.00	5.87	0.00	0.00	0.00	112.66	121.59	56	July 9, 2013
Hoffler Creek	0.07	22	11	3.00	16.95	14.66	0.11	34.73	26.90	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.44	7.39	55	July 10, 2013
James River	0.47	10	10	1.14	0.00	2.64	0.00	3.78	0.58	0.00	0.00	0.00	0.00	0.00	0.00	2.39	0.00	0.00	0.00	0.80	0.00	60	July 9-10, 2013
Knotts Creek	0.00	21	11	40.92	0.00	159.52	2.31	202.75	105.51	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	97.24	73	July 10, 2013
Nansemond River	2.02	396	270	267.55	2946.49	448.46	15.71	3678.22	899.11	0.00	1.11	0.24	695.79	0.00	0.00	118.15	0.00	0.00	0.00	1546.95	416.87	60	July 8-10, 2013
Streeter Creek	0.00	42	12	7.34	0.00	52.00	2.30	61.63	47.87	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	13.76	42	July 10, 2013
Total	2.59	766	508	728.68	3435.88	909.82	37.00	5111.38	1686.62	0.00	79.64	0.31	703.02	0.00	0.00	129.18	0.00	0.00	0.00	1691.75	820.88		

**DNS = Did Not Survey

¹Community Type:
 I = Saltmarsh Cordgrass / low marsh
 II = Saltmeadow / high marsh
 III = Black Needlerush
 IV = Saltbush
 V = Big Cordgrass
 VI = Cattail
 VII = Arrow Arum – Pickerel Weed
 VIII = Reed Grass (*Phragmites australis*)
 IX = Yellow Pond Lily
 X = Saltwort
 XI = Freshwater mix
 XII = Brackish mix

²Type VIII - Field checked marshes where *Phragmites australis* was estimated to cover >50% marsh area.

³Phragmites - percent of field checked marshes where *Phragmites australis* is present in any amount.

Table 8. City of Suffolk, Virginia Shoreline Attributes - Shoreline Features - River System Summary

RIVER SYSTEM	TOTAL* MILES SURVEYED	No.										Miles of		Miles of		Miles of revetment	Miles of riprap	Miles of wharf
		No. docks	dilapidated docks	No. boathouses	No. ramps private public		No. groinfields	No. marinas <50 slips >50 slips		No. jetties	No. breakwater ¹	debris	unconventional bulkhead	dilapidated bulkhead	marsh toe			
Bennett Creek	35.21	54	2	16	4	4	0	2	0	0	0	0.00	0.02	0.42	0.00	0.03	0.25	0.00
Blackwater River	10.49	0	0	0	0	0	0	0	0	0	0	0.00	0.00	0.00	0.00	0.00	0.00	0.00
Brewers Creek	5.54	5	0	3	2	0	0	0	0	0	0	0.00	0.00	0.00	0.00	0.00	0.00	0.00
Chuckatuck Creek	30.45	51	5	17	2	1	0	2	0	0	0	0.00	0.02	0.20	0.02	0.00	0.44	0.00
Hoffler Creek	4.19	22	0	1	1	0	0	0	0	0	0	0.00	0.00	0.02	0.00	0.00	0.13	0.00
James River	3.40	7	7	9	2	0	0	0	0	0	2	0.00	0.02	0.06	0.00	0.00	2.66	0.00
Knotts Creek	14.36	18	0	8	1	0	0	0	0	0	0	0.00	0.00	0.00	0.00	0.00	0.00	0.00
Nansemond River	148.52	196	11	69	19	2	1	3	0	0	2	0.00	0.05	2.05	0.08	0.07	3.65	0.00
Streeter Creek	7.46	7	1	1	0	0	0	0	0	0	0	0.00	0.00	0.00	0.00	0.00	0.02	0.00
Total	259.62	360	26	124	31	7	1	7	0	0	4	0.00	0.11	2.75	0.10	0.10	7.15	0.00

*Total = field + remote surveys (does not include marsh island shoreline or selected sections of extensive marsh)

¹ number of breakwater groups (one or more breakwaters within a group)