



W&M ScholarWorks

Reports


1965

Catch and Value of Various American Crustaceans 1929-1960

Willard A. Van Engel
Virginia Institute of Marine Science

Frank J. Wojcik
Virginia Institute of Marine Science

Follow this and additional works at: <https://scholarworks.wm.edu/reports>

 Part of the [Aquaculture and Fisheries Commons](#), [Marine Biology Commons](#), and the [Natural Resource Economics Commons](#)

Recommended Citation

Van Engel, W. A., & Wojcik, F. J. (1965) Catch and Value of Various American Crustaceans 1929-1960. Data report (Virginia Institute of Marine Science); no. 4. Virginia Institute of Marine Science, College of William and Mary. <https://doi.org/10.21220/V59599>

This Report is brought to you for free and open access by W&M ScholarWorks. It has been accepted for inclusion in Reports by an authorized administrator of W&M ScholarWorks. For more information, please contact scholarworks@wm.edu.

Virginia Institute of Marine Science
Gloucester Point, Virginia

CATCH AND VALUE OF VARIOUS AMERICAN CRUSTACEANS
1929-1960

W. A. Van Engel and F. J. Wojcik

Data Report No. 4

W. J. Hargis, Jr.
Director

August 1965

TABLE OF CONTENTS

	Page
Introduction	1
Explanatory notes for tables 1-2	2
Table 1. Catch in pounds of various American crustaceans	3
Table 2. Value of catch in dollars of American crustaceans	15
Explanatory notes for table 3	27
Table 3. Crab products	28

CATCH AND VALUE OF VARIOUS AMERICAN CRUSTACEANS, 1929-1960

Introduction

Occasional reference has been made to the relative magnitude of the catch of the blue crab in waters outside Chesapeake Bay, yet comparisons are not easily made unless data are readily available. Both parallel and opposite trends in catch have been observed. These could be reflections of the amount of fishing effort or the size of the crab stocks.

Comparable records of other crustacean fisheries are often of interest. Compilations are given here of data on crabs, shrimp and lobsters originally published in "Fishery Industries of the United States" and "Fishery Statistics of the United States".

Catch by gear and records of effort for the Chesapeake area are summarized in VIMS Data Reports 2¹ and 3².

¹ Van Engel, W. A. and F. J. Wojcik. 1965. Catch and value of the Chesapeake Bay blue crab, 1880-1960. VIMS Data Rept. No. 2. 39 p.

² Van Engel, W. A. and F. J. Wojcik. 1965. License records of the blue crab fisheries, Virginia and Maryland, 1898-1960. VIMS Data Rept. No. 3. 16 p.

Explanatory Notes for Tables 1-2
Catch and value of various American crustaceans

- (a) Less than 500 pounds or 500 dollars.
- (b) Includes the east coast rock crab (Cancer irroratus), stone crab (Menippe mercenaria), west coast rock crab (Cancer sp.) tanner crab (Chionoecetes tanneri), and unclassified Hawaiian species.
- (c) Includes common or Northern lobster (Homarus americanus) and spiny lobsters (Panulirus argus and Panulirus interruptus)
- (d) Includes Penaeus setiferus, Penaeus duorarum, Penaeus aztecus, Pandalus sp., Pandalopsis sp., Crangon (=Crago) sp. and Xiphopenaeus kroyeri.
- (e) No survey made in South Atlantic and Gulf Coast (N.C. to Tex.)
- (f) No survey made in New England (Me., N.H., Mass., Conn., R.I.) or Middle Atlantic (N.Y., N.J., Del.)
- (g) No survey made in Chesapeake (Md., Va.)
- (h) No survey made in New Hampshire.
- (j) No survey made in New Jersey or Delaware.
- (k) No survey made in South Atlantic (N.C., S.C., Ga., east coast of Fla)
- (m) No survey made in west coast of Florida.

Table 1

Catch of various American crustaceans, thousands of pounds
Data from U. S. Fish and Wildlife Service

	New England	Middle Atlantic	Chesapeake	South Atlantic and Gulf Coast	Pacific Coast	Territory Alaska	Total
<u>1929</u>							
<u>Crabs</u>							
Blue (Hard)	4,949	332	55,833	5,451	-	-	66,565
(Soft)	1	26	4,345	448	-	-	4,820
Dungeness	-	-	-	-	3,817	399	4,216
Alaska King	-	-	-	-	-	-	-
Others (b)	-	1	-	227	-	-	228
<u>Lobsters(c)</u>	10,322	1,425	-	413	1,392	-	13,552
<u>Shrimp(d)</u>	3	554	-	108,550	3,104	905	113,116
<u>1930</u>							
<u>Crabs</u>							
Blue(Hard)	1,952	417	60,565	6,493	-	-	69,427
(Soft)	-	135	8,194	531	-	-	8,860
Dungeness	-	-	-	-	4,540	195	4,735
Alaska King	-	-	-	-	-	-	-
Others(b)	-	1	-	308	-	-	309
<u>Lobsters(c)</u>	12,357	1,559	-	288	1,394	-	15,598
<u>Shrimp(d)</u>	5	341	-	88,117	2,785	932	92,180
<u>1931</u>							
<u>Crabs</u>							
Blue (Hard)	934	273	58,894	7,709	-	-	67,811
(Soft)	2	59	5,623	437	-	-	6,121
Dungeness	-	-	-	-	4,294	227	4,521
Alaska King	-	-	-	-	-	-	-
Others(b)	-	-	-	143	-	-	143
<u>Lobsters(c)</u>	11,312	1,149	(a)	456	1,340	-	14,257
<u>Shrimp(d)</u>	1	340	411	96,451	1,757	834	99,794

Table 1 (Cont'd)

Catch of various American crustaceans, thousands of pounds
Data from U. S. Fish and Wildlife Service

	New England	Middle Atlantic	Chesapeake	South Atlantic and Gulf Coast	Pacific Coast	Territory Alaska	Total
<u>1932</u>							
<u>Crabs</u>							
Blue (Hard)	1,097	777	56,423	8,484	-	-	66,781
(Soft)	1	85	5,089	413	-	-	5,588
Dungeness	-	-	-	-	4,820	609	5,429
Alaska King	-	-	-	-	-	-	-
Others(b)	-	-	-	154	-	-	154
Lobsters(c)	10,279	878	(a)	446	1,018	-	12,621
<u>Shrimp(d)</u>	(a)	117	-	88,262	2,729	547	91,655
<u>1933</u>							
<u>Crabs</u>							
Blue (Hard)	5,629	955	50,559	(e)	-	-	57,143(e)
(Soft)	-	94	5,517	(e)	-	-	5,611(e)
Dungeness	-	-	-	-	6,176	1,083	7,259
Alaska King	-	-	-	-	-	-	-
Others(b)	-	-	-	(e)	-	-	(e)
Lobsters(c)	9,088	724	(a)	(e)	1,050	-	10,862(e)
<u>Shrimp(d)</u>	41	86	(a)	(e)	2,141	580	2,848(e)
<u>1934</u>							
<u>Crabs</u>							
Blue (Hard)	(f)	(f)	36,137	18,013	-	-	54,150(f)
(Soft)	-	(f)	3,660	908	-	-	4,568(f)
Dungeness	-	-	-	-	7,004	1,259	8,263
Alaska King	-	-	-	-	-	-	-
Others(b)	(f)	-	-	81	-	-	81(f)
Lobsters(c)	(f)	(f)	(a)	351	1,183	-	1,534(f)
<u>Shrimp(d)</u>	(f)	(f)	-	119,318	1,844	690	121,852(f)

Table 1 (Cont'd)

Catch of various American crustaceans, thousands of pounds
Data from U. S. Fish and Wildlife Service

	New England	Middle Atlantic	Chesapeake	South Atlantic and Gulf Coast	Pacific Coast	Territory Alaska	Total
<u>1935</u>							
<u>Crabs</u>							
Blue (Hard)	3,106	1,297	37,028	(e)	-	-	41,431(e)
(Soft)	(a)	390	4,006	(e)	-	-	4,396(e)
Dungeness	-	-	-	-	7,604	960	8,564
Alaska King	-	-	-	-	-	2	2
Others(b)	-	-	-	(e)	-	-	(e)
<u>Lobsters(c)</u>	10,852	643	1	(e)	1,345	-	12,841(e)
<u>Shrimp(d)</u>	-	194	-	(e)	-	691	4,457(e)
<u>1936</u>							
<u>Crabs</u>							
Blue (Hard)	(f)	(f)	39,432	29,237	-	-	68,669(f)
(Soft)	(f)	(f)	4,239	594	-	-	4,833(f)
Dungeness	-	-	-	-	7,191	902	8,093
Alaska King	-	-	-	-	-	2	2
Others(b)	(f)	-	-	46	-	-	46(f)
<u>Lobsters(c)</u>	(f)	(f)	(a)	327	1,335	-	1,662(f)
<u>Shrimp(d)</u>	(f)	(f)	-	118,109	2,344	866	121,319(f)
<u>1937</u>							
<u>Crabs</u>							
Blue((Hard)	2,514	1,411	44,126	29,086	-	-	77,137
(Soft)	1	150	4,989	483	-	-	5,623
Dungeness	-	-	-	-	8,356	1,393	9,749
Alaska King	-	-	-	-	6	-	6
<u>Lobsters(c)</u>	10,936	640	-	293	1,322	-	13,191
<u>Shrimp(d)</u>	7	116	2	141,273	1,158	843	143,399

Table 1 (Cont'd)

Catch of various American crustaceans, thousands of pounds
Data from U. S. Fish and Wildlife Service

	New England	Middle Atlantic	Chesapeake	South Atlantic and Gulf Coast	Pacific Coast	Territory Alaska	Total
<u>1938</u>							
<u>Crabs</u>							
Blue (Hard)	2,048	1,684	49,390	25,154	-	-	78,276
(Soft)	(a)	439	5,681	377	-	-	6,497
Dungeness	-	-	-	-	12,899	886	13,785
Alaska King	-	-	-	-	-	49	49
Others(b)	-	-	-	54	-	-	54
<u>Lobsters(c)</u>	11,408	574	2	328	1,198	-	13,510
<u>Shrimp(d)</u>	105	125	8	140,150	1,872	792	143,052
<u>1939</u>							
<u>Crabs</u>							
Blue (Hard)	2,566	5,600	51,030	25,705	-	-	84,901
(Soft)	(a)	90	6,017	392	-	-	6,499
Dungeness	-	-	-	-	14,672	581	15,253
Alaska King	-	-	-	-	-	13	13
Others(b)	-	-	-	49	-	-	49
<u>Lobsters(c)</u>	11,312	672	1	359	1,290	-	13,634
<u>Shrimp(d)</u>	54	50	-	148,070	1,241	796	150,211
<u>1940</u>							
<u>Crabs</u>							
Blue (Hard)	2,415	1,144	38,048	33,321	-	-	74,928
(Soft)	1	78	3,768	543	-	-	4,390
Dungeness	-	-	-	-	16,132	618	16,750
Alaska King	-	-	-	-	-	10	10
Others(b)	4	-	-	62	-	-	66
<u>Lobsters(c)</u>	11,165	595	2	463	1,097	-	13,322
<u>Shrimp(d)</u>	9	161	-	150,541	1,138	921	152,770

Table 1 (Cont'd)

Catch of various American crustaceans, thousands of pounds
Data from U. S. Fish and Wildlife Service

	New England	Middle Atlantic	Chesapeake	South Atlantic and Gulf Coast	Pacific Coast	Territory Alaska	Total
<u>1941</u>							
<u>Crabs</u>							
Blue (Hard)	(f)	(f)	27,692	(e)	-	-	27,692(e,f)
(Soft)	(f)	(f)	2,546	(e)	-	-	2,546(e,f)
Dungeness	-	-	-	-	16,214	746	16,960
Alaska King	-	-	-	-	-	50	50
Others(b)	(f)	-	-	(e)	-	-	(e,f)
<u>Lobsters(c)</u>	(f)	(f)	1	(e)	1,806	-	1,807(e,f)
<u>Shrimp(d)</u>	(f)	(f)	-	(e)	985	1,641	2,626(e,f)
<u>1942</u>							
<u>Crabs</u>							
Blue (Hard)	84	1,125	32,692	(e)	-	-	33,901(e)
(Soft)	(a)	63	3,091	(e)	-	-	3,154(e)
Dungeness	-	-	-	-	14,094	690	14,784
Alaska King	-	-	-	-	-	75	75
Others(b)	2,117	-	-	(e)	-	-	2,117(e)
<u>Lobsters(c)</u>	11,792	507	1	(e)	169	-	12,932(e)
<u>Shrimp(d)</u>	111	25	-	(e)	813	551	1,500(e)
<u>1943</u>							
<u>Crabs</u>							
Blue (Hard)	-	425	(g)	(e)	-	-	425(e,g)
(Soft)	-	28	(g)	(e)	-	-	28(e,g)
Dungeness	-	-	-	-	13,870	691	14,561
Alaska King	-	-	-	-	-	45	45
Others(b)	2,575	-	-	(e)	-	-	2,575(e,g)
<u>Lobsters(c)</u>	15,651	773	(g)	(e)	299	-	16,723(e,g)
<u>Shrimp(d)</u>	295	-	-	(e)	307	439	1,041(e,g)

Table 1 (Cont'd)

Catch of various American crustaceans, thousands of pounds
Data from U. S. Fish and Wildlife Service

	New England	Middle Atlantic	Chesapeake	South Atlantic and Gulf Coast	Pacific Coast	Territory Alaska	Territory Hawaii	Total
<u>1944</u>								
<u>Crabs</u>								
Blue (Hard)	2	317	41,084	(e)	-	-	-	41,403(e)
(Soft)	1	27	3,535	(e)	-	-	-	3,563(e)
Dungeness	-	-	-	-	17,449	1,273	-	18,722
Alaska King	-	-	-	-	-	15	-	15
Others (b)	1,450	3	-	(e)	-	-	-	1,453(e)
<u>Lobster(c)</u>	17,204	725	1	(e)	513	-	-	18,443(e)
<u>Shrimp(d)</u>	462	-	(a)	(e)	316	541	-	1,319(e)
<u>1945</u>								
<u>Crabs</u>								
Blue (Hard)	5	1,105	37,290	57,575	-	-	-	95,975
(Soft)	(a)	30	3,532	2,556	-	-	-	6,118
Dungeness	-	-	-	-	15,564	1,858	-	17,422
Alaska King	-	-	-	-	-	-	-	-
Others(b)	1,402	-	-	133	-	-	-	1,535
<u>Lobsters(c)</u>	22,267	460	1	777	479	-	-	23,984
<u>Shrimp(d)</u>	582	-	-	189,024	427	1,263	-	191,296
<u>1946</u>								
<u>Crabs</u>								
Blue (Hard)	3(h)	(j)	52,323	(e)	-	-	-	52,326(e,h,j)
(Soft)	(a,h)	(j)	4,226	(e)	-	-	-	4,226(e,h,j)
Dungeness	-	-	-	-	25,395	2,439	-	27,834
Alaska King	-	-	-	-	-	23	-	23
Others(b)	1,262(h)	-	-	(e)	-	-	27	1,289(e,h)
<u>Lobsters(c)</u>	22,824(h)	310(j)	1	(e)	692	-	45	23,872(e,h,j)
<u>Shrimp(d)</u>	166(h)	-	-	(e)	568	2,249	-	2,983(e,h,j)

Table 1 (Cont'd)

Catch of various American crustaceans, thousands of pounds
Data from U. S. Fish and Wildlife Service

	New England	Middle Atlantic	Chesapeake	South Atlantic and Gulf Coast	Pacific Coast	Territory Alaska	Territory Hawaii	Total	
<u>1947</u>									
<u>Crabs</u>									
Blue (Hard)	4	1,878	59,902	(e)	-	-	-	61,784(e)	
(Soft)	(a)	4	5,453	(e)	-	-	-	5,457(e)	
Dungeness	-	-	-	-	30,238	1,393	-	31,631	
Alaska King	-	-	-	-	-	753	-	753	
Other(b)	2,493	-	-	(e)	15	-	34	2,542(e)	
<u>Lobsters(c)</u>	23,316	609	2	(e)	593	-	45	24,565(e)	
<u>Shrimp(d)</u>	195	91	-	(e)	887	1,656	-	2,829(e)	
<hr/>									
	New England	Middle Atlantic	Chesapeake	South Atlantic	Gulf Coast	Pacific Coast	Territory Alaska	Territory Hawaii	Total
<u>1948</u>									
<u>Crabs</u>									
Blue (Hard)	3	2,134	63,314	(k)	29,511(m)	-	-	-	94,962(k,m)
(Soft)	1	11	4,633	(k)	881(m)	-	-	-	5,526(k,m)
Dungeness	-	-	-	-	-	44,600	1,223	-	45,823
Alaska King	-	-	-	-	-	-	2,133	-	2,133
Other(b)	1,242	-	-	(k)	28(m)	21	-	6	1,297(k,m)
<u>Lobster(c)</u>	20,226	759	2	(k)	(m)	563	-	42	21,592(k,m)
<u>Shrimp(d)</u>	27	100	-	(k)	117,808	973	2,835	-	121,743(k,m)

Table 1 (Cont'd)

Catch of various American crustaceans, thousands of pounds
Data from U. S. Fish and Wildlife Service

	New England	Middle Atlantic	Chesapeake	South Atlantic	Gulf Coast	Pacific Coast	Territory Alaska	Territory Hawaii	Total
<u>1949</u>									
<u>Crabs</u>									
Blue (Hard)	3	4,227	62,785	(k)	26,595	-	-	-	93,610(k)
(Soft)	-	70	4,841	(k)	455	-	-	-	5,366(k)
Dungeness	-	-	-	-	-	33,605	1,429	-	35,034
Alaska King	-	-	-	-	-	-	1,207	-	1,207
Other(b)	2,608	-	-	(k)	53	(a)	-	5	2,666(k)
<u>Lobster(c)</u>	23,994	660	2	(k)	1,482	834	-	42	27,014(k)
<u>Shrimp(d)</u>	10	90	(a)	(k)	126,514	872	2,268	-	129,754(k)
<u>1950</u>									
<u>Crabs</u>									
Blue (Hard)	1	6,551	73,918	20,060	18,816	-	-	-	119,346
(Soft)	(a)	23	6,128	212	364	-	-	-	6,727
Dungeness	-	-	-	-	-	23,810	4,119	-	27,929
Alaska King	-	-	-	-	-	-	1,519	-	1,519
Other(b)	3,714	-	-	3	38	-	-	3	3,758
<u>Lobster(c)</u>	22,559	635	4	932	628	934	-	33	25,725
<u>Shrimp(d)</u>	8	100	-	36,482	151,753	974	2,158	-	191,475
<u>1951</u>									
<u>Crabs</u>									
Blue (Hard)	2	5,698	64,757	23,535	13,798	-	-	-	107,790
(Soft)	(a)	17	6,020	169	360	-	-	-	6,566
Dungeness	-	-	-	-	-	23,850	5,482	-	29,332
Alaska King	-	-	-	-	-	-	1,994	-	1,994
Other(b)	2,328	-	-	7	59	23	12	8	2,437
<u>Lobster(c)</u>	25,534	409	3	2,020	1,077	825	-	17	29,885
<u>Shrimp(d)</u>	58	86	-	27,771	193,651	1,042	1,708	(a)	224,316

Table 1 (Cont'd)

Catch of various American crustaceans, thousands of pounds
Data from U. S. Fish and Wildlife Service

	New England	Middle Atlantic	Chesapeake	South Atlantic	Gulf Coast	Pacific Coast	Territory Alaska	Territory Hawaii	Total
<u>1952</u>									
<u>Crabs</u>									
Blue (Hard)	4	2,374	61,036	24,374	12,037	-	-	-	99,825
(Soft)	(a)	12	3,795	126	478	-	-	-	4,411
Dungeness	-	-	-	-	-	22,720	3,749	-	26,469
Alaska King	-	-	-	-	-	-	2,773	-	2,773
Other (b)	1,499	-	-	10	90	17	14	8	1,638
<u>Lobster(c)</u>	24,323	706	2	656	957	807	-	19	27,470
<u>Shrimp(d)</u>	104	90	-	25,671	198,268	1,135	1,953	(a)	227,221
<u>1953</u>									
<u>Crabs</u>									
Blue (Hard)	6	2,401	58,679	30,066	14,215	-	-	-	105,385
(Soft)	-	7	4,487	170	491	-	-	-	5,155
Dungeness	-	-	-	-	-	23,106	3,472	-	26,578
Alaska King	-	-	-	-	-	-	4,613	-	4,613
Other(b)	2,179	-	-	9	107	49	72	7	2,423
<u>Lobster(c)</u>	27,136	966	13	1,121	874	750	-	18	30,878
<u>Shrimp(d)</u>	38	86	-	32,933	224,503	1,063	1,734	(a)	260,357
<u>1954</u>									
<u>Crabs</u>									
Blue (Hard)	32	3,828	51,543	29,782	12,595	-	-	-	97,780
(Soft)	-	10	3,200	96	455	-	-	-	3,761
Dungeness	-	-	-	-	-	25,741	2,740	-	28,481
Alaska King	-	-	-	-	-	-	8,871	-	8,871
Other(b)	1,449	-	-	10	256	39	-	11	1,765
<u>Lobster(c)</u>	26,433	1,035	13	1,223	724	902	-	15	30,345
<u>Shrimp(d)</u>	-	18	-	28,646	237,153	1,065	1,452	1	268,335

Table 1 (cont'd)

Catch of various American crustaceans, thousands of pounds
Data from U. S. Fish and Wildlife Service

	New England	Middle Atlantic	Chesapeake	South Atlantic	Gulf Coast	Pacific Coast	Territory Alaska	Territory Hawaii	Total
<u>1955</u>									
<u>Crabs</u>									
Blue (Hard)	2	3,484	42,119	32,552	19,497	-	-	-	97,654
(Soft)	-	19	3,009	26	589	-	-	-	3,643
Dungeness	-	-	-	-	-	19,950	4,384	-	24,334
Alaska King	-	-	-	-	-	-	8,163	-	8,163
Other (b)	1,605	-	-	28	251	54	1	13	1,952
<u>Lobster(c)</u>	27,624	1,315	15	1,079	1,216	859	-	16	32,124
<u>Shrimp(d)</u>	-	13	-	28,539	212,402	1,553	1,828	2	244,337
<u>1956</u>									
<u>Crabs</u>									
Blue (Hard)	4	4,279	46,953	26,738	16,029	-	-	-	94,003
(Soft)	-	11	3,645	71	607	-	-	-	4,334
Dungeness	-	-	-	-	-	31,738	2,446	-	34,184
Alaska King	-	-	-	-	-	-	8,796	-	8,796
Other (b)	1,747	-	-	2	274	559	-	12	2,094
<u>Lobster(c)</u>	25,171	1,340	9	799	2,314	736	-	13	30,382
<u>Shrimp(d)</u>	-	18	-	25,518	193,621	1,972	3,044	3	224,176
<u>1957</u>									
<u>Crabs</u>									
Blue (Hard)	3	6,145	53,249	30,657	17,924	-	-	-	107,978
(Soft)	-	6	5,102	64	578	-	-	-	5,750
Dungeness	-	-	-	-	-	42,222	552	-	42,774
Alaska King	-	-	-	-	-	-	13,077	-	13,077
Other (b)	1,368	-	-	8	233	151	-	16	1,776
<u>Lobster(c)</u>	29,106	1,046	3	651	3,388	648	-	14	34,856
<u>Shrimp(d)</u>	-	26	2	28,590	168,453	4,431	2,380	2	203,884

Table 1 (cont'd)

Catch of various American crustaceans, thousands of pounds
Data from U. S. Fish and Wildlife Service

	New England	Middle Atlantic	Chesapeake	South Atlantic	Gulf Coast	Pacific Coast	Territory Alaska	Territory Hawaii	Total
<u>1958</u>									
<u>Crabs</u>									
Blue (Hard)	3	3,340	44,849	35,544	21,906	-	-	-	105,641
(Soft)	-	6	4,613	76	598	-	-	-	5,293
Dungeness	-	-	-	-	-	40,350	1,747	-	42,097
Alaska King	-	-	-	-	-	-	11,212	-	11,212
Other (b)	1,651	-	-	31	287	167	-	8	2,144
<u>Lobster (c)</u>	25,873	1,347	7	623	2,332	633	-	9	30,824
<u>Shrimp (d)</u>	5	8	-	22,584	173,354	10,029	7,862	-	213,842

	New England	Middle Atlantic	Chesapeake	South Atlantic	Gulf Coast	Pacific Coast (Incl. Alaska)	Hawaii	Total
<u>1959</u>								
<u>Crabs</u>								
Blue (Hard)	2	2,635	42,335	38,806	28,753	-	-	112,531
(Soft)	-	(a)	3,214	124	619	-	-	3,957
Dungeness	-	-	-	-	-	36,947	-	36,947
Alaska King	-	-	-	-	-	18,840	-	18,840
Other (b)	1,884	5	-	70	256	130	10	2,355
<u>Lobster (c)</u>	27,393	1,665	27	543	2,637	506	12	32,783
<u>Shrimp (d)</u>	17	4	-	26,006	193,503	20,652	-	240,182




Table 1 (cont'd)

Catch of various American crustaceans, thousands of pounds
Data from U. S. Fish and Wildlife Service

	New England	Middle Atlantic	Chesapeake	South Atlantic	Gulf Coast	Pacific Coast (Incl. Alaska)	Hawaii	Total
<u>1960</u>								
<u>Crabs</u>								
Blue (Hard)	3	3,643	66,338	44,786	34,876	-	-	149,646
(Soft)	-	57	4,378	91	525	-	-	5,051
Dungeness	-	-	-	-	-	36,157	-	36,157
Alaska King	-	-	-	-	-	28,570	-	28,570
Other (b)	1,688	12	-	50	367	120	14	2,237
Lobster (c)	29,260	1,876	32	719	2,129	351	10	34,378
Shrimp (d)	90	5	-	31,214	205,725	12,418	-	249,452

Table 2

Value of catch of various American crustaceans, thousands of dollars
Data from U. S. Fish and Wildlife Service

	New England	Middle Atlantic	Chesapeake	South Atlantic and Gulf Coast	Pacific Coast	Territory Alaska	Total
<u>1929</u>							
<u>Crabs</u>							
Blue (Hard)	117	17	1,035	152	-	-	1,321
(Soft)	(a)	7	434	82	-	-	523
Dungeness	-	-	-	-	307	36	343
Alaska King	-	-	-	-	-	-	-
Others(b)	-	(a)	-	23	-	-	23
<u>Lobster(c)</u>	3,132	376	-	37	274	-	3,819
<u>Shrimp(d)</u>	2	32	-	4,435	51	40	4,560
<u>1930</u>							
<u>Crabs</u>							
Blue (Hard)	129	29	1,072	105	-	-	1,335
(Soft)	-	22	650	117	-	-	789
Dungeness	-	-	-	-	399	18	417
Alaska King	-	(a)	-	27	-	-	27
<u>Lobster(c)</u>	3,218	369	-	27	263	-	3,877
<u>Shrimp(d)</u>	4	29	-	2,945	49	42	3,069
<u>1931</u>							
<u>Crabs</u>							
Blue (Hard)	56	15	805	94	-	-	970
(Soft)	1	16	388	93	-	-	498
Dungeness	-	-	-	-	334	21	355
Alaska King	-	-	-	-	-	-	-
Others(b)	-	-	-	9	-	-	9
<u>Lobster(c)</u>	2,719	292	(a)	42	223	-	3,276
<u>Shrimp(d)</u>	1	49	12	2,730	30	36	2,858

Table 2 (Cont'd)

Value of catch of various American crustaceans, thousands of dollars
Data from U. S. Fish and Wildlife Service

	New England	Middle Atlantic	Chesapeake	South Atlantic and Gulf Coast	Pacific Coast	Territory Alaska	Total
<u>1932</u>							
<u>Crabs</u>							
Blue (Hard)	55	24	582	89	-	-	750
(Soft)	(a)	11	320	60	-	-	391
Dungeness	-	-	-	-	299	46	345
Alaska King	-	-	-	-	-	-	-
Others (b)	-	-	-	8	-	-	8
<u>Lobster(c)</u>	1,913	166	(a)	32	142	-	2,253
<u>Shrimp(d)</u>	(a)	27	-	2,036	44	23	2,130
<u>1933</u>							
<u>Crabs</u>							
Blue (Hard)	40	25	616	(e)	-	-	681(e)
(Soft)	-	20	382	(e)	-	-	402(e)
Dungeness	-	-	-	-	355	78	433
Alaska King	-	-	-	-	-	-	-
Others(b)	-	-	-	(e)	-	-	(e)
<u>Lobster (c)</u>	1,608	138	(a)	(e)	145	-	1,891(e)
<u>Shrimp(d)</u>	2	15	(a)	(e)	36	21	74(e)
<u>1934</u>							
<u>Crabs</u>							
Blue (Hard)	(f)	(f)	739	266	-	-	1,005(f)
(Soft)	-	(f)	311	123	-	-	434(f)
Dungeness	-	-	-	-	462	104	566
Alaska King	-	-	-	-	-	-	-
Others(b)	(f)	-	-	6	-	-	6(f)
<u>Lobster(c)</u>	(f)	(f)	(a)	17	180	-	197(f)
<u>Shrimp(d)</u>	(f)	(f)	-	3,069	32	24	3,125(f)

Table 2 (Cont'd)

Value of catch of various American crustaceans, thousands of dollars
Data from U. S. Fish and Wildlife Service

	New England	Middle Atlantic	Chesapeake	South Atlantic and Gulf Coast	Pacific Coast	Territory Alaska	Total
<u>1935</u>							
<u>Crabs</u>							
Blue (Hard)	59	40	841	(e)	-	-	940(e)
(Soft)	(a)	107	385	(e)	-	-	492(e)
Dungeness	-	-	-	-	635	82	717
Alaska King	-	-	-	-	-	(a)	(a)
Others(b)	-	-	-	(e)	-	-	(e)
<u>Lobster(c)</u>	2,520	139	(a)	(e)	214	-	2,873(e)
<u>Shrimp(d)</u>	-	13	-	(e)	61	26	100(e)
<u>1936</u>							
<u>Crabs</u>							
Blue (Hard)	(f)	(f)	887	454	-	-	1,341(f)
(Soft)	(f)	(f)	418	115	-	-	533(f)
Dungeness	-	-	-	-	602	79	681
Alaska King	-	-	-	-	-	(a)	(a)
Others(b)	(f)	-	-	9	-	-	9(f)
<u>Lobster(c)</u>	(f)	(f)	(a)	20	148	-	168(f)
<u>Shrimp(d)</u>	(f)	(f)	-	3,778	45	33	3,856(f)
<u>1937</u>							
<u>Crabs</u>							
Blue (Hard)	68	38	958	434	-	-	1,498
(Soft)	(a)	38	436	75	-	-	549
Dungeness	-	-	-	-	721	138	859
Alaska King	-	-	-	-	-	(a)	(a)
Other(b)	(a)	-	-	9	-	-	9
<u>Lobster(c)</u>	2,304	133	-	22	163	-	2,622
<u>Shrimp(d)</u>	1	16	(a)	5,009	24	33	5,083

Table 2 (Cont'd)

Value of catch of various American crustaceans, thousands of dollars
Data from U. S. Fish and Wildlife Service

	New England	Middle Atlantic	Chesapeake	South Atlantic and Gulf Coast	Pacific Coast	Territory Alaska	Total
<u>1938</u>							
<u>Crabs</u>							
Blue (Hard)	52	61	871	347	-	-	1,331
(Soft)	(a)	135	436	56	-	-	627
Dungeness	-	-	-	-	658	81	739
Alaska King	-	-	-	-	-	5	5
Other (b)	-	-	-	12	-	-	12
<u>Lobster (c)</u>	2,143	102	(a)	23	1179	-	2,447
<u>Shrimp(d)</u>	8	21	11	4,545	40	34	4,649
<u>1939</u>							
<u>Crabs</u>							
Blue (Hard)	65	107	923	384	-	-	1,479
(Soft)	(a)	26	446	60	-	-	532
Dungeness	-	-	-	-	740	46	786
Alaska King	-	-	-	-	-	1	1
Others(b)	-	-	-	9	-	-	9
<u>Lobster(c)</u>	1,964	115	(a)	25	207	-	2,311
<u>Shrimp(d)</u>	2	2	-	4,847	25	33	4,909
<u>1940</u>							
<u>Crabs</u>							
Blue (Hard)	54	42	837	529	-	-	1,462
(Soft)	(a)	24	311	83	-	-	418
Dungeness	-	-	-	-	800	43	843
Alaska King	-	-	-	-	-	1	1
Other(b)	(a)	-	-	13	-	-	13
<u>Lobster(c)</u>	2,001	130	(a)	32	169	-	2,332
<u>Shrimp(d)</u>	(a)	53	-	5,893	19	37	6,002

Table 2 (Cont'd)

Value of catch of various American crustaceans, thousands of dollars
Data from U. S. Fish and Wildlife Service

	New England	Middle Atlantic	Chesapeake	South Atlantic and Gulf Coast	Pacific Coast	Territory Alaska	Total
<u>1941</u>							
<u>Crabs</u>							
Blue (Hard)	(f)	(f)	863	(e)	-	-	863(e,f)
(Soft)	(f)	(f)	325	(e)	-	-	325(e,f)
Dungeness	-	-	-	-	1,007	16	1,023
Alaska King	-	-	-	-	-	1	1
Other(b)	(f)	-	-	(e)	-	-	(e,f)
Lobster(c)	(f)	(f)	(a)	(e)	202	-	202(e,f)
Shrimp(d)	(f)	(f)	-	(e)	23	82	105(e,f)
<u>1942</u>							
<u>Crabs</u>							
Blue (Hard)	3	64	1,033	(e)	-	-	1,100(e)
(Soft)	(a)	31	365	(e)	-	-	396(e)
Dungeness	-	-	-	-	1,161	23	1,184
Alaska King	-	-	-	-	-	2	2
Other (b)	56	-	-	(e)	-	-	56(e)
Lobster(c)	2,741	112	(a)	(e)	41	-	2,894(e)
Shrimp(c)	4	3	-	(e)	22	8	37(e)
<u>1943</u>							
<u>Crabs</u>							
Blue (Hard)	-	26	(g)	(e)	-	-	26(e,g)
(Soft)	-	22	(g)	(e)	-	-	22(e,g)
Dungeness	-	-	-	-	1,294	25	1,319
Alaska King	-	-	-	-	-	2	2
Other(b)	74	-	-	(e)	-	-	74(e,g)
Lobster(c)	4,200	205	(g)	(e)	93	-	4,498(e,g)
Shrimp(d)	14	-	-	(e)	21	-	42(e,g)

Table 2 (Cont'd)

Value of catch of various American crustaceans, thousands of dollars
Data from U. S. Fish and Wildlife Service

	New England	Middle Atlantic	Chesapeake	South Atlantic and Gulf Coast	Pacific Coast	Territory Alaska	Territory Hawaii	Total
<u>1944</u>								
<u>Crabs</u>								
Blue (Hard)	(a)	42	2,143	(e)	-	-	-	2,185 (e)
(Soft)	(a)	21	1,004	(e)	-	-	-	1,025 (e)
Dungeness	-	-	-	-	1,529	53	-	1,582
Alaska King	-	-	-	-	-	1	-	1
Others (b)	54	(a)	-	(e)	-	-	-	54 (e)
<u>Lobster (c)</u>	4,202	229	(a)	(e)	136	-	-	4,567 (e)
<u>Shrimp</u>	22	-	(a)	(e)	17	8	-	47 (e)
<u>1945</u>								
<u>Crabs</u>								
Blue (Hard)	1	78	2,265	2,493	-	-	-	4,837
(Soft)	(a)	23	1,226	1,762	-	-	-	3,011
Dungeness	-	-	-	-	1,360	60	-	1,420
Alaska King	-	-	-	-	-	-	-	-
Others (b)	69	-	-	46	-	-	-	115
<u>Lobster (c)</u>	9,307	153	(a)	158	115	-	-	9,733
<u>Shrimp (d)</u>	29	-	-	21,289	23	24	-	21,365
<u>1946</u>								
<u>Crabs</u>								
Blue (Hard)	(a,h)	(j)	3,201	(e)	-	-	-	3,201 (e,h,j)
(Soft)	(a,h)	(j)	1,477	(e)	-	-	-	1,477 (e,h,j)
Dungeness	-	-	-	-	3,390	131	-	3,521
Alaska King	-	-	-	-	-	1	-	1
Others	76 (h)	-	-	(e)	-	-	7	76 (e,h,j)
<u>Lobster</u>	8,950 (h)	134 (j)	(a)	(e)	234	-	26	9,318 (e,h,j)
<u>Shrimp</u>	9 (h)	-	-	(e)	57	56	-	122 (e,h,j)

See footnotes on page (000).

Table 2 (Cont'd)

Value of catch of various American crustaceans, thousands of dollars

Data from U. S. Fish and Wildlife Service

	New England	Middle Atlantic	Chesapeake	South Atlantic and Gulf Coast	Pacific Coast	Territory Alaska	Territory Hawaii	Total	
<u>1947</u>									
<u>Crabs</u>									
Blue (Hard)	1	197	2,912	(e)	-	-	-	3,110(e)	
(Soft)	(a)	1	1,375	(e)	-	-	-	1,376(e)	
Dungeness	-	-	-	-	3,041	70	-	3,111	
Alaska King	-	-	-	-	-	32	-	32	
Others(b)	138	-	-	(e)	2	-	9	149(e)	
<u>Lobster(c)</u>	8,717	273	1	(e)	189	-	29	9,209(e)	
<u>Shrimp(d)</u>	11	46	-	(e)	63	214	-	334(e)	
<hr/>									
	New England	Middle Atlantic	Chesapeake	South Atlantic	Gulf Coast	Pacific Coast	Territory Alaska	Territory Hawaii	Total
<u>1948</u>									
<u>Crabs</u>									
Blue (Hard)	1	254	3,665	(k)	1,036(m)	-	-	4,956(k,m)	
(Soft)	(a)	4	930	(k)	440(m)	-	-	1,374(k,m)	
Dungeness	-	-	-	-	-	4,702	63	4,765	
Alaska King	-	-	-	-	-	-	96	96	
Other(b)	84	-	-	(k)	4(m)	2	-	92(k,m)	
<u>Lobster(c)</u>	8,396	331	1	(k)	(m)	229	-	8,985(k,m)	
<u>Shrimp(d)</u>	3	50	-	(k)	24,887(m)	69	227	25,236(k,m)	

Table 2 (Cont'd)

Value of catch of various American crustaceans, thousands of dollars
Data from U. S. Fish and Wildlife Service

	New England	Middle Atlantic	Chesapeake	South Atlantic	Gulf Coast	Pacific Coast	Territory Alaska	Territory Hawaii	Total
<u>1949</u>									
<u>Crabs</u>									
Blue (Hard)	1	393	3,133	(k)	982	-	-	-	4,509(k)
(Soft)	-	23	817	(k)	192	-	-	-	1,032(k)
Dungeness	-	-	-	-	-	3,462	81	-	3,543
Alaska King	-	-	-	-	-	-	72	-	72
Others (b)	122	-	-	(k)	27	(a)	-	2	151(k)
<u>Lobster(c)</u>	8,594	309	(a)	(k)	188	284	-	26	9,401(k)
<u>Shrimp(d)</u>	2	45	(a)	(k)	29,207	66	181	-	29,501(k)
<u>1950</u>									
<u>Crabs</u>									
Blue (Hard)	(a)	426	2,652	822	884	-	-	-	4,784
(Soft)	(a)	7	900	25	165	-	-	-	1,097
Dungeness	-	-	-	-	-	2,833	277	-	3,110
Alaska King	-	-	-	-	-	-	91	-	91
Others(b)	121	-	-	2	25	-	-	(a)	148
<u>Lobsters(c)</u>	8,108	236	1	168	113	296	-	18	8,940
<u>Shrimp(d)</u>	1	50	-	10,033	33,112	82	173	-	43,451
<u>1951</u>									
<u>Crabs</u>									
Blue (Hard)	(a)	473	2,370	810	696	-	-	-	4,349
(Soft)	(a)	5	1,132	25	191	-	-	-	1,353
Dungeness	-	-	-	-	-	3,196	478	-	3,674
Alaska King	-	-	-	-	-	-	228	-	228
Others(b)	127	-	-	3	29	2	1	3	165
<u>Lobsters(c)</u>	9,221	157	1	384	205	302	-	10	10,280
<u>Shrimp(d)</u>	10	48	-	7,383	44,136	107	179	(a)	51,863

Table 2 (Cont'd)

Value of catch of various American crustaceans, thousands of dollars
Data from U. S. Fish and Wildlife Service

	New England	Middle Atlantic	Chesapeake	South Atlantic	Gulf Coast	Pacific Coast	Territory Alaska	Territory Hawaii	Total
<u>1952</u>									
<u>Crabs</u>									
Blue (Hard)	(a)	329	2,449	925	552	-	-	-	4,255
(Soft)	(a)	5	592	19	221	-	-	-	837
Dungeness	-	-	-	-	-	3,112	331	-	3,443
Alaska King	-	-	-	-	-	-	388	-	388
Others(b)	73	-	-	5	45	1	1	3	128
<u>Lobsters(c)</u>	10,301	254	1	164	239	337	-	11	11,307
<u>Shrimp(d)</u>	18	49	-	6,585	48,170	99	182	1	55,104
<u>1953</u>									
<u>Crabs</u>									
Blue (Hard)	1	305	2,648	1,215	623	-	-	-	4,792
(Soft)	-	5	710	34	203	-	-	-	952
Dungeness	-	-	-	-	-	3,380	313	-	3,693
Alaska King	-	-	-	-	-	-	547	-	547
Others(b)	136	-	-	5	64	4	7	3	219
<u>Lobsters(c)</u>	10,482	383	5	224	175	353	-	11	11,633
<u>Shrimp(d)</u>	7	52	-	9,931	66,336	90	225	(a)	76,641
<u>1954</u>									
<u>Crabs</u>									
Blue (Hard)	3	346	2,086	1,238	582	-	-	-	4,255
(Soft)	-	5	538	14	215	-	-	-	772
Dungeness	-	-	-	-	-	3,361	246	-	3,607
Alaska King	-	-	-	-	-	-	880	-	880
Other(b)	82	-	-	4	107	3	-	5	211
<u>Lobster(c)</u>	10,131	352	3	269	159	409	-	8	11,331
<u>Shrimp(d)</u>	-	18	-	6,883	53,652	89	189	2	60,833

Table 2 (Cont'd)

Value of catch of various American crustaceans, thousands of dollars
Data from U. S. Fish and Wildlife Service

	New England	Middle Atlantic	Chesapeake	South Atlantic	Gulf Coast	Pacific Coast	Territory Alaska	Territory Hawaii	Total
<u>1955</u>									
<u>Crabs</u>									
Blue (Hard)	(a)	316	2,339	1,613	895	-	-	-	5,163
(Soft)	-	7	499	5	293	-	-	-	804
Dungeness	-	-	-	-	-	2,714	374	-	3,088
Alaska King	-	-	-	-	-	-	809	-	809
Other(b)	97	-	-	13	118	4	(a)	5	238
<u>Lobster(c)</u>	10,873	424	5	248	280	434	-	11	12,275
<u>Shrimp(d)</u>	-	13	-	6,939	54,465	127	238	3	61,785
<u>1956</u>									
<u>Crabs</u>									
Blue (Hard)	1	490	3,278	1,197	768	-	-	-	5,734
(Soft)	-	4	656	14	252	-	-	-	926
Dungeness	-	-	-	-	-	-	3,780	212	3,992
Alaska King	-	-	-	-	-	-	-	864	864
Other (b)	79	-	-	1	121	4	-	6	211
<u>Lobsters(c)</u>	11,452	452	4	228	597	385	-	7	13,125
<u>Shrimp(d)</u>	-	19	-	7,806	62,499	174	396	4	70,898
<u>1957</u>									
<u>Crabs</u>									
Blue (Hard)	1	549	3,197	1,520	965	-	-	-	6,232
(Soft)	-	2	1,033	16	200	-	-	-	1,251
Dungeness	-	-	-	-	-	3,501	28	-	3,529
Alaska King	-	-	-	-	-	-	1,046	-	1,046
Other (b)	89	-	-	3	86	-	-	8	196
<u>Lobster (c)</u>	11,146	365	1	200	923	377	-	9	13,021
<u>Shrimp(d)</u>	-	26	1	9,150	63,288	371	309	3	73,148

Table 2 (cont'd)

Value of catch of various American crustaceans, thousands of dollars
Data from U. S. Fish and Wildlife Service

	New England	Middle Atlantic	Chesapeake	South Atlantic	Gulf Coast	Pacific Coast	Territory Alaska	Territory Hawaii	Total
1958									
<u>Crabs</u>									
Blue (Hard)	(a)	277	2,488	1,819	1,083	-	-	-	5,667
(Soft)	-	2	823	21	300	-	-	-	1,146
Dungeness	-	-	-	-	-	4,316	131	-	4,437
Alaska King	-	-	-	-	-	-	897	-	897
Other (b)	89	-	-	12	118	11	-	3	233
<u>Lobster (c)</u>	12,761	455	2	184	653	389	-	6	14,450
<u>Shrimp (d)</u>	2	8	-	7,958	63,871	813	278	-	72,930

	New England	Middle Atlantic	Chesapeake	South Atlantic	Gulf Coast	Pacific Coast (incl. Alaska)	Hawaii	Total
--	----------------	--------------------	------------	-------------------	---------------	---------------------------------	--------	-------

1959								
<u>Crabs</u>								
Blue (Hard)	(a)	238	3,221	2,044	1,439	-	-	6,942
(Soft)	-	(a)	763	37	805	-	-	1,105
Dungeness	-	-	-	-	-	5,032	-	5,032
Alaska King	-	-	-	-	-	1,478	-	1,478
Other (b)	110	(a)	-	23	100	9	5	247
<u>Lobster (c)</u>	13,874	584	10	176	778	306	8	15,736
<u>Shrimp (d)</u>	5	4	-	6,527	50,348	1,249	-	58,133

Table 2 (cont'd)

Value of catch of various American crustaceans, thousands of dollars

Data from U. S. Fish and Wildlife Service

	New England	Middle Atlantic	Chesapeake	South Atlantic	Gulf Coast	Pacific Coast (incl. Alaska)	Hawaii	Total
<u>1960</u>								
<u>Crabs</u>								
Blue (Hard)	-	395	3,535	2,415	1,764	-	-	7,810
(Soft)	-	14	1,061	32	259	-	-	1,366
Dungeness	-	-	-	-	-	5,333	-	5,333
Alaska King	-	-	-	-	-	2,286	-	2,286
Other (b)	101	1	-	16	135	9	7	262
<u>Lobster (c)</u>	13,582	656	13	281	820	7	236	15,595
<u>Shrimp (d)</u>	20	5	-	8,512	57,631	764	-	66,932

Explanatory Notes for Table 3
Crab Products

- (a) Less than 500 pounds or 500 dollars.
- (b) Canned products converted to pounds on basis of 48 pounds per standard case prior to 1939, 39 pounds from 1939 through 1947, and 19.5 pounds per standard case beginning in 1948.
- (c) Includes fresh, frozen and canned products all converted to pounds.
- (d) Frozen products.
- (e) Data available for Alaska only.
- (f) Includes small quantity of products from other crab species.
- (g) Included in blue crab total.
- (h) Includes blue crab and rock crab.
- (i) Converted to pounds from tons.
- (j) Included in Dungeness total.
- (k) Obtained by subtraction.
- (m) Included in total for other areas.
- (n) Includes small quantity canned in the Chesapeake area.
- (o) Virginia only.
- (p) Included in frozen specialties.
- (q) Includes fresh, frozen crabs or meats, cold-packed and in bulk.

Table 3

Crab products, thousands of pounds and thousands of dollars
Data from U. S. Fish and Wildlife Service

	Fresh or frozen cooked meat		Canned cooked meat (b)		Meal and dried scrap (i)	
	lbs.	value	lbs.	value	lbs.	value
<u>1940</u>						
Blue Crab Total	7,500(h)	2,567(h)	263(n)	131(n)	4,662	42
Chesapeake	3,942	1,417	-	-	-	-
Other areas (k)	3,558	1,150	263(n)	131(n)	-	-
Rock Crab	(g)	(g)	-	-	-	-
Dungeness	1,388	415	489	176	-	-
Alaska King	(a)	(a)	4	2	-	-
<u>1941</u>						
Blue Crab Total	-	-	439(n)	236(n)	3,060	39
Chesapeake	-	-	-	-	-	-
Other areas	-	-	439(n)	236(n)	-	-
Rock Crab	-	-	-	-	-	-
Dungeness	5(e)	1(e)	729	308	-	-
Alaska King	-	-	6	4	-	-
<u>1942</u>						
Blue Crab Total	-	-	479(n)	331(n)	6,744	110
Chesapeake	-	-	-	-	2,064(o)	37(o)
Other areas	-	-	479(n)	331(n)	-	-
Rock Crab	-	-	99	67	-	-
Dungeness	2(e)	1(e)	1,639	1,341	-	-
Alaska King	-	-	16	16	-	-

Table 3

Crab products, thousands of pounds and thousands of dollars
Data from U. S. Fish and Wildlife Service

	Fresh or frozen cooked meat		Canned cooked meat (b)		Meal and dried scrap (i)	
	lbs.	value	lbs.	value	lbs.	value
<u>1940</u>						
Blue Crab Total	7,500(h)	2,567(h)	263(n)	131(n)	4,662	42
Chesapeake	3,942	1,417	-	-	-	-
Other areas (k)	3,558	1,150	263(n)	131(n)	-	-
Rock Crab	(g)	(g)	-	-	-	-
Dungeness	1,388	415	489	176	-	-
Alaska King	(a)	(a)	4	2	-	-
<u>1941</u>						
Blue Crab Total	-	-	439(n)	236(n)	3,060	39
Chesapeake	-	-	-	-	-	-
Other areas	-	-	439(n)	236(n)	-	-
Rock Crab	-	-	-	-	-	-
Dungeness	5(e)	1(e)	729	308	-	-
Alaska King	-	-	6	4	-	-
<u>1942</u>						
Blue Crab Total	-	-	479(n)	331(n)	6,744	110
Chesapeake	-	-	-	-	2,064(o)	37(o)
Other areas	-	-	479(n)	331(n)	-	-
Rock Crab	-	-	99	67	-	-
Dungeness	2(e)	1(e)	1,639	1,341	-	-
Alaska King	-	-	16	16	-	-

Table 3 (Cont'd)

Crab products, thousands of pounds and thousands of dollars
Data from U. S. Fish and Wildlife Service

	Fresh or frozen cooked meat		Canned cooked meat (b)		Meal and dried scrap (i)	
	lbs.	value	lbs.	value	lbs.	value
<u>1943</u>						
Blue Crab Total	-	-	488	386	7,390	143
Chesapeake	-	-	-	-	-	-
Other areas	-	-	488	386	-	-
Rock Crab	-	-	33	26	-	-
Dungeness	1(e)	1(e)	937	772	-	-
Alaska King	-	-	10	10	-	-
<u>1944</u>						
Blue Crab Total	-	-	618	491	3,200	78
Chesapeake	-	-	-	-	1,434(o)	33(o)
Other areas	-	-	618	491	-	-
Rock Crab	-	-	92	70	-	-
Dungeness	22(e)	16(e)	983	797	-	-
Alaska King	-	-	4	4	-	-
<u>1945</u>						
Blue Crab Total	-	-	328	270	9,358	216
Chesapeake	-	-	-	-	2,316(o)	54(o)
Other areas	-	-	328	270	-	-
Rock Crab	-	-	253	214	-	-
Dungeness	-	-	502	399	-	-
Alaska King	-	-	-	-	-	-

Table 3 (Cont'd)

Crab products, thousands of pounds and thousands of dollars
Data from U. S. Fish and Wildlife Service

	Fresh or frozen cooked meat		Canned cooked meat (b)		Meal and dried scrap (i)	
	lbs.	value	lbs.	value	lbs.	value
<u>1946</u>						
Blue Crab Total	-	-	2,324	2,521	10,546	245
Chesapeake	-	-	-	-	3,322(o)	89(o)
Other areas	-	-	2,324	2,521	-	-
Rock Crab	-	-	19	15	-	-
Dungeness	256(e)	217(e)	1,584	2,176	-	-
Alaska King	-	-	5	8	-	-
<u>1947</u>						
Blue Crab Total	-	-	648	656	9,824	272
Chesapeake	-	-	(m)	(m)	9,042	250
Other areas	-	-	648	656	782	22
Rock Crab	-	-	9	11	-	-
Dungeness	137(e)	32(e)	2,065	2,034	854	24
Alaska King	172	150	4	4	-	-
<u>1948</u>						
Blue Crab Total	-	-	651	582	10,302	267
Chesapeake	-	-	(m)	(m)	9,078	237
Other areas (k)	-	-	651 (n)	582 (n)	1,224	30
Rock Crab	-	-	-	-	-	-
Dungeness	125 (e)	105 (e)	3,311	3,821	-	-
Alaska King	165	193	344	444	-	-

Table 3 (cont'd)

Crab products, thousands of pounds and thousands of dollars
Data from U. S. Fish and Wildlife Service

	Fresh or frozen cooked meat		Canned cooked meat (b)		Frozen soft crab		Frozen miscellaneous and canned specialties (b)		Meal and dried scrap (i)	
	lb.	value	lb.	value	lb.	value	lb.	value	lb.	value
<u>1952</u>										
Blue Crab Total	11,338 (h)	9,346 (h)	867 (h)	914 (h)	20	15	432	437	19,108	585
Chesapeake	8,582	7,296	-	-	-	-	-	-	16,710	515
Other areas (k)	2,756 (h)	2,050 (h)	867 (h)	914 (h)	-	-	-	-	2,398	70
Rock Crab	(g)	(g)	(g)	(g)	-	-	-	-	-	-
Dungeness	1,574	1,544	687	906	-	-	4	6	-	-
Alaska King	332	333	122	265	-	-	-	-	-	-
Tanner	-	-	2	2	-	-	-	-	-	-
<u>1953</u>										
Blue Crab Total	11,033	9,007	1,372 (h)	1,594 (h)	-	-	1,054	845	16,872	502
Chesapeake	7,702	6,464	-	-	-	-	454	329	13,608	402
Other areas (k)	3,331	2,543	1,372 (h)	1,594 (h)	-	-	600	516	3,264	100
Rock Crab	252	351	-	-	-	-	-	-	-	-
Dungeness	2,443	2,428	742	1,093	-	-	2	4	580	16
Alaska King	733	689	126	211	-	-	-	-	-	-
<u>1954</u>										
Blue Crab Total	11,666 (h)	9,311 (h)	972 (h)	1,081 (h)	-	-	1,988	1,747	10,124	598
Chesapeake	7,781	6,056	-	-	-	-	141	94	8,634	511
Other areas (k)	3,885 (h)	3,255 (h)	972 (h)	1,081 (h)	-	-	1,847	1,653	1,490	87
Rock Crab	(g)	(g)	(g)	(g)	-	-	-	-	-	-
Dungeness	2,299	2,191	1,358	1,604	-	-	-	-	179	10
Alaska King	1,014	978	683	1,015	-	-	-	-	-	-

Table 3 (cont'd)

Crab products, thousands of pounds and thousands of dollars
Data from U. S. Fish and Wildlife Service

	Fresh or frozen cooked meat		Canned cooked meat (b)		Frozen soft crab		Frozen miscellaneous and canned specialties (b)		Meal and dried scrap (i)	
	lb.	value	lb.	value	lb.	value	lb.	value	lb.	value
<u>1955</u>										
Blue Crab Total	11,793	10,150	1,211 (h)	1,218 (h)	(p)	(p)	2,898	2,506	16,638	457
Chesapeake	7,543	6,548	-	-	(p)	(p)	537	345	12,988	352
Other areas (k)	4,250	3,602	1,211 (h)	1,218 (h)	(p)	(p)	2,361	2,161	3,650	105
Rock Crab	198	258	(g)	(g)	-	-	-	-	-	-
Dungeness	3,124 (q)	2,879 (q)	373	489	-	-	-	-	306	9
Alaska King	1,125 (q)	1,004 (q)	351	483	-	-	-	-	-	-
Tanner	(a)	(a)	-	-	-	-	-	-	-	-
<u>1956</u>										
Blue Crab Total	10,316	9,782	725	750	191 (f)	145 (f)	3,413	2,792	19,032	463
Chesapeake	6,981	6,511	-	-	-	-	918	711	15,700	375
Other areas (k)	3,335	3,271	725	750	-	-	2,495	2,081	3,332	88
Rock Crab	153	234	(g)	(g)	-	-	-	-	-	-
Dungeness	4,261	3,356	1,007	1,042	-	-	3	8	372	13
Alaska King	623 (q)	522 (q)	700	929	-	-	-	-	-	-
<u>1957</u>										
Blue Crab Total	13,846 (h)	14,292 (h)	1,065 (h)	851 (h)	198	198	3,910	3,237	17,844	458
Chesapeake	8,800	8,660	-	-	(p)	(p)	1,018	953	13,962	340
Other areas (k)	5,046	5,632	1,065 (h)	851 (h)	(p)	(p)	2,892	2,284	3,882	118
Rock Crab	(g)	(g)	(g)	(g)	-	-	-	-	-	-
Alaska King	1,532 (q)	1,503 (q)	881	1,169	-	-	-	-	-	-

Table 3 (cont'd)

Crab products, thousands of pounds and thousands of dollars
Data from U. S. Fish and Wildlife Service

	Fresh or frozen cooked meat		Canned cooked meat (b)		frozen soft crab		Frozen miscellaneous and canned specialties (b)		Meal and dried scrap (i)	
	lb.	value	lb.	value	lb.	value	lb.	value	lb.	value
<u>1958</u>										
Blue Crab Total	13,553 (h)	13,259 (h)	721 (h)	733 (h)	(p)	(p)	4,504	3,707	16,906	457
Chesapeake	7,531	7,460	-	-	(p)	(p)	1,067	907	12,508	334
Other areas (k)	6,022	5,799	721 (h)	733 (h)	(p)	(p)	3,437	2,800	4,398	123
Rock Crab	(g)	(g)	(g)	(g)	-	-	-	-	-	-
Dungeness	3,971 (q)	3,063 (q)	1,317	1,355	-	-	-	-	790	26
Alaska King	1,580 (q)	1,302 (q)	878	1,079	-	-	-	-	-	-
<u>1959</u>										
Blue Crab Total	14,514 (h)	14,648 (h)	911 (h)	912 (h)	(p)	(p)	4,164	3,348	18,314	442
Chesapeake	7,513	7,708	-	-	(p)	(p)	993	853	13,976	334
Other areas (k)	7,001	6,940	911 (h)	912 (h)	(p)	(p)	3,171	2,495	4,338	108
Rock Crab	(g)	(g)	(g)	(g)	-	-	-	-	-	-
Dungeness	5,273	4,628	1,064	1,277	-	-	-	-	98	2
Alaska King	2,357	2,022	1,079	1,438	-	-	-	-	-	-
<u>1960</u>										
Blue Crab Total	15,356(h)	14,381(h)	1,212(h)	1,231(h)	-	-	7,422	7,327	16,834	340
Chesapeake	7,882	7,175	-	-	-	-	1,925	2,919	13,540	273
Other Areas (k)	7,474	7,206	1,212(h)	1,231(h)	-	-	5,497	4,408	3,294	67
Rock Crab	(g)	(g)	(g)	(g)	-	-	-	-	-	-
Dungeness	4,895	4,977	1,105	1,381	-	-	-	-	-	-
Alaska King	2,179	1,896	1,952	2,950	-	-	-	-	-	-