

Vitis 48 (2), 97–100 (2009)

Creating an artificial wine taster: Inferring the influence of must and yeast from the aroma profile of wines using artificial intelligence

M. TIEFENBRUNNER¹, H. GANGL², G. TSCHIEK² and W. TIEFENBRUNNER²

¹Logistic Management Service, München, Germany

²Bundesamt für Weinbau, Eisenstadt, Austria

Summary

The human brain is able to compute information from very complex olfactorical impressions. The special pattern of the concentrations of hundreds of aroma constituents allows an experienced wine taster to determine special features of the wine, for instance grape variety or vintage.

Artificial Neural Networks are often used to recognize shapes and patterns like faces or finger prints. Here we use Artificial Neural Networks to mimic the abilities of a wine taster to deal with very complex olfactorical patterns. We produced 120 unique wines combining twelve different grape musts and ten yeast strains and determined the aroma profile (83 aroma constituents) of all wines. We analyzed the ability of a well trained neural network to recognize the used must variety and the fermenting yeast strain from unknown aroma profiles. Furthermore we investigated the capability to predict the aroma profile of a wine with a must variety/yeast strain combination that is new to the neural network.

In 96 % of all trials the neural network identified the must that was used for wine production correctly (expected random propability: 8 %). An accurate identification of the yeast strain, used for fermentation, occurred in 67 % of all trials (propability by chance: 10 %).

The aroma profiles of the must/yeast combinations new to the neural network were forecasted with a divergence of only 2.1 % compared to the actual wine of this production characterization. Thus we conclude that a comprehensive description of wines using neural networks is possible.

Key words: artificial neural network, artificial neuronal network, wine, wine taster, grape must, yeast, aroma profile.

Introduction

Artificial Neural Networks (ANNs) were invented to mimic the extraordinary ability of the brain to recognize shapes and patterns. They are already widely used e.g. for identification of finger prints, faces, signatures (MARINAI *et al.* 2005), forecasting in medical diagnosis (STEPHAN *et al.* 2005) and economy (PINO *et al.* 2008) and to predict

human behaviour (MARCHIORI *et al.* 2008). An ANN has the ability to learn and to abstract (RUMELHART 1986), which are very important skills if the abstraction rules of the process of recognition are unknown to the user.

In this study ANNs are used to mimic the abilities of the human brain to compute information from very complex olfactorical impressions. The pattern of the concentrations of hundreds of aroma constituents allows an experienced wine taster to determine special features of the wine, e.g. grape variety or vintage. We analyzed whether a well trained neural network has a similar or even superior ability (1) to recognize the used grape must variety. The grape gives the basic constituents (COLE and NOBLE 1997, LAMBRECHTS and PRETORIUS 2000, FLEET 2003) for the resulting wine and hence it certainly influences the taste in a characteristic way; (2) to perceive the fermenting yeast strain from wine aroma profiles. This implies that each yeast strain has a typical mode to change the aroma composition of the fermentation product. During alcoholic fermentation, the yeast uses grape juice components to create a lot of aroma constituents (acids, alcohols, esters, terpenes and others) and hence the yeast is by no means less important to the flavour and taste of the wine than the grape, although its influence is not a primary one; (3) to predict the aroma profile of a wine with an unknown must variety/yeast strain combination. This presupposes that the production of a wine out of a specific must using a special yeast strain is a repeatable process.

Material and Methods

Beside the used must and the fermenting yeast, the technique of wine making and the way, how and how long the wine is stored, determines its aroma. Therefore the production of wines took place under laboratory conditions. 120 unique wines combining twelve different grape musts and ten yeast strains were created, furthermore ten wines that were replicas from the ones that were produced with the grape variety 'Grüner Veltliner' and all yeast strains were made. The aroma profile (83 aroma constituents) of all wines was determined using Headspace-SPME-GCMS (PAWLISZYN 2000).

Twelve varieties of grape juice, harvested in 2005 and 2006, were used cleared and pasteurized for vinification. All juices - with one exception - were from *Vitis vinifera*. One must originated from a red hybrid of different *Vitis*

Table 2

Recognition matrix concerning the yeast strain identification experiment. Yeast recognition of the ANN (rows) versus actual yeast identity (columns). The columns in the diagonal represent correct identifications (67 %)

Yeast ID	Species	00	01	02	03	04	05	06	07	08	09	%		
HA 1834	<i>S. cerevisiae</i>	00	4		1			2		1	8	62		
HA 1836	<i>S. cerevisiae</i> x <i>S. kudriavzevii</i>	01		12	1	1	2		1	1	18	138		
HA 1919	<i>S. cerevisiae</i>	02	2		10	2					14	108		
HA 1863 - HA 1864	<i>S. cerevisiae</i>	03	2		1	6	1			1	11	85		
HA 2139	<i>S. bayanus</i> var. <i>uvarum</i>	04	1	1		1	13	1	3		3	23	177	
HA 2170	<i>S. cerevisiae</i>	05	1		1	2		8	2			14	108	
n. i.	Not identified	06	1						3			4	31	
HA 2198	<i>S. cerevisiae</i>	07								12		12	92	
HA 2195	<i>S. cerevisiae</i>	08					1				6	7	54	
HA 2245	<i>S. cerevisiae</i>	09	2						3		1	13	19	146
			13	13	13	13	13	13	13	13	13	13		

For prediction of wine aroma a learn set of 129 wines was used. The remaining wine and hence a combination of must and fermenting yeast strain unknown to the neural network was utilized as singleton test set. The jackknife method was performed.

Compared with the whole range of the aroma constituents within the 130 wines, the difference between original and forecasted wine was only 2.1 % (Figure, a) on average (per wine and aroma compound). The wines that were predicted worst are the ones originating from 'Muskat Ottonell' must. Here the mean error was 4.1 %. Especially the forecasting of terpenes was erroneous in these wines. This is of course understandable, because the concentration of terpenes in these wines are extremely high compared to the others. In 'Blauburger' wines bad forecasting concerned mainly alcohols, especially methanol and benzylalcohol. These two alcohols were found in relatively high concentrations in all 'Blauburger' wines created in this experiment. In 'Weissburgunder' the wine produced of HA 2245, *S. cerevisiae* of South Styria, was predicted with low quality. The same is true for the GV II wines produced by HA 1836, the hybrid strain from the vinegrowing region Thermenregion and, to a minor extent, HA 1919, *S. cerevisiae* from Neusiedlersee-Hügelland.

In general, the aroma composition of actual and predicted wine (exemplarily shown for the 10 'Zweigelt' wines

in Figure, b) is more similar to one another than to most of the other wines.

Furthermore it was tried to predict the wine aroma out of the must aroma. Contrary to the previous conditions the ANN didn't know any wine created from the test grape must, the learn set contained only the aromas of the wines produced with the aid of the other musts. Under these circumstances the ANN was not able to forecast aroma profiles better than in the case of random input data for aroma constituents. It may be that the 25 aroma components of the must did not comprise enough information to forecast the 83 constituents of the wines.

Possible future applications for an ANN concerning advances in wine consulting are a better way to make decisions about choosing combinations of vine variety and yeast strain to gain a high quality wine. Further factors that could be recognized by the ANN are terroir influences and - most important - the wine tasters judgements.

References

COLE, V. C.; NOBLE, A. C.; 1997: Flavour chemistry and assessment. In: A. G. H. LAW, J. R. PIGGOT (Eds): Fermented beverage production, 361-385. Acad. Prof., London, UK.
 FLEET, G. H.; 2003: Yeast interactions and wine flavour, Int. J. Food Microbiol. 86, 11-22.




Figure: (a) Average forecasting error for the wines, sorted after grape must; (b) Comparison of predicted (dark) and actual (lightgrey) 'Zweigelt' wines using adaptive PCA. Corresponding wines (same symbol) are often "paired", indicating a high aroma profile similarity of actual and predicted wines.

- LAMBRECHTS, M. G.; PRETORIUS, I. S.; 2000: Yeast and its importance to wine aroma, *S. Afr. J. Enol. Vitic.* **21**, 97-129.
- MARCHIORI, D.; WARGLIEN, M.; 2008: Predicting human interactive learning by regret driven neural networks, *Science* **319**, 1111-1113.
- MARINAI, S.; GORI, M.; SODA, G.; 2005: Artificial neural networks for document analysis and recognition. *IEEE Transact. Pattern Anal. Machine Intelligence* **27**, 23-35.
- PAWLISZYN, J.; 2000: Theory of solid-phase microextraction. *J. Chr. Sci.* **38**, 270-278.
- PINO, R.; PARRENO, J.; GOMEZ, A.; PRIORE, P.; 2008: Forecasting next-day price of electricity in the Spanish energy market using artificial neural networks. *Engin. Applic. Artificial Intelligence* **21**, 53-62.
- RUMELHART, D. E.; HINTON, G. E.; WILLIAMS, R. J.; 1986: Learning representations by back-propagating errors. *Nature* **323**, 533-536.
- STEPHAN, C.; CAMMANN, H.; JUNG, K.; 2005: Artificial neural networks: Has the time come for their use in prostate cancer patients? *Nat. Clinic. Pract. Urol.* **2**, 262-263.

Received June 16, 2008