

Glass Formation in the Ln-Al-O System (Ln : Lanthanoid and Yttrium Elements)

著者	YAJIMA Seishi, OKAMURA Kiyohito, SHISHIDO Toetsu
journal or publication title	Science reports of the Research Institutes, Tohoku University. Ser. A, Physics, chemistry and metallurgy
volume	26
page range	86-86
year	1976
URL	http://hdl.handle.net/10097/27754

Abstracts of Papers on Amorphous Materials Published in Other Journals

Unusual Glass Formation in the Al-Nd-O System

Seishi YAJIMA, Kiyohito OKAMURA and Toetsu SHISHIDO
Chemistry Letters (1973), 741.

A new oxide glass in the Al-Nd-O system was made through fusing by arc plasma torch and rapid quenching by a particular device although, in this system, so far it was very difficult to realize the glassy state. Quenched material of about 5 mm in diameter and about 1μ in thickness was examined by polarizing microscope and by X-ray diffraction technique. The results clearly showed the existence of the glassy state.

Glass Formation in the Ln-Al-O System (Ln: Lanthanoid and Yttrium Elements)

Seishi YAJIMA, Kiyohito OKAMURA and Toetsu SHISHIDO
Chemistry Letters (1973), 1327.

Oxide glasses in the Ln-Al-O system were prepared with the molar ratio of $\text{Ln}_2\text{O}_3:\text{Al}_2\text{O}_3$ of 10:1 to 1:10 for all the lanthanoids and yttrium by an impact quenching technique. Each quenched material was examined by polarizing microscope, X-ray diffraction and electron diffraction. The electron diffraction patterns show diffuse halos characteristic of an amorphous state.

Synthesis of Lanthanoid Aluminates ($\beta\text{-Al}_2\text{O}_3$ Type) Using Arc Plasma Flame

Seishi YAJIMA, Kiyohito OKAMURA and Toetsu SHISHIDO
Chemistry Letters (1973), 1331.

New compounds with approximate formulas, $\text{La}_2\text{O}_3 \cdot 7\text{Al}_2\text{O}_3$, $\text{Pr}_2\text{O}_3 \cdot 7\text{Al}_2\text{O}_3$, $\text{Nd}_2\text{O}_3 \cdot 8\text{Al}_2\text{O}_3$ and $\text{Sm}_2\text{O}_3 \cdot 7\text{Al}_2\text{O}_3$, have been obtained through melting by arc plasma flame and separated into their own single phases by a proper chemical treatment. All of the compounds have the $\beta\text{-Al}_2\text{O}_3$ type structure. Excepting only $\text{La}_2\text{O}_3 \cdot 7\text{Al}_2\text{O}_3$, these compounds have the $\beta\text{-Al}_2\text{O}_3$ type structure at temperatures higher than 1500°C .

Crystallization of an Amorphous Oxide in La-Nb-O System

Seishi YAJIMA, Kiyohito OKAMURA and Toetsu SHISHIDO
Chemistry Letters (1974), 221.

An amorphous oxide of which composition corresponds to $\text{La}_2\text{O}_3 \cdot 5\text{Nb}_2\text{O}_5$ was prepared by making use of an impact quenching technique. The phase transformation from an amorphous to an equilibrium crystalline state was studied by