

pat\_logo.gif (6898 bytes)



INDIAN PATENT OFFICE

IN215721

**(12) INDIAN PATENT SPECIFICATION**

<b>(11) Patent No. 215721</b>	<b>(45) Date of Publication of Granted Patent:</b> 21/03/2008 Journal No. 12/2008	
<b>(21) Patent Application No. 279/DEL/1999</b>	<b>(71) Applicant(s) :</b> COUNCIL OF SCIENTIFIC AND INDUSTRIAL RESEARCH	
<b>(22) Date of filing : 19/02/1999</b>		
<b>(51) International Classification : C02F 3/00</b>	<b>(72) Inventor(s) :</b> 1.PARAMVIR SINGH AHUJA 2.ANIL SOOD 3.MADHU SHARMA	
<b>(74) Agent :</b>		
<b>(86) PCT International Application No.</b>	<b>(24) PCT International filing Date. NA</b>	
<b>(30) Priority Details.</b>		
<b>(33) Convention Country(s).</b>	<b>(31) Application No(s).</b>	<b>(32) Priority Date.</b>
NA	NA	:NA

**(54) Title of the invention : AN IMPROVED DEVICE FOR ACCLIMATIZATION****(57) Abstract:**

An improved device for acclimatization characterized by chamber (1) having an airtight lid (2) for permitting incident light, an adjustable perforated platform (3), a light source (4) being optionally provided above the said lid (2) of the said chamber (1), an inlet (5) alongwith monitor (6) being provided at the side wall of the said chamber (1) for supply of CO<sub>2</sub>, the said chamber is optionally provided with an inlet (7) connected to reservoir (8) through a pump (9) and a valve (V1) for inter-connecting units, conventional sensors are also provided inside the said chamber for monitoring pH, relative humidity, temperature and light intensity, an outlet (10) being provided at the bottom of the said chamber (1) for draining the liquids

**Complete Specification** [View as HTML](#)



