

TOPICAL REVIEW

Documented Evidence of Agricultural Injury in China*

LIU Jianjun¹, YAO Hongyan¹, ZHENG Wenjing¹, XIANG Huiyun²,

¹ Chinese Center for Disease Control and Prevention, Beijing, China

² Center for Injury Research and Policy, The Research Institute at Nationwide Children's Hospital, The Ohio State University, Columbus, Ohio, USA

ABSTRACT

Background: Up until 2010, there were more than 1600 peer-reviewed articles on agriculture related injuries around the world. However, relatively few literature reviews existed concerning China's agricultural injuries.

Objective: To describe the documented evidence concerning agricultural injury in China and to identify topics for future research.

Method: Literature search and review were conducted to collect publications that were relevant to agricultural injury in China. The process included defining agricultural injury for the purpose of this study, selecting articles according to inclusion criteria and extracting data from each paper. Descriptive methods were used to analyze the contents, research approaches, distribution of authors, and cooperation percentage of agricultural injury studies.

Results: After applying the inclusion criteria, 89 articles were included in this study. The author collaboration percentage (number of articles with more than one author divided by number of total articles) and the institutional collaboration percentage (number of articles with more than one organization divided by number of total articles) among the 89 articles were 85.4% and 42.7%, respectively. Most of the authors are affiliated with a Center for Disease Control and Prevention (CDC) or an academic institution located in 10 of the 31 provinces in mainland China. Among the 89 articles, only 6 were on injuries related to agricultural work, the rest (83) dealt with injuries among rural residents with or without clarifying occupations or ongoing activities.

Conclusions: Research on agricultural injuries in China is currently in its early stage. More research is needed to obtain evidence that can be used in policy making for agricultural injury control. Our study is the first to describe the documented evidence on agricultural injuries in China and identify topics for future research.

INTRODUCTION

Worldwide, agricultural injury has been a significant occupational hazard. Because of the agricultural industry's high mortality rate and high risk for disability, agriculture is considered one of the most dangerous occupations in the world [1]. According to the National Safety Council in America, there were more than 700 agricultural fatalities and 80,000 agricultural disabling injuries occurring in 2007 in the U.S.[1] The recent report of Canada's Agricultural Injury Surveillance System



Dr. YAO Hongyan

Deputy Director, Office of Epidemiology,
Chinese Center for Disease Control &
Prevention

No.155 Changbai Road Changping District
Beijing 102206, China
Email: 2003tb@163.com

* Authors' contribution: All authors took part in the planning, executing, and reporting of the work described in this article, including the project's conceptualization and study design, analysis and interpretation of data, critical revision of the draft manuscript, and approval of the final version.

(CAISP) stated there were 1,769 agricultural fatalities in Canada from 1990 to 2005, an average of 111 per year [2]. In 2000, a study in Hubei, China, showed that a total of 33% of farmers reported at least one worked-related injury in the 24 months prior to the survey [3]. Besides physical impairment, agricultural injuries lead to large economic burdens. In America, the cost of therapy and rehabilitation for agricultural injuries and the subsequent productivity loss due to agricultural injury totaled more than \$10 billion annually [4].

China is a vast country with 1.3 billion people, 57% of which live in rural areas. More than half of people living in rural areas either fully or partially engage in agricultural work [5]. The rural setting and lack of emergency care in remote areas leave rooms for health and safety improvement. By the end of 2010, there were more than 1600 agriculture injury related articles published around the world according to the search engine PubMed. Research data on agricultural injuries has focused on developed countries, particularly Canada, the United States, and Australia. In China there were limited number of publications on agricultural injuries within Chinese research databases when the term "agricultural injury" was used in the searches.

The purpose of this study is to describe the characteristics of Chinese agricultural injury related articles published and analyze the current status of research progress to aid future research in agricultural injury control and prevention in China.

METHODS

Definition of agricultural Injury and Inclusion Criteria

There was no consistent definition of agricultural injury commonly used in the agriculture-related injury control and prevention. While determining what constitutes agricultural injury, several priority factors were considered. These included the injury setting, occupation, and outcomes. In this study, agricultural injury was defined as "injuries that occurred during the agricultural working process or during activities related to the agricultural working environment, injuries among farmers or injuries that occurred in rural areas." The reason for selecting a broad definition was that few articles of agricultural injury were found in the main Chinese research database when using "agricultural injury" as the keyword. Data collected for our study were limited to mainland China. In this study, agricultural injury and farm injury are interchangeable.

Data collection methods

We searched the major Chinese databases, such as WANFANG Database (1982-2010) , WEIPU database (1984-2010), CHKD (1993-2010) and so on by using key words of 'agriculture', 'rural area,' and 'farmer' respectively matched with 'injury'[†]. We did not specify dates of publication.

As for the English database, 'agricultural/farm injury' and 'China/Chinese', 'rural', 'injury,' and 'China/Chinese' were used as key search terms in the MEDLINE database. Publication date was not included as part of the search criteria. After collecting the citation information of the articles, we then read the titles and abstracts and deleted those that were duplicate and irrelevant.

In addition to the aforementioned database, we also conducted searches at Google Scholar and file.baidu.com.

Summary record sheet

One summary record sheet was used per article. The criteria included title, date published, authors' full name, author's affiliation, content, number of authors, number of affiliated institutions, number

[†] Note: 中文检索式: "农业"、"农村"或"农民"分别与"伤害"进行逻辑"与"的组合。

of references, number of references within last five years, categories/language of references, site/population where the injury took place, type of study design, and type of the journal.

Data management and analysis

First, the articles were read one by one and detailed data for each article was extracted and recorded on the summary record sheet. Second, variables including collaboration percentage of authors and organizations, geographical distribution of the authors, and number of quotations were used in statistical analysis. An EXCEL spreadsheet was used to organize the data. Frequency tabulates were used to describe the variable distribution.

RESULTS

Results of literature search

Figure 1 presents the selection process for including studies in the review. A total of 89 articles [3, 7-94] were selected which were published between 1993 and 2010. Most of these articles were published between the years of 2003-2010. Articles published between 2003 and 2010 accounted for 92.1% (82/89) of the total. The full texts were obtained and read through. The bibliometric parameters and research characteristics were analyzed and described.

Author and institutional collaboration

The majority of the articles involved multiple authors. Among the 89 articles, there were 13 with a single author and the rest had more than one author. The percentage of author collaboration was 85.4% (See Table 1). The average number of authors per article was 4.8 (425/89). There were 38 articles published by authors from two or more institutions. The institutional collaboration percentage was 42.7% (See Table 1).

Characteristics of first authors

Number of published articles and regional distribution of the first author showed the diversity of research levels throughout different institutions and regions. Table 2 showed that only 8 out of 81 (9.9%) authors published more than one paper. These articles accounted for 18% of total articles (16/89).

Table 3 displayed institutional distribution of first authors. Most of the first authors came from the China CDC, a provincial or local CDC, or an academic institution.

Citation analysis

Number of citations refers to the reference literature for each article. This could potentially affect the usefulness of information and distribution capacities. A total of 603 sources were quoted by the 89 articles, at an average of 6.8 sources quoted per article. The Price Index was 56.4% which was more than the average value (50%) [6] for general science articles (Price Index refers to the percentage of references published in the last five years compared with the total quoted number).

Research characteristics

Among a total of 89 articles, only 6 contained injuries related to the agricultural working process, the remaining 83 articles included rural residents with or without clarifying occupations or ongoing activities. There was no article that specially focused on the agricultural working environment or farmers. This shows that more "agricultural injury"-related information is included in injury-related surveys of rural areas. Many of the study designs were surveys (95.5%) based on population or surveillance systems such as National Disease Surveillance Points System (NDSPS). Most of the articles were published in Chinese journals (97.75%) and about 64% were from the Chinese core journals (See table 5).

Figure 1 Flow diagram of study selection




Table 1 Frequency of author collaboration and institutional collaboration

| No. of authors per article | No. of articles (%) | Person-time of author | No. of institutions per article | No. of articles (%) |
|----------------------------|---------------------|-----------------------|---------------------------------|---------------------|
| 1 | 13 (14.6) | 13 | 1 | 51 (57.3) |
| >1 | 76 (85.4) | 412 | >1 | 38 (42.7) |
| total | 89 (100.0) | 425 | Total | 89 (100.0) |

Table 2 Number of articles published by the first author in the 89 articles

| No. of articles published | No. of first author (%) |
|---------------------------|-------------------------|
| 1 | 73 (90.1) |
| 2 | 8 (9.9) |
| >2 | 0 (0.0) |
| Total | 81 (100) |

Note: 'first author' means that they were the first author out of the many authors that contributed to the article.

Table 3 Distribution of first author's Affiliation

| Affiliation category | Number of first authors Number (%) | Number of articles Number (%) |
|----------------------|---------------------------------------|----------------------------------|
| CDC | 44 (54.32) | 49 (55.06) |
| College/university | 25 (30.86) | 27 (30.34) |
| hospital | 6 (7.41) | 6 (6.74) |
| academe | 4 (4.94) | 5 (5.62) |
| other | 2 (2.47) | 2 (2.2) |
| total | 81 (100) | 89 (100) |

Note: CDC refers to various levels of China's Center for Disease Control and Prevention. They could be at the national, provincial, city, or county levels.

Table 4 Distribution of first author's region

| Province | Number of first authors Number (%) | Number of articles Number (%) |
|-----------|---------------------------------------|----------------------------------|
| Zhejiang | 11 (13.58) | 13(14.61) |
| Shandong | 10 (12.35) | 10 (11.24) |
| Guangdong | 8 (9.88) | 10 (11.24) |
| Beijing | 8 (9.88) | 8 (8.99) |
| Guangxi | 6 (7.41) | 8 (8.99) |
| Hubei | 7 (8.64) | 7 (7.87) |
| Henan | 5 (6.17) | 7 (7.87) |
| Anhui | 5 (6.17) | 5 (5.62) |
| Jiangsu | 4 (4.94) | 4 (4.49) |
| Others | 3 (3.70) | 3 (3.37) |
| Total | 81 (100) | 89 (100) |

Note: Others include 8 provinces that have one or two first authors.

DISCUSSIONS

Scientific publication is the main channel for disseminating research findings. It is also the key indicator for evaluating research productivities. Results of bibliometrics analysis of published scientific articles could provide evidence for current status of research in some areas.

From this study we can see that there are two main problems in the field of agricultural injury in China. First, our study indicated that research priorities on farm-related injury in China were specific to injuries occurring in rural areas rather than agriculture-specific injuries. Most of these publications specify neither the injured person's occupation nor the activities that caused the injury. Some studies defined occupations such as 'farmers' or 'workers.' We could not discern whether they meant to include agricultural work-related injuries or not. Second, there is a substantial gap between China and developed nations for reported cases of agricultural injuries. There is not yet a clear definition of 'agricultural injury' in China. It is necessary to propose an operational definition of agricultural injury for use in China by considering China's cultural and socioeconomic factors.

Most of the research considered in this review included descriptive statistics which focused on the investigation of epidemiologic characteristics of the injuries or the risk factors for injury. There was a lack of the research on intervention and prevention of injuries.

The percentage of author collaboration is high throughout the publications reviewed. Our study showed that while the percentage of author collaboration was high, the percentage of organization collaboration was low in the agriculture-related injury articles. This might imply that most research involves necessary collaboration between different people or organizations in order to achieve common goals. On the other hand, the lower percentage of organization collaboration suggest that the breadth and depth of the research related to farm injuries in China was not enough to support this type of cooperation.

Our study found that most of the primary authors came from the various levels of CDC, colleges, or universities. This implied that more disease control units and universities are involved in agricultural injury research, perhaps because injuries have been gradually recognized as a public health issue in recent years in China.

Generally for individual researchers, more published papers equates to greater scientific progress. Our study indicated that only 8 out of 81 (9.9%) authors published more than one paper which accounted for 18% of the total articles (16/89). From this, we can infer that a core group of authors devoting research to Chinese agricultural injuries has not yet emerged. It is necessary to attract more injury researchers and public health professionals to this understudied area.

Our study found that the geographic locations of the 79 Chinese authors covered 18 out of the total 31 provinces in mainland China. The majority were concentrated in 10 provinces (80% or more). This shows a geographical disparity in author distribution. There were 13 provinces that had no articles published on farm related injuries.

As China is changing rapidly and moving towards an industrialized country, China's occupational health programs should evaluate injuries to identify the need for additional research on national occupational safety and injury prevention, as other developed and developing countries have done. Though the study on agricultural injuries in China is only beginning, this information can provide some reference for future work. What we currently need most is more convincing data for issue awareness and policy making. We must first conduct more investigations to gain a better understanding of the problem, identify the main causes and risk factors associated with agricultural injury, and give suggestions on prevention and control measures.

Due to a lack of resources to describe the agricultural injury profiles in China, there is little scientific evidence for the prevention and control of agriculture injuries. Our study describes the agricultural injury research in China by bibliometrics analysis. This information can be used as evidence to support future studies and policy making, and will hopefully bring empirical and long-term significance of this public health problem.

CONCLUSION

The ultimate objective of our study is to provide information that can help the officials in Ministries of Health and Agriculture address the serious impact of farm-related injuries and death. Our study described the status of the agricultural injury research in China. We hope to provide information for injury researchers and public health professionals for future research activities on agricultural injury and safety. Some concrete conclusions from our study include the research priorities on farm-related injuries in China were those occurring in rural areas rather than agriculture-specific injuries. There was a lack of research on the intervention of injuries and the research related to farm injury in China lacked breadth and depth. Finally, there was a noticeable geographical disparity in author distribution throughout all publications.

Acknowledgments: We acknowledge the contribution and financial support from the USA-China Agricultural Injury Research Training Program, managed by the Colorado Injury Control Research Center at Colorado State University, Fort Collins, Colorado, USA, the Center for Injury Research and Policy, the Research Institute at Nationwide Children's Hospital, Columbus, Ohio, USA, and the Injury Control Research Center at the Tongji School of Public Health, Wuhan, China. We particularly thank Dr. Lorann Stallones and Professor Zengzhen Wang for their help and support in the development and evaluation of this project.

Funding: This publication was supported by the United States National Institutes of Health, Fogarty International Center (Grant #: 1D43TW007257-01A2). Its content is solely the review and opinion of the authors and do not necessarily represent the official views of the United States National Institutes of Health.

Competing interests: None.

REFERENCES

1. Peter E. Saar, Helen Dimich-Ward, Karen D, Donald C. Voaklander. Farm injuries and fatalities in British Columbia, 1990-2000. *Can J Public Health* 2006; 97 (2):100-104.
2. The Canadian Agricultural Injury Surveillance Program. Agricultural fatalities in Canada 1990-2005. The reports of the Canada agricultural injury surveillance system (CAISP). Available at <http://cair-sbac.ca/natrep2.html>. Accessed March 15, 2011.
3. Huiyun Xiang, ZengZhen Wang, Lorann Stallones etc. Agricultural work-related injuries among farmers in Hubei, People's Republic of China. *Am J Public Health* 2000; 90(8):1269-1276.
4. Leigh, JP, McMurdy SA, Schenker MB. Costs of occupational injuries in Agriculture. *Public Health Rep* 2001; 116:235-248.
5. National Bureau of Statistics of China. Results of a sample survey conducted among one percent of the total population in 2005. Beijing, National Bureau of Statistics of China, 2005.
6. Zhang XM, Chen WB. Analysis of paper numbers, authors and literature sources in the journal of "Chinese Journal of Clinical Pharmacy". *Chinese Journal of Clinical Pharmacy* 2002; 11(4):256~258.
7. Chang J, Liu ZH, Zhang QH , et al. Analysis of death caused by injury among rural residents in Gao Tang County from 2003 to 2005. *Preventive Medicine Tribune* 2007; 13(8): 693-695.
8. Liu J, Yu H, Zhuang FM, et a I. Analysis on injury cases in Miyi County. *Journal of Preventive Medicine Information* 2009; 25(2):110-112.
9. Zhang DQ. An epidemiologic study on injury in rural Tongzhou, Beijing during 2006~2008. *Capital Journal of Public Health* 2010; 4(4): 156-159.

10. Diao WL, Wang GL, Tian JC, et al. Analysis of injury surveillance in Fuxin Mongolia autonomous county, Liaoning province, 2006 – 2008. *Disease Surveillance* 2010; 25(1): 68- 71.
11. Xia Zichen, Du Liqun, Li Huanlong. A Study of epidemic characteristics on injuries in residents in Fuyang County. *Science of Travel Medicine* 2002; 8(2): 11-13.
12. Ren ZP, Wang XY. Analytic report of injury surveillance in rural areas of Shanxi province in 2007. *Disease Surveillance* 2008; 23(9): 584- 585.
13. Wang Y, Ma JS, Ruan SM, et al. Analytic report of injury surveillance in rural areas of Jinan in 2008. *Modern Preventive Medicine* 2010; 37(11):2092-2095.
14. Wang BR. Analysis of death from unintentional injury in Zhou Chen city, 1995~2000. *Occupation and Health* 2002; 18(5): 93-94.
15. Yan L, Su HC, Yang JE, et al. Analysis of death caused by injury in Enshi autonomous prefecture. *Chinese Journal of Preventive Medicine* 2001; 35(6): 400.
16. Yu XM, Zhang JC, Wang M, et al. Study on the behavior status and countermeasure about the campus and home injury of middle school students in the suburb county in Beijing. *Chinese Journal of Behavioral Medical Science* 2004; 13(4): 454-456.
17. Zheng ZX, Qin TZ, Tu BJ, et al. Survey on the agricultural machine related injury in Henan Province, 1990~1992. *The Academic Journal of Xinxiang Medical College* 1993; 10(4): 295-297.
18. Sun J, Yang XZ. An epidemiological study and the direct economic burden study on the agricultural work related injury in the Henan Province. *Modern Preventive Medicine* 2010; 37(1): 23-28.
19. Wang LM, Sun YW, Han YF, et al. Epidemiological study on alcohol consumption and agricultural profession-related injuries among Minority Residents from the Northern parts of China. *Chinese Journal of Epidemiology* 2009; 30(12): 1252-1257.
20. Meng J, Geng WK, Zhou JT, et al. Survey of knowledge level of rural adult inhabitants to injury in four counties of Guangxi. *China Tropical Medicine* 2006; 6(2): 366.
21. Chang X, He JR, Zhong ZH, et al. A cross-sectional study of injury among the residents in a rural community, Guangzhou. *Modern Hospital* 2010; 10(1): 152-154.
22. Yin XL, Xie ZP, Dong YM, et al. Farm related injuries among rural residents of Daur ethnic minority group in Qiqihar, Heilongjiang province, China. *Chinese Journal of Public Health* 2010; 26(5): 627-629.
23. Xie YH, Chen NY, Geng WK, et al. A study on the injury knowledge, attitude and behavioral of residents in the rural areas in Chuangxi. *Guangxi Journal of Preventive Medicine* 2004; 10(3): 139-141.
24. Yan RT, Liu WQ, Xie HR, et al. Analysis on the status of traffic injury happened in the primary and middle schools students in Lianping county. *South China Journal of Preventive Medicine* 2009; 35(2): 53-54.
25. Pu YH, Zhuang FM, Huang JA, et al. Injury surveillance of children at the age of 0~14 years in rural areas in Miyi county. *Modern Preventive Medicine* 2008; 135(4): 678-680.
26. Zheng WG, Zhao ZT, Xu LZ. Analysis on the economic burden of hospitalization between injury and non-injury inpatients. *Chinese Health Economics* 2006; 25(6): 22-24.
27. Zhang XW, Liu LQ, Cai CL. Baseline survey report of the advancement program on the prevention of the primary scholar injury in the rural area of Zhejiang. Available at <http://www.exam8.com/lunwen/yiyao/yixue/200607/1066847.html>. Accessed March 15, 2011.
28. Xu YQ. Analysis on the 244 cases of childhood accident injury. *Journal of Yunang Medical College* 2007; 4: 249-250.
29. Li H, Zhu JQ, Sun JX, et al. An investigation on the clinical injuries among patients in hospital in Gaocheng city in 2004. *Chinese Journal of Prevention Control Chronic Non-communicable Diseases* 2005; 13(5): 214-216.
30. Huang LF, Du GM, Yao MF. Survey of injuries behavioral risk factor in the residents in the rural area of Zhangjiagang in 2004. *Preventive Medicine Tribune* 2006; 12(2):168-169.
31. Sun Y, Tao FB, Xu SJ, et al. Self-injuries behaviors and psychosocial factors among rural middle school students in Anhui province. *Chinese Journal of School Health* 2008; 29(5): 424-427.
32. Peng L. Survey analysis and prevention on the risk factors of the junior school student injury. *Journal of Medical Forum* 2006; 27(23):53-55.

33. Li J, Zhao FH, Wu SX, et al. Injury among rural residents in Fengtai district, Beijing, and relevant interference. *Chinese Journal of Health Education* 2008; 24(4): 247-249.
34. Geng WK, Meng XY, Cheng YN, et al. Investigation on injury incidence and safety knowledge level of people in Guangxi rural areas. *Chinese Journal of Public Health* 2005; 21(9): 1048-1049.
35. Xu LR. Study on accidental injuries of residents in rural areas. *Strait Journal of Preventive Medicine* 2003; 9(3): 37-39.
36. Wang LJ, Ma JM. Analysis of injury incidence rate in countryside of 4 counties. *Disease Surveillance* 2005; 20(8): 437-439.
37. Yang GH, Ma JM, Wang LJ. Survey on injury in four rural communities in China. *Chinese Journal of Epidemiology* 2004; 25(3): 204-208.
38. Duan LX. Survey on the epidemiological characteristics of farmer injuries in Xintian county. *Practical Preventive Medicine* 2005; 12(5): 1137-1138.
39. Chai CL, Yu Z. An epidemiological study on injury knowledge and behaviors among rural pupils in north areas of Zhejiang Province. *Chinese Journal of Health Education* 2007; 23(8): 584-586.
40. Chai CL, Zhang XW, Xu SY, et al. An epidemiology study on injury among rural pupils in Zhejiang Province. *Chinese Primary Health Care* 2003; 17(11):34-36.
41. Tang J, Su SH, Wang SY, et al. Effect evaluation of health promotion for injury prevention among preschool children in a rural community of Zhuhai City. *Chinese Journal of Health Education* 2006; 22(6):411-415.
42. Tang J, Huang H, Wang SY, et al. Injuries of children in kindergartens in rural community of Guangdong province and the relevant knowledge among the parents and teachers; a study in Zhuhai. *Chinese Journal of Health Education* 2005; 21(3): 175-178.
43. Zhang PB, Deng JY, Chen RH, et al. Analysis on the causes of accidental suffocation and drowning among children aged 0-4 in countryside of Jiangsu. *Chinese Journal of Disease Control and Prevention* 2001; 5(3): 243.
44. Dong HM, Wang Y, Yan CK, et al. Evaluation on the effect of intervention measures for injuries in the rural residents of Shijizhuang city. *Chinese Journal of Disease Control and Prevention* 2001; 5(3): 261- 262.
45. Zhang SY, Dong HM, Yan CK, et al. Case-control study on risk factors for injured in Shijiazhuang region. *Chinese Journal of Disease Control and Prevention* 2001; 5(3): 270.
46. Li ZH, Zhao ZT, Guo YX, et al. The burden caused by injury in countryside residents in Dongying , Shandong Province. *Chinese Journal of Preventive Medicine* 2005; 39(4): 273-276.
47. Li SH, Yu YL, Tang ZR, et al. Cross-sectional study on injury among rural children in Pucheng. *Chinese Journal of School Health* 2009; 30(12): 1118- 1120.
48. Wu WF, Mai CZ, Sun LM, et al. A survey on present situation of injuries among rural residents. *Chinese Journal of Disease Control and Prevention* 2004; 8(6): 586- 587.
49. Li HL, Du LQ, Xia ZC. Survey on the epidemiological characteristics of rural childhood injury. *Chinese Journal of School Health* 2003; 17(2): 140-141.
50. Meng XY. The study on the status of rural injuries. *Anthology of Medicine*. 2005; 24(1): 117-119.
51. Si MD, Liu XX, Li J. A case-control study on the related factors of injuries among children aged 7~14 in a rural community of Macheng city. *Chinese Journal of Child Health Care*2001; 9(6): 391-394.
52. Zhang NJ, Zhao XM, Xu XH, et al. The epidemiological survey of the rural residents' injury in Laizhou city. *Chinese Journal of Pest Control* 2004; 20(12): 732-734.
53. Zhang MR, Yang Z, Chen L, et al. A study on the epidemiological characteristics of injuries among the rural residents in Kunming. *Chinese Primary Health Care* 2006; 20(9): 57-59.
54. Huang MX, Huang L, Du SK, et al. Survey of the death resulting from the injury in the rural residents in Jimo city. *Literature and Information on Preventive Medicine* 2000; 6(1): 92
55. Lv JB, Zhao XH. Analysis on the trend of the accident mortality rate of the rural residents in Zhengding(Hebei), 1974~2000. *Hebei Medical Journal* 2003; 25(9): 679-680.
56. Chen YN, Geng WK, Zhuo JT, et al. Analysis on injury in rural areas in Guangxi. *South China Journal of Preventive Medicine* 2005; 31(2): 21-23.
57. Zhao H, Xu WM, Zhang Z, et al. Survey on injuries among the residents in rural areas of Dawa county. *Chinese Journal of Disease Control and Prevention* 2007; 11(3): 301-302.

58. Yu Y, Xie XH, Fan CY, et al. Analysis of 0~6 year - old child injury in rural area of Beijing. *Chinese Journal of Nature Medicine* 2007; 19(3): 211- 214.
59. Li H, Wang LN, Zhu JQ, et al. An investigation for the injuries among the countryside residents in Gaocheng city in 2005. *Modern Preventive Medicine* 2006; 133(7):1133-1135.
60. Mo XC. Analysis and countermeasures on the condition of intentional injury crime cases in Guangxi Rural areas. *Guangxi Social Sciences* 2005; (6): 119-120.
61. Bai YH. The causes and protective measures of the injuries in the rural middle school students. *Kexue Shidai* 2010; (9):273.
62. Chen SC. Study on the sports injuries in the rural areas of Yudong. *Heilongjiang Science and Technology Information* 2008; (36): 257.
63. Shi DH, Fang WM, Liu XX. Prevalence and risk factors of unintentional injuries among children aged 0 - 6 in rural community of Macheng city. *Journal of Huazhong University of Science and Technology* 2003; 32(3): 336-339.
64. Xie YH, Chen YN, Geng WK, et al. A study on the injury knowledge, attitude and behavioral of residents in the rural areas in Guangxi. *Guangxi Journal of Preventive Medicine* 2004; 10(3): 139-141.
65. Yu T. An analysis on the accidental injury compensation of NRCMS in Nanzhang County. *Chinese Health Resources* 2010; 13(1): 17-18.
66. Lu LY. Analysis on the medical records of 210 cases rural children accidental injuries. *Medical Information* 2010; 23(8): 329-331
67. Xu HF, Ma WJ, Nie SP, et al. Study on intervention effects of traffic injury education on rural students. *Chinese Journal of School Health*. 2008; 29(10): 904-906.
68. Xia ZC, Du LQ, Li HL. Comparison of the epidemiological characteristics between the children and the aged in the rural areas in Fuyang city. *Chinese Journal of Public Health Management* 2004; 20(2): 175-176.
69. Yu HF, Chen ZW, Zhou ZH, et al. Epidemiological study on injury among rural pupils in Jiaying. *Chinese Journal of School Health* 2006; 27(2): 107-108.
70. Cheng ZW, Yu HF, Zhou ZH, et al. Effect assessment on the health promotion project of injury prevention of the rural primary school students in Jiaying city. *Chinese Journal of School Health* 2005; 26(11): 964-965.
71. Ge XJ, Tang GH, Li SJ, et al. An epidemiological survey on injury among rural residents of Gaomi. *Chinese Journal of Disease Control and Prevention* 2004; 8 (6): 584-585.
72. Shen M, Yang SP, Guo Y, et al. Study on nonfatal injuries among home—stranded children in rural environment of Hubei province. *Chinese Journal of Epidemiology* 2008; 29(4): 333- 337.
73. Ye YR, Li LP, Lu YG, et al. Determinants of bicycle injury among school—aged children in rural China: a qualitative study. *Chinese Journal of Epidemiology* 2010; 31(10): 1094- 1097.
74. Xue L, Pang SL, Yang YS, et al. An investigation on unintentional injuries of 1223 pupils. *Maternal and Child Health Care of China* 2007;22(35): 5066-5068.
75. Zhao KF, Su H, Fang XH, et al. Study on the distribution and risk factors of injuries among home—stranded children in rural area of Anhui province. *Chinese Journal of Epidemiology* 2008; 29(4): 338- 342.
76. Han YB, Qian YJ, Gao HJ, et al. Retrospective study on injury incidence among residents in Tongxiang City. *Zhejiang Preventive Medicine* 2010; 22(5):16-18.
77. Guo XL, Xu AQ, Zhang JY, et al. Study on the epidemiological survey and economic burden of injuries among rural residents in Shandong province. *Modern Preventive Medicine* 2007; 34(5): 866-869.
78. Cheng DJ, Tao FB, Chen Q, et al. Incidence of injuries among rural boarding school students in Anhui Province. *Chinese Journal of School Health* 2008; 29(9): 782-784.
79. Zhong JM, Cong LM, Yu M, et al. Analysis of the surveillance data on injuries in a certain rural village in western Zhejiang. *Disease Surveillance* 2008; 23(4): 255-257.
80. Zhu YC, Ying YY, Xu R, et al. Survey on injury and KAP level of anti-frostbite among farmers during the snowstorm disaster in Ningbo of Zhejiang province, 2008. *Disease Surveillance* 2008; 23(12): 777-779.

81. Nie SP, Ma WJ, Xu HF, et al. Effect of intervention on sports injury among primary and middle school students in a county in Guangdong. *Chinese Journal of School Health* 2009; 30(1): 63-65.
82. Wu ZP, Ral DJ. Epidemiological survey on the 1059 rural residents injuries. *Practical Preventive Medicine* 2007; 14(2): 430-431.
83. Han JY, Lin LF, Lu WC, et al. A survey on red imported fire ants bites in villagers and disease control in a village of Guangdong. *Chinese Journal of Vector Biology and Control* 2007; 18(1): 20-23.
84. Ye YR, Li LP, Lu YG, et al. Investigation on bicycle injuries of secondary school students and related factors in Chaoshan region. *Chinese Journal of Disease Control and Prevention* 2009; 13(5): 554-557.
85. Zhang HQ, Zhang CG, Zhao JH, et al. Survey on the death cause by injuries in the rural residents in Dongtai city, 2000-2003. *Chinese Journal of Prevention and Control of Chronic Non-Communicable Diseases* 2005; 13(6): 307-309.
86. Wang DJ, Zhou G. The research progress on the suicide problem of rural residents in China. *Henan Journal of Preventive Medicine* 2010; 21(5): 323-327.
87. Zhou LN, Ma JM, Li ZJ, et al. Comparison of data population—based and from hospital—based injuries. *Chinese Journal of Epidemiology* 2004; 25(11): 967-969.
88. Jia CX, Zhang JY, Bo QG, et al. An investigation on the injuries in 511 students of senior high school in rural areas of Shandong Province. *Chinese Journal of Prevention and Control of Chronic Non-Communicable Diseases* 2003;11(6): 263-265.
89. Xu L, Pang SL, Guang WJ, et al. Investigation of accident injury status and its disease burden of pupil in Tangshan rural area. *Maternal and Child Health Care of China*. 2008; 23(9):1251-1253.
90. Zhou F. Analysis and prevention of the rural electricity injuries. Available at <http://scholar.ilib.cn/A-%E4%BC%9A%E8%AE%AE%E8%AE%B0%E5%BD%95ID~7145134.html>. Accessed March 15, 2011.
91. Jiang JX, Ding ZY, Xu JH, et al. Childhood traffic injuries and prevention in Huailai county of Hebei Province. *Chinese Journal of Child Health Care* 1995; 3(4): 259-261.
92. Cao PY, Huang ML, Zhang XB. The epidemiological study of injuries of middle school students in the country of Ninghai. *Chinese Journal of Disease Control and Prevention* 1999; 3(4): 329.
93. Meng J, Geng WK, Zhuo JT, et al. Analysis on the awareness rate condition of the traffic injury knowledge in rural adults of four counties in Guangxi. *Practical Preventive Medicine* 2005; 12(5): 1127-1128.
94. Postel MW, Jaung MS, Chen G, et al. Farm work-related injury among middle school students in rural China. *Journal of Agricultural Safety and Health* 2009; 15(2): 129-142.