



University of Dundee

# Forensic Dentistry and Disaster Victim Identification (DVI) in Indonesia

Zikir, Azyyati; Manica, Scheila

Published in: Australian Journal of Forensic Sciences

DOI: 10.1080/00450618.2019.1661513

Publication date: 2021

Document Version Peer reviewed version

Link to publication in Discovery Research Portal

Citation for published version (APA): Zikir, A., & Manica, S. (2021). Forensic Dentistry and Disaster Victim Identification (DVI) in Indonesia. Australian Journal of Forensic Sciences, 53(1), 75-83. https://doi.org/10.1080/00450618.2019.1661513

#### **General rights**

Copyright and moral rights for the publications made accessible in Discovery Research Portal are retained by the authors and/or other copyright owners and it is a condition of accessing publications that users recognise and abide by the legal requirements associated with these rights.

- Users may download and print one copy of any publication from Discovery Research Portal for the purpose of private study or research.
- You may not further distribute the material or use it for any profit-making activity or commercial gain.
  You may freely distribute the URL identifying the publication in the public portal.

#### Take down policy

If you believe that this document breaches copyright please contact us providing details, and we will remove access to the work immediately and investigate your claim.

#### 1 Forensic Dentistry and Disaster Victim Identification (DVI) in Indonesia

#### 3 Abstract

The forensic dentist plays an important role in the disaster victim identification (DVI) operations. The first aim of this study was to explore the opinions of Indonesian dentists on the importance of dental records and the respective awareness of Forensic Dentistry. The second aim was to investigate the basic profile of the Indonesian dentists and their experiences working in the DVI operations. Two web-based surveys (S1 and S2) were sent to 360 Indonesian dentists and 8 Indonesia-DVI team members, respectively. Results for S1 showed that most dentists (305 out of 341) are aware of the field and the importance of dental records in human identification; however, only 26% of dentists always compile a complete dental chart of the patient. DVI team members (6 out of 8) have an academic background in the field and only the minority experienced difficulties in deployments. Indonesia is susceptible to natural disasters and dentists proved to be important in DVI. Although the Ministry of Health of Indonesia have provided guidelines, the recording of dental data is not up to standard. A regular and systematic monitoring by the dental councils to every dental clinic would certify if dentists are compiling and keeping accurate dental records. Keywords: Forensic Dentistry, Indonesia, Dental records, DVI 

- 30 Introduction

Forensic odontology is the part of dentistry that deals with examination of dental evidence in the interest of justice<sup>1</sup>. One of the scopes of forensic odontology is the identification of a single body or multiple ones (and body parts) using comparative dental analysis which is the comparison between *antemortem* (AM) and *postmortem* (PM) dental records. On the one hand, accurate dental records can be used in defend against any clinical and/or legal problems that might arise<sup>2</sup>. On the other hand, dentists should be aware that dental records play a vital role in the comparative dental analysis<sup>3, 4</sup>.

8 DVI is the process of recovering and identifying deceased people and human remains. It is also 9 an important part of the emergency management of a mass fatality incident or disaster<sup>5</sup>. The 10 INTERPOL Disaster Victim identification (DVI) guideline acknowledges three primary identifiers 11 as the most reliable means of identification: friction ridge analysis, comparative dental analysis 12 and DNA analysis<sup>6</sup>; therefore, teeth are recognized as evidence for comparative dental analysis 13 and, also, can be source of PM DNA samples<sup>7</sup>.

In the early 2000's, researchers discussed the need to standardize dental record in Indonesia and 14 also the need to create a nation-wide forensic odontology curriculum in Dental School<sup>8</sup>. and A 15 16 DVI training for dentists<sup>9</sup> was also suggested. Currently, there are more than twenty dental schools in Indonesia, and some of those include forensic dentistry in the undergraduate dental 17 18 curriculum, under the department of oral biology or radiology. The total number of credits differs according to the university. The credit hour which is 1-SKS (or Satuan Kredit Semester) is 19 equivalent to one hour of teaching per week in one semester. Since 2011/12 to date, there is 20 only one Forensic Odontology master program consisting of four semesters in the University of 21 Indonesia. 22

23 Indonesia is a volcanically active country, containing 150 volcanoes that are part of the world's Ring of Fire<sup>10</sup>. Consequently, this country is prone to frequent earthquakes and volcanic 24 eruptions<sup>11</sup>. These natural disasters can result in a large number of commingled human remains 25 resulting in challenges to the DVI team<sup>11</sup>. Disasters have occurred in Indonesia as far back as 26 27 1883 where the Krakatoa Volcano erupted and resulted in more than 30,000 casualties. In 2004, an earthquake occurred on the west coast of Sumatra, Indonesia. The sea floor was disrupted 28 and tsunami waves produced the "Boxing Day Tsunami"<sup>12</sup>. As a consequence, the largest disaster 29 victim identification operation in history took place<sup>13</sup>. A good number of disasters happened 30 between 2013 and 2018 and resulted in great number of deaths caused by landslide (1,130 31 32 people), tornado (190 people), earthquake (159 people), volcanic eruption (38 people), forest 33 fire (31 people) and high tide (15 people). Man-made disasters included: transportation accident (1,031 people), flood (909 people), industrial effect (34 people), social conflict (22 people), fire 34 (20 people) and also terror attacks (7 people)<sup>14</sup>. In 2018, the international media coverage 35 reported the Lombok earthquakes of July 28 and August 5, the earthquake and tsunami in 36 Sulawesi on September 28 and the tsunami in Sumatra on December 22<sup>15</sup>. 37

In 1997, the Silk Air flight MI-185 flying from Jakarta to Singapore crashed in the Musi River,

Palembang and two of the identifications used teeth as evidence for the first time in Indonesia<sup>16</sup>.

40 Although the literature on DVI in Indonesia is scarce, records show that the DVI organization in

- 41 Indonesia was pioneer by holding the first Interpol DVI Pacific Rim Meeting on 25-27 January
- 42 2001 in Makassar. Later, on September 29, In 2004, an agreement between the Ministry of Health

and the Indonesian National Police on the Guidelines for the Identification of disasters established the Indonesian National DVI Team<sup>17</sup>. The main aim of this research was to explore the opinions of Indonesian dentists on the importance of dental records and the respective

4 awareness of Forensic Dentistry. The second aim was to investigate the basic profile of the

- 5 Indonesian dentists and their experiences working <del>on</del>-in the disaster victim identification (DVI)
- 6 operations.

## 7 Materials and Methods

Two surveys (S1 and S2) were designed using Google Forms (© 2015 Google Inc.) in *Bahasa Indonesia* language. S1 consisted of ten closed-ended questions and aimed to explore the awareness of forensic dentistry (questions 1 - 3) and the opinions on the importance of AM records (questions 4 - 10). S2 consisted of five closed-ended questions and two open-ended one and aimed to investigate the basic profile of the Indonesian dentists and their experiences working on the disaster victim identification (DVI) operations. The questions are shown in table 1 in English language.

15 S1 was sent to 360 anonymized dentists (government and private sectors) by email and forensic

16 dentists were excluded. S2 was sent to dentists who are members of the Indonesia DVI team.

17 Dental students, dental assistants and dental technicians were excluded from both surveys.

18 Within three weeks, the author stopped accepting responses and answers were analyzed using

19 descriptive statistics (graphs).

20	Table 1 – Questions of S1 and S2 in English language.
----	---

Survey 1 (S1)	Survey 2 (S2)
First question – How many years have you	First question – How long have you been
been working as a dentist?	working in the DVI field?
Second question – Are you aware of Forensic	Second question – What is your latest
Dentistry?	qualification/degree?
Third question – If you answered 'yes' to the	Third question – What are the disasters that
question above, what scope of Forensic	you have you been involved with?
Dentistry are you aware of?	
Fourth question – Do you know that dental	Fifth question – How long have you been
records are used in human identification?	deployed?
Fifth question – If you answered 'yes' to the	Sixth question – Have you encountered
<b>Fifth question</b> – If you answered 'yes' to the question above, which dental records are used	Sixth question – Have you encountered difficulties whilst working in Indonesia?
<b>Fifth question</b> – If you answered 'yes' to the question above, which dental records are used to identify bodies?	Sixth question – Have you encountered difficulties whilst working in Indonesia?
<ul><li>Fifth question – If you answered 'yes' to the question above, which dental records are used to identify bodies?</li><li>Sixth question – Do you always compile a full</li></ul>	Sixth question – Have you encountered difficulties whilst working in Indonesia? Seventh question – If you answered 'yes' to
<ul> <li>Fifth question – If you answered 'yes' to the question above, which dental records are used to identify bodies?</li> <li>Sixth question – Do you always compile a full dental chart of a new patient?</li> </ul>	Sixth question – Have you encountered difficulties whilst working in Indonesia? Seventh question – If you answered 'yes' to the question above, what were the
<ul> <li>Fifth question – If you answered 'yes' to the question above, which dental records are used to identify bodies?</li> <li>Sixth question – Do you always compile a full dental chart of a new patient?</li> </ul>	Sixth question – Have you encountered difficulties whilst working in Indonesia? Seventh question – If you answered 'yes' to the question above, what were the difficulties?
Fifth question – If you answered 'yes' to the question above, which dental records are used to identify bodies?Sixth question – Do you always compile a full dental chart of a new patient?Seventh question – If you answered	Sixth question – Have you encountered difficulties whilst working in Indonesia? Seventh question – If you answered 'yes' to the question above, what were the difficulties?
<ul> <li>Fifth question – If you answered 'yes' to the question above, which dental records are used to identify bodies?</li> <li>Sixth question – Do you always compile a full dental chart of a new patient?</li> <li>Seventh question – If you answered 'sometimes' and 'never' to the question above,</li> </ul>	Sixth question – Have you encountered difficulties whilst working in Indonesia? Seventh question – If you answered 'yes' to the question above, what were the difficulties?
<ul> <li>Fifth question – If you answered 'yes' to the question above, which dental records are used to identify bodies?</li> <li>Sixth question – Do you always compile a full dental chart of a new patient?</li> <li>Seventh question – If you answered 'sometimes' and 'never' to the question above, what is the reason that prevents you from</li> </ul>	Sixth question – Have you encountered difficulties whilst working in Indonesia? Seventh question – If you answered 'yes' to the question above, what were the difficulties?

<b>Eighth question</b> – Do you organize the	
patient's dental records yourself?	
Ninth question – How long do you (or your	
clinic) need to keep the patient's dental	
records?	
Tenth question – What type of dental chart do	
you use?	

1

#### 2 Analysis of S1 Results

3 Out of 341, A total of 341 dentists replied to the survey and 196 dentists (57%) have 'less than 5 4 years of experience' whilst 84 dentists (25%) have '5-10 years of experience' followed by 61 dentists (18%) whose experience 'exceed 10 years'. with 'more than 10 years of experience'. 5 6 Overall, 280 dentists (82%) have less than 10 years of experience. Considering awareness of Forensic Dentistry, 305 dentists (89%) were 'aware' as opposed to 2 dentists (1%). A number of 7 34 dentists (10%) chose 'not sure' as answer. The younger generation is more aware of this 8 9 branch of dentistry because 187 out of 305 aware dentists (58%) have 'less than 5 years' of experience and an additional number of 17 dentists answered about the scope of Forensic 10 Dentistry totaling 322 answers. A total of 90 dentists (26%) are aware of the different scopes 11 including 'human identification, bite mark analysis, DVI and age estimation'. Following that, 81 12 of the dentists (24%) are aware of 'human identification' solely. 46 of the dentists (13%) 13 acknowledged only 'DVI' as scope whilst 23 dentists (7%) are aware of bite mark analysis only. 14 15 Analyzing the scopes individually, 'human identification' was the most cited (229; 71%), followed 16 by 'DVI' (182 dentists; 56%), 'bite mark analysis' (152 dentists; 47%) and 'age estimation' (128 dentists, 40%). Distribution of the answers The combination of scopes of Forensic Dentistry can 17 18 be seen in detail in Figure 1.

#### Figure 1 – Distribution of information about scope of dentistry among Combination of scopes of Forensic Dentistry according to dentists that are aware of the field (total number of respondents = 322).

22 339 out of 341 dentists (99.4%) were aware that dental records are used in human identification. 23 Two dentists (0.6%) were 'not sure' and none answered, 'don't know'. The types of dental records 24 in the survey included: dental charts, dental radiographs, dental casts and other (please specify). 'Dental charts' were considered to be the most used type of dental record to identify a body (148 25 26 dentists, 44%). The combination of 'dental charts, dental casts and dental radiographs' was 27 mentioned by 128 dentists (37%), followed by 'dental charts and dental casts' (26 dentists; 8%), 28 'dental charts and dental radiographs' (20 dentists; 6%), 'dental radiographs' (9 dentists; 4%) and 29 'dental casts' (5 dentists; 1%). A number of 3 dentists answered 'dental casts and dental 30 radiographs', 'dental charts, dental casts, dental radiographs and other (lip print) and 'dental charts, dental casts, dental radiographs and other (extra-oral radiograph). The overall distribution 31 32 is shown in figure 2.

## Figure 2 – Distribution of information about types of dental records used in human identification (total number of respondents = 339).

Only 88 out of 341 dentists (26%) always compile a full dental chart of a new patient. Most of the 1 2 dentists, 207 (61%) answered 'sometimes' and 46 dentists (13%) answered 'never'. Overall, 253 3 dentists (74%) would not provide accurate AM dental records for possible human identification 4 by dental means. 'Time consuming' (132 dentists, 52%) was considered the most cited reason followed by 'absence of dental chart template' (88 dentists, 35%). Other reasons were specified 5 by 33 dentists as seen in figure 3. contemplated as one of the reasons and might suggest lack of 6 7 proper training or struggle with a great demand of patients. Surprisingly, 88 dentists (35%) mentioned 'absence of dental chart template'.-Figure 3 shows the other reasons (31 dentists) 8 such as 'not specified' (15 dentists, 48%), 'Don't remember' (7 dentists; 23%) and 'Only treatment 9

10 without recording' (3 dentists; 8%).

# Figure 3 – Other reasons for not recording why dentists don't record a full dental chart of a new patient (total number of respondents = 33).

Most of the dentists (234 dentists; 69%) 'never' organize their patient's dental records and this 13 is a role taken by the members of the clinic team. A small number of 75 dentists (22%) 'always' 14 organize their dental records themselves and 32 dentists (9%) responded 'sometimes'. 15 Interestingly, most of the dentists (260 dentists; 76%) keep their dental records for 'more than 5 16 years'. Only 68 dentists (20%) keep their dental records for '1-2 years' and a total of 10 dentists 17 18 (3%) keep their dental record for '1 year only'. Only 3 dentists (1%) 'never' keep the dental records and they might well be the ones that don't compile dental chart. The majority of the 19 dentists (284 dentists; 83%) prefer 'manual dental chart' as opposed to 46 dentists (14%) who 20 prefer 'digital dental chart'. 4 dentists (1%) prefer a 'combination of both' and only 2% answered 21 'none of above'. to record their data, next 'computerized odontogram' (46 dentists; 14%) and 4 22

23 dentists (1%) prefer a 'combination of both'. Only 2% answered 'none of above'.

## 24 Analysis of S2 results

25 According to the results, the Indonesia DVI team is composed of Indonesian natives only and they

- presented an academic background in Forensic Dentistry such as: all Indonesia DVI team
   members are Indonesian native and presented an educational background in Forensic Dentistry:
- 28 'Diploma in Forensic dentistry' (2 dentists; 33%), 'PhD in Dental Sciences' (1 dentist, 17%),
- 29 'Master's in Forensic Dentistry' (2 dentists; 33%) and 'Master in Radiology' (1 dentist, 17%). Four
- 30 dentists (67%) confirmed 'more than 5 years' of experience in DVI and the other two dentists
- 31 stated '1-2 years' and 'less than 1 year' of experience separately. The length of deployment
- ranged from 'one week' (1 dentist, 17%), '2 weeks' (3 dentists; 50%) to '3 weeks' (2 dentists; 33%
- each). Most of the dentists (4; 67%) opined that working in the Indonesia's DVI is not difficult as
- 34 opposed to 2 dentists (33%) who had expressed a different opinion. The difficulties were cited as
- 35 follows: (a) not enough coordination between the units; (b) not enough equipment available; (c)
- not enough trained people; and d) coordination between DVI team and universities is not great.
   The disasters that dentists have been deployed Deployments included the Tampomas Shipwreck
- (1981), Silk Air Crash (1997), Trenggalek Shipwreck (2001), JW Marriott Bombing (2003), First Bali
- Bombing (2005), Ritz Caltron Bombing (2009), Shukoi Plane Crash (2012), Middle East Illegal
- 40 Immigrant Drowning (2013), Air Asia Plane Crash (2014), Trigana Plane Crash (2015), Sarinah
- 41 Bomb (2016) and Cianjur 1/2 Road Traffic Accident (2017).

## 1 Discussion

- 2 Although the literature on awareness of forensic dentistry among Indonesian dentists is poor,
- 3 this study proved that most of the Indonesian dentists are aware of this field similarly to Indian<sup>18</sup>
- 4 and Pakistani dentists<sup>19</sup>. Globalization of the media industry, search for dental specialties and the
- 5 number of DVI operations throughout the country may have potentially increased the awareness.
- 6 The results indicated that human identification and DVI were known scopes of forensic dentistry
- 7 by the dentists. are strongly correlated scopes known by the dentists. In *Bahasa Indonesia*
- 8 language, bite mark analysis is translated as Analisis Gigitan (Gigi = teeth) means bite mark
   9 analysis in Bahasa Indonesia language, therefore, dentists could have assumed it as scope. The
- 10 scope of a Age estimation was the least known scope even though dental development and
- 11 eruption is part of the undergraduate dental curriculum and it serves as base for age estimation.
- 12 by dental means.

The availability and accuracy of AM records is a major determinant in the comparative dental 13 analysis and include dental charts, study casts, dental radiographs and intra and extra-oral 14 photographs<sup>20</sup>. 76% of the dentists, aware of this fact or not, keep the dental records for more 15 16 than 5 years. A similar research conducted in Saudi Arabia, showed that 44% of the dentists keep the dental records forever<sup>21</sup>, and other study proved that 38% of Indian dentists keep the dental 17 records for a certain period<sup>22</sup>. By recording and keeping an accurate dental chart, dentists can 18 review the patient's completed treatment and they can also plan the next one<sup>23,24</sup>. Moreover, 19 dental records are frequently called upon in the medico-legal setting, where civil legal action is 20

- 21 taken against a dentist<sup>25</sup>.
- 22 An examination of the entire state of the patient's mouth must be thoroughly recorded on the
- first visit in order to give an overall picture of the patient's oral health; therefore, the dentist
- should spend more time on patients who make first visit to the clinic<sup>26</sup>. Most of the respondents
- 25 prefer manual dental charts which allow dentists to personalize his/her way of charting the
- 26 dental treatment<sup>27</sup>. Electronic dental charts provide a better graphic description because they
- 27 contain a legend of the symbols and colors used in the pictorial dental chart<sup>20</sup>. Not only the
- 28 absence of AM dental records but also the presence of inaccurate or incomplete dental records,
- 29 with poor standard of record keeping<sup>27</sup> could be a challenge for the comparative dental analysis.

30 Most Indonesian dentists do not use a standardized dental chart that could facilitate its interpretation for the identification of disaster victims<sup>28</sup>; therefore, the Indonesian Dental 31 32 Association should stress the importance of comprehensive AM dental records following the National Standard of Dental Record (FDI system) released by the Ministry of Health of Indonesia<sup>9</sup>. 33 It is important to mention that dental record should include the patient identity, general 34 35 condition of the patient, dental chart/treatments, and identity of the dentist. Also, the Indonesian Statute No. 29 in 2004 of Medical Practice subsection 46 (1) states that "Every doctor 36 and dentist who performs medical practice is obliged to make medical records"<sup>26</sup>. 37

38

Despite all reassuring results proving that Indonesian dentists are aware of both forensic dentistry and the importance of dental records, the majority do not compile a complete dental

chart of their patients on the first visit to the clinic (only 26%). Segregated information about 1 2 private or government clinics could investigate the possible reasons. For instance, a study 3 explored the contents of dental records at private dental practices in Bandung (Indonesia) and results showed that 73% of odontogram section of dental records have not been were not 4 5 completed<sup>26</sup>. Also, dentists from different areas and islands in Indonesia, might be exposed to different types of dental records. A regular checking and systematic monitoring by the dental 6 7 councils to every dental clinic would certify if dentists are making and keeping accurate dental records. Most of the dentists do not organize the dental records themselves so the responsible 8 9 ones must be trained to keep contemporaneous, complete and accurate dental records for every patient. Every dental practice should adopt the recommended National Standard of Dental 10 Record in order to follow the minimum requirements for recording and maintaining dental 11 12 records.

In comparative dental analysis, dental radiographs are preferred to written records for the 13 identification because of their objectivity for visual comparison<sup>16</sup>. Commonly, bitewings or 14 periapical radiographs are used for intraoral views, and orthopantomograms (OPGs) are used for 15 16 extraoral views. They can also be classified by method of acquisition into either digital or analog radiographs<sup>29</sup>. In the mortuary, forensic dentists should have access to intra-oral radiography and 17 it is then a straightforward matter of duplicating be able to duplicate the position and angulation 18 19 of the AM radiograph to allow a comparison of the shape and size of restorations between the 20 two radiographs. In the absence of restorations, other radiographic features such as pulp chamber anatomy, root shape and even bone trabeculae should be assessed<sup>20</sup>. In October 2016, 21 22 the Indonesian Nuclear Energy Regulatory Agency (Badan Pengawas Tenaga Nuklir, BAPETEN) 23 had issued a total of 1315 licenses for dental radiography units, indicating a very large quantity 24 of dental radiology practices scattered around the country<sup>30</sup>. This is a strong indicative of the 25 prevalent use of diagnostic radiology devices for dental purposes. Consequently, a good number 26 of dental radiographs should be provided for comparative dental analysis.

27 In this study, only a minority of the DVI team members mentioned difficulties in deployments 28 such as coordination, funding and the need of experts in the field. In order to avoid identification 29 delays, more trained forensic dentists are needed to handle the future mass disasters in Indonesia<sup>9</sup>. Due to the different specialties working together, members should have a clear 30 understanding of their roles and a form of accreditation should formalize the level of training 31 desirable in the team<sup>11, 31, 32</sup>., providing an understanding of what occurs at an incident and their 32 roles. In a DVI operation, logistics is important because different specialties such as forensic 33 pathologists, forensic dentists, forensic anthropologists, forensic molecular biologists, finger 34 print experts work together. It was also mentioned that there was no clear coordination between 35 the universities and the DVI team; therefore, forensic dental bodies should formally liaise with 36 37 universities and dental councils in order to officially recognize the field of forensic odontology<sup>33</sup> 38 with consequent effect on DVI operations. In this study, climate was not mentioned to be a challenge even though Indonesia is located in the tropical region and challenges can be 39 encountered. For instance, the hot climate increases the rate of decomposition, the odors from 40 decomposition can cause concern about epidemics and refrigeration for preserving human 41 remains might not have enough capacity. 42

#### 1 Conclusions

- 2 Indonesian dentists are aware of Forensic Odontology and the importance of dental records in
- 3 human identification. Indonesia is susceptible to natural disasters and dentists proved to be
- 4 important in DVI, therefore more importance should be given to dental records and expansion
- 5 of the field. Although the Ministry of Health of Indonesia have already provided guidelines on
- 6 dental chart, Indonesian dentists are not recording up to standard. A regular and systematic
- 7 monitoring by the dental councils to every dental clinic would certify if dentists are compiling and
- 8 keeping accurate dental records. Although the Ministry of Health of Indonesia have already
- 9 provided guidelines on dental charting, Indonesian dentists are not recording up to standard. A
- 10 regular and systematic monitoring by the dental councils to every dental clinic would certify if
- 11 dentists are making and keeping accurate dental records. Indonesia is susceptible to natural
- 12 disasters and Indonesian dentists proved to be important in DVI, therefore more importance
- 13 should be given to dental records and expansion of the field.

#### 14 References

- Adams C, Carabott R, Evans S. Forensic odontology: An essential guide. Chichester, West Sussex : John
   Wiley & Sons Inc.
- 17 2. Bernoni L, Leeuw W. Maintaining proper dental records. Dent Assist 2008:77(3): 6-8.
- Hanaoka Y, Ueno A, Tsuzuki T, Kajiwara M, Minaguchi K, Sato Y. Proposal for internet-based digital
   dental chart for personal dental identification in forensics. Forensic Sci Int 2007:168(1): 57-60.
- Petju M, Suteerayongprasert A, Thongpud R, Hassiri K. Importance of dental records for victim identification following the indian ocean tsunami disaster in thailand. Public Health 2007:121(4): 251-257.
- 23 5. Senn D, Stimson P. Forensic dentistry. Boc Raton, FL: CRC Press.
- 6. INTERPOL. Disaster victim identification guide In. Disaster victim identification guide 2018.
- 7. de Boer HH, Maat GJR, Kadarmo DA, Widodo PT, Kloosterman AD, Kal AJ. DNA identification of human
   remains in disaster victim identification (dvi): An efficient sampling method for muscle, bone,
   bone marrow and teeth. Forensic Science International 2018:289(253-259.
- Stoeckel DC, Merkley PJ, McGivney J. Forensic dental training in the dental school curriculum. Journal
   of Forensic Sciences 2007:52(3): 684-686.
- Soedarsono N, Untoro E, Quendangen A, Atmadja D. The role of forensic odontology in personal identification: Indonesian perspective Indonesian Journal of Legal and Forensic Sciences (IJLFS)
   2008:1(1): 21-25.
- 10. Kozák J, V C. The illustrated history of natural disasters. Netherlands: Springer.
- 34 11. Madea B. Handbook of forensic medicine. Bonn: Hardback.
- 35 12. James H. Thai tsunami victim identification overview to date. J Forensic Odontostomatol 2005:23(1):
   36 1-18.
- Wright K, Mundorff A, Chaseling J, Maguire C, Crane DI. An evaluation of the thai tsunami victim
   identification DNA operation. Forensic Science Policy & Management: An International Journal
   2015:6(3-4): 69-78.
- 40 14. Bencana BNP. Data informasi bencana indonesia (dibi). In. Data informasi bencana indonesia (dibi);
  41 2018.
- 42 15. WorldVision. 2018 indonesia quakes and tsunamis: Facts, faqs, and how to help. In. 2018 indonesia
  43 quakes and tsunamis: Facts, faqs, and how to help; 2019.
- 16. Tan PH, Wee KP, Sahelangi P. Remembering the musi silkair flight mi 185 crash victim identification.
   Ann Acad Med Singapore 2007:36(10): 861-866.

- 1 17. Fadil I. Dvi indonesia, ujung tombak identifikasi korban sukhoi. In. Dvi indonesia, ujung tombak 2 identifikasi korban sukhoi; 2018.
- 18. Gambhir RS, Singh G, Talwar PS, Gambhir J, Munjal V. Knowledge and awareness of forensic
   odontology among dentists in india: A systematic review. J Forensic Dent Sci 2016:8(1): 2-6.
- 19. Akram S AZ, Khan S, Tauheed S. Knowledge, awareness and practice of forensic odontology among
   dental practitioners in karachi, pakistan. Pak J Med Dent 2019:8(1): 78-83.
- 7 20. Manica S, Forgie AH. Forensic dentistry now and in the future. Dental Update 2017:44(6): 522-530.
- 8 21. Al Sheddi M, Al Asiri A. Awareness of the scope and practice of forensic dentistry among dental
   9 practitioners. Australian Journal of Forensic Sciences 2015:47(2): 194-199.
- 22. Astekar M, Saawarn S, Ramesh G, Saawarn N. Maintaining dental records: Are we ready for forensic
   needs? Journal of Forensic Dental Sciences 2011:3(2): 52-57.
- 12 23. Dietz E. Dental office management. Canada: Delmar Cengage Learning.
- 13 24. Kay E. Dentistry at a glance. West Sussex: Wiley Blackwell.
- 25. Brown LF. Inadequate record keeping by dental practitioners. Australian Dental Journal 2015:60(4):
   497-502.
- Monica G HJ, Setiawan I. The completeness of the contents of dental records at private dental practice
   in bandung.Journal. 2018/02: <u>https://doi.org/10.2991/idcsu-17.2018.30</u>.
- 1827. ManicaS. A new website to aid the interpretation of antemortem dental19records:Www.Internationaldentalcharts.Org.J Forensic Odontostomatol 2014:32(2): 1-7.
- 28. Sahelangi P, Novita M. Role of dentists in indonesian disaster victim identification operations: Religious
   and cultural aspects. J Forensic Odontostomatol 2012:30 Suppl 1(60-71.
- 22 29. Chiam S-L. A note on digital dental radiography in forensic odontology. Journal of forensic dental
   23 sciences 2014:6(3): 197-201.
- 30. Lubis LE, Bayuadi I, Bayhaqi YA, Ardiansyah F, Setiadi AR, Sugandi RD, Craig LA, Nasir A, Basith RA,
   Pawiro SA et al. Radiation dose from dental radiography in indonesia: A five-year survey. Radiat
   Prot Dosimetry 2019:183(3): 342-347.
- 27 31. Sweet D. Interpol dvi best-practice standards--an overview. Forensic Sci Int 2010:201(1-3): 18-21.
- 28 32. Jensen R. Mass fatality and casualty incidents: A field guide. Florida: CRC Press.

29 33. Mânica S, Gorza L. Forensic odontology in the 21st century – identifying the opinions of those behind

30 the teaching. Journal of Forensic and Legal Medicine 2019:64(7-13.

31