

## BAB VI

### KESIMPULAN DAN SARAN

#### 6.1 Kesimpulan

Dari penelitian ini diperoleh beberapa kesimpulan yaitu :

1. Proses deteksi dan hitung otomatis tandan kelapa sawit menggunakan *faster R-CNN* yang telah disusun menunjukkan hasil yang baik.
2. Pelatihan yang dilakukan dengan *5-fold cross-validation* menunjukkan hasil yang tidak jauh berbeda dari setiap eksperimennya.
3. Empat arsitektur jaringan yang di uji menghasilkan *F1 score* yang sama baiknya, yaitu di atas 80%.

#### 6.2 Saran

Adapun saran dari penulis untuk penelitian berikutnya adalah :

1. Penambahan *dataset* yang lebih banyak akan menghasilkan hasil yang lebih variatif.
2. *Inference* yang telah berhasil dibuat dapat diimplementasikan ke aplikasi mobile sehingga dapat dimanfaatkan secara *real time*.
3. Modifikasi di masing-masing arsitektur jaringan dapat menjadikan penemuan baru untuk hasil *inference* yang lebih baik.

## DAFTAR PUSTAKA

- Alom, M. Z., Sidike, P., Taha, T. M., & Asari, V. K. (2017). Handwritten Bangla Digit Recognition Using Deep Learning. *International Journal of Advanced Research in Computer Engineering & Technology (IJARCET)*, 6(7), 990–997. Retrieved from <http://arxiv.org/abs/1705.02680>
- Anwar, I., & Islam, N. U. (2017). Learned features are better for ethnicity classification. *Cybernetics and Information Technologies*, 17(3), 152–164. <https://doi.org/10.1515/cait-2017-0036>
- Bargoti, S., & Underwood, J. (2017a). Deep fruit detection in orchards. *Proceedings - IEEE International Conference on Robotics and Automation*, 3626–3633. <https://doi.org/10.1109/ICRA.2017.7989417>
- Bargoti, S., & Underwood, J. P. (2017b). Image Segmentation for Fruit Detection and Yield Estimation in Apple Orchards. *Journal of Field Robotics*, 34(6), 1039–1060. <https://doi.org/10.1002/rob.21699>
- Barrientos, M., & Soria, C. (n.d.). Palm Oil Production by Country in 1000 MT. Retrieved May 24, 2019, from <https://www.indexmundi.com/agriculture/?commodity=palm-oil&graph=production>
- Cao, X., Wang, P., Meng, C., Bai, X., Gong, G., Liu, M., & Qi, J. (2018). Region based CNN for foreign object debris detection on airfield pavement. *Sensors (Switzerland)*, 18(3), 1–14. <https://doi.org/10.3390/s18030737>
- Cho, S. W., Baek, N. R., Kim, M. C., Koo, J. H., Kim, J. H., & Park, K. R. (2018). Face detection in nighttime images using visible-light camera sensors with two-step faster region-based convolutional neural network. *Sensors (Switzerland)*, 18(9). <https://doi.org/10.3390/s18092995>
- Christopher, B. (2006). *Pattern Recognition and Machine Learning*. Springer-Verlag New York.
- Ciocca, G., Napoletano, P., & Schettini, R. (2018). CNN-based features for retrieval and classification of food images. *Computer Vision and Image Understanding*, 176–177(February), 70–77. <https://doi.org/10.1016/j.cviu.2018.09.001>
- COCO - Common Objects in Context. (n.d.). Retrieved from <http://cocodataset.org>
- Convolutional Neural Network. (n.d.). Retrieved May 24, 2019, from <https://www.mathworks.com/solutions/deep-learning/convolutional-neural-network.html>
- CS231n Convolutional Neural Networks for Visual Recognition. (n.d.). Retrieved May 24, 2019, from <http://cs231n.github.io/convolutional-networks>
- Deng, L., & Yu, D. (2014). *Deep Learning: Methods and Applications*. now Publishers Inc. <https://doi.org/http://dx.doi.org/10.1561/20000000039>
- Farhadi, F., & Lodi Vahid, A. N. (2017). Learning activation functions in deep neural networks. *Département de Mathématiques et de Génie Industriel*, 151. Retrieved from <https://publications.polymtl.ca/2945/>
- Forsyth, D., & Ponce, J. (2002). *Computer Vision A Modern Approach*.
- Girshick, R. (2015). Fast R-CNN. *Proceedings of the IEEE International*

- Conference on Computer Vision, 2015 Inter*, 1440–1448. <https://doi.org/10.1109/ICCV.2015.169>
- Girshick, R., Donahue, J., Darrell, T., & Malik, J. (2014). Rich feature hierarchies for accurate object detection and semantic segmentation. *Proceedings of the IEEE Computer Society Conference on Computer Vision and Pattern Recognition*, 580–587. <https://doi.org/10.1109/CVPR.2014.81>
- Girshick, R., Donahue, J., Member, S., & Darrell, T. (2015). Region-based Convolutional Networks for Accurate Object Detection and Segmentation. *IEEE Transactions on Pattern Analysis and Machine Intelligence*, 8828(c), 1–16. <https://doi.org/10.1109/TPAMI.2015.2437384>
- Habaragamuwa, H., Ogawa, Y., Suzuki, T., Shiigi, T., Ono, M., & Kondo, N. (2018). Detecting greenhouse strawberries (mature and immature), using deep convolutional neural network. *Engineering in Agriculture, Environment and Food*, 11(3), 127–138. <https://doi.org/10.1016/j.eaef.2018.03.001>
- He, K., Zhang, X., Ren, S., & Sun, J. (2016). Deep residual learning for image recognition. *Proceedings of the IEEE Computer Society Conference on Computer Vision and Pattern Recognition, 2016–Decem*, 770–778. <https://doi.org/10.1109/CVPR.2016.90>
- Hopfield, J. J. (1982). *Neural networks and physical systems with emergent collective computational abilities*. Proceedings of the National Academy of Sciences of the United States of America. <https://doi.org/https://doi.org/10.1073/pnas.79.8.2554>
- Ioffe, S., & Szegedy, C. (2015). Batch Normalization: Accelerating Deep Network Training by Reducing Internal Covariate Shift. *Machine Learning*.
- Jalled, F., & Voronkov, I. (2016). Object Detection using Image Processing. Retrieved from <https://arxiv.org/abs/1611.07791>
- Kariyasa, K., Susanti, A. A., & Waryanto, B. (2018). *Agricultural Statistics 2018*. Center for Agricultural Data and Information System Ministry of Agriculture Republic of Indonesia. Retrieved from <http://epublikasi.setjen.pertanian.go.id/download/file/438-statistik-pertanian-2018>
- KBBI Daring. (n.d.). Retrieved May 20, 2019, from <https://kbbi.kemdikbud.go.id/entri/tandan>
- Kestur, R., Meduri, A., & Narasipura, O. (2019). MangoNet: A deep semantic segmentation architecture for a method to detect and count mangoes in an open orchard. *Engineering Applications of Artificial Intelligence*, 77(September 2018), 59–69. <https://doi.org/10.1016/j.engappai.2018.09.011>
- Kristiadi, A., & Pranowo, P. (2017). Deep Convolutional Level Set Method for Image Segmentation. *Journal of ICT Research and Applications*, 11(3), 284. <https://doi.org/10.5614/itbj.ict.res.appl.2017.11.3.5>
- LeCun, Y., Kavukcuoglu, K., & Farabet, C. (2010). Convolutional networks and applications in vision. *Proceedings of 2010 IEEE International Symposium on Circuits and Systems*. <https://doi.org/10.1109/ISCAS.2010.5537907>
- Lin, T. Y., Maire, M., Belongie, S., Hays, J., Perona, P., Ramanan, D., ... Zitnick, C. L. (2014). Microsoft COCO: Common objects in context. *Lecture Notes in Computer Science (Including Subseries Lecture Notes in Artificial*

- Intelligence and Lecture Notes in Bioinformatics*), 8693 LNCS(PART 5), 740–755. [https://doi.org/10.1007/978-3-319-10602-1\\_48](https://doi.org/10.1007/978-3-319-10602-1_48)
- Liu, T., & Stathaki, T. (2018). Faster R-CNN for robust pedestrian detection using semantic segmentation network. *Frontiers in Neurorobotics*, 12(October), 1–10. <https://doi.org/10.3389/fnbot.2018.00064>
- Muhammad, U. R., Svanera, M., Leonardi, R., & Benini, S. (2018). Hair detection, segmentation, and hairstyle classification in the wild. *Image and Vision Computing*, 71, 25–37. <https://doi.org/10.1016/j.imavis.2018.02.001>
- Rahneemofar, M., & Sheppard, C. (2017). Deep count: Fruit counting based on deep simulated learning. *Sensors (Switzerland)*, 17(4), 1–12. <https://doi.org/10.3390/s17040905>
- Refaeilzadeh, P., Tang, L., & Liu, H. (2009). *Cross-Validation*. Springer, Boston, MA. <https://doi.org/10.1007/978-0-387-39940-9>
- Ren, S., He, K., Girshick, R., & Sun, J. (2017). Faster R-CNN: Towards Real-Time Object Detection with Region Proposal Networks. *IEEE Transactions on Pattern Analysis and Machine Intelligence*, 39(6), 1137–1149. <https://doi.org/10.1109/TPAMI.2016.2577031>
- Russell, S. J., & Norvig, P. (2009). *Artificial Intelligence: A Modern Approach (3rd Edition)*. Pearson.
- Schillaci G, Pennisi A, Franco F, & Longo D. (2012). Detecting tomato crops in greenhouses using a vision based method. *International Conference on Safety Health and Welfare in Agriculture and in Agro-Food Systems*, (1), 20–26. Retrieved from [http://www.ragusashwa.it/CD\\_2012/lavori/TOPIC5/orale/topic\\_5\\_252\\_258.pdf](http://www.ragusashwa.it/CD_2012/lavori/TOPIC5/orale/topic_5_252_258.pdf)
- Shapiro, L. G., & Stockman, G. C. (2001). *Computer Vision*. Pearson.
- Szegedy, C., Ioffe, S., Vanhoucke, V., & Alemi, A. (2016). *Inception-v4, Inception-Resnet and the Impact of Residual Connections on Learning*. Retrieved from <http://arxiv.org/abs/1602.07261>
- Szegedy, C., Liu, W., Jia, Y., Sermanet, P., Reed, S., Anguelov, D., ... Rabinovich, A. (2014). Going Deeper with Convolutions, 1–12. Retrieved from <http://arxiv.org/abs/1409.4842>
- Szegedy, C., Vanhoucke, V., Ioffe, S., Shlens, J., & Wojna, Z. (2016). Rethinking the Inception Architecture for Computer Vision. *Proceedings of the IEEE Computer Society Conference on Computer Vision and Pattern Recognition, 2016–Decem*, 2818–2826. <https://doi.org/10.1109/CVPR.2016.308>
- Team, S. (2018). Convolutional Neural Networks (CNN). Retrieved May 24, 2019, from <https://www.superdatascience.com/blogs/convolutional-neural-networks-cnn-step-4-full-connection>
- Uijlings, J. R. R., Sande, K. E. A. van de, Gevers, T., & Smeulders, A. W. M. (2013). Selective search for object recognition. *International Journal Computer Vision*. <https://doi.org/10.1007/s11263-013-0620-5>
- Umbaugh, S. E. (2010). *Digital Image Processing and Analysis: Human and Computer Vision Applications with CVIPtools, Second Edition*. CRC Press.
- Witten, I., Frank, E., & Hall, M. (2011). *Data Mining: Practical Machine Learning Tools and Techniques 3rd Edition*. Elsevier.