

Technical University of Denmark



Nanocasting of 3D Porous Materials by Melt Infiltration

Li, Tao; Ndoni, Sokol

Publication date:
2014

Document Version
Publisher's PDF, also known as Version of record

[Link back to DTU Orbit](#)

Citation (APA):

Li, T., & Ndoni, S. (2014). Nanocasting of 3D Porous Materials by Melt Infiltration. Poster session presented at 7th International Symposium NANOPOROUS MATERIALS-7, Niagara Falls, Canada.

DTU Library

Technical Information Center of Denmark

General rights

Copyright and moral rights for the publications made accessible in the public portal are retained by the authors and/or other copyright owners and it is a condition of accessing publications that users recognise and abide by the legal requirements associated with these rights.

- Users may download and print one copy of any publication from the public portal for the purpose of private study or research.
- You may not further distribute the material or use it for any profit-making activity or commercial gain
- You may freely distribute the URL identifying the publication in the public portal

If you believe that this document breaches copyright please contact us providing details, and we will remove access to the work immediately and investigate your claim.

Nanocasting of 3D Porous Materials by Melt Infiltration

Tao Li (PhD student, Self-organized Nanoporous Materials), Sokol Nodni



OBJECTIVES

Fabrication of an interconnected, crack-free and highly ordered metal oxides film, such as Titania and Tin Dioxide by using nano-porous polymer of controlled morphology as the template.




ABSTRACT

- Nano-porous cross-linked polybutadiene has been used as the template which has good wetting properties with various inorganic precursors.
- A novel and facile nanocasting process has been developed to fabricate of a thin film with 10-nm wide titania and Tin Dioxide network which is compact, inter-connected, and continuous.



STRATEGY



RESULTS




Figure 1. a) SEM picture of the nano-porous polybutadiene template. b) SEM picture of the as-made titania network with a crystal phase of anatase. c) As-made titania thin film




Figure 2. a) Incomplete filling of tin dioxide with skin layer, b) With surface modification and rinsing, it shows complete filling of tin dioxide without any skin layer.

FUTURE WORK

For various applications, it is more desirable to cast the nano-structure directly on certain substrate.

The figure on the right shows the polymer template on top of the Pyrex glass, and this will be used to make metal oxides gyroid structure by the same strategy.

