

Università degli Studi di Salerno
DIPARTIMENTO DI SCIENZE ECONOMICHE E STATISTICHE

**On the Minty and Stampacchia scalar
variational inequalities**

Rosa Ferrentino *

Working Paper 3.171

* Department of Economic Sciences and Statistics - University of Salerno -
Fisciano (Sa), Italy

Abstract

The paper aims to deepen the analysis of the two different variational inequalities and to provide a short statement of fundamental results. Subsequently it intends to clarify the role of the scalar Stampacchia and Minty solutions in optimization problem.

Introduction

Variational inequalities are known to be a very useful and powerful tool for investigation and formulation of solutions of many equilibrium problems in Economics, Optimization, Engineering, Operations Research and Mathematical Physics [1], [5]. There are many classical examples: for instance, equilibrium problems in a financial or a traffic network and equilibrium problems in an oligopolistic market. Many variational formulations of these problems, have been presented in recent years since these problems, whose study has emerged as an interesting branch of applicable mathematics, possess a partitionable structure which usually enables one to weaken conditions in existence and uniqueness theorems and to propose more powerful solution methods.

Two very useful tools in the study of equilibrium solutions and their stability are Stampacchia variational inequalities and Minty variational inequalities. In this paper, we study just these inequalities because they allow a unified treatment of equilibrium problems and optimization problems.

The paper is organized as follows. In section 1 are defined the scalar variational inequalities of Stampacchia and Minty in finite-dimensional Euclidean space R^n .

In section 2 are provided conditions for the existence and uniqueness of solutions for two problems while in section 3 will present the connections between the two variational inequalities and an optimization problem.

1 Finite-dimensional variational inequalities: definitions

Let K be a nonempty, closed and convex subset of R^n , and let $F : K \rightarrow R^n$ be a mapping from R^n into itself. The *Stampacchia variational inequality*, denoted by SVI and introduced by Philip Hartman and Guido Stampacchia in [6], is the problem to find a vector $x^* \in K$ such that:

$$SVI(F, K) \quad \langle F(x^*), x - x^* \rangle \geq 0 \quad \forall x \in K$$

where $\langle \cdot, \cdot \rangle$ denotes the inner product defined on R^n .

The vector x^* solution of $SVI(F, K)$ is called *Stampacchia equilibrium point* of the map F on K .

An equivalent geometric formulation of $SVI(F, K)$, when K is a convex and closed set, can be given introducing the concepts of normal cone and of generalized equation.

Definition 1.1: If $K \subseteq R^n$ is a convex and closed set, the normal cone to K at a point $x^* \in K$ is

$$N_K(x^*) = \{x \in R^n : \langle x, y - x^* \rangle \leq 0 \quad \forall y \in K\}$$

If $x^* \notin K$, then $N_K(x^*) = \emptyset$. It is easily seen that the normal cone is a closed convex cone.

In geometric terms, $SVI(F, K)$ states that $F(x)$ is orthogonal to K in the point $x^* \in K$; then, if K is convex, $x^* \in K$ is a solution of $SVI(F, K)$ if and only if

$$-F(x^*) \in N_K(x^*),$$

and that is

$$0 \in F(x^*) + N_K(x^*)$$

so the variational inequality $SVI(F, K)$ is equivalent to a generalized equation.

If instead the domain K is an open set, the solution of a variational inequality $SVI(F, K)$ is equivalent to that of a system of equations, as shows the following proposition:

Proposition1.1: Let $K \subseteq R^n$ be an open set and let $F : K \rightarrow R^n$. The vector $x^* \in K$ is a solution of $SVI(F, K)$ if and only if x^* it solves the system of equations

$$F(x^*) = 0$$

Proof: If $F(x^*) = 0$, then SVI holds with equality

$$\langle F(x^*), x - x^* \rangle = 0 \quad \forall x \in K$$

Conversely if x^* is a solution of $SVI(F, K)$ and K is an open set, exists $\delta > 0$ such that $\beta(x^*, \delta) \subset K$ and so, by supposition,

$$\langle F(x^*), x - x^* \rangle \geq 0 \quad \forall x \in \beta(x^*, \delta)$$

But $\forall x \in \beta(x^*, \delta)$, also $(2x^* - x) \in \beta(x^*, \delta)$ and then

$$\langle F(x^*), 2x^* - x - x^* \rangle = \langle F(x^*), x^* - x \rangle \geq 0 \quad \forall x \in \beta(x^*, \delta)$$

Therefore

$$\langle F(x^*), x - x^* \rangle = 0 \quad \forall x \in \beta(x^*, \delta)$$

and that is equivalent to condition x^* solves $F(x^*) = 0$.

An alternative formulation of the Stampacchia variational inequality (equivalent only under monotonicity and continuity hypotheses) has been proposed, in 1962, by G.J. Minty and is known as Minty variational inequality.

Let the function $F : K \rightarrow R^n$ be given, with K nonempty subset of R^n . The *Minty variational inequality* is the problem to find a vector $x^* \in K$ such that

$$MVI(F, K) \langle F(y), x^* - y \rangle \leq 0 \quad \forall y \in K$$

This problem is denoted, for short, with $MVI(F, K)$ and any solution of $MVI(F, K)$ is called a *Minty equilibrium point* of the map F over K . In the Minty variational inequality is

considered the value assumed by F in every $y \in K$, while in the Stampacchia variational inequality the function F is estimated only in the given point $x^* \in K$; therefore, $SVI(F, K)$ express a local condition for function at one point.

A well-known Lemma, formulated by Minty in 1967, states the equivalence of the two alternative formulations (the one presented by Stampacchia and the one introduced by Minty) under continuity and monotonicity assumptions of involved operator. In other words, Minty's lemma establishes relationships between the solutions of $SVI(F, K)$ and the solutions of $MVI(F, K)$, that is it gives a complete characterization of the solution $MVI(F, K)$ in terms of the solution of $SVI(F, K)$, when the set K is convex and the operator F is continuous and monotone. In fact, it asserts

$$M(F, K) \subseteq S(F, K)$$

where $M(F, K)$ denotes the set of solutions of the Minty variational inequality while $S(F, K)$ the solution set of Stampacchia variational inequality. The reverse inclusion holds if F is pseudomonotone.

Before, however, it is necessary to recall some definitions.

Definition 1.2: *The mapping $F : R^n \rightarrow R^n$ is said to be*

a) *monotone over a set K if*

$$\langle F(y) - F(x), x - y \rangle \geq 0 \quad \forall x, y \in K$$

b) *pseudomonotone over K if*

$$\langle F(x), x - y \rangle \leq 0 \Rightarrow \langle F(y), x - y \rangle \leq 0 \quad \forall x, y \in K$$

Obviously a monotone function is too pseudomonotone but not holds the reverse implication.

Minty Lemma: *Let $F : K \rightarrow R^n$ be given with $K \subseteq R^n$ closed and nonempty set.*

i) If F is continuous on K and K is convex, then each $x^* \in K$ which solves $MVI(F, K)$ is also a solution of $SVI(F, K)$.

ii) If, instead, F is monotone on the convex set K , then every $x^* \in K$ which solves $SVI(F, K)$, is also a solution of $MVI(F, K)$.

Remark: The hypothesis contained in the point ii) can be weakened with the concept of pseudomonotonicity: the implication $SVI \Rightarrow MVI$ is still true if F it is pseudomonotone.

2. Existence and uniqueness of the solutions

A central problem in the study of a variational inequalities is the problem of giving sufficient conditions for the existence of a solutions of a variational inequality. The research of these existence conditions has played a very important role in theory and practical applications since this question has been at the origin of many contributions during the last years. In particular, after the works of G. Stampacchia on monotone variational inequalities, Hartmann-Stampacchia (1966), Crouzeix (1997), Luc (2001) ecc., have obtained existence results for variational inequalities under weaker monotonicity assumptions or rather a substantial number of papers on existence results for solving equilibrium problems is based on different relaxed monotonicity notions and various compactness assumptions. Because it is not possible to list all results on the existence and uniqueness of solutions to variational inequalities, we consider the most fundamental results and some of their consequences.

The most basic result on the existence of a solution to the variational inequality $SVI(F, K)$, the following well known Hartman-Stampacchia theorem, requires the set K to be compact and convex and the mapping F to be continuous:

Theorem 2.1 [6]: Let K be a nonempty, compact and convex subset of R^n and let F be a continuous mapping from K into R^n . Then there exists a solution $x^* \in K$ to the problem $SVI(F, K)$, that is $S \neq \emptyset$

In general the variational inequality problem $SVI(F, K)$ can have more solution. If F is strongly monotone on K , then the problem $SVI(F, K)$ can have at most one solution, as stated by following proposition.

Proposition 2.1: Let K be a nonempty, closed, convex subset of R^n and let F be a continuous mapping from K into R^n . If F is strongly monotone on K , then there exists a unique solution to the problem $SVI(F, K)$.

Since strong monotonicity implies strict monotonicity it is possible derive the following existence and uniqueness result for variational inequality problems of the strictly monotone type.

Proposition 2.2: If F is strictly monotone on K , then the problem $SVI(F, K)$ has at most one solution.

If F is pseudomonotone, the solution set of a variational inequality is convex.

Proposition 2.3 [9]: Let K be a nonempty, closed and convex subset of R^n and let F be a continuous, pseudomonotone mapping from K into R^n .

Then x^* solves the $SVI(F, K)$ if and only if $x^* \in K$ and $\langle F(x^*), x - x^* \rangle \geq 0 \forall x \in K$. In particular, the solution on set of $SVI(F, K)$ is convex if it is nonempty.

If the mapping F is pseudomonotone or monotone, the variational inequality $SVI(F, K)$ need not have a solution. However, if a certain constraint qualification hold, then pseudomonotonicity is sufficient to establish existence:

Proposition 2.4: *Let K be a nonempty, closed, convex subset of R^n and let F be a continuous mapping from R^n into itself. If F is pseudomonotone on K and if there exists a vector $x^* \in K$ such that $F(x^*) \in \text{int}(K^*)$, where K^* is the dual cone of an arbitrary set K while $\text{int}(\cdot)$ denotes the interior of the set, then the problem $SVI(F, K)$ has a nonempty, compact, convex solution set.*

The hypotheses of continuity of F and of compactness of K do not ensure, instead, the existence of a solution for a Minty variational inequality; they don't ensure, that is, that M , the solution set of MVI , is a nonempty set. In other words even if F is continuous and is defined on a compact and convex set, a Minty variational inequality solution may not exists.

In the case in which some solution exists to $SVI(F, K)$ or to $MVI(F, K)$, that is in the case in which $S \neq \emptyset$ or $M \neq \emptyset$, to calculate such solutions we can use the so-called gap-functions. More precisely, we define:

$$H(x, y) = \langle F(y), x - y \rangle \quad \forall x, y \in K$$

and we consider the followings functions

$$s(x) = \sup\{H(x, y) : y \in K\}$$

$$m(y) = \inf\{H(x, y) : x \in K\}$$

The functions $s(x)$ and $m(y)$ are called *gap functions*, respectively, for $SVI(F, K)$ and $MVI(F, K)$. It is easy to verify that:

$$s(x) \geq 0 \quad \forall x \in K \quad \text{while} \quad m(y) \leq 0 \quad \forall y \in K$$

The following proposition characterizes the solution sets S and M in terms of gap functions $s(x)$ and $m(y)$.

Proposition 2.5:

$$S = \{a \in K : s(a) = 0\} \text{ and } M = \{a \in K : m(a) = 0\}.$$

Proof: It is obvious that $s(a) = 0$ is equivalent to

$$\max\{\langle F(a), a - y \rangle : y \in K\} = 0$$

from whose $\langle F(a), a - y \rangle \leq 0 \quad \forall y \in K$

which is equivalent to the condition a is solution of $SVI(F, K)$, that is $a \in S$.

It is easy to show that $s(x)$ is a convex function and that important existence results on $SVI(F, K)$ are obtained by J.P. Crozeix studying the compactness property of $s(x)$ [4].

The solutions of variational inequalities $SVI(F, K)$ and $MVI(F, K)$ give saddle points of a particular function defined on $K \times K$:

$$H(x, y) = \langle F(y), x - y \rangle \quad \forall (x, y) \in K \times K$$

Is known, indeed, the following result.

Proposition 2.6:

$$1. (x_0, y_0) \text{ is a saddle point for } H \Leftrightarrow \begin{cases} x_0 \text{ solves the } MVI(F, K) \\ y_0 \text{ solves the } SVI(F, K) \end{cases}$$

$$2. (x_0, y_0) \text{ is a saddle point for } H \Rightarrow H(x_0, y_0) = 0$$

From the previous proposition it follows that a method to find the solutions of $SVI(F, K)$ and $MVI(F, K)$ can be based on the search of the saddle points of the function $H(x, y)$. Furthermore, the knowledge of one solution

of $SVI(F, K)$ can be useful to search the solutions of $MVI(F, K)$ and reverse. In fact, supposing to know a solution y_0 of $SVI(F, K)$ with $F(y_0) \neq 0$, for the point 2 the set $\{x \in K : H(x_0, y_0) = 0\}$ contains the solutions of $MVI(F, K)$. A similar condition can be obtained for the solutions of $SVI(F, K)$, starting from the solution x_0 of $MVI(F, K)$.

3. Variational inequalities and optimization problems

An optimization problem is characterized by a specific objective function, typically single, that is to be minimized or maximized since, generally, represent profits, costs, portfolio risk etc. This problem can be formulated as variational inequality problem. To identify the relationship between an optimization problem and a variational inequality problem, we focus on the particular case in which K is a convex set and the function F has a primitive $f : R^n \rightarrow R$, defined and differentiable on an open set containing K , i.e. the operator F is a gradient of a function f . It can consider, then, the following variational problems:

- find a point $x^* \in K$ such that

$$SVI(f', K) \quad \langle f'(x^*), y - x^* \rangle \geq 0 \quad \forall y \in K$$

- find a point $x^* \in K$ such that

$$MVI(f', K) \quad \langle f'(y), x^* - y \rangle \leq 0 \quad \forall y \in K$$

where f' is derivative of the function $f : R^n \rightarrow R$.

These problems are called usually and respectively *Stampacchia* and *Minty variational inequality of differential type*.

The variational inequalities $SVI(f', K)$ and $MVI(f', K)$ have been widely studied mainly in relation with the

minimization of the function f over the set K . They can be related, that is, to minimization problem:

$$P(f', K) \quad \min_{x \in K} f(x)$$

where the objective function to minimize over the set K is a primitive of operator involved in the inequality itself.

In particular if $x^* \in K \subseteq R^n$, with K convex and nonempty, is a solution of $P(f, K)$ for some function $f: R^n \rightarrow R$, differentiable on an open set containing the convex set K , then x^* solves the Stampacchia differential variational inequality as stated by the following result.

Proposition 3.1 [3]: *Let K be a convex subset of R^n and let $f: R^n \rightarrow R$ differentiable on an open set containing K .*

i) If $x^ \in K$ is a solution of $P(f, K)$, then x^* solves $SVI(f', K)$.*

ii) If f is convex and $x^ \in K$ solves $SVI(f', K)$, then x^* is a solution of $P(f, K)$ and that is, is a minimum point of $f(x)$ on K .*

In other word if $F(x)$ is gradient of the differentiable function $f: R^n \rightarrow R$ and if K is convex, then $SVI(f', K)$, is a necessary optimality condition for the minimization of the function f over the set K , condition which, if f is convex, becomes also sufficient.

If, instead, $x^* \in K \subseteq R^n$, with K convex and nonempty, is a solution of a Minty differential variational inequality then x^* is also solution of $P(f, K)$. More precisely, $MVI(f', K)$ is a sufficient optimality condition, condition which becomes necessary if f is convex.

Proposition 3.2 [3]: Let K be a convex subset of R^n and let $f : R^n \rightarrow R$ be differentiable on a open set containing K .

i) If $x^* \in K$ is a solution of $MVI(f', K)$, then x^* is a solution of $P(f, K)$.

ii) If f is convex and x^* is a solution of $P(f, K)$, then x^* solves $MVI(f', K)$.

Remark 1: If, in point i) of Proposition 3.2, we suppose that x^* is a “strict solution” of $MVI(f', K)$, i.e.:

$$\langle f'(y), y - x^* \rangle < 0 \quad \forall y \in K, y \neq x^*$$

then it is possible to prove that x^* is the unique solution of $P(f, K)$.

Remark 2: In both propositions the convexity of f is necessary to prove only one of the implications. Such hypothesis can be weakened with the pseudo-convexity.

Therefore, in the case that the variational inequality formulation of the equilibrium conditions underlying a specific problem is characterized by a function with a symmetric jacobian, then the solution of equilibrium conditions and the solution of a particular optimization problem are one and the same.

$MVI(f', K)$ has a geometric interpretation that is at the base of so-called Minty variational principle: it means that, for the function f , regardless in which point of K one is, if one moves toward a minimum point x^* , then the directional derivative must be nonpositive.

It is Known that $MVI(f', K)$ characterize a Kind of equilibrium more qualified than Stampacchia variational inequalities: it seems that an “equilibrium” modelled through a $MVI(f', K)$ is more regular that one modelled through a $SVI(f', K)$. This conclusion leads to argue that when a $MVI(F, K)$ admits a solution and the operator F admits a primitive f (i.e. the function f to minimize is such that $F = f'$), then f has some regularity property, i.e. convexity or generalized convexity. In other word the solution of $MVI(f', K)$ exists if the considered function f obeys some generalized convexity property. In the case of one variable ($n = 1$) we observe that it must be quasi-convex.

Proposition 3.4: *Let $K \subseteq R^n$ be convex and $f : R \rightarrow R$. If there exists a solution x^* of $MVI(f', K)$, then f is quasi-convex.*

Proof: In this case $MVI(f', K)$ is $f'(y)(x^* - y) \leq 0 \quad \forall y \in K$. This involves that the function is nondecreasing on each half-line with origin at x^* , and hence is quasi-convex.

In the case of several variables ($n \geq 2$) the existence of a solution does not necessarily imply quasi-convexity of the function but implies star-shapedness of the level sets of the function f at a point which is a solution of $MVI(f', K)$.

Proposition 3.5: *Let $f : K \subseteq R^n \rightarrow R$ be. If x^* is a solution $MVI(f', K)$ and K is star-shaped at x^* , then all the nonempty level sets of f :*

$$lev_c f := \{x \in K : f(x) \leq c\} \quad \forall c \in R$$

are star-shaped at x^ .*

This proposition can be regarded as a convexity-type condition: recall that, by definition, a function $f : K \rightarrow R$ is quasi-convex if and only if its level sets are convex.

Definition 3.1: A set K is said to be star-shaped at $x \in K$ if and only if $z = x + t(y - x) \in K \quad \forall y \in K \quad \text{and} \quad \forall t \in [0,1]$.

Definition 3.2: Let K be a subset of R^n .

i) the set $Ker K = K^\diamond = \{x^* \in K : [x^*, x] \subseteq K, \quad \forall x \in K\}$ is called the Kernel of K ;

ii) the nonempty set K is said star-shaped if $Ker K \neq \emptyset$.

Under convexity assumption of the set K , a necessary condition for existence of a solution of $MVI(f', K)$ is that the intersection of the Kernels of the level sets is nonempty.

Proposition 3.6: If $K \subseteq R^n$ is convex and nonempty and $\bigcap_{c > \bar{c}} (lev_c f)^\diamond = \emptyset$, with $\bar{c} = \inf_K f(x)$, then $MVI(f', K)$ has not solutions.

References

- [1] Baiocchi C.-Capelo A.: *Variational and Quasivariational Inequalities. Applications to Free-Boundary Problems*, J.Willey, New York, 1984.
- [2] Crespi G. P.- Ginchev I. - Rocca M.: *Variational inequalities in vector optimization*. Variational Analysis and Applications "Proceeding of the Workshop hold in Erice, Kluwer, 2003. (To appear)
- [3] Crespi G. P.- Guerraggio A.- Rocca M.: *Minty variational inequality and optimization: scalar and vector case*. Proceeding of the VII International Conference on Generalized Convexity and Monotonicity, Hanoi, 2002, Kluwer,. (to appear)
- [4] Crouzeix J.P.: *Pseudomonotone variational inequality problems: existence of solutions*. Mathematical Programming , 78, 1997.
- [5] Facchinei F.-Pang J.S.: *Finite dimensional variational inequalities and complementarity problems*. Springer-Verlag, Berlino, 2003.
- [6] Hartman P. - Stampacchia G.: *On some nonlinear elliptic differential functional equations* . Acta Mathematica 115, 1966.
- [7] John R.: *Variational inequalities and pseudomonotone functions: some characterizations*. Generalized Convexity, Generalized Monotonicity, Kluwer, Dordrecht, 1998.
- [8] John R.: *A note on Minty Variational Inequality and Generalized Monotonicity*. Generalized Convexity and Generalized Monotonicity. Lecture notes in Economics and Mathematical System, Springer, Berlin, vol 502, 2001.

[9] Karamardian S.: *An existence theorem for the complementarity problem*. Journal of Optimization Theory and Applications, 18, 1976.

[10] Kinderlehrer D. and Stampacchia G.: *An introduction to variational inequalities and their applications*, Academic Press, New York, 1980.

[11] Rubinov A. M.: *Abstract convexity and global optimization*, Kluwer, Dordrecht, 2000.

[12] Yao J.C.: *Variational inequalities with generalized monotone operators*, Math. Oper.Res. 19,1994.

WORKING PAPERS DEL DIPARTIMENTO

- 1988, 3.1 Guido CELLA
Linkages e moltiplicatori input-output.
- 1989, 3.2 Marco MUSELLA
La moneta nei modelli di inflazione da conflitto.
- 1989, 3.3 Floro E. CAROLEO
Le cause economiche nei differenziali regionali del tasso di disoccupazione.
- 1989, 3.4 Luigi ACCARINO
Attualità delle illusioni finanziarie nella moderna società.
- 1989, 3.5 Sergio CESARATTO
La misurazione delle risorse e dei risultati delle attività innovative: una valutazione dei risultati dell'indagine CNR- ISTAT sull'innovazione tecnologica.
- 1990, 3.6 Luigi ESPOSITO - Pasquale PERSICO
Sviluppo tecnologico ed occupazionale: il caso Italia negli anni '80.
- 1990, 3.7 Guido CELLA
Matrici di contabilità sociale ed analisi ambientale.
- 1990, 3.8 Guido CELLA
Linkages e input-output: una nota su alcune recenti critiche.
- 1990, 3.9 Concetto Paolo VINCI
I modelli econometrici sul mercato del lavoro in Italia.
- 1990, 3.10 Concetto Paolo VINCI
Il dibattito sul tasso di partecipazione in Italia: una rivisitazione a 20 anni di distanza.
- 1990, 3.11 Giuseppina AUTIERO
Limiti della coerenza interna ai modelli con la R.E.H..
- 1990, 3.12 Gaetano Fausto ESPOSITO
Evoluzione nei distretti industriali e domanda di istituzione.
- 1990, 3.13 Guido CELLA
Measuring spatial linkages: input-output and shadow prices.
- 1990, 3.14 Emanuele SALSANO
Seminari di economia.

- 1990, 3.15 Emanuele SALSANO
Investimenti, valore aggiunto e occupazione in Italia in contesto biregionale: una prima analisi dei dati 1970/1982.
- 1990, 3.16 Alessandro PETRETTO- Giuseppe PISAURO
Uniformità vs selettività nella teoria della ottima tassazione e dei sistemi tributari ottimali.
- 1990, 3.17 Adalgiso AMENDOLA
Inflazione, disoccupazione e aspettative. Aspetti teorici dell'introduzione di aspettative endogene nel dibattito sulla curva di Phillips.
- 1990, 3.18 Pasquale PERSICO
Il Mezzogiorno e le politiche di sviluppo industriale.
- 1990, 3.19 Pasquale PERSICO
Priorità delle politiche strutturali e strategie di intervento.
- 1990, 3.20 Adriana BARONE - Concetto Paolo VINCI
La produttività nella curva di Phillips.
- 1990, 3.21 Emiddio GALLO
Varianze ed invarianze socio-spaziali nella transizione demografica dell'Italia post-industriale.
- 1991, 3.22 Alfonso GAMBARDELLA
I gruppi etnici in Nicaragua. Autonomia politica ed economica.
- 1991, 3.23 Maria SCATTAGLIA
La stima empirica dell'offerta di lavoro in Italia: una rassegna.
- 1991, 3.24 Giuseppe CELI
La teoria delle aree valutarie: una rassegna.
- 1991, 3.25 Paola ADINOLFI
Relazioni industriali e gestione delle risorse umane nelle imprese italiane.
- 1991, 3.26 Antonio e Bruno PELOSI
Sviluppo locale ed occupazione giovanile: nuovi bisogni formativi.
- 1991, 3.27 Giuseppe MARIGLIANO
La formazione del prezzo nel settore dell'intermediazione commerciale.
- 1991, 3.28 Maria PROTO
Risorse naturali, merci e ambiente: il caso dello zolfo.
- 1991, 3.29 Salvatore GIORDANO
Ricerca sullo stato dei servizi nelle industrie del salernitano.

- 1992, 3.30 Antonio LOPES
Crisi debitoria e politiche macroeconomiche nei paesi in via di sviluppo negli anni 80.
- 1992, 3.31 Antonio VASSILLO
Circuiti economici semplici, complessi, ed integrati.
- 1992, 3.32 Gaetano Fausto ESPOSITO
Imprese ed istituzioni nel Mezzogiorno: spunti analitici e modalità di relazione.
- 1992, 3.33 Paolo COCCORESE
Un modello per l'analisi del sistema pensionistico.
- 1994, 3.34 Aurelio IORI
Il comparto dei succhi di agrumi: un caso di analisi interorganizzativa.
- 1994, 3.35 Nicola POSTIGLIONE
Analisi multicriterio e scelte pubbliche.
- 1994, 3.36 Adriana BARONE
Cooperazione nel dilemma del prigioniero ripetuto e disoccupazione involontaria.
- 1994, 3.37 Adriana BARONE
Le istituzioni come regolarità di comportamento.
- 1994, 3.38 Maria Giuseppina LUCIA
Lo sfruttamento degli idrocarburi offshore tra sviluppo economico e tutela dell'ambiente.
- 1994, 3.39 Giuseppina AUTIERO
Un'analisi di alcuni dei limiti strutturali alle politiche di stabilizzazione nei LCDs.
- 1994, 3.40 Bruna BRUNO
Modelli di contrattazione salariale e ruolo del sindacato.
- 1994, 3.41 Giuseppe CELI
Cambi reali e commercio estero: una riflessione sulle recenti interpretazioni teoriche.
- 1995, 3.42 Alessandra AMENDOLA, M. Simona ANDREANO
The TAR models: an application on italian financial time series.
- 1995, 3.43 Leopoldo VARRIALE
Ambiente e turismo: Parco dell'Iguazù - Argentina.

- 1995, 3.44 A. PELOSI, R. LOMBARDI
Fondi pensione: equilibrio economico-finanziario delle imprese.
- 1995, 3.45 Emanuele SALSANO, Domenico IANNONE
Economia e struttura produttiva nel salernitano dal secondo dopoguerra ad oggi.
- 1995, 3.46 Michele LA ROCCA
Empirical likelihood and linear combinations of functions of order statistics.
- 1995, 3.47 Michele LA ROCCA
L'uso del bootstrap nella verosimiglianza empirica.
- 1996, 3.48 Domenico RANESI
Le politiche CEE per lo sviluppo dei sistemi locali: esame delle diverse tipologie di intervento e tentativo di specificazione tassonomica.
- 1996, 3.49 Michele LA ROCCA
L'uso della verosimiglianza empirica per il confronto di due parametri di posizione.
- 1996, 3.50 Massimo SPAGNOLO
La domanda dei prodotti della pesca in Italia.
- 1996, 3.51 Cesare IMBRIANI, Filippo REGANATI
Macroeconomic stability and economic integration. The case of Italy.
- 1996, 3.52 Annarita GERMANI
Gli effetti della mobilitazione della riserva obbligatoria. Analisi sull'efficienza del suo utilizzo.
- 1996, 3.53 Massimo SPAGNOLO
A model of fish price formation in the north sea and the Mediterranean.
- 1996, 3.54 Fernanda MAZZOTTA
RTFL: problemi e soluzioni per i dati Panel.
- 1996, 3.55 Angela SPAGNUOLO
Concentrazione industriale e dimensione del mercato: il ruolo della spesa per pubblicità e R&D.
- 1996, 3.56 Giuseppina AUTIERO
The economic case for social norms.
- 1996, 3.57 Francesco GIORDANO
Sulla convergenza degli stimatori Kernel.
- 1996, 3.58 Tullio JAPPELLI, Marco PAGANO
The determinants of saving: lessons from Italy.

- 1997, 3.59 Tullio JAPPELLI
The age-wealth profile and the life-cycle hypothesis: a cohort analysis with a time series of cross sections of Italian households.
- 1997, 3.60 Marco Antonio MONACO
La gestione dei servizi di pubblico interesse.
- 1997, 3.61 Marcella ANZOLIN
L'albero della qualità dei servizi pubblici locali in Italia: metodologie e risultati conseguiti.
- 1997, 3.62 Cesare IMBRIANI, Antonio LOPES
Intermediazione finanziaria e sistema produttivo in un'area dualistica. Uno studio di caso.
- 1997, 3.63 Tullio JAPPELLI
Risparmio e liberalizzazione finanziaria nell'Unione europea.
- 1997, 3.64 Alessandra AMENDOLA
Analisi dei dati di sopravvivenza.
- 1997, 3.65 Francesco GIORDANO, Cira PERNA
Gli stimatori Kernel per la stima non parametrica della funzione di regressione.
- 1997, 3.66 Biagio DI SALVIA
Le relazioni marittimo-commerciali nell'imperiale regio litorale austriaco nella prima metà dell'800.
I. Una riclassificazione delle Tafeln zur Statistik der Österreichischen Monarchie.
- 1997, 3.67 Alessandra AMENDOLA
Modelli non lineari di seconda e terza generazione: aspetti teorici ed evidenze empiriche.
- 1998, 3.68 Vania SENA
L'analisi econometrica dell'efficienza tecnica. Un'applicazione agli ospedali italiani di zona.
- 1998, 3.69 Domenico CERBONE
Investimenti irreversibili.
- 1998, 3.70 Antonio GAROFALO
La riduzione dell'orario di lavoro è una soluzione al problema disoccupazione: un tentativo di analisi empirica.
- 1998, 3.71 Jacqueline MORGAN, Roberto RAUCCI
New convergence results for Nash equilibria.

- 1998, 3.72 Rosa FERRENTINO
Niels Henrik Abel e le equazioni algebriche.
- 1998, 3.73 Marco MICOCCI, Rosa FERRENTINO
Un approccio markoviano al problema della valutazione delle opzioni.
- 1998, 3.74 Rosa FERRENTINO, Ciro CALABRESE
Rango di una matrice di dimensione K.
- 1999, 3.75 Patrizia RIGANTI
L'uso della valutazione contingente per la gestione del patrimonio culturale: limiti e potenzialità.
- 1999, 3.76 Annamaria NESE
Il problema dell'inefficienza nel settore dei musei: tecniche di valutazione.
- 1999, 3.77 Gianluigi COPPOLA
Disoccupazione e mercato del lavoro: un'analisi su dati provinciali.
- 1999, 3.78 Alessandra AMENDOLA
Un modello soglia con eteroschedasticità condizionata per tassi di cambio.
- 1999, 3.79 Rosa FERRENTINO
Su un'applicazione della trasformata di Laplace al calcolo della funzione asintotica di non rovina.
- 1999, 3.80 Rosa FERRENTINO
Un'applicazione della trasformata di Laplace nel caso di una distribuzione di Erlang.
- 1999, 3.81 Angela SPAGNUOLO
Efficienza e struttura degli incentivi nell'azienda pubblica: il caso dell'industria sanitaria.
- 1999, 3.82 Antonio GAROFALO, Cesare IMBRIANI, Concetto Paolo VINCI
Youth unemployment: an insider-outsider dynamic approach.
- 1999, 3.83 Rosa FERRENTINO
Un modello per la determinazione del tasso di riequilibrio in un progetto di fusione tra banche.
- 1999, 3.84 DE STEFANIS, PORZIO
Assessing models in frontier analysis through dynamic graphics.
- 1999, 3.85 Annunziato GESUALDI
Inflazione e analisi delle politiche fiscali nell'U.E..
- 1999, 3.86 R. RAUCCI, L. TADDEO
Dalle equazioni differenziali alle funzioni e^x , $\log x$, a^x , $\log_a x$, x^x .

- 1999, 3.87 Rosa FERRENTINO
Sulla determinazione di numeri aleatori generati da equazioni algebriche.
- 1999, 3.88 C. PALMISANI, R. RAUCCI
Sulle funzioni circolari: una presentazione non classica.
- 2000, 3.89 Giuseppe STORTI, Pierluigi FURCOLO, Paolo VILLANI
A dynamic generalized linear model for precipitation forecasting.
- 2000, 3.90 Rosa FERRENTINO
Un procedimento risolutivo per l'equazione di Dickson.
- 2000, 3.91 Rosa FERRENTINO
Un'applicazione della mistura di esponenziali alla teoria del rischio.
- 2000, 3.92 Francesco GIORDANO, Michele LA ROCCA, Cira PERNA
Bootstrap variance estimates for neural networks regression models.
- 2000, 3.93 Alessandra AMENDOLA, Giuseppe STORTI
A non-linear time series approach to modelling asymmetry in stock market indexes.
- 2000, 3.94 Rosa FERRENTINO
Sopra un'osservazione di De Vylder.
- 2000, 3.95 Massimo SALZANO
Reti neurali ed efficacia dell'intervento pubblico: previsioni dell'inquinamento da traffico nell'area di Villa S. Giovanni.
- 2000, 3.96 Angela SPAGNUOLO
Concorrenza e deregolamentazione nel mercato del trasporto aereo in Italia.
- 2000, 3.97 Roberto RAUCCI, Luigi TADDEO
Teoremi ingannevoli.
- 2000, 3.98 Francesco GIORDANO
Una procedura per l'inizializzazione dei pesi delle reti neurali per l'analisi del trend.
- 2001, 3.99 Angela D'ELIA
Some methodological issues on multivariate modelling of rank data.
- 2001, 3.100 Roberto RAUCCI, Luigi TADDEO
Nuove classi di funzioni scalari quasiconcave generalizzate: caratterizzazioni ed applicazioni a problemi di ottimizzazione.
- 2001, 3.101 Adriana BARONE, Annamaria NESE
Some insights into night work in Italy.
- 2001, 3.102 Alessandra AMENDOLA, Marcella NIGLIO

Predictive distributions of nonlinear time series models.

- 2001, 3.103 Roberto RAUCCI
Sul concetto di certo equivalente nella teoria HSSB.
- 2001, 3.104 Roberto RAUCCI, Luigi TADDEO
On stackelberg games: a result of unicity.
- 2001, 3.105 Roberto RAUCCI
Una definizione generale e flessibile di insieme limitato superiormente in \mathfrak{R}^n
- 2001, 3.106 Roberto RAUCCI
Stretta quasiconcavit  nelle forme funzionali flessibili.
- 2001, 3.107 Roberto RAUCCI
Sugli insiemi limitati in \mathfrak{R}^m rispetto ai coni.
- 2001, 3.108 Roberto RAUCCI
Monotonie, isotonie e indecomponibilit  deboli per funzioni a valori vettoriali con applicazioni.
- 2001, 3.109 Roberto RAUCCI
Generalizzazioni del concetto di debole Kuhn-Tucker punto-sella.
- 2001, 3.110 Antonia Rosa GURRIERI, Marilene LORIZIO
Le determinanti dell'efficienza nel settore sanitario. Uno studio applicato.
- 2001, 3.111 Gianluigi COPPOLA
Studio di una provincia meridionale attraverso un'analisi dei sistemi locali del lavoro. Il caso di Salerno.
- 2001, 3.112 Francesco GIORDANO
Reti neurali per l'analisi del trend: un approccio per identificare la topologia della rete.
- 2001, 3.113 Marcella NIGLIO
Nonlinear time series models with switching structure: a comparison of their forecast performances.
- 2001, 3.114 Damiano FIORILLO
Capitale sociale e crescita economica. Review dei concetti e dell'evidenza empirica.
- 2001, 3.115 Roberto RAUCCI, Luigi TADDEO
Generalizzazione del concetto di continuit  e di derivabilit .
- 2001, 3.116 Marcella NIGLIO
Ricostruzione dei dati mancanti in serie storiche climatiche.

- 2001, 3.117 Vincenzo VECCHIONE
Mutamenti del sistema creditizio in un'area periferica.
- 2002, 3.118 Francesco GIORDANO, Michele LA ROCCA, Cira PERNA
Bootstrap variable selection in neural network regression models.
- 2002, 3.119 Roberto RAUCCI, Luigi TADDEO
Insiemi debolmente convessi e concavità in senso generale.
- 2002, 3.120 Vincenzo VECCHIONE
Know how locali e percorsi di sviluppo in aree e settori marginali.
- 2002, 3.121 Michele LA ROCCA, Cira PERNA
Neural networks with dependent data.
- 2002, 3.122 Pietro SENESI
Economic dynamics: theory and policy. A stability analysis approach.
- 2002, 3.123 Gianluigi COPPOLA
Stima di un indicatore di pressione ambientale: un'applicazione ai comuni della Campania.
- 2002, 3.124 Roberto RAUCCI
Sull'esistenza di autovalori e autovettori positivi anche nel caso non lineare.
- 2002, 3.125 Maria Carmela MICCOLI
Identikit di giovani lucani.
- 2002, 3.126 Sergio DESTEFANIS, Giuseppe STORTI
Convexity, productivity change and the economic performance of countries.
- 2002, 3.127 Giovanni C. PORZIO, Maria Prosperina VITALE
Esplorare la non linearità nei modelli Path.
- 2002, 3.128 Rosa FERRENTINO
Sulla funzione di Seal.
- 2003, 3.129 Michele LA ROCCA, Cira PERNA
Identificazione del livello intermedio nelle reti neurali di tipo feedforward.
- 2003, 3.130 Alessandra AMENDOLA, Marcella NIGLIO, Cosimo VITALE
The exact multi-step ahead predictor of SETARMA models.
- 2003, 3.131 Mariangela BONASIA
La dimensione ottimale di un sistema pensionistico: means tested vs programma universale.
- 2003, 3.132 Annamaria NESE
Abitazione e famiglie a basso reddito.

- 2003, 3.133 Maria Lucia PARRELLA
Le proprietà asintotiche del Local Polynomial Bootstrap.
- 2003, 3.134 Silvio GIOVE, Maurizio NORDIO, Stefano SILVONI
Stima della prevalenza dell'insufficienza renale cronica con reti bayesiane: analisi costo efficacia delle strategie di prevenzione secondaria.
- 2003, 3.135 Massimo SALZANO
Globalization, complexity and the holism of the italian school of public finance.
- 2003, 3.136 Giuseppina AUTIERO
Labour market institutional systems and unemployment performance in some Oecd countries.
- 2003, 3.137 Marisa FAGGINI
Recurrence analysis for detecting non-stationarity and chaos in economic times series.
- 2003, 3.138 Marisa FAGGINI, Massimo SALZANO
The reverse engineering of economic systems. Tools and methodology.
- 2003, 3.139 Rosa FERRENTINO
In corso di pubblicazione.
- 2003, 3.140 Rosa FERRENTINO, Roberto RAUCCI
Sui problemi di ottimizzazione in giochi di Stackelberg ed applicazioni in modelli economici.
- 2003, 3.141 Carmine SICA
In corso di pubblicazione.
- 2004, 3.142 Sergio DESTEFANIS, Antonella TADDEO, Maurizio TORNATORE
The stock of human capital in the Italian regions.
- 2004, 3.143 Elena Laureana DEL MERCATO
Edgeworth equilibria with private provision of public good.
- 2004, 3.144 Elena Laureana DEL MERCATO
Externalities on consumption sets in general equilibrium.
- 2004, 3.145 Rosa FERRENTINO, Roberto RAUCCI
Su alcuni criteri delle serie a termini non negativi.
- 2004, 3.146 Rosa FERRENTINO, Roberto RAUCCI
Legame tra le soluzioni di Minty e di Stempacenhia nelle disequazioni variazionali.

- 2004, 3.147 Gianluigi COPPOLA
In corso di pubblicazione.
- 2004, 3.148 Massimo Spagnolo
The Importance of Economic Incentives in Fisheries Management
- 2004, 3.149 F. Salsano
La politica monetaria in presenza di non perfetta osservabilità degli obiettivi del banchiere centrale.
- 2004, 3.150 A. Vita
La dinamica del cambiamento nella rappresentazione del territorio. Una mappa per i luoghi della Valle dell'Irno.
- 2004, 3.151 Celi
Empirical Explanation of vertical and horizontal intra-industry trade in the UK: a comment.
- 2004, 3.152 Amendola – P. Vitale
Self-Assessment and Career Choices: An On-line resource for the University of Salerno.
- 2004, 3.153 A. Amendola – R. Troisi
Introduzione all'economia politica dell'organizzazione: nozioni ed applicazioni.
- 2004, 3.154 A. Amendola – R. Troisi
Strumenti d'incentivo e modelli di gestione del personale volontario nelle organizzazioni non profit.
- 2004, 3.155 Lavinia Parisi
La gestione del personale nelle imprese manifatturiere della provincia di Salerno.
- 2004, 3.156 Angela Spagnuolo – Silvia Keller
La rete di accesso all'ultimo miglio: una valutazione sulle tecnologie alternative.
- 2005, 3.157 Davide Cantarelli
Elasticities of Complementarity and Substitution in Some Functional Forms. A Comparative Review.
- 2005, 3.158 Pietro Coretto – Giuseppe Storti
Subjective Expectations in Economics: a Statistical overview of the main findings.
- 2005, 3.159 Pietro Coretto – Giuseppe Storti
Moments based inference in small samples.

- 2005, 3.160 Massimo Salzano
Una simulazione neo-keynesiana ad agenti eterogeni.
- 2005, 3.161 Rosa Ferrentino
Su alcuni paradossi della teoria degli insiemi.
- 2005, 3.162 Damiano Fiorillo
Capitale sociale: uno o molti? Pochi.
- 2005, 3.163 Damiano Fiorillo
Il capitale sociale conta per outcomes (macro) economici?.
- 2005, 3.164 Damiano Fiorillo – Guadalupi Luigi
*Attività economiche nel distretto industriale di Nocera inferiore – Gragnano.
Un'analisi su Dati Tagliacarne.*
- 2005, 3.165 Rosa Ferrentino
Pointwise well-posedness in vector optimization and variational inequalities.
- 2005, 3.166 Roberto Iorio
La ricerca universitaria verso il mercato per il trasferimento tecnologico e rischi per l'Open Science: posizioni teoriche e filoni di indagine empirica.
- 2005, 3.167 Marisa Faggini
The chaotic system and new perspectives for economics methodology. A note.
- 2005, 3.168 Francesco Giordano
Weak consistent moving block bootstrap estimator of sampling distribution of CLS estimators in a class of bilinear models
- 2005, 3.169 Edgardo Sica
Tourism as determinant of economic growth: the case of south-east asian countries.
- 2005, 3.170 Rosa Ferrentino
On Minty variational inequalities and increasing along rays functions.

Stampa a cura della C.U.S.L. Cooperativa Universitaria Studio e Lavoro, Via Ponte Don Melillo, Fisciano per conto Del Dipartimento di Scienze Economiche e Statistiche