

CERN UNIX User Guide

Version 1.02

CN/DCI/164

Tracey Appleby, Harry Renshall, Judy Richards, Alan Silverman

July 14, 1994

ACKNOWLEDGEMENTS

Much of the information in this Guide is not original; we are indebted to the authors of the "UNIX at Fermilab Guide" and the authors of the "GSI UNIX Primer" for permitting us to include information lifted from those two excellent publications. We also thank other CERN colleagues for helping us with particular sections and with the numerous edits which were necessary to correct our initial drafts. Information in this Guide is not copyright but any use in other documents should include not only acknowledgement to this source but also to the FNAL and GSI guides as well.

This Guide is by no means guaranteed free from error, especially considering the range of UNIX architectures and environments it is intended to cover. Readers are encouraged to send comments and error reports to Alan Silverman at the e-mail address Alan.Silverman@cern.ch.

Copies of this Guide can be found as follows:

AFS - If your node is an AFS client in CERN - file `usr/local/doc/unixguide.ps`
Otherwise - file `/afs/cern.ch/asis/share/usr.local/doc/unixguide.ps`

Anonymous ftp - file `asisftp.cern.ch:pub/doc/unixguide.ps`

WWW - postscript - the full postscript file can be found under the Documents Section of the UNIX Workstation Support Page, URL - <http://wsspinfo.cern.ch/file/documents>

WWW - html - the HTML version is also available at the URL
<http://wsspinfo.cern.ch/file/documents> and has options for selecting by contents pages or Index entries. You will also find symbols defined to show footnotes and forward and backward references.

Paper copies - Document CN/DCI/164 at the self service shelves at the UCO, Building 513

Change Record

Version 1.00	1 July 1994	First general release
Version 1.01	11 July 1994	HTML address of Guide added
Version 1.02	14 July 1994	UCO Book List and purchase scheme updated. AFS address of Guide modified

Contents

1	Introduction	7
1.1	Getting a UNIX Account	7
1.2	Login, Logout, Setting Passwords	8
1.2.1	Login	8
1.2.2	Logout	8
1.2.3	Setting Passwords	9
2	UNIX Shells	10
2.1	Entering Commands	11
2.2	Path	12
2.3	Processes	12
2.4	Standard Input, Output and Redirection	13
2.5	Pipes	14
2.6	Shell Scripts	15
2.7	Filters	15
2.8	Regular Expressions	16
3	Working Environment	18
3.1	Environment Variables	18
3.1.1	Setting Environment Variables	19
3.1.2	Getting Values of Environment Variables	19
3.1.3	A Summary of some useful Environment variables	20
3.1.4	Changing Your Command Prompt	20
3.2	The Profile Files	21
3.3	Terminal Characteristics	23

3.3.1	Keyboards	23
3.4	Alias	24
3.5	Recalling Commands: history	25
3.5.1	C Shell	25
3.5.2	Korn Shell Command Line Editing	26
3.5.3	Command Line Editing in Other Shells	26
4	File System	27
4.1	File Structure	27
4.1.1	Naming Directories and Files	27
4.1.2	Rules for Naming and Accessing Files	27
4.2	List of Simple File System Commands	28
4.2.1	Displaying the contents of a directory: ls	28
4.2.2	Changing the Working Directory: cd	29
4.2.3	Determining Your Working Directory: pwd	29
4.2.4	Creating a New Directory: mkdir	29
4.2.5	Removing an Existing Directory: rmdir	29
4.2.6	Renaming a Directory: mv	30
4.2.7	Displaying the Contents of a File: cat,more , etc	30
4.2.8	Renaming a File: mv	30
4.2.9	Copying a File: cp	31
4.2.10	Deleting a File: rm	31
4.2.11	File and Directory Permissions	31
4.2.12	Determining Permission: ls -l	31
4.2.13	Changing Permission: chmod	32
4.3	File Backup	33
4.4	AFS Overview	35
5	Communications	36
5.1	Internet Overview	36
5.1.1	Internet addresses	36
5.1.2	Internet Services	36

5.2	Remote Login	37
5.2.1	Remote Processing	37
5.2.2	telnet	38
5.2.3	rlogin	38
5.3	Remote File Access	39
5.3.1	ftp	39
5.3.2	rcp	41
5.4	Remote Shell	42
5.4.1	rsh	42
5.4.2	remsh	43
5.4.3	rexec	44
5.5	Mail	44
5.5.1	Getting Started with mail	44
5.5.2	Getting started with mailx	45
5.5.3	Useful facilities	46
5.5.4	The elm mail system	46
5.5.5	The pine mail system	47
5.5.6	How to get help with problems	47
5.6	Printing	47
5.6.1	Printing with lpr	47
5.6.2	Some Useful Unix Print Functions	49
5.6.3	Printing with lp	49
5.6.4	Printing with LATEX	50
5.7	Connecting to CERNVM	50
5.7.1	Alphanumeric sessions - 3270	50
5.7.2	Access with graphics capabilities - x3270	50
5.7.3	Access via telnet - tagibm	51
6	File Editing	52
6.1	vi	52
6.1.1	Operating Modes	52

6.1.2	Starting vi	52
6.1.3	Exiting vi	53
6.1.4	vi Command Mode	53
6.1.5	ex Command Mode	53
6.1.6	Basic vi Keystrokes	54
6.1.7	The .exrc File	56
6.1.8	More about vi	56
6.2	GNU emacs	56
6.2.1	Emacs Commands	56
6.2.2	Starting emacs	57
6.2.3	Exiting emacs	57
6.2.4	Emacs Screen	57
6.2.5	Emacs modes	57
6.2.6	Basic emacs Keystrokes	58
6.2.7	More information about emacs	60
7	Software Development	61
7.1	Compiling and Linking Programs in Unix	61
7.2	Compile, Link, Run	61
7.3	Important Platform Dependant Differences	62
7.4	Libraries	62
7.4.1	The cernlib command	63
7.5	Compiling and Linking Options	63
7.5.1	man page for Fortran	65
7.6	Creating and maintaining your own libraries	65
8	Applications	66
8.1	ASIS	66
8.2	CORE (CSF,SHIFT,PIAF)	67
8.2.1	CSF	68
8.2.2	SHIFT	68
8.2.3	PIAF	68

8.3	PaRC	68
8.4	NQS, NQS++	68
9	Getting Help	69
9.1	man pages	69
9.2	Vendor Online Help	70
9.2.1	IBM	70
9.2.2	HP	70
9.2.3	DEC	70
9.2.4	SUN	70
9.3	Information Servers	71
9.3.1	World Wide Web (WWW)	71
9.3.2	phone	72
9.3.3	emdir	72
9.4	News	73
9.4.1	NetNews	73
9.4.2	Newsreaders	74
	Bibliography	76
A	Commonly Used Unix Commands	77
A.1	Managing Directories	77
A.2	Managing Files	77
A.3	Managing Jobs	78
A.4	On-line Help	78
A.5	System Information	78
A.6	Utility Programs	78
A.7	Directory Identifiers	79
A.8	Special Characters	79
B	Glossary	80

Chapter 1

Introduction

The objective of this guide is not to teach you basic UNIX, but to tell you about the aspects that are specific to CERN. Nevertheless, Chapter 2 gives a brief overview of the main features of UNIX giving some examples from the Ultrix Operating System while Chapter 3 goes into more detail about file handling. If you have little or no experience with UNIX we recommend you get the book, "A Practical Guide to the UNIX System" by Mark G. Sobell [1], available from the User Consultancy office in building 513, sold at 60 SFr. Another book which might be of interest is "UNIX for VMS Users" published by Digital Press and available from the UCO for 55 SFr [17]. For users wishing to do some C programming, also available is "A Book on C" by Al Kelley and Ira Pohl for 50 SFr [2] and the "C++ Primer" by Stanley Lippman. For Fortran 90, the book "Fortran 90 Explained" by Metcalf and Reed [3] is also available there for 30 SFr. Anyone wishing to purchase any of these should send a mail to UCOWBOOKS@CERNVM stating which book they wish to purchase and on which budget code; an electronic internal budget transfer (EDH) form will be generated and sent for approval. Alternatively, you may make out a paper request, the so-called TID form, and take this to the UCO.

In the formats displayed in this manual, **bold** indicates characters to be typed as is, and ***bold italic*** indicates arguments to be substituted. Examples are shown in typewriter font. Note that some examples are specific to certain architectures and may not work across all platforms; consult the man pages of your local system for full details.

We should also point out that work is currently in progress to define a default UNIX environment for new users. This Guide tries to illustrate some of the implications of this work by giving examples of recommended utilities. However, for more details on this work, the reader should consult the system manager of his or her local system in order to determine which parts of that environment are implemented and hence which further documentation it may be necessary to read.

1.1 Getting a UNIX Account

In order to obtain an account on any central system you must first contact your Group Administrator who will register you on the necessary systems once you have read the Computer Rules and signed the registration form. This form must then be sent or taken to the UCO in building 513 where your account(s) will be validated. For UNIX accounts a User Identification Number (UID) will be given. This is a unique number that is given to your account-name and is valid over all UNIX-type platforms at CERN. Even for those who have private workstations only, it is advisable to see your Group Administrator and be granted a UID number, even without being registered on the central services, so that this number is reserved for your use.

1.2 Login, Logout, Setting Passwords

1.2.1 Login

Once you have an account on a central machine you may login from any connected terminal. If you have to buy a terminal for your office first refer to the "CN Terminal Co-ordination Service - A User Guide" available at the UCO. This will help you choose the type of terminal you might wish to purchase. Note that at the present time, the use of X terminals is recommended rather than simple dumb ASCII terminals.

The following are some ways that you can access a UNIX system:

- Log into the workstation console directly (in other words, it is on or under your own desk). Consult the instructions for your workstation.
- Connect to it from another UNIX platform or from a VMS platform with Multinet or similar TCP/IP support installed:

**telnet *host* or
rlogin *host***

- Access the system from a terminal server that supports IP or LAT; at CERN it will almost certainly be a DECserver. This means when you power up your terminal you have a prompt of some sort, for example **Local>**. Enter SHOW SERVICES to tell if the system you want to connect to is known by that terminal server. By simply typing

c dxcern

you will be connected and be able to login (to node dxcern in this example).

- Access a UNIX system from an X terminal: for this discussion, it is assumed that you have successfully initialised and booted your X terminal. For help in this, see the CERN X Terminal Administrators Guide available at the UCO Self Service or via WWW (see entry UNIX Workstation Support on the CERN Computing Home Page). From an NCD X Terminal as normally installed at CERN, call up a Telnet window (Option Terminals on the Option Menu) and enter the name of the desired UNIX system and then select Connect.

The system will prompt for your login name and password.

Remember that UNIX is a case sensitive environment and so MYFILE, Myfile and myfile are three different filenames and FRED, Fred and fred are three different login names. Note, if you do use upper case to log in, UNIX may assume you have an upper case only terminal and you will have very limited capability. If you do so, either logout and log back in again or enter the command "**stty -lcase**".

1.2.2 Logout

The logout procedure is both shell- as well as system- (eg: DXCERN, ULTRIX, SUN etc..) dependent.

You can logout of the C shell (see Chapter 2) within DXCERN with:

logout

To logout of the Bourne shell use:

exit

If you have any other processes (which may have been created by mistake) you will be informed that you have stopped jobs. You can continue to enter logout repeatedly until each of these processes is terminated.

1.2.3 Setting Passwords

A CERN pre-requisite is a password that prevents others using your account and should thus be regularly changed. For the Computer Centre services, users who forget their passwords should contact the UCO (tel 4952), otherwise contact your system administrator. In order to change your password on UNIX use the command

passwd

This will prompt for your current password and then ask for two copies of your new password (the second just for verification in order to avoid typing errors). If your node has NIS (previously called Yellow Pages, NIS is a method of sharing access among a cluster of nodes to some central files, such as the password file), the command is **yppasswd**. If AFS (see Section 4.4) is installed, the command is **kpasswd**.

Your password must be at least 6 characters long and should not be your login name or any simple permutation of it. It is advisable to mix letters and digits in your password. See the article in the CERN Computer Newsletter number 210 (available from the UCO or via WWW) on tips for choosing good passwords.

Chapter 2

UNIX Shells

Once you have successfully logged in, you are in an environment called a **shell**. This is a process which has been started (spawned) at the end of the login process. A new shell is also started for each invocation of a terminal window. A shell is the interface between the operating system and the user. It interprets the commands you type and the keys you press in order to direct the operating system to take an appropriate action.

There are two families of shell: one is based on the Bourne Shell (sh) and includes also the Korn Shell (ksh), the Bourne Again Shell (bash) and the superKorn Shell (zsh); the other family is based on the Berkeley/C Shell (csh) and includes also tcsh which is an enhanced csh. This Guide will not try to distinguish the different features of these shells; if you are interested in deciding which shell has the features you prefer, we recommend reading the document "A Shell Comparison" by Arnaud Taddei, reference CN/DCI/162, available from the Self Service shelves of the UCO in Building 513; this presents an excellent comparison of features between the shells. Also you might wish to get a copy of "tcsh and zsh for Pedestrians", CN/DCI/163, also from the UCO which presents an introduction to these two shells.

On most platforms, you will find that the Bourne, C and Korn shells are provided with the system while you will have to install the others yourself.¹ The choice of which shell to use will depend on what type of work is being carried out. It has been found that the Bourne flavour is often better-suited for shell script programming whereas one of the more modern shells is better for interactive use. However, often the use of a particular shell is a highly personal choice.

Not all UNIX systems offer the same shell for their default. You can determine which shell you are in with the **echo \$SHELL** command. Under the C shell this will give you the following lines:

```
echo $SHELL
/bin/csh
```

The **env** and **printenv** commands will also give you this information, along with many other environment variables (see later in this Guide).

However, all these commands will show you only your login shell. If you have invoked another shell and you use one of these commands, you will be informed about your login shell, not the new shell you invoked. The C shell is designated as **csh**, the tcsh shell by **tcsh**, the Bourne shell **sh**, the Bourne Again shell **bash** and the Korn shell by **ksh**.

It is possible to invoke a new shell (subshell) on top of your current shell by simply typing its name. If

¹These so-called modern shells, usually freely-available in the public domain, are normally available on CERN's Public Domain server ASIS (see the section 8.1 on ASIS later in this Guide).

you wish to change your default shell you can do this with the command **chsh** (change shell); not supported in Solaris 2 or SGI systems.

Once you enter a subshell, you can exit again by typing

exit

If you repeat the exit command once more, your terminal emulation is closed, and the terminal window disappears. Instead of exit, you may need to enter <**Ctrl-D**>.

2.1 Entering Commands

When you see the command prompt you can enter a command by typing the command name and any options and arguments, followed by a carriage return.² The default prompts are as follows - % for the C shell, \$ for the Korn shell and bash\$ for the Bourne Again shell; however, all these may be changed and frequently are.

The basic format of UNIX commands is:

command [-option(s)] [argument(s)]

command	is the UNIX command name of a utility or tool
option(s)	modify how the command runs and are listed one after another preceded by a dash
argument(s)	specifies data on which the command is to operate, and are separated by blanks (“white space”)

Remember, UNIX is case-sensitive and therefore most UNIX commands must be entered in lower case.

The components are separated by at least one blank space. If an argument contains a blank, enclose the argument in double quote marks. Normally, options can be grouped (e.g., the -lw in the example below). Some options can have arguments, and unfortunately there isn’t consistency on whether there should be a blank space between the option and its argument.

Examples:

```
wc -lw file1 file2  
wc -l -w file1 file2  
f77 -o outputfile program.f
```

In the third example **outputfile** is the argument of the option **-o**.

You should be aware that UNIX commands are not noted for their consistency of format. Furthermore, commands, formats, arguments, and options vary somewhat from one UNIX platform to another. In this Guide, we attempt to be generic and describe options that are widely available; for exact details on any command, including a full list of allowable options and arguments, see the man pages for that command (the man command is described in Section 9.1). Various options are possible to print man pages on a printer but unfortunately there is no universal formula. You may try one of the following but we cannot guarantee which will work best for you.

²Note, usually a UNIX command is actually the name of a file, which the operating system will load and execute (see the section on “path” below). Other commands are *built-in* in the sense that they are included in the UNIX shell program.

man *pwd* | col -b | lp -ddest
or **groff** -man *file* | lp -ddest

The first command pipes the output of the `pwd` man pages as an example to be printed on a printer `dest`. The second command gives a better-formatted output but you require know where the input man pages for the command in question are stored. This will be somewhere in the `/usr/man` directory hierarchy. You can guess where by looking at the output of **man** *command*: the first line will contain the string `command (i)` and then the file in question should be in `/usr/man/mani/command.1`. Note that on some systems, HP-UX for example, the files may only be in `/usr/man/mani.Z` and need to be uncompressed before used in this way.

To correct typing errors you can use the erase key to erase character-by-character, or the kill key to kill an entire line. Recalling and editing previously-executed commands (command history) depends on the shell you are in and is discussed briefly in a later section.

More than one command can be entered on a line if the commands are separated by semicolons. Such commands will be executed sequentially.

If you need to continue a command to a new line, you can either keep on typing or enter a backslash character `\` followed by a carriage return and then continue on the next line.

You can use parentheses to group commands. Since a subshell is created for each group, this can be used to prevent changing the current environment. It can also be used to redirect all output from a set of commands considered as a group (see below).

Type ahead is permitted, even if the characters get interspersed with output.

UNIX commands are described online via the **man** command (see section 9.1 for more information).

2.2 Path

When you issue a command, the shell program parses the command line and either processes it directly or searches for a file with that name in any of the directories specified in your *search path*, which is controlled by the shell variable **PATH**. If the file is not found in any of the directories in your search path, the shell reports that the command was not found. The file may well be on the disk somewhere, but it is “not in your path.”

We will attempt to provide an appropriate default path in a future CERN UNIX Environment, but you can always modify the value of **PATH** in your ‘startup’ file (normally **.cshrc** or **.login** for the C shell family or **.profile** for the Bourne shell family, see section 3.2).

If you are using the C, tcsh or zsh shells, for example, and you add a command to one of the directories in your search path, it may be necessary for you to either log out and log back in or to recreate the internal tables used by the C shell with the **rehash** command.

2.3 Processes

When you begin a terminal session, the operating system starts a single *parent process*. Creating a new process from an existing process is called *forking*. This new process is called a *child process* and has its own unique process identifier. A child process can fork another process and become a parent. A process which is not receiving input from the terminal, either running or stopped, is in the *background*.

When you issue a command to the shell, except for *built-in commands* such as **cd**, **exec** or **set**, the shell forks a child process for the command to run in. The parent process remains dormant until the child process completes or is stopped, then control returns to the parent.³

The **ps** command can be used to print the status of active processes.

ps [options]

This forking of a child process when you run a script can be confusing because the parent process is not affected by the child process. For example, if you change the value of a shell variable in a script, this change will not be seen by the parent shell. If you are using the C shell you can use the **source** command to cause the current shell or process to execute a script. If you are using the Bourne shell, type

. filename

Note the space between the . and the filename.

2.4 Standard Input, Output and Redirection

The shell and many UNIX commands take their input from *standard input* (**stdin**), write output to *standard output* (**stdout**), and write error output to *standard error* (**stderr**). By default, standard input is connected to the terminal keyboard and standard output and error to the terminal screen.

The way of indicating an end-of-file on the default standard input, a terminal, is **<ctrl-d>**.

Redirection of I/O is accomplished by specifying the destination on the command line using a *redirection metacharacter* followed by the desired destination. Using the C shell as an example, some of the forms are:

<i>Character</i>	<i>Action</i>
>	Redirect standard output
>&	Redirect standard output and standard error
<	Redirect standard input
	Redirect standard output to another command (pipe)
>>	Append standard output
>>&	Append standard output and standard error

The first three redirect to files. These characters are easy to remember if you think of them as the head of an arrow. The fourth is called a pipe and is described in Section 2.5.

The form of a command with input and output redirection is:

command [options] [arguments] < input-file > output file

Unless you are using the C shell and you have **noclobber** set (see the man pages for **csh**), using **>** and **>&** to redirect output will overwrite any existing file of that name. You can use **>>** and **>>&** to append to existing files.

Examples:

³Unless the child process runs in the background.

```
who > names           # Direct standard output to a file named names  
(pwd; ls -l) > out     # Direct output of both commands  
pwd; ls -l > out      # Direct output of ls command only
```

Input redirection can be useful if you have written a FORTRAN program which normally expects input from the terminal and you want to provide it from a file. In the following example `myprog`, which was written to read standard input and write standard output, is redirected to read the file `myin` and the write file `myout`.

```
myprog <myin >myout
```

You can suppress redirected output by sending it to the *null device*, `/dev/null`:

```
who >& /dev/null
```

To redirect standard error and output to different files, you can use grouping:

```
(cat myfile > myout) >& myerror
```

2.5 Pipes

UNIX uses the concept of a *pipe* to connect the standard output of one program directly into the standard input of another program. This is specified by separating the two commands with the pipe operator, the vertical bar (`|`). The general format is:

```
command1 | command2 | ...
```

For example, to sort the output of the **who** command:

```
who | sort
```

Of course, each command can have options and arguments.

The **tee** command can be used to send output to a file as well as to another command.

```
who | tee whoout | sort
```

This is the same as the previous example except that a file named `whoout` is created containing the original **who** output. The sorted output goes to standard output, the terminal screen.

It is possible to set up multiple pipes. Commands that appear in pipe statements may include all the usual options and file designations.

```
ls -l | lp
```

This command pipes the output of the `ls` command to the printer via the **lp** command.

2.6 Shell Scripts

A shell script is the UNIX equivalent of the VM/CMS EXEC file or the VMS DCL procedure although you should be aware that individual shell commands have limits in the size of their argument strings.

The UNIX shell can be used as an interpretive programming language. Within the shell you can, besides executing shell commands, create and use variables; process (read) arguments; test, branch, and loop; do I/O; etc.

A *shell script* is a file containing a sequence of commands which can be executed by the shell. The easiest way to execute a script is by typing in the filename on the command line. The shell then interprets and executes the commands in the file one by one.

Although you can write complex programs using the shell language, you can also use simple shell scripts for running complex commands or a series of commands that you use frequently.

The most commonly-used shells in our environment are the C shell and the Bourne shell, or derivatives of these. Many people believe that although the C shell is better for interactive use, the Bourne shell is better for scripts, so you may see many scripts written in the Bourne shell.

The default shell for scripts is the Bourne shell and C shell scripts must begin with a comment line (a line which begins with the character #).

Note that in order to execute a script, the file containing it must have execute permission (see Sections 4.2.11 and following) and the shell may need to rebuild its table of commands.

```
chmod a+x mycommand  
./mycommand
```

It is important to remember that, like all UNIX commands that are not built-in to the shell, a script file executes in a child shell forked by the parent shell. The shell running the script file retains environment variables of the parent shell as well as those variables defined in the shell startup file for that shell (e.g. `.cshrc`⁴ for the C shell) which is executed before the script. However, at the end of the script, control returns to the parent script and any definitions made by the child process are not passed back to the parent process. If you want to execute commands that affect the current shell, you must use the **source** command (C shell):

```
source script
```

(For the Bourne shell, use the `.` command instead.)

Refer to a good UNIX reference manual to learn about shell programming; see the Bibliography at the end of this Guide for references.

2.7 Filters

A *filter* is a command or program which gets its input from standard input, sends its output to standard output and may be used anywhere in a pipeline. The combination of UNIX filters (**grep**, **sort**, **awk**, **cut**, **paste**) and the use of pipes is very powerful.

⁴See Section 3.2.

The **grep** filter searches files for a pattern and prints only those lines matching that pattern.

sort can sort or merge files.

sort *[options] [field-specifier] [filename]*

Sort is straightforward to use - read **man sort** to see what the options are and how to specify the sort fields. If a field is not specified, the sort key is the entire line. The sorted output goes to standard output.

awk is a powerful pattern scanning and processing language. Although you will need to spend a little time learning how to use **awk**, it is very well suited to data-manipulation tasks. It handles internally what you would have to handle laboriously in a language like C or FORTRAN. For example, you can declare a field separator (spaces, colons, commas, tabs) and it will properly align and interpret the contents of a field according to the way you use it. Thus you can do in a few lines what would take many lines of FORTRAN.

A widely-available book on awk is *The awk Programming Language* [16]. There are several versions of **awk**, an old version and a new version which is not completely backwards compatible. The book mentioned above describes the new version, and you should use the new version unless you get a program that is explicitly for the old version. However, vendors are not consistent in what they call the two versions of **awk**: on Silicon Graphics and Sun, you must use **nawk** to get the new awk and **awk** is the old awk, but on RS/6000, **awk** is the new awk.

2.8 Regular Expressions

A *regular expression* is a string composed of letters, numbers and special symbols that defines one or more strings. They are used to specify text patterns for searching. A regular expression is said to *match* any string it defines. The major capabilities include:

1. match single characters or strings of characters
2. match any arbitrary character
3. match classes of characters
4. match specified patterns only at the start or end of a line
5. match alternative patterns

Regular expressions are used by the UNIX commands **vi**, **ed**, **grep**, **awk**, and **sed**. **grep** in fact stands for **global regular expression printer**.

For a complete discussion of regular expressions refer to a UNIX reference manual but, to get you started, we include a table of special characters that can be used in expressions. Note that regular expression special characters are similar to but not identical to those used in filename expansion.

.	Any single character
\$	End of line
"	Delimits operator characters to prevent interpretation
\	Turns off special meaning of a single character following

*	Represents 0 or more occurrences of the preceding character
[]	Specifies character classes
^	Match only if string is at the beginning of a line
*	Matches any string, including the null string
?	Matches any one character
[...]	Matches any one of the characters enclosed in square brackets
[!...]	Matches any character other than one of the characters that follow the exclamation mark within square brackets.

The string `.*` represents 0 or more characters, since `.` is any character and `*` is 0 or more occurrences.

Chapter 3

Working Environment

3.1 Environment Variables

There are many parameters in the shell that define parts of your working environment and which can be set interactively at the command prompt, in shell scripts, or in user-specific profile files (see subsection "The Profile Files" below). Each shell has one or more startup files. Work is currently in progress developing a set of standard startup files (for further information contact Alan Silverman or Tony Cass).

- Shell parameters that are local to your current shell and not passed to any subshell or subprocess are called shell variables.
- Shell parameters that are global are called environment variables. They are valid in the current shell, where they are set, and in all subshells. They are not valid however in 'higher' shells, from where the current shell is invoked as subshell. The way in which a parameter is declared to be global depends on which family of shell you are using (see below).

There is one restriction if you define environment variables in a shell script. If the environment variables are to be valid also in the current shell you must invoke the script in a special way (without spawning a new process:

<i>.</i>	<i>myscript</i>	for the Bourne Shell
<i>source</i>	<i>myscript</i>	for the C shell

Otherwise the environment variables are valid only within the script in which they are declared and all subprocesses invoked from there.

A set of environment variables is already defined by the operating system and can be changed by each user for his personal working environment. In addition, he can of course also define new environment variables. The profile files which serve as an interface for initialisation of these variables at login are described later. By convention, environment variable names are upper case.

A list of the currently-valid environment variables may be obtained with the command

env
also **printenv** in the C shell

In the following examples, for the reasons of simplicity and shortness, the command prompt is assumed to be \$.

3.1.1 Setting Environment Variables

Your default printer, for example, is defined by the environment variable **PRINTER** (for information on the available printers and their names and characteristics, see the WWW entry for printing; from the CERN Computing Home Page, select in turn – UNIX Workstation Support –> Printsp –> List of Registered Printers; WWW is described in Section 9.3.1). To change the default value of **PRINTER**, enter the command

```
setenv PRINTER printer-name          C shell family  
PRINTER=printername; export PRINTER  Bourne shell family
```

If the value you wish to assign to a variable contains blanks, enclose the string in quotes (“”).

3.1.2 Getting Values of Environment Variables

The contents of environment variables can be made visible with the **echo** command. To get the value, the name of the environment variable must be preceded by a \$-sign:

```
echo $PRINTER  
sw-31
```

The value for **PRINTER** is shown. If you forget the \$-sign, the character string is printed and not its value:

```
echo PRINTER  
PRINTER
```

Again you should keep in mind that Unix is case sensitive. This means that environment variables such as **printer**, **Printer** and **PRINTER** are all different.

A More Advanced Example

For example, if you want to have your current host name and current working directory named **MyEnv**, using the Bourne Shell you can proceed as follows:

```
NODE='hostname'; export NODE  
MyEnv=$NODE:$PWD; export MyEnv  
echo 'My Environment: $MyEnv'  
My environment: rzri6f:/u/goeri
```

With the first statement, a new global variable **NODE** is defined. **NODE** gets the output of the command **hostname** as value, which is achieved by enclosing the command name in single backquotes. Then the values of **NODE** and of the environment variable **PWD**, which is already provided by the system and contains always the current working directory, are put together in **MyEnv**. Finally, to control the success of this action, the contents of **MyEnv** is printed to your terminal window, prefixed by some text.

3.1.3 A Summary of some useful Environment variables

In the following, some useful environment variables provided by the system are listed in alphabetical order:

- EDITOR:** The default editor as used by a number of utilities such as mail; the default is **vi**
- ENV:** For the Korn shell, the name of a shell script that is executed each time a new shell is invoked. This shell script is used for example, to define common alias names, which should be available through the whole environment. A common default in the Korn shell is `$HOME/.kshrc` (where `$HOME` specifies your home directory; this can also be represented by `~` (tilde)). This `$ENV` file is for your private shell customisation.
- HOME:** The default directory after login. You switch to the home directory when you specify the command `cd` (change directory) without options.
- PRINTER:** The default printer (example default: 513-pub).
- PATH:** Defines the search path for the shell when looking for commands in the system file structure, which is different in different Unix flavors. For example, in HP-UX using the Bourne Shell, the `PATH` variable has by default the value `/bin:/usr/bin:/usr/contrib/bin:/usr/local/bin:/usr/bin/X11:/etc:$HOME/bin:`. In the Bourne Shell the directories in the path are separated by colons (:). The search order is from left to right. The environment variable `HOME` contains the value of the **home directory**, the default directory after login (see above). The last directory in our example of the `PATH` variable, indicated by `'.'`, specifies the current working directory. In the C Shell, the directories in the path are separated by spaces. A typical value on a Sun would be
`set path = (/usr/local/bin /usr/ucb /usr/bin /usr/bin/x11 /bin)`
- PS1:** In the Bourne shell the default command prompt in your shell. In the C shell, this environment variable is called **prompt**
- TERM:** The terminal type for which output should be prepared. Depending on the Unix flavour, `aixterm`, `hpterm`, or `dxterm` are assumed as default for AIX, HP-UX, or ULTRIX systems, respectively. If necessary, you should overwrite it with `vt100`, `vt200`, `3270`, and so on, depending on your terminal type.
- VISUAL:** Should be set to the value to enable command line editing (for example it could be set to **emacs**).

3.1.4 Changing Your Command Prompt

As noted previously, the default command prompt in the Bourne shell family is the `$` (dollar sign) and in the C shell family is the `%` (percent sign). You can change these by setting new values to **PS1** (Bourne) or **prompt** (C shell). For example to change from the `$` symbol as the command line prompt to the machine name as the new prompt in a Bourne shell –

```
$ PS1 = "Bravo:"  
Bravo:  echo test  
test  
Bravo:
```

Other constructs commonly found in command prompts are all or part of the current working directory and the command sequence number. Using the C shell, examples of these would look like –

```
set prompt="$cwd%"  
set prompt="\!"
```

3.2 The Profile Files

Different shells have different profile files, also referred to sometimes as startup files. We show here those for the Korn shell. There are usually four files for the customisation of the environment:

```
/etc/profile  
$HOME/.profile  
/etc/.kshrc  
$HOME/.kshrc
```

Not all these files are used on all systems, some depend on the setting of the ENV variable. See local documentation for the system being used.

If using HP VUE, there is an additional file \$HOME/.vueprofile available. The files in the user's home directory are available for private customisation. The two other files are available for common customisation by the system manager to be used by all users on particular systems and can only be modified by the corresponding system manager. The file /etc/.kshrc will only be utilised if the ENV environment variable is set appropriately (see description above).

The organisation of profile files in normal Korn shell environments and in the HP VUE environment is a little bit different. Therefore, at the HP workstations, the file \$HOME/. (**profile**) can be split into two files:

```
$HOME/.profile  
$HOME/.profile-common
```

The file \$HOME/.profile-common contains the customization settings that are the same for both environments and is called from either the \$HOME/.profile or \$HOME/.vueprofile, respectively.

The C Shell executes three (*hidden*) files from the \$HOME directory at various times in your session. They are

.login, .cshrc, and .logout.

When you log on, the **.login** file located in your home directory is executed. You can specify the type of terminal you are using and otherwise customize your environment. It should include commands that you want to execute once, at the beginning of each session, specifying such things as terminal settings and environment variables. You can change the default values, or create your own environment variables using the **set** command to set C-shell variables.

Also, the C Shell executes the **.cshrc** file that is located in your home directory each time you invoke a new C Shell, as when you log on or execute a C Shell script or otherwise fork a new process. At login, it is executed before **.login**. It can be used to set variables and parameters that are local to a shell.

The C Shell executes the **.logout** file in your home directory when you log off the system. The following **(.logout)** file simply clears the screen:

clear

If you modify your **.chsrc** or **.login** commands and you want them to take effect in the current session, you must execute them with the **source** command:

source .chsrc

source .login

The following table summarises the profile files associated with each shell at login, logout and when a new shell is invoked.

Shell	Conditions	Executed scripts
csh (1)	always login logout	\$HOME/.chsrc \$HOME/.login \$HOME/.logout
tcsh	always login interactive logout	/etc/csh.chsrc /etc/csh.login or \$HOME/.login \$HOME/.tcshrc or \$HOME/.chsrc /etc/logout or \$HOME/.logout
sh (2)	login	/etc/profile or \$HOME/.profile
ksh (3)	always login interactive	ENV (4) variable if set /etc/profile or \$HOME/.profile \$HOME/.kshrc
bash	always login interactive non-interactive logout	not possible /etc/profile \$HOME/.bash_profile or \$HOME/.profile \$HOME/.bashrc ENV variable if set \$HOME/.bash_logout
zsh	always login interactive logout	/etc/zshenv \$HOME/.zshenv /etc/zprofile \$HOME/.zprofile \$HOME/.zlogin /etc/zshrc \$HOME/.zshrc /etc/zlogout or \$HOME/.zlogout

(1) System-wide startup scripts are not available in most cases:

csh on Sun and DEC platforms starts no file under /etc (according to the manpages)

csh on HP platforms starts the file /etc/csh.login at login time.

csh on SGI platforms starts the file /etc/cshrc then /etc/.login then /etc/csh.chsrc then \$HOME/.chsrc at interactive time and all those files plus \$HOME/.login at login time.

csh on IBM platforms starts the files /etc/csh.chsrc and /etc/csh.login at login time and /etc/csh.chsrc at interactive time.

(2) Again there are some differences between platforms. Some Bourne shells need to have a '-' character to start the profile files.

(3) ksh is not available on SunOS IV. Thus a link to zsh is provided.

(4) **\$ENV** is the file pointed to by the value of the environment variable **\$ENV** if it is set. It is usually set to **.kshrc** in the **HOME** directory.

3.3 Terminal Characteristics

You can specify your terminal type to Unix if the default is not suitable. To do so in the C shell, enter the command:

```
set term=(termtype)
```

where *termtype* is the name of a terminal type supported on the system. VT100 and VT220 are acceptable terminal types for example. If you always use the same kind of terminal, you may want to put this command in your **.login**.

Terminal control functions settings can be displayed with the **stty** command, for example:

```
stty -a
```

The format on each machine is different but should indicate approximately the same information.

You can display a description of all of the options reported by **stty** with the command:

```
man stty
```

3.3.1 Keyboards

There are a large number of terminal types from which Unix can be used. With the terminal type you describe the terminal hardware or the emulation program you use when communicating with Unix. The most important terminal types used are

vt100	DEC
vt220	DEC
vt300	DEC
3270	IBM
xterm	standard x-window terminal
aixterm	AIX terminal emulation
hpterm	HP-UX terminal emulation
dxterm	ULTRIX or DEC OSF/1 terminal emulation

If you work in a Unix environment with the wrong terminal type set, you should keep in mind that not all keys on your keyboard will be available in the expected way. If this is the case you should reset your terminal type. For example if you want to correct your terminal type to **dxterm**, you have to enter

TERM=dxterm; export TERM	- Bourne Shell
setenv TERM=dxterm	- C Shell

On dumb terminals, there may be applications that cannot work correctly because they require hardware features not available. However, many Unix commands can be used in such an environment: e.g. to compile and run user programs, or to look into the file system.

If you have changed the size of your window or changed your terminal type, this change may not be recognised by some applications unless you execute the **resize** command, usually via the command **eval 'resize'**.

- Resize: The **resize** utility prints a shell command for setting the TERM and TERMCAP environment variables to indicate the current size of the x-term window from which the command is run.
resize [-u] [-s[row col]]
- Reset: The reset command is used to reset the terminal mode. It is most useful after a program 'dies' leaving a terminal in an unknown state. You may need to type "<LF>reset<LF>" to get the terminal to work as <CR> often does not work.

There are also a number of 'special' keys that can be used, but their use can be restricted by shell and/or keyboard:

- <ctrl-c>: Interrupts a process.
- <ctrl-d>: Logout - but in 'C' shell need to type logout. Can be disabled by setting the ignoreeof variable.
- <ctrl-z>: In the C shell, process will be stopped and can then be run in 'background'.

3.4 Alias

In all shells apart from the Bourne shell you can use the **alias** command to create your own names or abbreviations for commands by performing string substitution on the command line according to your specifications. However the format of the **alias** command is shell dependant.

alias [new [old]]	C Shell
alias -x new=old	Korn Shell
alias new=old	zsh Shell

When you enter **new** the shell substitutes **old**. In the Korn Shell the **-x** option causes the alias to be exported to child processes.

The following example causes **ls -l** to be executed when the command **ll** is entered:

alias ll ls -l	- C Shell
alias -x ll='ls -l'	- Korn Shell

The following example creates the command **dir** to list directory files only:

alias dir 'ls -l grep ^d'	- C Shell
------------------------------------	-----------

alias dir='ls -l | grep^d' - Korn Shell

grep in this case searches for a **d** in the first column of each line of the output of the **ls -l** command.

3.5 Recalling Commands: **history**

Apart from the Bourne Shell, each shell provides a history mechanism which maintains a list of commands that have been entered and allows them to be reexecuted. The **history** (C Shell) or the **HISTSIZE** (Korn Shell) variable, usually set at login, determines the number of commands that are saved in the list.

The (**history**) command is used to print the list of saved commands:

history

3.5.1 C Shell

Recalling a command to execute exactly as it did last time is fairly easy, but recalling a command to modify it is difficult and only a few of the many ways to recall pieces of commands or modify pieces of commands are mentioned here.

You can specify commands or parts of commands to reexecute by number, relative number, or by the text it contains:

<i>command</i>	<i>what to reexecute</i>
!!	Reexecute the previous command
!n	Reexecute command n
!text	Reexecute the most recent command beginning with text
!?text?	Reexecute the most recent command containing text

For example, to reexecute the 4th command from the history list and to reexecute the last command starting with (**ls**):

!4
!ls

The dollar sign (\$) can be used to recall the last parameter of a command. For example, (**!\$**) causes substitution of the last parameter of the last command. For example, to check if (**myfile.f**) is the correct file and then compile it:

more myfile.f
f77 !\$

The following table shows several ways to substitute text in recalled commands. The first form allows you to substitute text in the previous command. In the second form (**xx**) stands for any of the ways described above to recall a command.

<i>form</i>	<i>action</i>
<code>^ old ^ new</code>	Substitute text in the previous command
<code>!xx:s/old/new</code>	Substitute text in a recalled command
<code>!xx:p:s/old/new</code>	Substitute text in a recalled command, display but do not execute

3.5.2 Korn Shell Command Line Editing

Command line editing can be done with emacs syntax. Available functions are as follows (note that you must issue the command **set -o emacs** to enable the editing commands):

- <Ctrl-p> get previous command from history file
- <Ctrl-n> get next command from history file(requires at least one)
- <Ctrl-b> move cursor backwards in command line
- <Ctrl-f> move cursor forwards in command line
- <Ctrl-d> delete under cursor
- <Ctrl-a> jump to begin of command line
- <Ctrl-e> jump to end of command line

A mask for the next command to be executed can be obtained with <Ctrl-p> or <Ctrl-n>. The cursor is moved within the command line with <Ctrl-b> or <Ctrl-f>. At any position, characters can be inserted, or be deleted with the <delete> key, <Ctrl-d>. The command history is accessed from the file \$HOME/.sh_history.

You can program the keyboard arrow keys for command line editing as follows:

Key	Function	Alias command	Action
↑	<Ctrl-p>	alias -x _A=\<Ctrl-p>	previous command
↓	<Ctrl-n>	alias -x _B=\<Ctrl-n>	next command
→	<Ctrl-f>	alias -x _C=\<Ctrl-f>	move cursor right
←	<Ctrl-b>	alias -x _D=\<Ctrl-b>	move cursor left

3.5.3 Command Line Editing in Other Shells

Shells such as ksh, tcsh and zsh use the arrow keys for command line editing, see the man pages for these shells for more details. In addition, tcsh supports csh command recall and zsh supports both csh and ksh command recall options.

Chapter 4

File System

4.1 File Structure

Unix has a structured file system that contains three kinds of files:

- directories** which store the names of other files including other directories;
- ordinary files** which store text, source programs, and object code; and
- special files** which correspond to peripheral devices and a UNIX construction called named pipes which we will not treat in this Guide.
- symbolic links** strictly this is not a file but rather an additional directory entry for an existing file.

4.1.1 Naming Directories and Files

The **root** directory is identified by a single character: slash (/). To name one of the major directories directly under root, type slash (/) to represent root, followed by the directory's own name, as in **/usr**. The slash in front of **usr** tells you that **usr** is a subdirectory of root.

- /u** or **/user** user directory
- /bin** binary directory
- /dev** device directory
- /etc** miscellaneous directory (usually system files)
- /tmp** temporary directory

The home directory on the central Unix Service (DXCERN) is: **/u/gg/userid/** where **gg** refers to the user's computing group code and **userid** is the login name and for AFS it is **/afs/cern.ch/user/X/userid** where **X** is the first letter of the login-name.

4.1.2 Rules for Naming and Accessing Files

The rules for naming and accessing files and directories are closely related to the structure of the Unix file system:

- The root directory is identified by a slash (/).
- A simple filename can be any combination of 1 - 14 characters **other than** slashes (/), asterisks (*), question marks (?), quotation marks (") or ('), square brackets ([) or (]), dollar sign (\$) or control characters.
- A `path name` is a sequence of directory names, possibly followed by a simple filename, with each name separated by a slash (/).

To avoid misinterpretation, the safest characters to use for simple filenames are letters of the alphabet, numbers, periods (.), hyphens (-), and underline (_). Note: in Unix, upper and lower case are **not** the same. Examples could include –

```
/usr/local/bin
long-description-name
mydoc.ps
myfile.f
/afs/cern.ch/f/fred/public/shared.info
```

The directory permanently assigned to you is called your **home directory**; this is the directory in which you are placed when you log on. Any directory to which you move after logging on (including your home directory) will be called your **current directory**, or **working directory** or **cwd**, for as long as you remain in that directory. The directory which is one level above your current directory in the file system is called your **parent directory**. Unix provides shorthand symbols to indicate your current directory (.) and your parent directory (..). If a path name used to access a file begins with a slash (/), then the search for the file begins at the **root directory**. Such a path name is called an **absolute path name** or **full path name**. If a path name begins with a simple filename, then the search for the file begins at your current directory. Such a path name is called a **relative path name**.

4.2 List of Simple File System Commands

4.2.1 Displaying the contents of a directory: `ls`

To sort and display the names of all the directories and files that reside in your current directory, use the `ls` command:

```
ls
file1
file2
file.3
Mail
```

Note that this will not list the *hidden* files such as `.login`. For that issue the command

```
ls -a
```

4.2.2 Changing the Working Directory: **cd**

To change your working directory, that is to move to another directory, use the **cd** command:

```
cd /u/otto/Mail
```

Use the **cd** command without any arguments to return to the \$HOME directory.

4.2.3 Determining Your Working Directory: **pwd**

To find out the name of your working directory at any moment, use the **pwd** command:

```
pwd  
/u/robin
```

4.2.4 Creating a New Directory: **mkdir**

To create a new subdirectory within your current working directory, use the **mkdir** command:

```
mkdir personal
```

This command will create a new subdirectory called personal.

4.2.5 Removing an Existing Directory: **rmdir**

To remove an existing directory from your working directory, move to the target directory, delete all its files, move back to the parent directory, and then use the **rmdir** command:

```
cd /u/useless  
pwd  
/u/useless  
rm -i *  
cd ..  
rmdir useless
```

The **-i** switch forces **rm** to prompt for confirmation before removing a file. If you try to remove a directory that is not empty, you will see a warning displayed. You may use the following shorter method instead of the above:

```
rm /u/useless/*  
rmdir /u/useless
```

or:

```
rm -r /u/useless
```

The **-r** switch removes all files recursively from the directory tree.

Note that these do not delete the *hidden* files such as `.login`. For that issue the command

```
rm /u/useless/*
```

4.2.6 Renaming a Directory: **mv**

To change the name of a directory, use the **mv** command:

```
mv old.name new.name
```

4.2.7 Displaying the Contents of a File: **cat**, **more**, etc

To display the contents of a file, use the **cat** command. It simply displays the contents of a file or several files on the screen (standard output):

```
cat file.3 file.1
```

However, if a file has more lines than the screen, it will scroll off the screen faster than you can read it. In this case one of use the commands **more**, **less**, **page** or **pg**.

Combining Files

Another function of the **cat** command is to combine files, or concatenate files with the result stored in another file, e.g.:

```
cat file.1 file.2 > file.3
```

Avoid storing the result in one of the original files, as this will cause the original file to be overwritten.

4.2.8 Renaming a File: **mv**

You can use the **mv** command to rename a file or to move it from one directory to another. To change the name of a file, enter a pair of commands like this:

```
cat new.file  
cat: cannot open new.file  
mv old.file new.file  
or simply mv -i old.file new.file
```

The **-i** switch will warn you if the command would overwrite an existing file.

The **mv** command will change the file's name whether the new filename exists or not. The **cat** command makes sure that a file will not be replaced or lost.

4.2.9 Copying a File: cp

To make a duplicate copy of a file, use the **cp** command:

cp *file.one* *FILE.ONE*

This command will make a copy of file.one. As a reminder lower and capital letters are **different** filenames.

4.2.10 Deleting a File: rm

To delete a file, use the **rm** command:

rm *file.1*

This form of the command will delete the file file.1 immediately. To confirm before proceeding to delete the file, add the **-i** option:

rm -i *file.1*

4.2.11 File and Directory Permissions

This section deals with **UNIX file protections only**. Files under the AFS file system (see later in this Chapter) use a different protection scheme which is described fully in the CERN AFS User Guide (see later for reference).

UNIX allows you to access other files and directories in the system, but only if you have permission from the owner of those directories and files.

4.2.12 Determining Permission: ls -l

To determine the permission associated with a given file or directory, use the **ls -l** command to display the contents of the directory:

```
ls -l
total 501
-rw-r----- 1 user group 108 Oct 15 19:10 file.1
-rwxr-x--- 1 user group 6452 Oct 15 17:15 program.1
drwxr-xrw- 1 user group 512 Oct 15 19:13 letters
```

The first character indicates the type of the file

-	ordinary files
d	directory
l	symbolic links

The remaining nine characters represent three sets of three characters: one set for the individual user, one for the user's working group, and one for all other users. Spread out the characters of the display above to explain the groupings:

Type	User	Group	Others	
-	rwx	r-x	---	program.1
d	rwx	r-x	rw-	letters

The permissions given are for **reading**, **writing**, and **executing**. They have different meanings for ordinary files and directories. For an **ordinary file**, permissions are defined as follows:

read	permission means you may look at the contents of the file
write	permission means you may change the contents of the file or delete it
execute	permission means you may execute the file as if it were a Unix command.

For a **directory**, permissions are defined as follows:

read	permission means you may see the names of the files in the directory
write	permission means you may add files to and remove files from the directory
execute	permission means you may change to the directory, search the directory, and copy files from it.

The characters used to represent these permissions are:

r	read permission
w	write permission
x	execute permission
-	permission denied

4.2.13 Changing Permission: **chmod**

You can make changes to permissions by entering a **chmod** command. It allows the owner of the file to add to (+) or remove from (-) existing permissions. It also allows the owner to clear existing permission and assign all permission from scratch; this is known as assigning permissions absolutely (=). The **chmod** command affects any of the three types of access for any of the three categories of Unix users, using one-letter symbols in the following order (left to right):

u	owner (user)
g	File's group
o	all others
a	all (default)
+	add permission

-	remove permission
=	absolute permission
r	to read
w	to write
x	to execute

Caution: It is possible for you to lock yourself out of one of your own files with **chmod**. Be careful when you type it.

Example:

```
ls -l psab
-rwxr-xr-x 1 otto rz 487 Jul 30 10:21 psab
chmod o-x psab
ls -l psab
-rwxr-xr-- 1 otto rz 487 Jul 30 10:21 psab
```

In the above example, the first **ls -l** shows the default permissions for a script, which is executable and readable by everyone, but writable only by the owner. After the **chmod o-x** command, the execution permission for others is removed. The file permissions can also be expressed in octal numeric form; see the man pages of **chmod** for details.

4.3 File Backup

There are now over 1000 Unix Workstations on the CERN site and the number grows almost daily. Some of these are grouped into well-organised clusters where system administration tasks are well understood and handled by assigned individuals. Others are less well catered for and many end-users now find themselves having to become part-time system administrators and having to care about such things as user account creation, network configuration and file backups.

The UNIX Workstation Support Section in CN's DCI Group provides advice and help in several of these areas, including specially-written Guides for most of the supported workstations at CERN. (See the latest edition of your favourite CERN computing newsletter for full details of these services or go to the UCO for a copy of the Guide most interesting for you.)

This section describes a suggested file backup policy covering systems at CERN. We emphasise (a) the following is only a suggestion – if you already have file backup under control or prefer a different scheme, we will in no way try to change your methods; (b) we have not surveyed the whole market, it is too broad; these tools may or may not be the best, we have assured ourselves that they work correctly and do the job required.

The bases of our policy are: to encourage clustering where possible, to select tools with some reasonable user interface, to select tools which use network resources as efficiently as possible, and to select tools which either support multiple platforms already or are expected to do so in a future release.

Local Backup - “Do it Yourself”

If you wish to perform local backups, especially if you can cluster some systems together, then we recommend one of the following tools:

- Standard Unix tools such as dump/restore, tar, cpio and so on; however, these do not have a friendly interface and few advanced features (little or no support for rebooting from tape, no compression, etc) although they are free. Unless you fully understand them and/or have a small number of systems to administer, we urge you to at least consider one of the following commercial products, depending on the architecture of your system(s).
- DEC ULTRIX and OSF/1 systems – obtain licences for DECnsr. Like several other tools, DECnsr supports other platforms as clients.
- HP systems (Apollo/Domain and Series 700) - obtain license for OMNIBACK; this tool can write to tapes or cartridges on Apollo or Series 700 and has Apollo, Series 700 and SUN clients. Series 700 licenses are immediately available via Alan Silverman, CN Division (see cern.hp news).
- Other systems and mixed-architectures groups – there are many tools, some propriety tool such as SUN's CoPilot, and some general such as Legato Networker which is available for most platforms. Contact Unix Workstation Support for more information.

Central Backup – “Do it for Me”

The tool we have chosen to use is IBM's ADSM, a development from WDSF (Workstation Data Save Facility). Here the data is transferred to a VM system, CERNVM in our case, and the files are written to robot cartridges with a file index remaining on real disc. At the workstation end, the user installs a small client package and a run script whose contents include some filtering (see below). (There is a small licensing charge per client but for the moment at least that will be covered by CN Division.) Clients are available for all major workstations present on site. ADSM is still relatively new to CERN and production systems still rely on WDSF but tests are continuing with ADSM. Also, a version of ADSM running as a master on an RS/6000 is under test so that it should soon become independent of CERNVM while still storing the saved files on robot cartridges.

ADSM works in several modes. Because of the potential for network traffic from up to 1000 workstations today plus the demand for disc catalogue space on CERNVM, we offer a service to backup USER files only (files in the \$HOME directory tree) and we normally exclude files which are relatively simple to recreate (.o files, .lis files, .dvi files, etc). There are other restrictions which will apply (no core dump files, no very large data files) and all of these will be reviewed from time to time in the light of experience in real use. Further, this service is effectively an incremental backup from the previous backup since the IBM keeps a current 'map' of the disc in its catalogue space. At the moment of the first backup of a station, we will consider performing a full archive backup and users performing major system upgrades may request this at such times.

ADSM backups will be performed within time limits mutually agreed by the users of the station(s) and CN; it will usually be overnight and/or at weekends.

Disc/file/directory recovery is simple and initiated by the user himself although retrieving entire discs involves many (automatic) mounts of robot cartridges and hence takes a finite amount of real time.

Users interested in this scheme should contact Lio Frost-Ainley for licensing details and to obtain the client installation procedure.

Requests for further information about any aspect of this policy should be addressed to Alan Silverman at Alan.Silverman@CERN.CH.

4.4 AFS Overview

AFS is an acronym for the **A**ndrew **F**ile **S**ystem, developed at Carnegie-Mellon University, Pittsburgh, under a sponsorship from IBM. Today AFS is marketed by Transarc Corporation and has been chosen by the Open Software Foundation as the basis of its Distributed File System DFS.

AFS is a network-distributed file system comparable to Sun's NFS but with some more advanced features than all but the most recent version of NFS. AFS distinguishes between client machines and server machines. An AFS client enables users to access data residing on AFS servers transparently as if they were stored on a local disk. AFS servers in turn provide disk storage for files and directories.

CERN has purchased licenses for AFS for all the common UNIX platforms on site and currently offers a limited public service, including some central AFS file servers.

For more information on AFS please refer to: [/afs/cern.ch/project/afs/afsug.ps](http://afs.cern.ch/project/afs/afsug.ps)

which should be accessed via World Wide Web in the CERN Computing UNIX Workstation Support entry under 'Guides'.

Chapter 5

Communications

5.1 Internet Overview

The Internet is a global network of networks that provides access to hundreds of thousands of computers around the world. As the reach of the network has grown, so has the number of services accessible. The main tools that allow the user to navigate through the Internet, are:

telnet	to access remote hosts
ftp	to retrieve data files
mail	to send mail
WWW	to browse World Wide Web (This facility is further described in 9.3.1)
news	to scan the numerous Usenet news groups (This facility is further described in 9.4)

5.1.1 Internet addresses

There are two forms that express an Internet address, an alphabetic name and a series of numbers. The alphabetic version is called the “domain name” and the numeric the “numeric address”. Sometimes a local network will not be up-to-date with additions to the domain names and an address may not work. If this happens, try the numeric address before giving up. Sometimes the numeric address will be changed without notice and in that case the alphabetic domain name should be tried. Normally if your system is configured correctly it should refer to the central CERN name servers and you should always be able to use the alphabetic name.

5.1.2 Internet Services

With a little practice, the above-mentioned functions (ftp,telnet) will be simple and open the electronic door to the global reach of the Internet. An introduction to the Internet services can be found in [8]. A comprehensive listing of services is given in that document. Its table of contents is listed below:

1. Library Catalogs & Campus Information Systems
2. Databases
3. Electronic Discussion Groups/Forums

4. Directories
5. Information Resources
6. FTP Archives
7. Fee-Based Information Services
8. Software/Freeware
9. Bulletin Board Services
10. Miscellaneous

5.2 Remote Login

5.2.1 Remote Processing

There are several ways to perform some work on a remote host without ending the local session. With the commands

telnet and **rlogin**

you can establish a session on a remote host from within your local session. Whereas commands such as

rsh, **remsh** and **rexec**

do not perform a login on a remote host but execute commands there for you.

Associated with the remote commands, eg: **rlogin**, **rsh**, **remsh**, **rexec** and **rcp**, is the special file known as a **\$HOME/.rhosts** file. In this file you can place the names of users and their machines which may contact your machine and use your account *without* needing to give a password. The format of the **\$HOME/.rhosts** file is as follows:

host1 userid
host2 userid

.
.

For security, make sure that you set the protections on this file so that only you can read it. Otherwise, an outside user can hack this file to gain access to your account. The protection should be **rw** for owner and no other access (mode 600). The command to set this is

chmod 600 .rhosts

In some (old) Unix documentation you may find an explanation of the use of the **/etc/hosts.equiv** file to achieve a similar result. For security reasons, you are strongly discouraged from using this mechanism.

5.2.2 telnet

To enter the `telnet` environment simply issue the command

telnet

and after telling you the escape character (usually `< Ctrl-] >`) `telnet` will show its prompt

```
telnet>
```

Now you can enter `telnet` subcommands.

For a complete list of subcommands and flags for the `telnet` command consult the appropriate man page. Here are some frequently used subcommands:

<code>quit</code>	ends the <code>telnet</code> command
<code>open</code>	establishes a connection to a remote host
<code>close</code>	ends that connection
<code>help</code>	lists the subcommands with a brief explanation

So the first subcommand will probably be:

```
telnet> open hostname
```

This connects your terminal or X-window to the specified host and displays the logon logo for that node. Then you can log on there and work as normal. After logging out of the remote host you will get the

```
telnet>
```

prompt so that you can open the next host or `quit` from the `telnet` program and resume the local session.

Alternatively you can specify the remote host on the invocation of the `telnet` program:

telnet *hostname*

This automatically connects to the remote host and you see immediately the logon logo. Logging out of the remote host will now end the `telnet` program. You don't get the `telnet>` prompt and you are back in your local session.

5.2.3 rlogin

The “remote login” command

rlogin *hostname*

connects your terminal or X-window to a login session on the specified host. Since your local host should be equivalenced to the remote host via the `rhosts` mechanism described above, you should not need to authenticate yourself to the remote system. You will get the command line prompt of the remote system. Logging out of the remote system resumes your current local session.

Usage Notes: You must not omit the *hostname* parameter when using `rlogin`.

If you use flags on this command, you have to place them **after** *hostname*.

5.3 Remote File Access

File transfer

Let us focus on the two commands

`rcp` and **`ftp`**

which allow file transfer between the nodes of a network.

5.3.1 `ftp`

`ftp` stands for “file transfer protocol” and is the principal method used to transfer files over the Internet.

`ftp` allows you to connect to a remote node and execute `ftp` subcommands there without leaving your current session on the local host. The `ftp` command works between various platforms, not only between Unix systems. Simply invoke `ftp` by typing

`ftp`

to get the prompt

`ftp>`

Select the remote host by

`ftp> open hostname`

and you will be prompted for login information. If you invoke `ftp` by typing

`ftp hostname`

the `open hostname` is implicitly executed and you will be prompted directly for login information. Please consult the man page for the various flags that can be set on the command line when invoking `ftp`.

After a successful login you will get the `ftp>` prompt again and you can now issue the `ftp` subcommands which allow you to navigate through the remote file system, display a remote directory and transfer files between the remote and the local host in both directions. Some frequently used `ftp` subcommands are:

<code>quit</code>	ends the <code>ftp</code> command
<code>cd</code>	changes directory on remote host
<code>lcd</code>	changes directory on local host

mkdir	creates a new directory on the remote host
pwd	prints the path that is current on the remote host
put	transfers a file from local to remote
get	transfers a file from remote to local
binary	transfers data without conversion (usually for binary files)
ascii	converts data according to different character representation on the sending and receiving host (text files)
help	displays <i>all</i> available subcommands and gives a short description of them.

You can find more information on further `ftp` commands in the man pages.

Usage Notes: Some explanations on data conversion: To transfer a file that is human-readable you should do it in `Ascii` mode. Unfortunately the default starting mode is different on different platforms: on `ULTRIX`, `AIX/6000` and all `SUN` systems, `ftp` starts in `ASCII` mode; on `HP-UX`, `DEC OSF/1` and `SGI`, it starts in `binary` mode. `Ascii` is the correct mode to transfer e.g. a `TEX` source, for example. To transfer compiled programs or similar files you have to be in `binary` mode so the transfer can be done on a “bit by bit” mode without any change. For example, `binary` is the correct mode to transfer a `dvi` file produced by the `TEX` program. However, contrary to what you might expect, Postscript files (typical suffix `.ps`) are `Ascii` format.

Examples: Imagine you have to be up to date on remote files which change frequently. You will have to perform the same file transfer quite often. A shell script similar to the following would be very useful:

```
# getfiles: get a few files regularly from DXCERN
#
# customize the next lines:
user=XY12      # replace this with your id
locpath=...    # specifies where to put
rempath=...    # from where to get
#
echo " "
echo "Opening FTP connection to DXCERN"
echo "for user" $user
echo " "
ftp -n dxcern <<EOF # invoke FTP with next lines as input
user $user        # specifies remote user id
lcd $locpath      # set the local path
cd $rempath       # set the remote path
get file1        # with EBCDIC/ASCII conversion
binary           # change transfer mode
get file2        # without conversion
quit             # terminate FTP
EOF              # terminate input to FTP
```

You will be prompted for your password on the remote host.

“Anonymous” `ftp` means that one can login to the remote system using the userid of “anonymous” and password of either “guest” or more usually your own userid and internet address. `Ftp` is like `telnet` in that

the “open” command and access to the remote host is similar, except that you can only access files in the subdirectory tree belonging the remote anonymous ftp account.

A typical session might go as follows:

ftp *any.host.i.know*

login:**anonymous**

guest login ok...send user id as password

ftp>**ls -al** (list all files)

ftp>**cd pub** (change to the ‘pub’ directory)

ftp>**get my.file**

transfer complete

ftp>**quit**

The standard transfer protocol is ASCII. This is suitable for text. Use the command `binary` if transferring program or image files. (Note: on VAX-VMS computers use `IMAGE`).

Large files are usually “tared” and compressed. You have to use binary FTP to get such files. The file extension shows how to uncompress it:

<code>.tar</code>	tar -xvf <i>myfile.tar</i>
<code>.Z</code>	uncompress <i>myfile.Z</i>
<code>.tar.Z</code>	uncompress <i>myfile.tar.Z</i>
	tar -xvf <i>myfile.tar</i>

5.3.2 rcp

The `rcp` (remote copy) command copies a file or directory from one host in the network into a directory or as a file on another host of that network:

rcp [-rp] *source destination*

Remember that the hosts have to be authorised using the `rhosts` mechanism described earlier in this Chapter. The `-r` flag means *source* is a directory and is to be copied with all the files and subdirectories it contains. The `-p` flag preserves the modification time and access modes.

The *source* and *destination* specifications not only contain the name of the file but also optionally the host where it resides. You can specify *source* and *destination* in one of the following three forms:

<i>filename</i>	relative or absolute name of local file
<i>host:filename</i>	relative or absolute name of file residing on <i>host</i>
<i>user@host:filename</i>	name of file relative to the home directory of <i>user</i> on <i>host</i> .

If the filename is specified with a leading `/` then it is taken as absolute.

Examples: To copy the file `some.data` from the current directory of the local host to the directory `/u/hugo/archive` on host `rzri6f` enter:

```
rcp some.data rzri6f:/u/hugo/archive
```

Suppose you want to choose a different name for the *destination*:

```
rcp some.data rzri6f:/u/hugo/archive/x.y
```

You could have specified the *destination* relative to hugo's home directory:

```
rcp some.data hugo@rzri6f:archive
```

This is absolutely equivalent to the first example.

A last example

```
rcp -rp fred@rzhp9a:mess/data rzhp9b:/exp/march
```

Here both `rzhp9a` and `rzhp9b` are remote nodes. The *source* is given relative to the home directory of fred on `rzhp9a` whereas the *destination* is an absolute pathname on `rzhp9b`. The flags say, that the *source* is a directory and is to be copied recursively (`-r`); this implies that the *destination* also has to be a directory. Moreover the file permissions and the modification times are preserved (`-p`).

5.4 Remote Shell

There are two remote shell commands **rsh** & **remsh**, the one to apply depends on the system from which you are working:

Ultrix	rsh only
Aix	either
Sun	rsh
HP	remsh
OSF	rsh
SGI	rsh

5.4.1 rsh

You can execute commands on a remote system and have the output displayed on your terminal with **rsh** which stands for remote shell. In order for this to work, there must be an appropriate **.rhosts** file on the remote machine. The format is:

```
rsh rhost [-l username] [command]
```

where

rhost	is the name of the remote host on which the command is to execute.
username	is the username if different on the remote system than the originating system.
command	is the command to be executed on the remote system.

The command might be just a simple command, or it might execute a shell script on the remote system. Metacharacters in the command should be quoted if they are to be interpreted on the remote machine.

5.4.2 remsh

To execute a command on a remote host enter:

remsh *hostname command*

This command runs a “remote shell” which executes a *command* for you. I/O redirection works as usual using the `>`, `>>`, `<`, `<<` operators to redirect input and output to and from the remotely executed command to *local(!)* files. If you want to redirect the input and output to *remote* files use double quotes `" "` around the redirection operators.

Usage Notes:

Both `remsh` and `rsh` commands will *not* process the login profiles, but *will* process the `$ENV` file if that variable is set (usually `.kshrc`). If you omit the *command* parameter on the `remsh` command then `rlogin` will be executed instead, which *will* process the login profiles.

If you use flags on this command, you must place them *between hostname and command*.

Examples: All the examples below assume that the remote host that you are communicating with is called `rzri6f` and that you have to set your `DISPLAY` variable to refer to the window at which you are working. (`DISPLAY` is discussed in detail in documentation and man pages referring to the X11 window system.)

To get a window with a terminal emulation on your X-server:

```
remsh rzri6f term -display $DISPLAY &
```

To get a window that emulates a mainframe terminal (3270) on your X-server enter:

```
remsh rzri6f x3270 -display $DISPLAY cernvm &  
or      remsh rzri6f 3270 -display $DISPLAY cernvm &  
or      remsh rzri6f tn3270 -display $DISPLAY cernvm &
```

The next examples illustrate the I/O redirection mechanism with the `remsh` command. They are *not* examples for efficient file transfer.

```
remsh rzri6f cat .profile >> .profile
```

appends the profile you have on the `rzri6f` to your *local* profile.

Find the difference:

```
remsh rzri6f cat .profile ">" .profile.old
```

Right! Your remote profile will be copied to a remote file named `.profile.old`.

5.4.3 rexec

With the `rexec` command you can execute a command on every remote UNIX host you have an account on, regardless if they are made equivalent or not with the `rhosts` mechanism. The `rexec` command works in the same way as `remsh` does, the only difference is that you will be prompted for your name and password on the remote host.

`rexec hostname command`

You can try the examples from the last section on `remsh` with one disadvantage: If you use unquoted I/O redirection the authentication prompts do not work properly; you will not see the prompts but you can type in your username and password “blindly”.

5.5 Mail

This section appears as well in the document 'The CERN Electronic Mail User Guide'. A sophisticated mail program comes bundled with most flavors of Unix operating systems (e.g. Mail on Berkeley Unix or mailx on System V). It interfaces to sendmail, a Unix facility for mail routing.

Some Unix users prefer to use the *elm* or *pine* user interface to Unix mail. Elm (with the underlying metamail) and pine are public domain mail reading programs with multimedia capabilities. They are available on dxcern and on asis for workstation users. Information on release changes and documentation will be published in the newsgroup **cern.mail**.

In order to try them type **elm** or **pine** from the shell prompt. The most common *mail(x)*, *elm*, *pine* commands are listed in the relevant 'Getting Started' sections below.

5.5.1 Getting Started with mail

- To send a message, type **mail *recipient-address***.
- To read waiting messages, type **mail**.
- To list a summary of saved messages in a *folder*, type **mail -f *folder***.
- To print on the screen of one of the listed messages, type **p *message-number*** or **t *message-number***.
- To reply to the current message, type **R**.
- To list the message headers in the current folder, type **h**. If the list exceeds one page, type **z**.
- To delete the current message, type **d**.
- To undelete the current message, type **u**.
- To extract the current message into a file, type **s *filename***.
- To send a file as a message, type **mail -s "*subject-text*" *recipient-address* < *filename***.
- For information on other mail commands, type **help** or **?**.
- To quit from *mail*, type **q**.

Address examples from Unix mail are shown below:

Destination	Syntax	Example
local user	username	bloggs
others at CERN	user@host	pretty@cernvm
others outside CERN	user@host.domain	dear@math.utexas.edu

For further information on addressing 'others' see the section 'Addressing Mail from within CERN'.

5.5.2 Getting started with mailx

The commands are similar to **mail**. For example: **mailx user@host.domain** or **mailx aliasname**

Type the message text, terminate and send your message with `< Ctrl - d >` or with a last line containing a single . (period) in column one.

Mail a file:

mailx -s "subject" recipient-address <filename

Reading, forwarding, replying, filing, sorting and editing mail are done inside the mail utility. Invoke:

mailx

then use any of the following subcommands:

m	send mail, invoke editor
h	header displays list of messages in your mailbox
?	help
d	delete current message
e	edit the current message
[n]	read message number [n]
[-]	read previous message
s	save current message in personal mailbox
s file	save current message to file
s [n] file	save message number [n] to file
c [n][file]	same as s but do not delete message from incoming mailbox
r	reply to current message
a	display aliases
a hd	display alias hd
q	quit mail, discard deleted messages
x	quit mail, do not discard deleted messages

Note: Ultrix, HP-UX and AIX use **r** to reply to all the people contained within the **To** and **CC:** lists and **R** to reply to the sender only. In SunOs the reverse occurs. However, the **man** pages on the different systems correctly describe the behaviour on the different systems.

By default mail uses the vi editor. Insert a line

set EDITOR=/usr/local/bin/emacs

into your **\$HOME/.mailrc** file to change the default editor to emacs.

If you want to work with your personal mailbox instead of the system mailbox, type **mailx -f**.

Work with an arbitrary mail folder is started as

mailx -f filename

5.5.3 Useful facilities

From some Unix machines it is possible to check if a destination address within CERN is correct, by typing the command **mverify recipient-address** from the shell prompt, where *recipient-address* must be of the form *user@host*.

The command **mverify** for CERNVM users must be entered as: **mverify userid@crnmb**.

Alias names of your frequent correspondants can be entered in the **.mailrc** file in your home directory in the format:

alias name address (e.g. **alias dear you@cernapo**). Example of **\$HOME/.mailrc** contents:

```
alias    hd      dob@hp9a.gsi.de
alias    um      rz02@mvs.gsi.de
alias    rb      brun@cernvm.cern.ch
alias    he      goofy@v6000a.gsi.de
alias    body    user@cageir5a.bitnet
```

Aliases may contain lists of addresses but not lists of aliases.

5.5.4 The elm mail system

elm is a screen-oriented public domain electronic mail processing system. In interactive use, the main header index and mini-menu of commands are displayed upon initial invocation and at any point when the program is waiting for input.

You can invoke elm by typing **elm** at the shell prompt.

You can easily send a mail (m), reply (r) or forward (f) a mail, save it to a folder (s) or delete an incoming mail (d), (?) to get help.

Aliases are stored in the file `~/elm/aliases.text`, which can be edited by any text editor. After having edited this file, the internal alias database has to be updated by the command **newalias**. In the latest elm version the option **a** enters the alias menu. Editing the `aliases.text` file is then possible, in which case the update of the database takes place automatically. An elm alias may also contain a list of previously defined aliases.

As elm is installed at CERN, i.e. with the underlying software package *metamail* multimedia mail according to the internet standard MIME (Multipart Internet Mail Extensions) is possible using in the message body the command: **[include filename MIME_Content-Type Encoding]** e.g. **[include /path/to/my/photo image/gif base64]**.

A full postscript documentation of Elm is available on dxcern, directory: `/usr/local/doc/postscript/elm2.4-doc`. Also on asis, directory: `/asis/share/usr.local/doc/elm`.

5.5.5 The pine mail system

pine is a mail user agent designed primarily for novice users, but it is full featured enough for processing large amounts of mail.

Like elm the main header index and mini-menu of commands are displayed upon initialisation and at any point when awaiting input. The help screens in pine constitute the main documentation, but if more information is required refer to the man pages.

pine can be invoked by typing **pine** at the shell prompt.

The major features of pine include: view, save, export, delete, print, reply and forwarding of incoming mail, as well as the composition and sending of mail. Use of the control keys as described on the bottom line of the main menu and following the instructions on the bottom of the screen, will enable easy use of pine.

It is possible to read elm folders through pine if you enter:
mail-directory=Mail in your ~/.pinerc file.

pine supports MIME, The Multipart Internet Mail Extensions, which enables pine to send and receive multimedia Email.

Optional features include sorting, address book and spelling checker.

For more information on pine refer to the man pages and to the file /usr/local/lib/pine.info on dxcern. Also on asis refer to the directory /asis/share/usr.local/doc/pine.

5.5.6 How to get help with problems

For online help, use the relevant **man** pages. For general problems contact the User Consultancy Office, `user.support@cern.ch` which is equivalent to `uco@cernvm.cern.ch`, (or phone 4952). For elm or pine specific questions write to `mail.support@cern.ch`.

5.6 Printing

5.6.1 Printing with lpr

Printer output is sent to the device specified in the environment variable `PRINTER` or by the device given with the `-P` option in the print command. If neither of these are defined, output will be either printed on the system default printer, disappear down a 'black hole', or generate an error message depending on the system setup. Set up your printer using the command:

PRINTER = <i>printername</i>; export PRINTER	for Bourne & korn shells
setenv PRINTER <i>printername</i>	for csh

Should you wish to change the printer momentarily simply use a command like the following to print your file:

lpr -Pprintername filename

Text files printed through the '**springer**' central print server must be converted to PostScript for printing on a PostScript printer such as an Apple LaserWriter. For printers connected to the AppleTalk (the vast majority of printers at CERN), this formatting is normally done automatically on '**springer**'.

What follows currently applies ONLY to AppleTalk-connected PostScript printers!

For the formatting process, some decisions have been taken as to how the text should appear on the page. These decisions concern the text-formatting program, the text's layout on the physical page and the size of characters used. In the absence of any formatting specification by the user or in the printer description entry on the print server, a paper-saving default has been chosen as described below.

Formats can be controlled –

1. For DEC/Sun/IBM users: through the '-w' switch on the 'lpr' command, for example: `lpr -P513-pub -w80 /.profile` or through the ':pw#...:' in your local /etc/printcap (yes, this is not ':pw=...:'! it is a numeric parameter, see 'man printcap') entry file. The use of /etc/printcap is normally confined to DEC and Sun only but can also exist for SGI.
2. For HP-UX users: the '-oBSDw' switch on the 'lp' command, for example:
`lp -d513_pub -oBSDw80 myfile`
3. For VM users: all the parameters to 'a2ps' must be specified by the user, as described in 'HELP A2PS', 'HELP LWPRINT', etc...
4. In the 'pw' printer description entry on the print server 'springer' on a per printer basis. Send mail to 'printer.support@springer' mentioning the printer and the desired default. (Make sure you agree with other people using the same printer!)

Normally, text is typeset in 'courier' typeface. The formatter 'a2ps' surrounds text by a frame and prints a header specifying the print date, file name (if available) and page number.

Throughout the following 'w' means the argument to the '-w' option on the 'lpr' command, to the '-oBSDw' option on the 'lp' (SysV) command or the 'pw#..' value assigned in your local /etc/printcap file if you are printing from a DEC or Sun Unix workstation.

Standard default (plus all '-w' not falling into the ranges below plus the special value 'w=2': text formatter 'a2ps', two logical 'portrait' pages printed on a physical 'landscape' oriented page including a frame, header and line numbers, font size 6.8 pt (rather small, paper saving mode).

- 39 < w <= 85: formatter a2ps, portrait orientation, font size chosen so that either w or w+1 columns fit on a line. Lines longer than w (or w+1) are folded.
- 85 < w <= 200: formatter a2ps, landscape orientation, font size chosen so that either w or w+1 columns fit on a line. Lines longer than w (or w+1) are folded.

Some values of 'w' less than 40 are used for special purposes:

- w=2: default, see above
- w=4: formatter ascii2ps, a4 portrait orientation, 11 pt. font with long lines folded, no frames, headers, or page numbers, just plain text.
- w=5: formatter a2ps, a4 portrait orientation, 6.8 pt. font, supporting lines up to 122 characters.

Some options that are available using `lpr` are listed below but remember that most of these are not available when listing postscript files, see the later section on LATEX for more information about this.

-l	for control characters and suppressing page breaks.
-f	this option interprets the first character of a line as a standard Fortran control character.
-s	for printing large files, (these files are softlinked to the spool and not written there. Do not modify files sent via this method until printing is complete).
-x	No filtering, file printed verbatim.
-#num	Number of copies required.
-wnum	Maximum page width
-znum	Maximum page length

5.6.2 Some Useful Unix Print Functions

Unix has a number of associated print functions which you may find useful. For a more comprehensive list and explanation of these functions the appropriate man page should be consulted. **lpq** and **lprm** are both Unix BSD commands, their equivalent in Unix System V are **lpstat** and **cancel** respectively. The commands to apply depend on the system in use:

OSF	BSD and System V
AIX	BSD and System V
Ultrix	BSD
HP/UX	System V

lpq	Typing this command at the prompt will initiate an examination of the spooling areas used by <code>lpd</code> for printing files on the printer, and report on the status of jobs in the queue. The print queue can be examined in its entirety, or by individual users or jobs - see man pages for more details.
lprm	This command can be used to remove a job or jobs from the printer's spool queue. As the spooling directory is protected from users, using <code>lprm</code> is normally the only method of removing a job. You can remove jobs currently active, by job number or all jobs owned by a specific user - see man pages for more details.

5.6.3 Printing with `lp`

The `lp` command is the normal print command on UNIX systems based on System V, such as HP-UX and Sun/Solaris 2. The differences include the fact that the environment variable `PRINTER` is replaced by the variable `LPDEST`; that the switch to print to a remote printer other than the default is

`lp -dprintername`

and the commands to examine the printer status and cancel a print job are **`lpstat`** and **`cancel`** respectively. Consult the man pages for **`lp`** on the system for further details.

5.6.4 Printing with LATEX

Files created in LATEX may be processed using the command **LATEX filename** and then **dvips** to print or file the output. For file previewing there is an **xdvi** preview facility but those with workstations will undoubtedly have local facilities for this operation. Once you have obtained your DVI type files there are several ways to proceed:

dvips xx	converts to postscript and prints filename xx on default lpr printer.
dvips -o xx	creates a file called xx.ps, no printing. Subsequently the xx.ps postscript file can be printed with lpr.
dvips -o yy xx	creates a file in postscript format called yy, no printing.

For further information in this area you should refer to the CERN guide called 'TEX at CERN' by Michel Goossens, available on self-service in the UCO.

5.7 Connecting to CERNVM

5.7.1 Alphanumeric sessions - 3270

The `telnet` environment on workstations offers in addition to the line-by-line mode the emulation of a DEC VT100 terminal or a full screen IBM 3270 terminal. To start the telnet 3270 emulation, enter

3270 cernvm

which connects directly to the CERNVM system.

With this product you can have up to 46 lines on your screen or alternatively a wide 132 character display depending on the original size of the window. The disadvantages are the lack of colour support and the lack of provision for transcript pad or window copying.

The maximum screen size will be used, depending on the lines/columns values of the screen from which the session is initiated. 3270 has an online help facility accessible via `<ctrl>-e` or the "Help" key. One particularly useful option is to display the keyboard mapping which the program thinks that you have and a second displays the function corresponding to a key that you select. The 3270 keyboard mapping is determined by the value of the `KEYMAP` environment variable or, if that is not defined, by the `TERM` variable. If you wish to set up your own keymap, you should set the variable `MAP3270` to the absolute pathname of the file containing your desired keymap, which you would normally create by modifying the file `/usr/local/lib/map3270`. For more information, see the man page.

5.7.2 Access with graphics capabilities - x3270

`x3270` is a public domain X Windows based 3270 emulator. It provides 3270 terminal sessions for UNIX workstations accessing an IBM host system. Currently, it should work correctly on all UNIX platforms present at CERN.

For extended information about `x3270` options and parameters type

`man x3270`

5.7.3 Access via telnet - tagibm

A telnet interface to CERNVM also exists; it is called TAGIBM and can be used by typing the command

telnet tagibm

When TAGIBM prompts for a username, reply with the string *CERNVM!*. The program then requests your CERNVM username, will attempt to size your terminal window correctly and then prompt you for your CERNVM password.

Chapter 6

File Editing

6.1 vi

The editor vi is a standard full-screen text editor available on all UNIX systems and bundled with the operating system.

The great advantage of vi is that it is included in the vendor-independent international standard POSIX.2 (IEEE 1003.2). On all POSIX.2 conforming systems vi is available. This allows users to move from one POSIX system to another without needing to learn a new editor.

The disadvantage of vi is that it is very cryptic and so not easy to learn. However there are people who, having mastered it, claim to like it. In addition, if you are likely to use multiple UNIX systems and to connect to them using different keyboards from different locations, then you may find it worthwhile to learn a "survival kit" of basic editing commands.

6.1.1 Operating Modes

vi has three operating modes:

- vi command mode.
- text input (or insert) mode.
- ex command (or line edit) mode.

In the vi command mode, each key initiates an instruction. In the text input mode the keyboard functions like a typewriter. And in the ex command mode you can use the 'old' ex line editor to invoke ex commands.

As elsewhere in UNIX, all commands in vi are case-sensitive.

6.1.2 Starting vi

To start vi, simply type **vi** followed by the name of the file you want to edit.

vi *myfile*

If *myfile* is a new file, the buffer is empty and the screen appears as follows:

```
~
~
~
"myfile" [New file]
```

The tilde (~) down the left-hand column of the screen indicates that there is no text in the file, not even blank lines. The prompt line (also called status line) at the bottom of the screen echoes the name and status of the file.

6.1.3 Exiting vi

The vi command to exit and save edits is **ZZ**. You can also use the ex command **:wq** to exit and save the edits. Unlike vi commands, the ex commands, introduced by a **:**, require a *< Return >* after the command. To exit vi without saving your changes, use the ex command **:q!**.

6.1.4 vi Command Mode

As soon as you enter a file, you are in vi command mode, and the editor is waiting for you to enter a command. Commands enable you to move anywhere in the file, to perform edits, or to enter insert mode to add new text. Commands can also be given to exit the file in order to return to the UNIX prompt.

One of the most used vi commands is **'i'** (for 'insert'). The "i" doesn't appear on the screen, but after you press it whatever you type will appear on the screen and will be entered into the buffer. The cursor marks the current insertion point. To tell vi that you want to stop inserting text, press *< Esc >*. Pressing *< Esc >* moves the cursor back one space and returns vi to command mode.

If you have opened a new file and want to insert the words `this is a new file` type the keystrokes:
i `this is a new file`

What appears on the screen is:

```
this is a new file
```

To break a line press *< Return >*.

If you don't know whether you are in vi command mode or text input mode press *< Esc >* once or twice to enter vi command mode. When you hear a beep, you are in vi command mode.

6.1.5 ex Command Mode

A **Q** in vi command mode invokes ex command mode. At the command line (bottom of the screen) the prompt **:'** appears. The command **vi** returns you back to vi command mode.

In vi command mode you can issue a single ex command and immediately return to vi mode by prefacing an ex command with a **:**.

6.1.6 Basic vi Keystrokes

Moving around

→	Move forward one character (right). Also the l key.
←	Move backward one character (left). Also the h key.
↑	Move to previous line (up). Also the k key.
↓	Move to next line (down). Also the j key.
w	Move one word forward .
b	Move one word backward .
0	Move to beginning of line.
< <i>Return</i> > or +	Move to beginning of next line.
-	Move to beginning of previous line.
\$	Move to end of line.
< <i>Ctrl</i> - <i>f</i> >	Move forward one screen.
< <i>Ctrl</i> - <i>b</i> >	Move backward one screen.
G	Move to end of buffer.
:1	Move to beginning of buffer.
:n	Move to line number n.
< <i>Ctrl</i> - <i>g</i> >	Display current line number.
< <i>Ctrl</i> - <i>l</i> >	Redraw screen.
/pattern	Search forward for pattern.
?pattern	Search backwards for pattern.
n	Repeat last search in same direction.
N	Repeat last search in opposite direction.

If you precede the move commands by a number, the command is repeated that number of times. Thus **5w** will move forwards 5 words.

Inserting Text

i	Inserting text before cursor.
a	Inserting text after cursor.
I	Inserting text at beginning of line.
A	Inserting text at end of line.
o	Open new line for text below cursor.
O	Open new line for text above cursor.
< <i>esc</i> >	End text insertion.

Deleting Text

X	Delete previous character.
x	Delete character under cursor.
dw	Delete the word the cursor is on.
D	Delete from cursor to end of line.
dd	Delete current line.
p	Put deleted text after cursor.
P	Put deleted text before cursor.

Once again, the deletion characters may be preceded by a number to perform multiple deletions; thus **5dd** will delete the next 5 lines starting with the current line.

Yank¹

yw	Yank (copy) word.
yy	Yank (copy) current line.
“ayy	Yank (copy) current line into named buffer a.
p	Put yanked text after cursor.
P	Put yanked text before cursor.
aP	Put text from buffer a before cursor.

Undoing and other vi Commands

.	Repeat last edit command.
u	Undo last edit.
U	Restore current line.
J	Join two lines.

Exiting Commands

ZZ	Save (write) and quit file.
:x	Save (write) and quit file.
:wq	Save (write) and quit file.
:w	Save (write) file.
:w <i>filename</i>	Write current buffer to <i>filename</i> .
:q	Quit file.
:q!	Quit file with no save.
Q	Quit vi and invoke ex.
:e <i>file</i>	Edit <i>file</i> without leaving vi.

Some ex Commands

:set	Display options set by user.
:set all	Display list of all current options, both default and those set by the user.
:set number	Display line numbers.
:set showmode	Displays in insert mode a message on the prompt line indicating the type of insert you are making.
:set <i>option</i>	Activate <i>option</i> .
:set <i>option</i>=<i>value</i>	Assign <i>value</i> to <i>option</i> .
:set <i>option</i>?	Display <i>value</i> of <i>option</i> .
:set no<i>option</i>	Deactivate <i>option</i> .
:sh	Invoke shell.
< Ctrl – d >	Return to editor from shell.
!<i>command</i>	Execute UNIX <i>command</i> .

¹ Yanking means copying text into a buffer

:r *newfile* Read contents of *newfile* into current file.
:r !*command* Read output of UNIX *command* into current file.

6.1.7 The .exrc File

You can control your vi environment with the **\$HOME/.exrc** file in your home directory. A sample .exrc file looks like this:

```
set number
set showmode
```

The file is read by ex before it enters the vi mode; commands in .exrc should not have a preceding colon.

6.1.8 More about vi

More about vi may be available in the man page on your workstation.

Recommendable books about vi are 'Learning the vi Editor' by Linda Lamb and 'The Ultimate Guide to the vi and ex text editors' from the Hewlett-Packard Company.

6.2 GNU emacs

GNU emacs is a powerful editor in the UNIX world. Emacs belongs to the GNU project of the Free Software Foundation and is available on all UNIX platforms.

Unlike most other editors, emacs is a complete working environment; you can start emacs in the morning, work all day and night and never leave it. It can be used to compile programs; for interactive work with the UNIX shell; and so on. Before windowing systems like X became popular emacs often served as a complete windowing environment.

6.2.1 Emacs Commands

Emacs commands consist of a modifier, such as **< Ctrl >** (CONTROL), **< Esc >** (ESCAPE), or **< META >** (META), followed by one or more characters. In this text the following notation is used to describe the keystrokes.

< Ctrl - g > Hold down the **< Ctrl >** key and press **g**.
< Esc - x > Press **< Esc >**, release it, and then press **x**.

Most emacs manuals refer to the **< META >** key instead of the **< Esc >** key. But most keyboards don't have a **< META >** key, so we will refer to **< Esc >**. If you have a **< META >** key, you will probably prefer to use it instead of **< Esc >**. The **< META >** key works like the **< Ctrl >** key described above. **< Esc - x >** is then equivalent to:

< META - x > Hold down the **< META >** key and press **x**.

To complete a command you may need to press a carriage return:

< *Return* > Press the **RETURN** key. This key may be labelled **ENTER** on your keyboard.

All emacs commands, even the simplest ones, have a 'full name': for example **forward-word** is equivalent to the keystrokes < *Esc* - *f* > and **forward-char** is equivalent to < *Ctrl* - *f* >. Many commands only have 'full names', there are no corresponding keystrokes.

6.2.2 Starting emacs

To start emacs, simply type **emacs** followed by the name of the file(s) you want to edit.

```
emacs [myfile...]
```

6.2.3 Exiting emacs

To exit emacs, type

```
< Ctrl - x > < Ctrl - c >
```

6.2.4 Emacs Screen

When you enter emacs, you are in a workspace. A cursor marks the position in the file, you don't have to do anything special before you start typing.

Just above the bottom of the screen, emacs prints information about what it is doing. This line is called the 'mode line' and may look like this:

```
--*-Emacs: myfile (Text Fill)---5%----
```

At the left edge of the mode line, you may see two asterisks (**). This means that whatever you're editing has been modified since the last time you saved it. If you haven't made any changes, the asterisks won't be there. Next, emacs prints 'Emacs:' followed by the name of the buffer or file you are editing (myfile in our example). In parentheses following this emacs shows the major (Text mode) and minor modes (Fill mode). Following this emacs prints where you are in the buffer or file (5%). If the entire file is visible on the screen, emacs prints the word ALL.

6.2.5 Emacs modes

Emacs has various editing modes in each of which it behaves slightly differently. When you often want features like word wrap so you don't have to press < *Return* > at the end of the line, you can set **text mode**. When you are programming, your code must be formatted; for example, for programming in C set **C mode**.

Text mode and **C mode** are major modes. A buffer can be in only one major mode at a time; to exit a major mode, you have to enter another one.

Whenever you edit a file, emacs attempts to put you into the correct major mode for what you are going to edit. If you are editing a file with the ending .c, it puts you in the C mode. If the file has the ending .tex, it puts you in the T_EX mode. If emacs can't determine a special mode, it puts you in the fundamental mode, the most general of all modes.

You can also change the mode manually with the command:

< Esc - x > **startup-command** *< Return >*.

The important major modes and their **startup-commands** are in the following table:

Mode	Description	Startup-command
Fundamental	The default mode; no special behavior.	fundamental-mode
Text	For writing text.	text-mode
Directory	For editing directory contents.	diref-mode
Indented text	Indents all the text you type.	indented-text-mode
Picture	For creating simple drawings.	picture-mode
C	For writing C programs.	c-mode
FORTRAN	For writing FORTRAN programs.	fortran-mode
nroff	For formatting file for nroff.	nroff-mode
T _E X	For formatting file for T _E X.	tex-mode
L _A T _E X	For formatting file for L _A T _E X.	latex-mode
Outline	For writing outlines.	outline-mode
View	For viewing files but not editing.	view-file
Mail	For sending mail.	mail
Read Mail	For reading mail.	rmail

In addition to the major modes there are also minor modes. These define a practical aspect of emacs and can be turned on and off within a major mode.

Abbrev	Allows you to use word abbreviations.	abbrev-mode
Fill	Enable word wrap.	auto-fill-mode
Overwrite	Replaces characters as you type instead of inserting them.	overwrite-mode
Auto-save	Saves your file automatically.	auto-save-mode

In your **\$HOME/.emacs** file, the startup file of emacs, you can set your favourite modes to be turned on automatically every time you start emacs.

6.2.6 Basic emacs Keystrokes

Moving around

→ Move **forward** one character (**right**).

←	Move backward one character (left).
↑	Move to previous line (up).
↓	Move to next line (down).
< <i>Esc</i> >-f	Move word forward .
< <i>Esc</i> >-b	Move word backward .
< <i>Ctrl</i> - a >	Move to beginning of line.
< <i>Ctrl</i> - e >	Move to end of line.
< <i>Ctrl</i> - v >	Move forward one screen.
< <i>Esc</i> >-v	Move backward one screen.
< <i>Esc</i> >->	Move to end of buffer.
< <i>Esc</i> >-<	Move to beginning of buffer.
< <i>Ctrl</i> - l >	Redraw screen with current line in the center.

Deleting Text

< <i>Del</i> >	Delete previous character.
< <i>Ctrl</i> - d >	Delete character under cursor.
< <i>Esc</i> > - < <i>Del</i> >	Delete previous word.
< <i>Esc</i> >-d	Delete the word the cursor is on.
< <i>Ctrl</i> - k >	Delete from cursor to end of line.
< <i>Ctrl</i> - w >	Delete region (area between mark and cursor).
< <i>Esc</i> >-w	Copy region into kill ring.
< <i>Ctrl</i> - y >	Restore what you have deleted.
< <i>Ctrl</i> - @ > or < <i>Ctrl</i> - < <i>Space</i> >>	Mark the beginning (or end) of a region.

Stopping and Undoing Commands

< <i>Ctrl</i> - g >	Abort current command.
< <i>Ctrl</i> - u >	Undo last edit (can be done repeatedly).

File-handling and exiting

< <i>Ctrl</i> - i >	Insert file at cursor position.
< <i>Ctrl</i> - x >< <i>Ctrl</i> - s >	Save file (this may hang terminal; use < <i>Ctrl</i> - q > to restart).
< <i>Ctrl</i> - x >< <i>Ctrl</i> - w >	Write buffer contents to file.
< <i>Ctrl</i> - x >< <i>Ctrl</i> - c >	Exit emacs.

Tutorial and Getting Help

< <i>Ctrl</i> - h >< <i>Ctrl</i> - h >< <i>Ctrl</i> - h >	Menu of help options.
< <i>Ctrl</i> - h > t	Starts emacs tutorial.

6.2.7 More information about emacs

There is a man page available with:

man emacs

A Postscript file of the reference manual is in the directory `/asis/share/usr.local/doc/gnu` on the central servers (nearly 300 pages).

A very good book about emacs is 'Learning GNU Emacs' by D. Cameron and B. Rosenblatt [4] and [5]. It covers the first basics and the more advanced features of emacs. It is available from the UCO; there is also a good emacs reference card, also available at the UCO.

Chapter 7

Software Development

7.1 Compiling and Linking Programs in Unix

Compiling and linking FORTRAN programs in UNIX differs a bit from what you may be used to in VM/CMS or VMS. There are three methods you can use to compile and link your programs:

1. linking as a second phase of the compilation command. This is the method most commonly used in the Unix world.
2. compiling and linking with separate commands

Although a specific command for linking exists (**ld**), in practice it is very little used. Since the compilation command (normally **f77**) doesn't require you to actually compile anything and takes care of providing the correct language specific and system libraries, it is usually used for linking in preference to **ld**.

3. use of the **make** command

The **make** command is not described here because it involves a completely different philosophy which will only confuse new UNIX users. If you are interested in this powerful tool, you are encouraged to read the man pages for **make** and the references given there. See also the book by Talbott [10].

7.2 Compile, Link, Run

Although the name of the compiler and recommended options may differ from platform to platform, all Unix compilers function in essentially the same way as illustrated in the simple examples below.

To create an executable program, you compile a source file containing a main program. For example, to compile a Fortran program named `hello.f`¹ use:

```
f77 hello.f
```

If no errors occur, the compiler creates an executable file named `a.out` in the current working directory. Similarly, to compile and then run a C program use:

¹ .f is default file extension for Fortran code in UNIX just as .FOR on VAX/VMS or FORTRAN on VM/CMS.

```
cc hello.c
a.out
```

If your source is divided among separate files, simply specify all files in the compile command:

```
f77 main.f func1.f ... funcn.f
```

The `-o name` option causes the compiler to name the output file *name* instead of `a.out`. For example, to compile a Fortran program `hello.f` and name the resulting executable `hello` use:

```
f77 -o hello hello.f
```

The `-c` option suppresses the link-edit phase. The compiler generates an object file with the extension `.o` for each input file and not the `a.out` file. This is useful when compiling source files that contain only subprograms, which can be linked later with other object files. The resulting object files can then be specified on the compiler command line:

```
f77 -c func.f
f77 main.f func.o
```

7.3 Important Platform Dependant Differences

On most platforms at CERN the recommended Fortran compiler is called **f77**. The exception is HP/UX where you are recommended to use **fort77** rather than **f77** since it allows you to specify libraries in a way which is compatible with all the other platforms. For AIX on the RS/6000 the Fortran compiler is called **xlf**, but in more recent versions of AIX the name **f77** can also be used. On DEC Ultrix systems the supported compiler is the DEC Fortran compiler rather than the MIPS Fortran.

The table below shows the minimum command that should be used for compiling and linking in the CERN environment.

Machine	Compilation only	Compiling and/or Linking
IBM/AIX	xlf -c -qextname	xlf -qextname
HP/UX	fort77 -c +ppu	fort77 +ppu
Others	f77 -c	f77

As we saw in the section above, by default Unix compilers generate an executable module. The option “**-c**” (compile only) generates an object file but causes the linking phase to be suppressed.

The options `-qextname` on AIX and `+ppu` on HP/UX are explained in section 7.5 and are ESSENTIAL for compatibility with the CERN Program Library.

7.4 Libraries

Libraries in Unix are the same as libraries in other operating systems. They usually contain a collection of pre-compiled routines which you can link to your routines when creating an executable. On all Unix systems,

libraries can be created with the command **ar** (short for *archive*). See section 7.6. Once again, it is not necessary for a new Unix user to know this command but you can find more information in the man pages.

Libraries in Unix follow a naming convention such that names begin with the letters *lib* and have the extension *.a* (for *archive*) or *.sl* (for *shared library*). This was not a whim of the creators of Unix but actually serves a useful purpose.

When specifying libraries to be used in linking you can use a shorthand notation. If you wish, you can specify the full pathname of the library just as you would with your object files *.o* files. For example;-

```
f77 mprog.f mysub.o /cern/pro/lib/libpacklib.a
```

Or you can specify the library with a combination of the **-L** and **-l** options, e.g. **-L/cern/pro/lib -lpacklib** which refers to the CERNLIB library packlib. What this actually is instructing the link editor to do is to search the directory (*search path*) */cern/pro/lib* for the library *libpacklib.a* which will then be replaced on the command line with */cern/pro/lib/libpacklib.a* which you could type in yourself.

```
fort77 +ppu -O -o my_program my_program.f \  
  -L/usr/local/delphi/dpadev/lib -ltanag3xx \  
  -L/cern/pro/lib -lgratlib -lgrafX11 -lpacklib
```

NOTE that the placement of a library on the command line is important (as it also is for the VAX/VMS **LINK** command); the libraries are searched once only, in the order they appear on the command line.

7.4.1 The cernlib command

The **cernlib** command has been designed to ease access to the CERN program library software, while allowing access to user libraries. It is platform-independent and accepts the POSIX syntax. Note that you must have the directory */cern/pro/bin* in your path in order to use this command.

cernlib	grants access to packlib
cernlib mathlib	grants access to mathlib and packlib
cernlib -L \$DELPHILIBS -l dstanaxx -l ux26xx	grants access to libraries <i>dstanaxx</i> and <i>ux26xx</i> in the directory defined by the environment variable <i>DELPHI_LIBS</i>

The **cernlib** command is used in combination with the link command by enclosing it in back-quotes on the link command line. For example if you use the **f77** command for linking:

```
f77 -o myprog myprog.o `cernlib mathlib gratlib/X11 ....`
```

7.5 Compiling and Linking Options

The compiling and linking options are given together on the same command line.

- Executable program:

- c Instructs the compiler to suppress the link edit phase and produce only a file containing the object code that results from the compilation. This file can then be linked into another program or placed in a library.

- o *filename* Sets the name of the output file containing the executable program to *filename*.

- Optimization:

As with all systems, when debugging a program compilation should be done with optimization switched off. Once the program is ready for production it should be recompiled (and re-tested) with optimization on. As you will probably have guessed there is no consistency between the optimization options of compilers from different vendors! Some have it on by default, others have it off and they all have different ways of specifying different optimization levels.

Machine	Default	Optimization off	Maximum	'Value' of -O
IBM/AIX	noopt		-O3	-O2
HP/UX	noopt		+O3	+O2
Sun OS and Solaris	noopt		-O4	-O3
DEC Ultrix and OSF	-O4	-O0	-O4	-O4
SGI	-O1	-O0	-O3	-O2
Apollo	-opt	-opt 0	-opt 4	-opt 3

- Static Code:

Most of the compilers foresee an option to force the static storage of local variables, which means that local variables in a subroutine or function retain their value between calls. This option may be particularly important with older programs that don't use the Fortran SAVE statement. On HP/UX and SGI this option also ensures that all uninitialized variables are initialized to zero. On Sun no compile time option exists. The source code statements AUTOMATIC, SAVE, STATIC must be used. See the Sun Fortran Reference Manual. Use of static mode may reduce the optimization the compiler attempts to provide for your code.

System	Default	Static mode	Dynamic mode
Ultrix and OSF	static	-static	-automatic
RS6000	static		-q nosave
Sun OS and Solaris	static		not available
HP/UX	dynamic	-K	
SGI	dynamic	-static	
Apollo	dynamic	-save	

- Debug Information:

- g Saves debug information on the output file. You may later debug your program with the symbolic debugger, **dbx**, (called **xdb** on HP/UX!). Note, this option may significantly increase the size and execution time of your program. It often disables the optimizer, although we are beginning to see systems where this is no longer the case.

- Binding Fortran and C:

Postpend an underscore to external names such as subroutines, functions and common blocks. This is done by default on all systems apart from AIX/6000 and HP/UX. This seemingly senseless option has the functionality of allowing C programmers to access FORTRAN routines and data according to BSD programming convention. Though this may not be of interest to a new user, this option is nearly a standard in the computing world. (the CERNLIB routines are compiled with it, which in turn means that you if wish to call VZERO or LENOC, you must compile your own program with the **+ppu** option).

System	Option
AIX/6000	-q extname
HP/UX	+ppu

- Link editor options:

- L** *dir* Library path. Defines the search path for libraries. It instructs the linker to look in the directory *dir* for libraries before looking in the standard places (/lib and /usr/lib) for the libraries specified by the -l option. This option is effective only for the libraries following it.
- l** *name* Library name. Search the library *libname.a* or *libxx.sl* for unresolved references in the search paths defined by a preceding -L option or in the default search path.

7.5.1 man page for Fortran

The above section lists only a few of the more common Fortran options. You should, at least once in your life, look at the Fortran man page on the system which you use.

7.6 Creating and maintaining your own libraries

If you have a lot of different object files you can create an **archive** library to store them. The command `ar` is used to create and manage archive libraries. Its syntax is:

ar *keys archive [obj_files]*

The most important *keys* are **r** to replace or add modules to the archive and **t** to display a table of contents. The *archive* is a name composed of *libname.a*. For example the command sequence:

```
cc -c func1.c
cc -c func2.c
cc -c func3.c
ar r libmy.a func1.o func2.o func3.o
```

compiles `func1.c`, `func2.c`, `func3.c` and adds the object files into the `libmy.a`.

Chapter 8

Applications

8.1 ASIS

ASIS stands for Application Software Installation Service but is more generally used to refer to the collection of commonly used CERN and public-domain applications software which is made available in both source and ready-to-use form on central servers. The master copy of all the software is stored under AFS¹ in the 'ASIS tree' of the CERN cell. A copy of the binaries and libraries (but not the sources) is made each night onto an NFS server.

The recommended way to access these applications at CERN is to use AFS. When you install the AFS client software on your workstation or local server, you will normally also install a script called 'make_asis' which will be run each night to create links in your /usr/local/bin directory to the applications available on ASIS.

If for some reason you can't install the AFS client software, you can access ASIS via NFS. For more information refer to "ASIS: The Installer's Guide" available from the UCO, or alternatively contact P. Defert (defert@dxcern.cern.ch).

The list below is a selection of some of the most commonly used applications. It is far from complete.

CERN Program Library

cernlib	- access standard libraries such as PACKLIB, MATHLIB, GRAFLIB
paw	- visualisation of experimental data
geant	- detector description and simulation tool
fatmen	- distributed file and tape management system
hepdb	- distributed database management system

CERN-Specific Utilities

3270	- IBM 3277/3278 terminal emulator
phone	- display phone book entries from central server
www	- World Wide Web hypertext browser for dumb terminals
mosaic	- World Wide Web hypertext browser for workstations
emdir	- electronic mail address directory

¹ See Section 4.4 for more information on AFS.

Public Domain and GNU Software

The list of available public domain and GNU software is very long. Below we list some of those most commonly used at CERN.

emacs	- GNU project Emacs
pine	- an electronic mail processing system
elm	- an electronic mail processing system
ghostview	- View PostScript documents using ghostscript
ispell	- Correct spelling for a file
perl	- Practical Extraction and Report Language
tk/tcl	- Tools for building scripts with Motif-like user interface
tcsh	- C shell with file name completion and command line editing
bash	- GNU Bourne-Again Shell
gnuplot	- an interactive plotting program
gdb	- The GNU Debugger
gcc, g++	- GNU project C and C++ Compiler (v2 preliminary)
f2c	- Convert Fortran 77 to C or C++

TeX Software

A lot of TeX/LaTeX related software is available. Information about TeX can be found in “TeX at CERN - The Local Guide”, available at the UCO. The most commonly used programs are listed below.

latex	- text formatting and typesetting
tex, initex,	- text formatting and typesetting
slitex	- make LaTeX slides
dvips	- convert a TeX DVI file to PostScript
dvitype	- translate a dvi file for humans
xdvi	- DVI Previewer for the X Window System
bibtex	- make a bibliography for TeX
makeindex	- a general purpose, formatter-independent index processor
detex	- a filter to strip TeX commands from a .tex file.

X11 Software

A full distribution of X11 (Release 4 & 5) software from MIT.

x3270	- IBM remote host access tool
xlock	- Locks the local X display until a password is entered.

8.2 CORE (CSF,SHIFT,PIAF)

CORE, the Centrally Operated RISC Environment, is a set of integrated physics data analysis services located in the CERN Computer Centre. These services include CSF, SHIFT and PIAF. The “CORE Physics Services - User Guide” provides an overview of CORE and describes the common aspects of the services provided.

8.2.1 CSF

The Central Simulation Facility, CSF, is aimed at providing a facility for compute-intensive applications with low I/O requirements. Information on CSF can be found in the “CSF User Guide”, available from the UCO.

8.2.2 SHIFT

SHIFT, the ‘Scalable Heterogenous Integrated Computing Facility’, provides a data analysis facility for more I/O intensive applications. Unlike CSF, the individual machines in SHIFT ‘belong’ to the specific experiments that contribute financially and help with the system administration to best suit their individual needs. For information about SHIFT refer to the “SHIFT User Guide” or the “SHIFT Reference Manual”, both available from the UCO.

8.2.3 PIAF

PIAF, the ‘Parallel Interactive Analysis Facility’, is an extension of the PAW program. It allows users to analyse interactively their Ntuples in parallel on a set of 5 high performance HP workstations. The usage of PIAF is quite transparent for the PAW user. The PAW on-line help explains how to access PIAF. There is currently no formal documentation about PIAF.

8.3 PaRC

PaRC (Parallel Risc Cluster) is intended for numerically-intensive work carried out by the engineering and accelerator design community. Information on PaRC and its utilities can be found in the “PaRC Users Guide”, available from the UCO.

8.4 NQS, NQS++

The Network Queuing System (NQS), is a batch system which has been installed on CSF and SHIFT systems and is used for batch job submission. Further information on NQS and NQS++ can be found in chapters 6 & 7 of the “CSF User Guide”.

Chapter 9

Getting Help

9.1 man pages

Online help in Unix is in the form of *man* pages which consist of an online version of the Unix documentation set (often called the Unix Programmer's Reference Manual). You get access to the man pages with the **man** command (man stands for manual). The format is:

man [*part*] *topic*

where *topic* is the name of the topic described in the manual (a command name or a filename) and *part* specifies the section of the manual (1 through to 8). If no *part* is specified, man searches all reference sections (giving preference to commands over functions) and prints the first manual page it finds for the topic given. Usually, ordinary users are interested in part 1, commands and utilities. Part 2 is system calls, part 3 library routines, part 8 is the System Administration Reference Manual.

Man pages are normally displayed using the **more** command. **more** displays one page at a time and allows you after each page the option to enter commands to control what it does next. For example, you page forward with the space bar and exit from **man** with **q** (for quit). You can search for patterns by entering **/pattern**. Enter simply **/** to find additional instances of the pattern in the text. If there is more than one entry for the selected topic, **man** will prompt for a second **q** to quit, or space to continue with the first page of the next entry.

man includes Unix system commands and utilities, but may not include shell commands. Help for shell commands can be obtained with **man csh** or **man sh** then **/pattern** where *pattern* is the shell command you want information on.

You can often get the format of a command by entering the command with an illegal option (try **/** or **?** or **.**). For example,

```
ls -/  
ls: illegal option - - /  
usage: ls -Rad CLHxmnlogrtucpFbqisf [files]
```

You can display information about **man** with:

man man

The **man** command can also be used to locate commands by keyword lookup:

man -k *keyword*

will display the man page name, section number in the Unix documentation and a short description, for each man page whose NAME line contains *keyword*. On some systems this facility is also available via the command:

apropos *keyword*

9.2 Vendor Online Help

9.2.1 IBM

The complete manual information available on a CD-ROM can be obtained in a very comfortable environment with several screens using the **info** command. Like almost all such vendor-provided information systems it provides extensive help menus on functionality and usage and are self explanatory. The **info** database has been copied to the AFS file hierarchy and if your workstation has been installed according to the scheme recommended by CN's UNIX Workstation Support team, then the **info** command will point to that database which is permanently mounted.

9.2.2 HP

Online documentation for the HP-UX is available through a central server known as hp-osf1. The documentation can be invoked by typing **lrom**, if the HP Laserrom/UX software has been installed. The software and the documentation is on a CD ROM which is usually (but not always) mounted. For further information about mounting the software refer to the "CERN HP-UX Installation Guide". In case of problems check with hp.support@cern.ch.

9.2.3 DEC

For ULTRIX and OSF the man pages will have been added to your system during the system installation. If this has not been done, for example to save disk space, or if you require additional documentation, the CD library may be accessed from the server dxsoft using the Bookreader application.

For further information about setting the environment variable and mounting the documentation library, please refer to the "CERN Guide to Installing ULTRIX".

9.2.4 SUN

The SUN documentation is the answerbook, which is the SUN software to access the on-line manuals.

For information about installing answerbook, please refer to “The CERN Sun workstation cookbook”.

9.3 Information Servers

9.3.1 World Wide Web (WWW)

The World Wide Web is a way of viewing online information available on the Internet. The user can navigate and browse through information which has been hand-authored or partly computer-generated from existing databases and information systems.

The Web today incorporates information from systems such as Gopher and WAIS as well as sophisticated multimedia and hypertext information from many organisations.

There are two different commands which can be used to access the Web: **mosaic** for X-based screens or **www** for line mode terminals.

The reader may find the CERN home page within these two browsers of particular interest because they can find information on the Unix Workstation Support (UWS) group. By looking at the UWS pages the reader may also find a link to the man pages of various systems. The URL ¹ for the CERN Home Page is **<http://www.cern.ch/>**

mosaic

For X-windows based workstations use **mosaic**.² **mosaic** is a hypertext browser. Hypertext is text which contains highlighted links, called hyperlinks, to other texts. To activate a mosaic hyperlink, click with your left mouse button on any highlighted text; this will take you to the document at the other end of the hyperlink. The referenced document can be located anywhere on the World Wide Web, accessible via any network protocol and in any format; mosaic will allow you to discover, retrieve, and display it almost as if it were stored on your own hard disk.

If you have a colour screen, mosaic’s hyperlinks are initially blue and turn purple after you have accessed the corresponding document. On a monochrome screen, hyperlinks are initially underlined text and become dotted-underlined text. For information on the many options offered by **mosaic**, consult the Help pages within **mosaic** itself.

WWW

On terminals which can not run **mosaic**, **www** should be used. **www** is a line mode browser, which allows you to access a wealth of information on the global internet. WWW can be invoked by typing **www** at the shell prompt.

You can find information by following references and/or by using keywords. References are numbers in [brackets] after particular phrases. Type the number and < *RETURN* > for more information on the phrase.

¹ A URL, or Universal Resource Locator, can be thought of as an address of an object which exists in the Web and which can be accessed. A more precise definition is given in the help pages of the mosaic and www browsers.

² Previous versions of this utility were called xmosaic but users are advised to invoke mosaic as the new versions, starting with version 2, have many more interesting features.

There are a number of commands which are available at the prompt within `www`. Some are disabled when not applicable. All commands may be abbreviated and case is not significant.

Some of the more useful commands are:

Find < <i>keywords</i> >	Queries the current index with the supplied keywords. The interpretation of the keywords depends on the particular information server you are looking at. In most cases, it will search a database for entries matching the keywords, and will display the results with possible links to further details. For more complex queries, instructions should be present in the cover page. The “find” command can be omitted if the first keyword does not conflict with another <code>www</code> command.
Source	Followed by another command, causes raw source to be generated for that command. Useful for printing postscript files without formatting with <code>SOURCE PRINT</code> .
Print	Prints the current document, without the numbered document references. A background <code>www</code> is launched to do that, and its output is piped to the command defined by the environment variable <code>WWW_PRINT_COMMAND</code> (“ <code>lpr</code> ” by default).
> file , >> file	Saves or appends the current document to the given file, without the numbered document references. A background <code>www</code> is launched to do that.
command	Pipes the current document to the given command, without the numbered document references. A background <code>www</code> is launched to do that.
CD(or LCD) directory	Changes the local working directory.

9.3.2 **phone**

To display information on a particular user the **phone** command can be used. Information can be obtained by using **phone** together with: name, userid, phone number, bleeper number or division, for example

phone mickey

This will display the relevant information for the entries where the name contains mickey. The required entry can be interrogated further to display electronic mail and account information for the user in question. For further information on **phone** refer to the relevant man page.

9.3.3 **emdir**

The **emdir** command is an electronic mail directory service which allows you to interrogate a central directory for the addresses of CERN personnel and update your own entry on it. (For various reasons, the binary file for `emdir` has the name `EMDIR_L` as currently stored on `ASIS`.)

The **emdir** command can be used on its own or with the following parameters: name, first name, division, phone, experiment, institute, institute phone and mail address.

If parameters are given the database will be accessed in order to retrieve an entry corresponding to the parameters. A %, *, _ or ? may be used to replace any missing parameters, or as a wild card at either end of or within any of the parameters. For further information on how to use the **emdir** command please refer to the relevant man pages.

Nearly all new entries on **emdir** are created automatically upon registration for an account on any of the central computers at CERN. However, if this is not the case, send an email message to emdirmgr@vxcern.cern.ch asking for the creation of your **emdir** entry. Thereafter, you will be responsible for its update.

Example

To update the mail address of Denys Smithers:

emdir

Emdir> **Query**

;;; information for Smithers is displayed

Emdir> **Update**

Update> *8 smithers@dxcern.cern.ch*

Update> **Go**

Emdir> **Exit**

After the **Go** command you will be prompted for a password which will be requested before all future updates. If you have forgotten this password from a previous update, contact emdirmgr@vxcern.cern.ch. For more information use the online help.

9.4 News

Besides the local CERN newsgroups with which most people are familiar, Unix gives access to a vast amount of news in the Usenet newsgroups. It also allows sites to exchange their 'private' newsgroups by mutual agreement and CERN currently exchanges news with DESY, Fermilab and SLAC.

9.4.1 NetNews

Usenet is the set of people who exchange articles tagged with one or more universally recognised labels, called "newsgroups". The groups distributed worldwide are divided into a number of broad classifications such as: "comp", "sci", "news", "soc", "talk", "rec", "misc" and "alt". Each of these classifications is organised into groups and subgroups according to topic.

comp Topics of interest to both computer professionals and hobbyists, including topics in computer science, software source, and information on hardware and software systems.

sci Discussions marked by special and usually practical knowledge, relating to research in or application of the established sciences.

news Groups concerned with the news network and software themselves.

soc Groups primarily addressing social issues and socializing.

talk Groups largely debate-orientated and tending to feature long discussions without resolution and without appreciable amounts of generally useful information

rec Groups orientated towards hobbies and recreational activities.

misc Groups addressing themes not easily classified under any of the other headings or which incorporate themes from multiple categories.

alt Groups which are subject to less strict rules for creation of groups and content of articles.

9.4.2 Newsreaders

All newsreaders use a file in your home directory called `'.newsrc'`. This file is used to register the newsgroups to which you subscribe and the news articles you have already seen. Unless you have a system manager who has created a `'.defaultnewsrc'` file for your machine, before using the newsreader `'nn'` for the first time it is **essential** to create a `'.newsrc'` file in your home directory. It should contain the initial list of newsgroups, one per line, to which you want to subscribe. For example

```
cern.cern
cern.computing
cern.unix
cern.hp
```

If you don't create such a file you will be overwhelmed by interactive requests from every existing newsgroup (all 3000 of them!). You may also find it convenient to create such a `'.newsrc'` file before using `mxrn` but it is not so essential.

Three tools for reading news are proposed;-

mxrn This is a Motif interface to the 'old fashioned' `rn` newsreader. It is relatively easy to use since all the options are made available via the windows interface.. When you execute `mxrn` for the first time you will be presented with the complete list of newsgroups from which to select the ones to which you wish to subscribe. Luckily the list is presented in alphabetic order and a scroll bar is provided to help you get to the ones you want. As new newsgroups become available you will automatically be offered the chance to subscribe the next time you execute `mxrn`.

nn This calls itself 'an efficient' news reader and although it is more difficult for a new user to learn, offers an enormous variety of options and functions for someone who wants to scan, if not read, a large amount of news. Since it is not an X application it can be used from any type of terminal. Don't forget to create a `'.newsrc'` file before using `'nn'` for the first time. Subsequently, each time you execute `nn` you will first be given the chance to examine newly created groups. If you are not interested in them type `U` to unsubscribe.

For each newsgroup to which you subscribe, you are first presented with a list of all new news articles from which you select the ones you want to look at by typing in the letter or number appearing to the left of the subject line. When you have finished selecting items, hitting the space bar will put you into 'reading mode' where the text of the selected articles will be presented one after the other.

`nn` commands are normally just one letter and are mostly CASE SENSITIVE.

`? help`, summary of the commands that you can use at this moment

`a-z,0-9` the letter or number corresponding to new item you want to look at

Q quit - note upper case!

space advance to the next page, next mode, next newsgroup,...

U unsubscribe

www You can also access news via the World Wide Web (www) using either 'mosaic' or the line mode browser 'www'. This method does not use the .newsrc file and so does not keep track of the newsgroups to which you are subscribed nor which news you have seen. However it could be useful for people who read very little news or who normally use 'mxrn' and have an occasional need to access news from a 'dumb terminal' and don't want to learn 'nn'. News is accessible from the CERN 'home page'. Note that if you are using mosaic you could add your favorite news groups to your 'hotlist'. The URL needed for accessing news is of the form

news:cern.computing

news:comp.unix.ultrix

Bibliography

- [1] Mark G. Sobell, *A Practical Guide to the UNIX System*, available at the UCO (Building 513) for SFr 60.
- [2] Al Kelley and Ira Pohl, *A Book on C*, available at the UCO (Building 513) for SFr 50.
- [3] Metcalf and Reed, *Fortran 90 Explained*, available at the UCO (Building 513) for SFr 30.
- [4] D. Cameron and B. Rosenblatt, *Learning GNU Emacs*, O'Reilly & Associates, Inc, Sebastopol, USA, (1991)
- [5] Stallman, *GNU Emacs*, will be available from the UCO for SFr 24.
- [6] M. Goossens, A. Samarin, *TeX at CERN - Local Guide*, CERN CN/US/136, (1992)
- [7] D.E. Knuth, *The TeXbook*, Addison-Wesley, Reading, (1990); available from the UCO for SFr 46.
- [8] E. Krol, *The Whole INTERNET, User's Guide and Catlog*, O'Reilly, (1992), ISBN 1-56592-025-2
- [9] L. Lamport, *LaTeX, A Document Preparation System*, Addison-Wesley, Reading, (1986); available from the UCO for SFr 45.
- [10] St. Talbott, *Managing Projects with make*, O'Reilly & Associates, Inc
- [11] D. Gilly et al., *Unix in a Nutshell: System V Edition; Revised and Expanded for SVR4 and Solaris 2.0*, O'Reilly & Associates
- [12] W. Joy, *An Introduction to the C Shell*, available on dxcern in /usr/local/doc/postscript/cshellintro
- [13] B. Rosenberg, *Korn Shell Programming Tutorial*, Hewlett Packard
- [14] L. Wall & R. Schwartz, *Programming Perl*, O'Reilly, (1991), will be available from the UCO for SFr 50.
- [15] S. Garfinkel & G. Spafford, *Practical Unix Security*, O'Reilly, (1990)
- [16] Aho, Kernighan, and Weinberger, *The awk Programming Language*, Addison-Wesley
- [17] Philip Bourne, *UNIX for VMS Users*, Digital Press, available from the UCO for SFr 55. Addison-Wesley

Appendix A

Commonly Used Unix Commands

This appendix summarises frequently used Unix commands, special characters used to identify directories, and special characters used on the command line. More detailed information on each command, including a complete list of options, can be obtained with the **man** command.

A.1 Managing Directories

pwd	display the path name of the working directory
cd <i>dir</i>	change working directory to <i>dir</i>
mkdir <i>dir</i>	create directory called <i>dir</i>
rmdir <i>dir</i>	remove (delete) directory called <i>dir</i> . <i>dir</i> must be empty

A.2 Managing Files

ls	list contents of working directory
ls <i>file</i>	list <i>file</i> if it exists in working directory
ls <i>dir</i>	list contents of the directory <i>dir</i>
ls -l	list additional information on directory contents
ls -a	list all files including hidden files (. files)
cp <i>file1 file2</i>	copy <i>file1</i> to <i>file2</i> (overwrites <i>file2</i>)
cp <i>file dir</i>	copy <i>file</i> into directory <i>dir</i>
mv <i>file dir</i>	move <i>file</i> into directory <i>dir</i>
mv <i>file1 file2</i>	move <i>file1</i> to <i>file2</i> (overwrites <i>file2</i>)
rm <i>file</i>	remove (delete) file
rm -i <i>file</i>	ask for confirmation before removing (deleting) <i>file</i>
more <i>file</i>	displays contents of <i>file</i> , one screen at a time
cat <i>file</i>	displays contents of <i>file</i>
chmod <i>arg file</i>	change read/write/execute permission of <i>file</i>
chmod <i>arg dir</i>	change read/write/execute permission of <i>dir</i>

A.3 Managing Jobs

<code>< Ctrl - c ></code>	kill current job
<code>< Ctrl - z ></code>	stop current job; can then be run in background with <code>bg</code> command
<code>ps</code>	list process by process identifier
<code>kill PID</code>	stop process with process identifier <i>PID</i>
<code>jobs</code>	list your jobs by job number

A.4 On-line Help

<code>man command</code>	display manual entry for <i>command</i>
<code>man -k keyword</code>	list manual pages that pertain to keyword
<code>learn</code>	on-line tutorial (AIX only)
<code>info</code>	on-line tutorial, help pages and manuals, stored on CD-ROM. Can only be used with X-Windows Terminals. (AIX only)
<code>answerbook</code>	on-line help (SUN only)
<code>insight</code>	on-line help (SGI only)
<code>lrom</code>	on-line help (HP only)
<code>dxbook</code>	on-line help (ULTRIX and DEC OSF/1 only)

A.5 System Information

<code>who</code>	list users logged onto system
<code>who am i</code>	displays your logon ID
<code>passwd</code>	change password

A.6 Utility Programs

<code>sort file</code>	sort contents of <i>file</i> , send result to standard output
<code>grep pattern file</code>	look for <i>pattern</i> in <i>file</i>
<code>uniq file1 file2</code>	delete repeated lines in <i>file1</i> , write new version to <i>file2</i>
<code>wc file</code>	count the number of lines, words, and characters in <i>file</i>
<code>echo string</code>	write the parameter <i>string</i> to standard output, translate special characters
<code>find path</code>	search the directory tree <i>path</i> (see man page for more details)
<code>tar file</code>	write to or retrieve files from an archival storage media
<code>compress file</code>	compresses the file and writes <i>file.Z</i>
<code>uncompress file.Z</code>	restores <i>file</i> from compressed file

A.7 Directory Identifiers

~ (tilde)	your home directory
. (dot)	the working directory
..(dot)(dot)	the parent directory (one level up within hierarchy)
/	root directory

A.8 Special Characters

*	match any character
<	redirect standard input
>	redirect standard output
	send standard output of first command to standard input of second command
&	put job in background
!	repeat command (C shell)

Appendix B

Glossary

.	(dot)	The current directory.
..	(dotdot)	The parent directory of the current directory.
absolute	pathname	A pathname which starts with the root directory (/). An absolute pathname locates a file without regard to the working directory. Pathnames that are not absolute are called relative.
access		Frequently used to mean use, read from, or write to.
alias		The mechanism for providing a different name for a Unix command string.
alphanumeric	character	One of the characters from a-z and 0-9, inclusive, either uppercase or lowercase.
append		To add to the end of something else.
argument		Any word (string of characters delimited by spaces or tabs) occurring after the command on a command line.
argv		The variable in which the list of arguments to a command is stored.
arithmetic	operator	Symbol used to indicate and execute addition (+), subtraction (-), multiplication (*), or division (/).
a.out		Binary executable file.
background	job	A job which is not receiving input from the terminal. A job not in the background is said to be in the foreground.
bin	directory	A directory containing binaries of programs and shell scripts.
bit	bucket	Name for the file /dev/null. Characters written to this file are thrown away; characters read from this file cause immediate EOF.
boot		The loading of the kernel into memory.
BSD		Berkeley Software Distribution, a version of Unix originating at the University of California at Berkeley.
built-in	command	A command executed directly by the shell, as opposed to forking a process to execute a file in a directory.
case	sensitive	Treating lower and upper case characters as two kinds of characters with separate meanings.
child	directory	The directory below another directory in the file system tree structure.
child	process	A process created when a parent process forks a new process.
command		A function performed by the system either by the shell or by a program residing in a file in the directory.
command	editing	Modifying a previously entered command for reuse as a new command.
command	prompt	A string of characters that the system outputs to tell you it is ready to accept the next command.

concatenate	To link together in a series.
console	The terminal with which you communicate to the system.
csh	Shorthand for /bin/csh/, the C shell program.
current directory	The directory to which commands refer by default, the directory you are currently in. Same as working directory.
cwd	Variable in the shell which holds the absolute pathname of the current working directory.
daemon	A continuously-running program which monitors and manages a system resource such as printers, working sets, etc.
detached job	A job that continues processing after the user has logged out.
device	See physical device.
device file	A file that represents a device. Also called a special file.
directory	A Unix file that contains names of other files or directories. More technically, a system-managed file containing the associations between path components and inodes. Each directory entry contains an inode number and a path component.
directory hierarchy	The arrangement of directories in a Unix file system, consisting of a root directory at the top of the directory hierarchy containing pointers to all file systems, and hence to all directories on the system.
disk partition	Part of a disk onto which a file system is mounted.
driver	The device dependant code for a particular device class; eg: a specific type of printer or terminal.
environment	The set of characteristics describing a user's sessions, including open files, user and group identification, process identification and environment variables.
environment variable	A variable exported automatically to subsequent programs.
EOF	End-of-file generated by <ctrl-d> or the end of a file used as input.
escape	A character (\) used to prevent the special meaning of a metacharacter.
ethernet	A packetised asynchronous protocol using coaxial or optical fiber cable with multiple senders and receivers. Each node listens for packets which are addressed to it. When a node wants to send, it waits for the ethernet to be idle and then sends. If two or more nodes attempt to send at the same time, they detect this condition by checking their own signals as they come back to the node and if the signals are damaged each node waits for a short random amount of time and then tries again.
event	Past command stored in the history list.
exec	A family of system calls that replace one program executing in a process with another. The system calls differ in format of the arguments and not in the purpose of the system call.
expansion	The replacement of strings in the shell input which contain metacharacters by other strings.
file	A collection of data known to the operating system. In most operating systems a file is associated with a specific name or names. In Unix a file need not have a name but most files do at least have one.
file descriptor	The number Unix assigns to an open file.
filename	The set of characters used to reference a file.
file system	a) the component of the kernel that manages data resources into files

	b) a disk data structure used to manage a tree of files.
filter	A program that reads from standard input, does something and writes to standard output.
foreground job	A job that must be completed or interrupted before the shell will accept more commands; a job receiving input from the terminal. See background job.
flag option	Option used to modify the action of a command, consisting of one or more letters preceded by the character -.
fork	The system routine that creates a new process by duplicating the calling (parent) process. One is called the parent and the other the child. The parent process receives the process identification (pid) of the child as a result of the fork system call. The child receives from its copy of the same system call a pid of 0.
full-duplex	the communications path is bi-directional and both ends may be sending at the same time.
getty	The terminal line monitoring program.
globbing	Filename expansion using metacharacters.
group ID	A numeric identification designating the group to which a user belongs.
half-duplex	The communications path sends signals in one direction at a time. The path may be capable of communicating in one direction only. Otherwise, there is some agreed signal to allow the other end to become the sender.
hidden file	A file which begins with a period and often has special meaning to the system.
history list	The list of previously issued commands.
home directory	Your default working directory; the location in the file system that Unix automatically puts you when you log in. Same as the login directory.
host	A computer network. Also known as a node.
ignoreeof	A variable in some shells to prevent <ctrl-d> from logging you out.
inode	Pointer used to locate data on a physical device.
interrupt	A signal to a program to stop execution (often set to <ctrl-c>).
job	One or more commands typed on the same input line. Jobs are classified as foreground, background, or suspended.
job number	A unique number assigned to a job when it starts.
kernel	The operating system control program.
ksh	Shorthand for /bin/ksh, the Korn shell program.
link	An entry in a directory that points to an existing file. There are hard links and symbolic links (or soft links).
.login	A file in your home directory which is executed each time you login.
login directory	Your default working directory; the location in the file system that Unix automatically puts you when you log in. Same as the home directory.
login name	The unique name assigned to a user which is used at the login prompt to login to the system.
login shell	The shell that is started when you login.
.logout	A file in your home directory which is executed when you log out.
metacharacter	Character with special meaning to the shell or to Unix.
NFS	Network File System, a protocol developed by Sun Microsystems, Inc, to permit access to files on remote computers.
noclobber	A variable in some shells which can be set to prevent accidental

	destruction of files by output redirection.
noglob	A variable in some shells which can be set to suppress the filename expansion of arguments containing certain metacharacters.
ordinary file	Collection of characters stored on disk. Contrast with special (device) file or directory file.
output	Information that a program sends to the terminal or other file.
panic	The kernel has detected a fatal error and is terminating a system crash. A panic dump results.
parent directory	The directory one level closer to the root than the current directory.
parent process	The process that forked to create a child process.
path	A directory specification. An absolute path starts with slash and is relative to a process's definition of the system's root directory. A relative path does not have an initial slash and is relative to a process's definition of its current working directory.
pathname	A list of directories, separated by / characters. It is used to trace a path through a file structure to locate a file. The types are simple, absolute and relative.
path component	A field of a path delimited by the beginning, a slash, and the end of the path.
physical device	A piece of hardware attached to the computer eg: disk drive, printer.
physical device name	The name given to a physical device.
PID	Process IDentification. The PID number is a unique number assigned to each process when it is initiated.
pipe	A connection between two programs such that the standard output of one is connected to the standard input of the other.
pipeline	A group of programs connected by pipes.
plain file	A file used to store a program, text or other data, as contrasted with directory file or device file.
port	The part of a computer system to which a terminal is connected.
prompt	A cue from a program, usually displayed on the terminal, indicating that it is waiting for input.
process	The unit of work, or the means by which Unix executes a program.
process id	An integer that uniquely identifies a process within the system.
quotation	The process by which metacharacters are prevented from using their special meaning, usually by using the character ' in pairs or by using the character \.
redirection	The routing of input or output from or to a file, rather than a terminal.
relative pathname	A pathname which does not begin with a / is interpreted relative to the current working directory. Contrast with absolute pathname.
RISC	Reduced Instruction Set Computer.
root	Another name for the superuser; the source directory of the file system.
root directory	The directory which is at the top of the entire directory structure and the start of an absolute pathname. Represented by a /
script	A sequence of shell commands placed in a file/program.
sh	Shorthand for the file /bin/sh, the Bourne shell program.
shell	A command language interpreter.
shell script	See script.
signal	A short message sent to a running program which causes something to happen to that process.
socket	Defines an endpoint for network communication (BSD only).

special character	See metacharacters.
special file	A file that represents a physical device. Also called a device file.
spooler	A program or system of programs that accepts files to be delivered to a system resource that needs to be used serially, eg: printers or communications equipment.
standard error output	A file that a program can receive output to, usually reserved for error messages. By default it is directed to the terminal.
standard input	A file that a program can receive input from. By default, it comes from its terminal.
standard output	A file to which a program can send output. By default, it is to the terminal.
stream	Same function as socket (System V).
superuser	A privileged user who can perform administrative tasks.
suspended job	A job which has received a stop signal, either via <ctrl-z> or the stop command.
symbolic link	A method to associate a file with two or more file names.
system call	A request for services from the operating system control program or kernel.
TCP/IP	A communication protocol that may be embedded within a physical communications protocol such as Ethernet that supports methods of communications that are sending letters called datagrams or establishing two-ways links called virtual circuits. Datagrams may arrive out of order or be lost. Virtual circuits protect against packets arriving out of order but may lose packets. Higher order protocols may provide either order services or replacements for lost or damaged packets.
trusted host	A host that permits access without a password.
tty	An abbreviation for teletype, frequently used to indicate the port to which a given terminal is connected.
user ID	A number associated with each login name.
white space	A name for spaces and/or tabs.
wild card character	A character with a special meaning in a file specification.
working directory	The directory you are currently in. Relative pathnames are built upon the working directory. Also called current directory.

Index

- .emacs, 58
- .exrc, 56
- .rhosts, 37
- 3270, 50
- Absolute path, 28
- Account, 7
- ADSM, 34
- AFS, 35
- Alias, 24
- Andrew File System, 35
- Anonymous ftp, 40
- Answerbook, 70
- apropos, 70
- ar, 63, 65
- archive, 65
- ASIS, 66
- awk, 16
- Backup, 33
- bash, 10
- Binding, 64
- Bookreader, 70
- Bourne shell, 10, 15
- C, 61
- C shell, 10, 15
- cancel, 49
- cat, 30
- cd, 29
- cernlib, 63
- CERNVM access, 50
- chmod, 32
- CNL, 9
- Combining files, 30
- Command recall, 25
- Commands, built-in, 11
- Commands, format of, 11
- Compiler, 61
 - option, 62
- Computer Newsletter, 9
- CoPilot, 34
- CORE, 67
- cp, 31
- cpio, 34
- CSF, 68
- csh, 10
- dbx, 64
- Debugging, 64
- DECnsr, 34
- DFS, 35
- Distributed File System, 35
- dump, 34
- dvips, 50
- EDITOR, 20
- Electronic mail, 44
- elm, 46
- emacs, 56
- emdir, 72
- End-of-file, 13
- ENV, 20
- Environment variables, 18
- ex, 53
- f77, 61
- File backup, 33
- File permissions, 31
- Filter, 15
- Forking, 12
- fort77, 62
- FORTTRAN, 61
- ftp, 39
- Gnu emacs, 56
- Gnu software, 67
- Gopher, 71
- grep, 16
- History, 25
- HOME, 20
- Home directory, 27
- Hypertext, 71
- ignoreeof, 24

info, 70
 Internet, 36, 71

 Korn shell, 10
 ksh, 10

 LaTeX, 50, 67
 ld, 61
 Legato Networker, 34
 Libraries, 62
 Link editor options, 65
 Linker, 61
 Login, 8
 Logout, 8
 lp, 49
 lpq, 49
 lpr, 47
 lprm, 49
 lpstat, 49
 lrom, 70
 ls, 28

 Mail, 44
 mailx, 45
 make, 61
 man pages, 69
 man, printing man pages, 11
 Merging files, 30
 mkdir, 29
 more, 30, 69
 mosaic, 71
 mv, 30
 mxrn, 74

 Networker, 34
 News, 73
 nn, 74
 noclobber, 13
 NQS, 68
 Null device, 14

 Object file, 62
 OMNIBACK, 34
 Optimisation, 64

 PaRC, 68
 Password, 9
 PATH, 20
 Path, 12
 phone, 72
 PIAF, 68
 pid, 12

 pine, 47
 Pipes, 14
 Postscript, 48
 PRINTER, 20
 Printing, 47
 Printing man pages, 11
 Process identifier, 12
 Process, active, 13
 Process, background, 12
 Process, child, 12, 15
 Process, dormant, 13
 Process, login, 10
 Process, parent, 12, 15
 Profile files, 21
 Prompt, 11, 20
 PS1, 20
 pwd, 29

 rcp, 41
 Redirection, 13
 Registration form, 7
 Regular expressions, 16
 Relative path, 28
 remsh, 43
 reset, 24
 resize, 24
 restore, 34
 rexec, 44
 rhosts, 37
 rlogin, 38
 rm, 31
 rmdir, 29
 Root directory, 27
 rsh, 42

 Scripts, 15
 Search path, 12
 sh, 10
 Shared library, 63
 Shell script, 15
 Shell, bash, 10
 Shell, Bourne, 10
 Shell, C, 10
 Shell, Korn, 10
 Shell, login, 10
 Shell, tcsh, 10
 Shell, zsh, 10
 SHIFT, 68
 sort, 16
 Standard error, 13
 Standard input, 13

- Standard output, 13
- Startup files, 21
- Static code, 64

- tagibm, 51
- tar, 34
- tcsh, 10
- telnet, 38
- TERM, 20
- Terminal server, 8
- Terminal type, 20
- TeX, 67

- UCO - Registration form, 7
- UCO - Resetting passwords, 9
- UID, 7
- Usenet, 73

- Variables, environment, 18
- Variables, shell, 18
- vi, 52
- VISUAL, 20

- WAIS, 71
- WDSF, 34
- World Wide Web, 71
- WWW, 71

- X Terminal, 8
- x3270, 50
- xdb, 64
- xdvi, 50
- xf, 62
- xmosaic, 71

- zsh, 10