

## Event visualisation tools at LEP

David McNally *CERN, Geneva, Switzerland*

### Abstract

This note reviews the main features of the event visualisation systems used by the four LEP collaborations: ALEPH, DELPHI, L3 and OPAL.

Keywords: ALEPH, DELPHI, L3, OPAL, Event visualisation; GUI; Data abstraction

## 1 Introduction

In this review an attempt is made to describe the event visualisation systems which were implemented and are used by the four experiments operating at the LEP collider at CERN. The discussion will focus on the visualisation systems used during offline analysis, detector and reconstruction software development.

During their design and commissioning phase all four LEP experiments (see section 2) recognised the need for graphical visualisation systems of their detector and recorded event structures. Investing a large amount of manpower and financial resources each experiment proceeded to develop and implement such visualisation systems. During this period there was virtually no discussion between the different collaborations. In this light it is interesting to review how each collaboration addressed the problem of event visualisation and to compare in what respects the four independent solutions either diverge or reflect common functionality. Further one may note that both design and implementation of the systems discussed herein was undertaken in the years 1988 to 1990 and, due to manpower constraints, these systems have not undergone fundamental redesign or reprogramming over the last six years. On the other hand a fair bit of effort has been invested by all four collaborations to improve their existing visualisation systems in view of user requests, improved functionality and reliability as well as addressing new needs for physics analysis and reconstruction software development. Hence the underlying philosophy as well as the functionality and features presented in this document reflect the experience gained by many physicists actually using event visualisation systems during their daily work. As experimental high energy physics is currently venturing into a new era with the ongoing development work for the two large LHC detectors, systems operating under conditions where event visualisation will be essential for both detector understanding and physics interpretation, a review of proven visualisation tools may act as a starting point for the development challenges ahead.

This report is organised as follows: First a brief description of the four LEP experiments (section 2) will be presented. The requirements are outlined which need to be addressed when designing an event visualisation system (section 3). A discussion of the underlying philosophy and implementation chosen by each of the four LEP experiments (section 4) is followed by examples outlining some of the methods used for data representation, abstraction and analysis (section 5). Some final remarks will then conclude this review.

## 2 The four LEP experiments

The four experiments taking data at the CERN Large Electron Positron collider (LEP), ALEPH [1], DELPHI [2], L3 [3] and OPAL [4] (figure 2), are situated at equidistant points along the 26.6 km LEP tunnel. Each experiment has  $\mathcal{O}(10^5)$  readout channels and  $\geq 10$  individual subdetectors, each with different requirements concerning both detector and event visualisation. ALEPH and OPAL have a similar layout with, following a line from the interaction point radially outwards, a tracking system consisting of a high precision microvertex detector complemented by gaseous tracking chambers. The tracking system is surrounded by an electromagnetic calorimeter followed by a solenoidal magnet

(ALEPH: superconducting coil), a hadron calorimeter and muon chamber system. L3 differs from this design by placing a similar set of detectors, complemented by a high precision muon spectrometer, entirely within a large conventional magnet of  $\simeq 13\text{m}$  diameter. The DELPHI detector is highly segmented, both radially and along the beam axis, incorporating silicon microvertex, ring imaging cherenkov, drift and time projection chamber detectors and a superconducting solenoid placed in front of the hadron calorimeter and muon systems.

In view of event visualisation these four detectors pose the following challenges and constraints:

ALEPH: The very large ( $>3\text{m}$  diameter) tracking system delivers high precision measurements in all three dimensions, complemented by powerful particle identification through  $dE/dx$  measurements. The calorimeters, on the other hand, have a relatively crude segmentation. Hence the main focus of the ALEPH visualisation system is aimed at obtaining good representations of the objects measured in the tracker while reflecting calorimetric and muon chamber objects in a more abstracted form.

DELPHI: Due to the complex and highly segmented detector, good representations of the individual subdetectors is required. Particle identification and tagging of neutrals takes place independently in many subdetectors requiring good three dimensional visualisation and powerful graphical abstractions.

L3: The very large detector with high precision tracking both close to the interaction point and in the muon spectrometer require powerful three dimensional visualisation tools enabling fast rotations, panning and zooming. The finely segmented calorimeters allow for individual energy measurements of most particles in an event. This demands good visual abstractions of reconstructed calorimeter objects enhanced by suitably chosen colour coding and cross referencing.

OPAL: Poses similar visualisation challenges as the ALEPH detector.

Contrary to hadron machines, LEP events are relatively simple, both in view of topology and multiplicity. The events are free of irreducible backgrounds so that visualisation systems do not need to deal with high backgrounds which can confuse the view while carrying little essential information.

### 3 Event visualisation in HEP

#### 3.1 Why visualise events

Human perception is mainly based on visual input as  $\approx 80\%$  of our brains raw processing power, dedicated to the treatment of sensoral input, is related to our vision. This, for example, is reflected in the fact that we usually present physics results in the form of graphs and not tables of numbers which, for most of us, require a higher degree of concentration and reflection in order to make sense. An event recorded in our detectors constitutes a set of measurements, spatially correlated in three dimensions. So it lays in our nature to reflect this information in a form most suitable to our perception, that is in a view or picture. These views may contain representations of objects which we know from our daily experience, such as silicon wafers in a vertex detector, but also abstractions which have no real world visible equivalent, such as temperature, high voltage status or the energy profile of a shower in a calorimeter. Hence event visualisation offers a direct and intuitive insight into the processes taking place in our detectors. Using visual abstractions which are carefully designed to convey the *correct* impression can save time during development and analysis work, be educational and fun.

#### 3.2 Event visualisation requirements

The LEP collaborations designed their event visualisation programs with four main areas of use in mind:

- Debugging the detector and monitoring its performance.
- Assistance in the development of, and checking the reconstruction software.
- Physics analysis.




Figure 1: Schematic views of the four LEP detectors.

- Education and generation of publication quality pictures.

These requirements demand a high degree of functional flexibility. In particular support for two classes of interactive operations should be provided which, following reference [5], will be termed: *Local interactivity*, that is operations acting directly on the view through low level graphics operations such as zooming, rotations and modifications of the display list. *Global interactivity*, comprising all operations which affect or require information from the underlying event and detector data structures. Examples for global interactivity are: pick a set of hits in a tracker, refit the track and display the result or regenerate the view highlighting objects which pass certain cuts specified through the user interface. A system addressing the main areas of usage listed above should satisfy the following five requirements:

- 1 Access to event data, detector geometry and data bases:

The program should have (in)direct access to the *same* data structures which are passed to, and generated by the reconstruction software. The views of the detector should reflect the actual position, geometry and status at the time the event was recorded. Only through access to the relevant databases can detector monitoring functions be fully supported.

- 2 Access to functionality embedded in the reconstruction program:

Together with point 1 this is an essential requirement in order to support global interactivity as defined above.

- 3 Three dimensional rendering enhanced by a set of local interactive operations.

This functionality enhances the intuitive impression through user controlled motion and selection of the viewed objects. Special projection operations may be implemented aimed at enhancing certain features of an event.

- 4 Variable levels of graphical data abstraction:

Addressing the different situations for which the system will be used.

- 5 Support extensive cross referencing:

To improve intuitive understanding it is useful to present the same information in different ways, for example as a graphics object in the view and as alphanumeric information on a separate screen.

## 4 Event visualisation systems design


One of the principal decisions to be taken during the early design phase of a visualisation system is that of integrating it into the detector reconstruction. An integrated system offers many advantages:

- Implicit access to the full functionality of the reconstruction program.
- Easy access to event data, data base and detector geometry.
- Any modification or improvement of the reconstruction software will automatically propagate into the viewing system.


These are to be compared with the advantages of implementing a stand alone system:

- Flexibility during implementation and maintenance.
- Relatively small program allowing for time saving development due to a rapid compile-link-load cycle.
- Inclusion of user specified code and graphics can be easily accomplished.
- Good performance during execution.

Table 4 lists the design choices made by the four experiments together with the program names and some references. Figures 3.2 and 2 show schematic flow charts of the L3Scan and DELGRA visualisation systems. L3Scan is inherently tied into the reconstruction program with both the HIGZ [10] and KUIP [11] software packages acting as interface between the graphics system and the reconstruction. All data structures, including high level representations of the graphics objects and cross references to their parent event and database entries, are maintained using ZEBRA [12]. This allows for seamless handling of data throughout the program.



**Figure 2:** Program flow chart for the L3 visualisation system L3Scan.




**Figure 3:** Program flow chart for the DELPHI visualisation system DELGRA. The functionality shown to the right of the dashed line is reproduced for each session of DELGRA while that to the left runs once per server. The solid dashed line connecting the three top boxes represents the interprocess communication package.

Experiment	Visualisation program name	Implementation	Description
ALEPH	DALI	Stand alone	[6]
DELPHI	DELGRA	Stand alone	[7]
L3	L3Scan	Integrated	[8]
OPAL	GROPE	Integrated	[9]

**Table I:** Visualisation system names and implementation schemes chosen by the four LEP collaborations.

In contrast to this approach DELPHI's DELGRA system consists of four main modules which are independent of the reconstruction program: A high level graphics package, a communications and user interface, an interface to external resources such as data, detector geometry and reconstruction functionality and finally (shown as bold dashed line in figure 2) a package handling communications between these three processes. Multiple sessions of DELGRA can be run on the same CPU. Only the processes shown to the right of the thin dashed line in figure 2 need to be created for a session while those to the left (*i.e.* the interface to data, geometry and reconstruction functionality) need to be created only once.

All four collaborations wrote their reconstruction software in Fortran. They chose to implement most of their visualisation systems using the same language while using C for certain tasks. All four systems run on UNIX workstations with X-windows [15] display managers.



**Figure 4:** Graphical user interface of the L3Scan program.

#### 4.1 User Interface and Graphics

All four LEP experiments have implemented graphical user interfaces (GUI) for which figure 4, showing the L3Scan GUI, acts as an example. Typically these are subdivided into a graphics area, a control panel, and fields for alphanumeric input and output. While the L3 and OPAL GUIs are based on MOTIF1.2 [13], ALEPH and DELPHI implemented their own systems using low level window manager calls. DELPHI, L3 and OPAL use the G5G implementation of the PHIGS standard [14]

to serve the graphics area while ALEPH uses X calls [15] with a C to Fortran language interface. Table 4.1 summarises the main features of the different GUIs as seen by a typical user. In this table

Feature	ALEPH	DELPHI	L3	OPAL
Keyboard controlled	✓		✓	✓
Mouse controlled	✓	✓	✓	✓
Intuitive			✓	✓
Optimised mouse actions	✓		✓	✓
Efficient use of screen	✓	✓	✓	✓
Online help	✓	✓	✓	✓
Pedestrian → Expert levels	✓		✓	
Fast initialisation/event processing	✓	✓		
Macro facility	✓		KUIP	KUIP
Include user code via GUI				✓
I/O control for event data	✓	✓	partial	partial

**Table II:** Compilation of the functionality for the four GUIs. A tick mark (✓) indicates that the corresponding functionality is supported.

a tick mark (✓) indicates that the corresponding feature listed in the left hand column is supported or implemented.


While some users like to interact with the program through a mouse others prefer to work with the keyboard. Hence both modes should be possible. A GUI which is intuitively understandable enhances user acceptance. Ideally its layout should not change as this confuses people who occasionally use the program. Often users spend many hours a day working with the system and do not wish to repeat complicated sequences of mouse actions for each event they want to view. So mouse interactions with the program should be optimised and, if possible, complemented by a macro facility. As the program will be run by both experts and casual users the layout of the interface should address all levels of expertise. Fast program response, both during interactive operations and when requesting a new event, improves work efficiency and reduces user frustration. I/O control from within the program, enabling access to event repositories and saving of interesting events, should be supported. Using the COMIS [16] compilation and interpretation system, OPALs visualisation program enables Fortran code binding at runtime.

## 5 Data representation, abstractions and physics analysis


For a comprehensive discussion of data representation and abstraction techniques, including many examples generated with the DALI program, see reference [17]. Due to limited space and the lack of colour in this publication only some general remarks and very few examples can be shown. For references to more pictures see [18].

As noted in the previous section all LEP collaborations, with exception of ALEPH, have based their graphics system on the PHIGS standard. It is interesting to note that this standard supports many advanced rendering techniques such as shaded and translucent surfaces, depth cueing *etc.*. But all experiments resort to relatively simple wire frame and polymarker objects to build up their views. Only DELPHI applies hidden line removal and surface rendering for their publication quality pictures. The same three experiments support rendering in three dimensions enhanced by local interactive functionality.

On the other hand ALEPH explicitly chooses to do all rendering in two dimensions. For this purpose they developed many projection algorithms which are designed to enhance certain features of both the detector and the event. One of the most commonly used projections, the circular fish eye



**Figure 5:** Event displays generated by the DALI program showing the effect of the fish eye transformation as described in the text.



**Figure 6:** On the left: Event display generated by the L3Scan program showing a cosmic muon traversing the entire detector. This picture underlines the power of a true three dimensional representation. On the right: Three views of an OPAL  $e^+e^- \rightarrow \gamma/Z \rightarrow WW \rightarrow e\nu_e\mu\nu_\mu$  event. The orientation of the side views are chosen to lay in (top) and perpendicular to (bottom) the event thrust axis direction.



transformation, acts on spherical coordinates  $(\rho, \phi)$ :

$$\begin{aligned}\phi &\rightarrow \phi' = \phi \\ \rho &\rightarrow \rho' = \frac{\rho}{1+\alpha\rho}\end{aligned}\tag{1}$$

The effect of this particular transformation is to enlarge, as a function of the parameter  $\alpha$ , the view around  $\rho = 0$ , that is at the centre of the detector, while compressing the view for large radii. This emphasises details where the detector has intrinsically high resolution, *i.e.* around the interaction point. Figure 5 compares the views before (to the left) and after (to the right) application of this transformation.

Figure 6 shows, on the left hand side, a cosmic muon traversing the entire L3 detector system with a viewpoint chosen to emphasise the relative sizes of the different subdetectors. On the right hand side an OPAL event is shown from three different orientations. Both examples are chosen to underline the power of true three dimensional event representations.

## 6 Conclusions

The event visualisation systems developed by the LEP collaborations have been remarkably successful, justifying the large investments both in manpower and hardware which were made over the last eight years. These programs have, to a large extent, fulfilled all the requirements which were initially imposed on them. It turned out though that the effort required to maintain and upgrade these programs is very large. This problem needs to be seriously considered for future visualisation systems such as the ones currently under development for the LHC detectors. Especially as the visualisation requirements for an LHC environment will pose far greater challenges compared to those at LEP.

It is interesting to note that all LEP collaborations but ALEPH came up with very similar visualisation systems, both functionally and in appearance. This motivates an effort to standardise some of their functionality in the form of a general purpose software package which then can be tailored to the specific needs of an experiment. With the dramatic developments taking place both in the software and hardware domain, this kind of effort would enhance flexibility, add functionality which otherwise would be prohibitively complicated to implement, improve software quality and may combine the knowhow of people who, due to their affiliations, would not normally work together. Finally this kind of effort would enable smaller collaborations, which do not have the means to develop sophisticated visualisation systems, to incorporate these tools into their analysis framework.

## Acknowledgements

I would like to thank the following people for their generous help and time while preparing this review: Hans Drevermann (ALEPH), David Ward (OPAL), Luc Pape (DELPHI), Mark Dönszelmann (CERN-ECP) and Lucas Taylor (HEPVIS'96). I wish to thank the organisers of HEPVIS'96 for a pleasant and stimulating workshop.

## References

- 1 ALEPH Collab., D. Décamp et al., Nucl. Instr. Meth. **A294** 121 (1990)
- 2 DELPHI Collab., P. Aarnio et al., Nucl. Instr. Meth. **A303** 233 (1991)
- 3 L3 Collab., B. Adeva et al., Nucl. Instr. Meth. **A289** 35 (1990)
- 4 OPAL Collab., K. Ahmet et al., Nucl. Instr. Meth. **A305** 275 (1991)  
P. P. Allport et al., Nucl. Instr. Meth. **A324** 34 (1993)
- 5 H. Stone, *Event visualisation – a physicists perspective*, these proceedings.
- 6 H. Drevermann and C. Grab, *Graphical Concepts For The Representation Of Events in High Energy Physics*, Int. J. Mod. Phys. C, 1 (1990) 147 - 163.  
C. Grab, *DALI - Event Display User's Guide*, ALEPH internal note,  
contact Hans .Drevermann@cern . ch and visit  
[http://axaonl.cern.ch:8000/disk\\$user/cattaneo/work/bookreader/ALL\\_10.HTML](http://axaonl.cern.ch:8000/disk$user/cattaneo/work/bookreader/ALL_10.HTML)
- 7 D. Bertrand *et al.*, *DELGRA - DELPHI Graphics for interactive Event Viewing User Manual*, DELPHI internal note (1996), contact: Luc .Pape@cern . ch  
D. Bertrand, L. Pape, *Track analysis and Graphics Package*, DELPHI internal note **87-95 PROG-98** (1992)
- 8 D. McNally, *A users guide to the L3 scan program*, L3 internal note **1985** (1996),  
<http://wwwcn.cern.ch/~dmcnally/doc/l3scan.ps.Z> (340 kB).
- 9 D. Ward, J. Banks, *A GRope Primer*, OPAL internal note **GR202** (1995)  
contact David.Ward@cern . ch
- 10 HIGZ: CERN program library long writeup **Q120, Y251** (1994).
- 11 KUIP: CERN program library long writeup **I102** (1993).
- 12 ZEBRA: CERN program library long writeup **Q100, Q101** (1995).
- 13 MOTIF: D.Heller & P.M.Ferguson, *Motif Programming Manual*, O'Reilly & Assocs. (1994).
- 14 PHIGS implementation used by the LEP collaborations from: G5G S.A., Château Rouquey, BP 168, 33708 Mérignac Cedex, France.  
PHIGS: T.Gaskins, *PHIGS Programming Manual*, O'Reilly & Assocs. (1992).  
PHIGS Standard: ISO/IEC 9592-1,2,3:1989(E), 9593:1998(E).
- 15 X: A. Ney & T. O'Reilly, *X Toolkit Intrinsics Programming Manual, OSF/Motif1.2 Edition*, O'Reilly & Assocs. (1992).
- 16 COMIS: CERN program library long writeup **L210** (1993).
- 17 H. Drevermann, D. Kuhn and B.S. Nilsson, *Event Display: Can we see what we want to see?*, CERN/ECP**95-25** (1995).
- 18 ALEPH: [http://alephwww.cern.ch/DALI/dali\\_form.html](http://alephwww.cern.ch/DALI/dali_form.html)  
DELPHI:  
[http://delonline.cern.ch/delphi\\$www/public/das/events\\_at\\_161\\_gev.html](http://delonline.cern.ch/delphi$www/public/das/events_at_161_gev.html)  
L3: <http://hpl3sn02.cern.ch/160GeV.html>  
OPAL: <http://www.cern.ch/0pal/events/opalpics.html>