

# momepy: Urban Morphology Measuring Toolkit

Martin Fleischmann<sup>1</sup>

<sup>1</sup> Department of Architecture, University of Strathclyde

DOI: [10.21105/joss.01807](https://doi.org/10.21105/joss.01807)

## Software

- [Review](#) ↗
- [Repository](#) ↗
- [Archive](#) ↗

---

Editor: [Vincent Knight](#) ↗

## Reviewers:

- [@martibosch](#)
- [@geraintpalmer](#)

Submitted: 09 October 2019

Published: 20 November 2019

## License

Authors of papers retain copyright and release the work under a Creative Commons Attribution 4.0 International License ([CC-BY](#)).

## Summary


Urban morphology is the area of urban studies that explores the physical form of cities in space and the way it changes in time in relation to the agents of such change (Kropf, 2017). The discipline is based on the analysis of space, traditionally mostly visual and qualitative (Dibble et al., 2015); its objects are the fundamental elements of urban form (building, plot, street) (Moudon, 1997) as well as a range of analytical constructs such as axial maps (Ariza-Villaverde, Jiménez-Hornero, & Ravé, 2013) or proximity bands (Araldi & Fusco, 2019). The increased availability of morphological data and computational power have led in time to more emphasis on quantitative forms of analysis, and the emergence of Urban Morphometrics (UMM) (Dibble et al., 2017): this approach describes urban form via the systematic and comprehensive measurement of its morphological characters. Since UMM analysis is addressed both in-depth and at large scale, it is grounded on the intensive use of GIS software (proprietary ArcGIS, MapInfo, open-source QGIS) either through built-in processing tools or specific plugins like Urban Network Analysis (Sevtsuk & Mekonnen, 2012) or Place Syntax Tool (Stähle, Marcus, & Karlström, 2005). However, essential functions to conduct such measurements on specific urban morphometric characters or processes such as morphological tessellation, are not always available: current plugins offer only a limited number of functionalities as they are mainly application or case-specific. This paper is hereby proposing *momepy*, a Python toolkit which aims to overcome such limitations by enabling a systematic in-depth analysis of urban form, to comprehensively include a wide range of measurable characters, with a prospect of expanding future development due to its open-source nature and independence on proprietary software or operating systems. The development of *momepy* is timely, as the role of measurable characters is vital to recognize form-based patterns and establish descriptive and analytical frameworks of human settlements, in the “age of urbanization”.

The morphometric characters implemented in *momepy* allow to conduct a cross-scale analysis of urban form, spanning from the level of individual buildings and plots to the macroscopic metropolitan regions. Furthermore, *momepy* is designed to be more flexible than other toolkits as its functions are generally not restricted to specific morphological elements but to geometry types only and as such, can be used in various analytical models.

The six core modules of *momepy*, represent six categories of urban morphometric characters: dimension, shape, spatial distribution, intensity, connectivity (graph module), and diversity identified in the literature and ongoing research. These six modules together provide a wide range of algorithms measuring different aspects of urban form and are able to describe its complexity with a significant degree of precision.

Moreover, the `elements` module allows for generating morphological elements and provides a way of linking all relevant elements together using unique IDs based on their spatial proximity. This module provides a function to generate morphological tessellation of the built-up area (figure 1) based on the spatial configuration of building footprints using the Voronoi tessellation as implemented in SciPy (Virtanen et al., 2019), used within UMM as a proxy of a plot. This module also allows for generating tessellation-based urban blocks as a higher scale aggregation.

The application of morphological tessellation and PySAL's (Rey & Anselin, 2010) spatial weights as used within momepy enables the relational definition of location-based aggregation, allowing the consistent morphology-led definition of the vicinity of each element of the urban form (Fleischmann, Romice, & Porta, 2019).



**Figure 1:** Figure 1: Morphological tessellation in the case of the exemplary bubeneč dataset illustrates the principle of Voronoi tessellation applied on building polygons. Building data source: OpenStreetMap © OpenStreetMap contributors, CC BY-SA

Additionally, the `utils` module helps, among others, to pre-process data, by cleaning either the topology of street networks or of ancillary structures from the building footprint data, both needed to eliminate possible error later in the analysis.

Internally, `momepy` is built on the GeoPandas Python package (Jordahl et al., 2019), using its `GeoSeries` and `GeoDataFrame` objects to store and handle large amounts of geospatial information. `momepy` uses PySAL under the hood, mostly to take care of spatial weights matrices capturing the adjacency of elements of urban form. The graph module uses the capabilities of `networkX` (Hagberg, Schult, & Swart, 2008) for the analysis of urban street networks. Basic Python knowledge is required to use `momepy`, but example Jupyter notebooks should provide enough information to allow using `momepy` with a standard GIS knowledge only. `Momepy` depends on Python geospatial libraries, so the recommended installation uses the community-led `conda-forge` channel of `conda` to ensure compatibility of all dependencies: `conda install -c conda-forge momepy`. Eventually, `pip install momepy` is possible

considering all dependency requirements are met. *momepy* is currently being used to measure the specific aspects of urban form that contribute to its resilience (Felicciotti, Romice, & Porta, 2016), as part of *The Urban Form Resilience Project*, and to describe urban form using extensive number of morphometric characters (300+) aimed at recognition of homogenous areas as part of the doctoral research *The Urban Atlas: Developing tools and frameworks for quantitative analysis of urban form through Geographical Information Systems and big data*, both based at the University of Strathclyde, Glasgow. At the same time, *momepy* is being used as a tool for climate-induced risk assessment of Portuguese seashore streets, through a cooperation between the Universidade de Lisboa and the University of Strathclyde.

## Acknowledgements

This work was supported by the Axel and Margaret Ax:son Johnson Foundation as part of *The Urban Form Resilience Project*, in partnership with the University of Strathclyde in Glasgow, UK

## References

- Araldi, A., & Fusco, G. (2019). From the street to the metropolitan region: Pedestrian perspective in urban fabric analysis: *Environment and Planning B: Urban Analytics and City Science*, 46(7), 1243–1263. doi:[10.1177/2399808319832612](https://doi.org/10.1177/2399808319832612)
- Ariza-Villaverde, A. B., Jiménez-Hornero, F. J., & Ravé, E. G. D. (2013). Multifractal analysis of axial maps applied to the study of urban morphology. *Computers, Environment and Urban Systems*, 38(1), 1–10. doi:[10.1016/j.compenvurbsys.2012.11.001](https://doi.org/10.1016/j.compenvurbsys.2012.11.001)
- Dibble, J., Prelorendjos, A., Romice, O., Zanella, M., Strano, E., Pagel, M., & Porta, S. (2015). Urban Morphometrics: Towards a Science of Urban Evolution. *arXiv.org*. Retrieved from <http://arxiv.org/abs/1506.04875v2>
- Dibble, J., Prelorendjos, A., Romice, O., Zanella, M., Strano, E., Pagel, M., & Porta, S. (2017). On the origin of spaces: Morphometric foundations of urban form evolution. *Environment and Planning B: Urban Analytics and City Science*, 46(4), 707–730. doi:[10.1177/2399808317725075](https://doi.org/10.1177/2399808317725075)
- Felicciotti, A., Romice, O., & Porta, S. (2016). Design for change : five proxies for resilience in the urban form. *Open House International*, 41(4), 22–30. Retrieved from <http://strathprints.strath.ac.uk/55753/>
- Fleischmann, M., Romice, O., & Porta, S. (2019). Applicability of morphological tessellation and its topological derivatives in the quantitative analysis of urban form. In *XXVI international seminar on urban form cities as assemblages*. Nicosia.
- Hagberg, A. A., Schult, D. A., & Swart, P. J. (2008). Exploring Network Structure, Dynamics, and Function using NetworkX. In G. el Varoquaux, T. Vaught, & J. Millman (Eds.), *Proceedings of the 7th python in science conference* (pp. 11–15). Pasadena, CA USA.
- Jordahl, K., Bossche, J. V. den, Wasserman, J., McBride, J., Gerard, J., Fleischmann, M., Tratner, J., et al. (2019). *Geopandas/geopandas: V0.6.1*. Zenodo. doi:[10.5281/zenodo.3483425](https://doi.org/10.5281/zenodo.3483425)
- Kropf, K. (2017). *The Handbook of Urban Morphology*. Chichester: John Wiley & Sons. doi:[10.1002/9781118747711](https://doi.org/10.1002/9781118747711)
- Moudon, A. V. (1997). Urban morphology as an emerging interdisciplinary field. *Urban Morphology*, 1(1), 3–10.

Rey, S. J., & Anselin, L. (2010). PySAL: A python library of spatial analytical methods. In M. M. Fischer & A. Getis (Eds.), *Handbook of applied spatial analysis: Software tools, methods and applications* (pp. 175–193). Berlin, Heidelberg: Springer Berlin Heidelberg. doi:[10.1007/978-3-642-03647-7\\_11](https://doi.org/10.1007/978-3-642-03647-7_11)

Sevtsuk, A., & Mekonnen, M. (2012). Urban network analysis. A new toolbox for ArcGIS. *Revue internationale de géomatique*, 22(2), 287–305. doi:[10.3166/riig.22.287-305](https://doi.org/10.3166/riig.22.287-305)

Stähle, A., Marcus, L. H., & Karlström, A. (2005). Place Syntax : Geographic accessibility with axial lines in GIS. In *Proceedings, fifth international space syntax symposium* (pp. 131–144).

Virtanen, P., Gommers, R., Oliphant, T. E., Haberland, M., Reddy, T., Cournapeau, D., Burovski, E., et al. (2019). SciPy 1.0—Fundamental Algorithms for Scientific Computing in Python. *arXiv e-prints*, arXiv:1907.10121. Retrieved from <http://arxiv.org/abs/1907.10121>