Fungal Genetics Reports

Volume 51 Article 13

Schizophyllum commune Bibliography, May 2004

Carlene A. Raper
University of Vermont

Thomas J. Fowler
University of Vermont

Schizophyllum commune Bibliography, May 2004

Abstract

Schizophyllum commune Bibliography, May 2004

Schizophyllum commune Bibliography, May 2004

Carlene A. Raper and Thomas J. Fowler
Department of Microbiology and Molecular Genetics
Stafford Hall, University of Vermont
Burlington VT, 05405

Ahmad, S. S. (1969).Studies on Hyphal Fusions in the Wood-Rotting Fungus, *Schizophyllum commune*: State University of New York at Buffalo.

Ahmad, S. S. & Miles, P. G. (1970). Hyphal Fusions in the Wood-Rotting Fungus *Schizophyllum commune*. I. The Effects of Incompatibility Factors. Genet Res 15, 19-28.

Aitken, W. B. (1970).*Schizophyllum commune* Basidiospore Germination: Biochemical and Physiological Alterations: Indiana University.

Aitken, W. B. & Niederpruem, D. J. (1972). Isotopic Studies of Carbohydrate Metabolism During Basidiospore Germination in *Schizophyllum commune*. I. Uptake of Radioactive Glucose and Sugar Alcohols. Arch Mikrobiol.

Aitken, W. B. & Niederpruem, D. J. (1973). Isotopic Studies of Carbohydrate Metabolism During Basidiospore Germination in *Schizophyllum commune*. Ii. Changes in Specifically Labeled Glucose and Sugar Alcohol Utilization. Arch Mikrobiol.

Alic, M., Clark, E. K., Kornegay, J. R. & Gold, M. H. (1990). Transformation of *Phanerochaete chrysosporium* and *Neurospora crassa* with adenine biosynthetic genes from *Schizophyllum commune*. Current genetics 17, 305-311.

Amitani, R., Nishimura, K., Mimi, A., Kobayashi, H., Nawada, R., Murayama, T., Taguchi, H. & Kuze, F. (1996). Bronchial Mucoid Impaction Due to the Monokaryotic Mycelium of *Schizophyllum commune*. Clinical infectious diseases : an official publication of the Infectious Diseases Society of America 22, 3.

Anderson, M. R. & Deppe, C. S. (1976). Control of Fungal Development. I. The Effects of Two Regulatory Genes on Growth in *Schizophyllum commune*. Dev Biol 53, 21-29.

Anderson, M. R. & Deppe, C. S. (1977). Selection for Conditional Lethals: A General Negative Selective System for [the Filamentous Fungus] *Schizophyllum commune*. Genet Res 29, 93-96.

Asada, Y., Yue, C. L., Wu, J., Shen, G. P., Novotny, C. P. & Ullrich, R. C. (1997). *Schizophyllum commune* A alpha mating-type proteins, Y and Z, form complexes in all combinations in vitro. Genetics 147, 117-123.

Asbirk, S. (1976). Udbredelsen Af Svampen Klovblad, *Schizophyllum commune*, I Danmark. Flora Fauna 82, 83-84.

Asgeirsdottir, S. A., Schuren, F. H. J. & Wessels, J. G. H. (1994). Assignment of genes to pulse-field separated chromosomes of *Schizophyllum commune*. Mycological research 98, 689-693.

Asgeirsdottir, S. A., Wetter, M. A. v. & Wessels, J. G. H. (1995). Differential expression of genes under control of the mating-type genes in the secondary mycelium of *Schizophyllum commune*. Microbiology 141, 8.

Bartholomew, K., Dos Santos, G., Dumonceaux, T., Charles, T. & Archibald, F. (2001). Genetic transformation of *Trametes versicolor* to phleomycin resistance with the dominant selectable marker shble. Applied Microbiology and Biotechnology 56, 201-204.

Belsare, D. K. & Prasad, D. Y. (1988). Decolorization of effluent from the bagasse-based pulp mills by white-rot fungus, *Schizophyllum commune*. Applied microbiology and biotechnology 28, 301-304.

Biely, P., Cote, G. L., Kremnicky, L., Weisleder, D. & Greene, R. V. (1996). Substrate specificity of acetylxylan esterase from *Schizophyllum commune*: mode of action on acetylated carbohydrates. Biochimica et biophysica acta = International journal of biochemistry and biophysics 1298, 209-222.

Bilbrey, R. E., Penheiter, A. R., Gathman, A. C. & Lilly, W. W. (1996). Characterization of a novel phenylalanine-specific aminopeptidase from *Schizophyllum commune*. Mycological research 100, 462-466.

Binder, M., Hibbett, D. S. & Molitoris, H. P. (2001). Phylogenetic relationships of the marine gasteromycete *Nia vibrissa*. Mycologia 93, 679-688.

Borchers, A. T., Stern, J. S., Hackman, R. M., Keen, C. L. & Gershwin, M. E. (1999). Mushrooms, tumors, and immunity. Proceedings of the Society for Experimental Biology and Medicine 221, 281-293.

Brasier, C. M. (1970). Variation in a Natural Population of *Schizophyllum commune*. Amer Natur 104, 191-204.

Braun, M. L. & Niederpruem, D. J. (1969). Erythritol Metabolism in Wild-Type and Mutant Strains of *Schizophyllum commune*. J Bacteriol 100, 625-634.

Bray, M. R. (1990).Characterization and Chemical Modification Studies of Xylanase a from *Schizophyllum commune*: University of Guelph (Canada).

Bray, M. R. (1994).The Catalytic Process of *Schizophyllum commune* Xylanase A: University of Guelph (Canada).

Bray, M. R. & Clarke, A. J. (1991). Pattern of xylo-oligosaccharide hydrolysis and subsite structure of *Schizophyllum commune* xylanase A. Progress in biotechnology, 423-428.

Bray, M. R. & Clarke, A. J. (1992). Action pattern of xylo-oligosaccharide hydrolysis by *Schizophyllum commune* xylanase A. European journal of biochemistry 204, 191-196.

Bray, M. R. & Clarke, A. J. (1994). Identification of a glutamate residue at the active site of xylanase A from *Schizophyllum commune*. European journal of biochemistry 219, 821-827.

Bray, M. R. & Clarke, A. J. (1995). The structure and function relationship of *Schizophyllum commune* xylanase A. In Carbohydrate bioengineering : proceedings of an international

conference, Elsinore, Denmark, 23-26 April, 1995, pp. 147-163. Amsterdam ; New York: Elsevier.

Bray, M. R. & Clarke, A. J. (1995). Identification of an Essential Tyrosyl Residue in the Binding Site of *Schizophyllum commune* Xylanase A. Biochemistry 34, 2006.

Bromberg, S. K. (1976).Genetic Control of Basidiospore Development in *Schizophyllum commune*: Univ. Of Medicine and Dentistry of N.J. Grad. Sch. Of Biomed. Sci.

Bromberg, S. K. & Schwalb, M. N. (1976). Studies on Basidiospore Development in *Schizophyllum commune* [Fungi]. J Gen Microbiol 96, 409-413.

Bromberg, S. K. & Schwalb, M. N. (1977). Isolation and Characterization of Temperature Sensitive Sporulationless Mutants of the Basidiomycete *Schizophyllum commune* [Fungi]. Can J Genet Cytol 19, 477-481.

Bromberg, S. K. & Schwalb, M. N. (1978). Sporulation in *Schizophyllum commune* [Fungi]: Changes in Enzyme Activity. Mycologia 70, 481-486.

Buckner, B., Novotny, C. P. & Ullrich, R. C. (1988). Developmental regulation of the methylation of the ribosomal DNA in the basidiomycete fungus *Schizophyllum commune*. Current genetics 14, 105-111.

Buckner, B., Novotny, C. P. & Ullrich, R. C. (1988). Organization of the ribosomal RNA genes of *Schizophyllum commune*. Current genetics 13, 417-424.

Buzina, W., Lang-Loidolt, D., Braun, H., Freudenschuss, K. & Stammberger, H. (2001). MYCOLOGY - Development of Molecular Methods for Identification of *Schizophyllum commune* from Clinical Samples. Journal of clinical microbiology 39, 6.

Carmi, P., Koltin, Y. & Stamberg, J. (1978). Meiosis in *Schizophyllum commune* [Fungi]: Premeitic DNA Replication and Meiotic Synchrony Induced with Hydroxyurea. Genet Res 31, 215-226.

Carmi, P., Raudaskoski, M., Stamberg, J. & Koltin, Y. (1977). Meiosis in *Schizophyllum commune* [Fungi]: The Effect of Hydroxyurea on Basidiospore Sporulation, Germination, and Nuclear Number. Mol Gen Genet (Mgg).

Casselton, L. A. (1975). Control of Nuclear Migration in Basidiomycetes [Fungi, *Coprinus Lagopus*, *Schizophyllum commune*]. In Proc Intersect Congr Int Assoc Microbiol Soc.

Casselton, L. A. & Olesnicky, N. S. (1998). Molecular genetics of mating recognition in basidiomycete fungi. Micro. Mol. Biol. Rev. 62, 55-70.

Chang, S. T. & Wai, C. C. (1971). A Dome Morphological Mutant Linked to the B Incompatibility Factor of *Schizophyllum commune*. Genetics 68, 13-19.

Chen, H. & McCormick, D. B. (1997). Riboflavin 5'-hydroxymethyl oxidation: molecular cloning, expression, and glycoprotein nature of the 5'-aldehyde-forming enzyme from *Schizophyllum commune*. The Journal of biological chemistry 272, 20077-20081.

Chiu, S. C. & Tzean, S. S. (1995). Glucanolytic enzyme production by *Schizophyllum commune* Fr. during mycoparasitism. Physiological and molecular plant pathology 46, 83-94.

Clark, S., Campbell, C. K., Sandison, A. & Choa, D. I. (1996). *Schizophyllum commune*: An Unusual Isolate from a Patient with Allergic Fungal Sinusitis. The Journal of infection 32, 147.

Clarke, A. J. (1987). Essential tryptophan residues in the function of cellulase from *Schizophyllum commune*. Biochimica et biophysica acta 912, 424-431.

Clarke, A. J. (1990). Chemical modification of a beta-glucosidase from *Schizophyllum commune*: evidence for essential carboxyl groups. Biochimica et biophysica acta : International journal of biochemistry and biophysics 1040, 145-152.

Clarke, A. J. & Yaguchi, M. (1985). The role of carboxyl groups in the function of endo-beta-1,4-glucanase from *Schizophyllum commune*. European journal of biochemistry 149, 233-238.

Clarke, A. J. & Yaguchi, M. (1986). Difference spectrophotometric study on the interaction of cellulase from *Schizophyllum commune* with substrate and inhibitors. Biochimica et biophysica acta 870, 401-407.

Clarke, A. J. & Strating, H. (1989). Affinity labelling of *Schizophyllum commune* cellulase with [1-3H]-4,5-epoxypentyl beta-cellobioside: synthesis of inhibitor and stoichiometry of interaction. Carbohydrate research 188, 245-250.

Clarke, A. J., Drummelsmith, J. & Yaguchi, M. (1997). Identification of the catalytic nucleophile in the cellulase from *Schizophyllum commune* and assignment of the enzyme to Family 5, subtype 5 of the glycosidases (FEBS 19197). FEBS letters 414, 3.

Connolly, V. & Simchen, G. (1973). Two-Environment Selection with Inbreeding in *Schizophyllum commune*. Genet Res 22, 25-36.

Connolly, V. & Jinks, J. L. (1975). The Genetical Architecture of General and Specific Environmental Sensitivity [*Schizophyllum commune*]. Heredity 35, 249-259.

Cotter, D. A. & Niederpruem, D. J. (1971). Control of Arabitol Formation in *Schizophyllum commune* Development. Arch Mikrobiol 78, 128-138.

Cotter, D. A., Laclave, A. J., Wegener, W. S. & Niederpruem, D. J. (1970). Co2 Control of Fruiting in *Schizophyllum commune*: Noninvolvement of Sustained Isocitrate Lyase Depression. Can J Microbiol 16, 605-608.

Croan, S. C. & Kim, Y. H. (1997). Carpogenesis and basidiosporogenesis by Flammulina velutipes, *Schizophyllum commune*, and Trametes versicolor in vitro. Material und Organismen. Materials and organisms 31, 16.

Crowe, L. K. (1963). Competition between compatible nuclei in the establishment of a dikaryon in *Schizophyllum commune*. Heredity 18, 525-533.

Dasgupta, H., Schiffman, R. & Deppe, C. S. (1977). Control of Fungal Development. Ii. Kinetics of Growth During Dikaryosis in *Schizophyllum commune*. Dev Biol 59, 135-139.

De Groot, R. C. (1972). Growth of Wood-Inhabiting Fungi in Saturated Atmospheres of Monoterpenoids. [Trichoderma Viride, Lenzites Saepiaria, *Schizophyllum commune*]. Mycologia 64, 863-870.

de vries, O. M. H. & Wessels, J. G. H. (1972). release of protoplasts of *Schizophyllum commune* by a lytic enzyme preparation from Trichoderma viride. Journal of Genetic Microbiology 73, 13-22.

De Vries, O. M. H. & Wessels, J. G. H. (1973). Release of Protoplasts from *Schizophyllum commune* by Combined Action of Purified Alpha-1,3-Glucanase and Chitinase Derived from Trichoderma Viride. J Gen Microbiol 76, 319-330.

De Vries, O. M. H., Kooistra, W. H. C. F. & Wessels, J. G. H. (1986). Formation of an extracellular laccase by a *Schizophyllum commune* dikaryon. The Journal of general microbiology 132, 2817-2826.

De Vries, O. M. H., Fekkes, M. P., Wosten, H. A. B. & Wessels, J. G. H. (1993). Insoluble hydrophobin complexes in the walls of *Schizophyllum commune* and other filamentous fungi. Archives of microbiology 159, 330.

Deng, R. C., Rubnitz, J. E. & Leonard, T. J. (1985). Somatic recombination of the mnd chromosomal region in diploids and dikaryons of *Schizophyllum commune*. Experimental mycology 9, 122-132.

Dennen, D. W. (1966).Regulation of Glutamate Dehydrogenases During Morphogenesis of *Schizophyllum commune*: Indiana University.

Deppe, C. S. (1974).Protein Degradation in *Schizophyllum commune*: Harvard University.

Desrochers, M., Jurasek, L. & Paice, M. G. (1981). Production of cellulase, beta-glucosidase, and xylanase by *Schizophyllum commune* grown on a cellulose-peptone medium. Developments in industrial microbiology, 675-684.

deVries, O. M. H. & Wessels, J. G. H. (1972). Release of Protoplasts from *Schizophyllum commune* by a Lytic Enzyme Preparation from Trichoderma Viride. J Gen Microbiol 73, 13-22.

deVries, O. M. H. & Wessels, J. G. H. (1975). Chemical Analysis of Cell Wall Regeneration and Reversion of Protoplasts from *Schizophyllum commune* [Fungus]. Arch Mikrobiol.

deVries, S. C. & Wessels, J. G. H. (1982). Polarized outgrowth of hyphae by constant electrical fields during reversion of *Schizophyllum commune* protoplasts Fungi. Experimental mycology 6, 95-98 ill.

deVries, O. M. H. & Reddingius, J. (1984). Synthesis of macromolecules and compartment size in monokaryotic and dikaryotic hyphae of *Schizophyllum commune*. Experimental mycology 8, 378-381.

deVries, O. M. H. & Wessels, J. G. H. (1984). Patterns of polypeptide synthesis in non-fruiting monokaryons and a fruiting dikaryon *Schizophyllum commune* [Fungi, proteins]. The Journal of general microbiology 130, 145-154 ill.

deVries, O. M. H., Fekkes, M. P., Wosten, H. A. B. & Wessels, J. G. H. (1993). Insoluble hydrophobin complexes in the walls of *Schizophyllum commune* and other filamentous fungi. Archives of microbiology 159, 330-335.

Dick, S. (1960).The Origin of Expressed Mutations in *Schizophyllum commune*: Harvard University.

Dick, S. & Raper, J. R. (1961). Origin of expressed mutations in *Schizophyllum commune*. Nature (Lond.) 189, 81-82.

DiRusso, C. C., Novotny, C. P. & Ullrich, R. C. (1983). Orotidylate decarboxylase activity in *Schizophyllum commune* Fungi, uracil biosynthesis. Experimental mycology 7, 90-93.

Divjak, H.-I. (1989).Produktion Und Charakterisierung Von Beta-Glucanen Von Sclerotium Rolfsii Und *Schizophyllum commune* Mit Pentosen Als Kohlenstoffquelle: Technische Universitaet Graz (Austria).

Dons, J. J. M., Springer, J., De Vries, S. C. & Wessels, J. G. H. (1984). Molecular cloning of a gene abundantly expressed during fruiting body initiation in *Schizophyllum commune* [Fungi]. Journal of bacteriology 157, 802-808 ill.

Dons, J. J. M., Mulder, G. H., Rouwendal, G. J. A., Springer, J., Bremer, W. & Wessels, J. G. H. (1984). Sequence analysis of a split gene involved in fruiting from the fungus *Schizophyllum commune*. The EMBO journal - European Molecular Biology Organization 3, 2101-2106.

Doyle, P., Morrison, R. & Whalley, A. J. S. (1976). Stimulation of Fruiting in *Schizophyllum commune*. Trans Br Mycol Soc 66, 173-174.

Dubouvoy, C. (1973).A class of genes controlling B-factor regulated development in Schizophyllum. Cambridge, MA: Harvard University.

Dubouvoy, C. & Munos, A. (1977). Anormalidades De Los Cuerpos Fructiferos De *Schizophyllum commune* Fr. En Medios Cn Metilxantinas. Bol Soc Mex Micol.

Dubovoy, C. (1976). A Class of Genes Affecting B Factor-Regulated Development in *Schizophyllum commune* [Fungi]. Genetics 82, 423-428.

Eerdmans, M. M., Amundosn, S. A., Reinhart, T. A. & Klein, K. K. (1990). Dominance relationships of cycloheximide-resistant mutants of *Schizophyllum commune* Fr. Journal of the Minnesota Academy of Science 55, 21-24.

Eis, C. & Nidetzky, B. (1999). Characterization of trehalose phosphorylase from *Schizophyllum commune*. Biochemical Journal 341, 385-393.

Eis, C. & Nidetzky, B. (2002). Substrate-binding recognition and specificity of trehalose phosphorylase from *Schizophyllum commune* examined in steady-state kinetic studies with deoxy and deoxyfluoro substrate analogues and inhibitors. Biochemical Journal 363, 335-340.

Eis, C., Albert, M., Dax, K. & Nidetzky, B. (1998). The stereochemical course of the reaction mechanism of trehalose phosphorylase from *Schizophyllum commune*. FEBS letters 440, 4.

Eis, C., Watkins, M., Prohaska, T. & Nidetzky, B. (2001). Fungal trehalose phosphorylase: Kinetic mechanism, pH-dependence of the reaction and some structural properties of the enzyme from *Schizophyllum commune*. Biochemical Journal 356, 757-767.

Ellingboe, A. H. (1963). Illegitimacy and specific factor transfer in *Schizophyllum commune*. Proceedings of the National Academy of Sciences of the United States of America 49, 286-292.

Ellingboe, A. H. (1964). Nuclear migration in dikaryotic-homokaryotic matings in *Schizophyllum commune*. American Journal of Botany 51, 133-139.

Ellingboe, A. H. & Raper, J. R. (1962). The Buller Phenomenon in *Schizophyllum commune*: nuclear selection in fully comatible dikaryotic-homokaryotic matings. American Journal of Botany 49, 454-459.

Ellingboe, A. H. & Raper, J. R. (1962). Somatic recombination in *Schizophyllum commune*. Genetics 47, 85-98.

Epstein, E. (1966).Studies of the Biosynthesis of Indigotin by the Basidiomycete *Schizophyllum commune* Fr: State University of New York at Buffalo.

Essig, F. M. (1920).The Morphology, Development and Economic Aspects of *Schizophyllum commune* Fries. Berkeley: University of California.

Evers, D. C. & Ross, I. K. (1983). Isozyme patterns and morphogenesis in higher basidiomycetes *Coprinus congregatus*, *Schizophyllum commune*. Experimental mycology 7, 9-16 ill.

Fang, J., Liu, W. & Gao, P. J. (1998). Cellobiose dehydrogenase from *Schizophyllum commune*: purification and study of some catalytic, inactivation, and cellulose-binding properties. Archives of biochemistry and biophysics 353, 37-46.

Fang, J., Huang, F. & Gao, P. (1999). Optimization of cellobiose dehydrogenase production by *Schizophyllum commune* and effect of the enzyme on kraft pulp bleaching by ligninases. Process biochemistry (Barking, London, England) 34, 957-961.

Foudin, A. S. & Calvert, O. H. (1982). *Schizophyllum commune* as a possible mycotoxin producer in association with sorghum grain Fungal feed contamination. Mycologia 74, 1041-1043.

Fowler, T. J., Mitton, M. F. and Raper, C. A. (1998). Gene mutations affecting specificity of pheromone/receptor mating interactions in *Schizophyllum commune*. Proceedings of the Fourth Meeting on the Genetics and Cellular Biology of Basidiomycetes, L.J.L.D. Van Griensven and J. Visser, eds., 130-134.

Fowler, T. J., DeSimone, S. M., Mitton, M. F., Kurjan, J. and Raper, C. A. (1999). Multiple sex pheromones and receptors of a mushroom-producing fungus elicit mating in yeast. Mol. Biol. Cell 10, 2559-2572.

Fowler, T. J. & Mitton, M. F. (2000). Scooter, a new active transposon in *Schizophyllum commune*, has disrupted two genes regulating signal transduction. Genetics 156, 1585-1594.

Fowler, T. J., Mitton, M. F., Vaillancourt, L. J. & Raper, C. A. (2001). Changes in mate recognition through alterations of pheromones and receptors in the multisexual mushroom fungus *Schizophyllum commune*. Genetics 158, 1491-1503.

Fowler, T. J., Mitton, M. F., Rees, E. I. & Raper, C. A. (2004). Crossing the boundary between the B-alpha and B-beta mating-type loci in *Schizophyllum commune*. Fungal Genetics and Biology 41, 89-101.

Frankel, C. S. (1974).The Role of Sexual Incompatibility Factors in Somatic Recombination in *Schizophyllum commune*: Michigan State University.

Frankel, C. S. & Ellingboe, A. H. (1976). Isolation and Characterization of Compatible Diploids of *Schizophyllum commune* [Fungi]. Mol Gen Genet (Mgg).

Frankel, C. & Ellingboe, A. H. (1977). Sexual Incompatibility Factors and Somatic Recombination in *Schizophyllum commune* [Fungi]. Genetics 85, 427-437.

Frankel, C. & Ellingboe, A. H. (1977). New Mutations and a 7-Chromosome Linkage Map of *Schizophyllum commune* [Fungi]. Genetics 85, 417-425.

Fripp, Y. J. (1972). Genotype-Environmental Interactions in *Schizophyllum commune*. Ii. Assessing the Environment. Heredity 28, 223-238.

Fripp, Y. J. & Caten, C. E. (1971). Genotype-Environmental Interactions in *Schizophyllum commune*. I. Analysis and Character. Heredity 27, 393-407.

Fripp, Y. J. & Caten, C. E. (1973). Genotype-Environmental Interactions in *Schizophyllum commune*. Iii. The Relationship between Mean Expression and Sensitivity to Change in Environment. Heredity 30, 341-349.

Frisa, P. S. (1980).Carbon-Dioxide Fixation and Fruiting in *Schizophyllum commune*: Saint Bonaventure University.

Froeliger, E. H., Munoz-Rivas, A. M., Specht, C. A., Ullrich, R. C. & Novotny, C. P. (1987). The isolation of specific genes from the basidiomycete *Schizophyllum commune*. Current genetics 12, 547-554.

Funaki, Y., Kawai, G. & Mori, K. (1986). Synthesis and biological activity of the isomers and analogs of (4E,8E,2S,3R,2'R)-N-2'-hydroxyhexadecanoyl-9-methyl-4,8-sphingadienine, the ceramide portion of the fruiting-inducing cerebroside in a basidiomycete *Schizophyllum commune*. Agricultural and biological chemistry 50, 615-623.

Giasson, L., Specht, C. A., Milgrim, C., Novotny, C. P. & Ullrich, R. C. (1989). Cloning and comparison of A alpha mating-type alleles of the Basidiomycete *Schizophyllum commune*. M G G : Molecular and general genetics 218, 72-77.

Gladstone, P. R. (1972).Genetic studies on heritable diploidy in Schizophyllum. Cambridge, MA: Harvard University.

Gola, S., Hegner, J. & Kothe, E. (2000). Chimeric pheromone receptors in the basidiomycete *Schizophyllum commune*. Fungal genetics and biology : FG & B 30, 191-196.

Gordon, L. J. & Lilly, W. W. (1995). Quantitative analysis of *Schizophyllum commune* metalloprotease ScPrB activity in SDS-gelatin PAGE reveals differential mycelial localization of nitrogen limitation-induced autolysis. Current microbiology 30, 337-343.

Graham, R. W., Atkinson, T., Kilburn, D. G., Miller, R. C., Jr. & Warren, R. A. J. (1993). Rational design and PCR-based synthesis of an artificial *Schizophyllum commune* xylanase gene. Nucleic acids research 21, 4923-2938.

Gray, S. N., Dighton, J., Olsson, S. & Jennings, D. H. (1995). Real-time measurement of uptake and translocation of 137Cs within mycelium of *Schizophyllum commune* Fr. by autoradiography followed by quantitative image analysis. The New phytologist 129, 449-465.

Gubitza, G. M., Laussamauer, B., Schubert-Zsilavccz, M. & Steiner, W. (2000). Production of 6^1-@a-d-galactosyl-@b-d-mannotriose with endo-1,4-@b-mannanases from *Schizophyllum commune* and Sclerotium rolfsii - Methods in carbohydrate chemistry. Enzyme and microbial technology 26, 15-21.

Gura, E. & Rau, U. (1993). Comparison of agitators for the production of branched beta-1,3-D-glucans by *Schizophyllum commune*. Journal of Biotechnology 27, 193-201.

Haapala, O. K. (1973). Changes Caused by Air-Drying and Alcohol Dehydration of Spread Insect Sperm and Fungal Spore Chromosome Fibres. [*Schizophyllum commune*, Drosophila Melanogaster]. Exp Cell Res 79, 235-239.

Haapala, O. K. & Nienstedt, I. (1976). Chromosome Ultrastructure in the Basidiomycete Fungus *Schizophyllum commune*. Hereditas.

Hafiz, A. (1965).Physiological Studies of Basidiospore Germination in *Schizophyllum commune*: Indiana University.

Halgasova, N., Kutejova, E. & Timko, J. (1994). Purification and some characteristics of the acetylxylan esterase from *Schizophyllum commune*. Biochemical journal (London, England : 1984) 298, 751-755.

Haltrich, D. (1993).Studies on the Formation of Beta-(1 Going to 3)-D-Glucans and Hemicellulolytic Enzymes by Sclerotium Rolfsii and *Schizophyllum commune* (Beta-Glucans): Technische Universitaet Graz (Austria).

Haltrich, D. & Steiner, W. (1994). Formation of xylanase by *Schizophyllum commune*: Effect of medium components. Enzyme and microbial technology 16, 229.

Haltrich, D., Preiss, M. & Steiner, W. (1993). Optimization of a culture medium for increased xylanase production by a wild strain of *Schizophyllum commune*. Enzyme and microbial technology 15, 854.

Haltrich, D., Sebesta, B. & Steiner, W. (1995). 19 Induction of Xylanase and Cellulase in *Schizophyllum commune*. ACS symposium series 618, 14.

Hannan, M. A. (1972). Mutation in *Schizophyllum commune* for Resistance to P-Fluorophenylalanine. Experientia 28, 1242-1243.

Harmsen, M. C., Schuren, F. H. J., Moukha, S. M., Zuilen, C. M. v., Punt, P. J. & Wessels, J. G. H. (1992). Sequence analysis of the glyceraldehyde-3-phosphate dehydrogenase genes from the basidiomycetes *Schizophyllum commune*, *Phanerochaete chrysosporium* and *Agaricus bisporus*. Current genetics 22, 447-454.

Hart, J. H. (1982). Variation in inherent decay resistance of black walnut Sapwood and heartwood, Coriolus vesicolor, 3 Poria placenta, *Schizophyllum commune*. USDA Forest Service general technical report NC - United States, North Central Forest Experiment Station, 12-17 ill.

Hatamoto, O., Sekine, H., Nakano, E. & Abe, K. (1999). Biochemistry & Molecular Biology - Cloning and Expression of a cDNA Encoding the Laccase from *Schizophyllum commune*. Bioscience, biotechnology, and biochemistry 63, 7.

Hegner, J., Siebert-Bartholmei, C. & Kothe, E. (1999). Ligand recognition in multiallelic pheromone receptors from the basidiomycete *Schizophyllum commune* studied in yeast. Fungal genetics and biology : FG & B 26, 190-197.

Higgins, S. M. & Lilly, W. W. (1993). Multiple responses to heat stress by the basidiomycete *Schizophyllum commune*. Current microbiology 26, 123-127.

Hoffman, R. M. a. J. R. R. (1971). Genetic restriction of energy conservation in Schizophyllum. Science (Wash. D.C.) 171, 418-419.

Hoffman, R. M. & Raper, J. R. (1972). Lowered Respiratory Response to Adenosine Diphosphate of Mitochondria Isolated from a Mutant B Strain of *Schizophyllum commune*. J Bacteriol 110, 780-781.

Hoge, J. H. C., Springer, J. & Wessels, J. G. H. (1982). Changes in complex RNA during fruit-body initiation in the fungus *Schizophyllum commune*. Experimental mycology 6, 233-243 ill.

Hoge, J. H. C., Heisterkamp, E. C. P. & Dons, J. J. M. (1983). Changes in translatable RNA population during basidiospore germination in *Schizophyllum commune* Fungi. FEMS microbiology letters - Federation of European Microbiological Societies 17, 7-11 ill.

Hoge, J. H. C., Springer, J., Zantinge, B. & Wessels, J. G. H. (1982). Absence of differences in polysomal RNAs from vegetative monokaryotic and dikaryotic cells of the fungus *Schizophyllum commune*. Experimental mycology 6, 225-232 ill.

Hong, L. T. (1982). The decay of tropical hardwoods. II. Mass loss and degradation of cell-wall components of Hevea brasiliensis caused by Ganoderma applanatum, Poria sp., *Schizophyllum commune* and Trametes corrugata. The Malaysian forester 45, 124-126.

Hong, L. T. & Khoo, L. E. (1981). In vitro fungitoxicity of organotin compounds against some Malaysian decay fungi. I. Tributyltin oxide, triphenyltin oxide and triphenyltin esters Pycnoporus sanguineus, Lenzites palisotii, *Schizophyllum commune*. The Malaysian forester 44, 495-499.

Horton, J. S. & Raper, C. A. (1991). A mushroom-inducing DNA sequence isolated from the Basidiomycete, *Schizophyllum commune*. Genetics 129, 707-716.

Horton, J. S. & Raper, C. A. (1991). Pulsed-field gel electrophoretic analysis of *Schizophyllum commune* chromosomal DNA. Current genetics 19, 77-80.

Horton, J. S. & Raper, C. A. (1995). The mushroom-inducing gene Frt1 of *Schizophyllum commune* encodes a putative nucleotide-binding protein. Molecular & general genetics : MGG 247, 358-366.

Horton, J. S., Palmer, G. E. & Smith, W. J. (1999). Regulation of dikaryon-expressed genes by FRT1 in the basidiomycete *Schizophyllum commune*. Fungal genetics and biology : FG & B 26, 33-47.

Hosoe, T., Nozawa, K., Kawahara, N., Fukushima, K., Nishimura, K., Miyaji, M. & Kawai, K.-i. (1999). Isolation of a new potent cytotoxic pigment along with indigotin from the pathogenic basidiomycetous fungus *Schizophyllum commune*. Mycopathologia 146, 4.

Hummel, K. M., Inselman, A. L., Ramos, E. R., Gathman, A. C. & Lilly, W. W. (1998). Extracellular protease production by submerged cultures of *Schizophyllum commune*. Mycologia 90, 883-889.

Hummel, K. M., Inselman, A. L., Ramos, E. R., Gathman, A. C. & Lilly, W. W. (1998). Physiology/Biochemistry - Extracellular protease production by submerged cultures of *Schizophyllum commune*. Mycologia 90, 7.

Hundert, P., Koltin, Y., Stamberg, J. & Wertzberger, R. (1978). Repair of Uv [Ultraviolet]-Induced Damage in Wild-Type and Mutant Strains of *Schizophyllum commune* [Fungi]. Mutat Res 50, 157-162.

Iizasa, T., Kamei, K., Chiyo, M., Suzuki, M., Baba, M., Toyosaki, T., Hiroshima, K., Ohwada, H., Kanno, S., Nishimura, K. & Fujisawa, T. (2001). Colonization with *Schizophyllum commune* of Localized Honeycomb Lung with Mucus. Respiration 68, 3.

Inselman, A. L., Gathman, A. C. & Lilly, W. W. (1999). Two fluorescent markers identify the vacuolar system of *Schizophyllum commune*. Current Microbiology 38, 295-299.

Isaya, G., Sakati, W. R., Rollins, R. A., Shen, G. P., Hanson, L. C., Ullrich, R. C. & Novotny, C. P. (1995). Mammalian mitochondrial intermediate peptidase: structure/function analysis of a new homologue from *Schizophyllum commune* and relationship to thimet oligopeptidases. Genomics 28, 450-461.

James, T. Y. & Vilgalys, R. (2001). Abundance and diversity of *Schizophyllum commune* spore clouds in the Caribbean detected by selective sampling. Molecular ecology 10, 471-479.

James, T. Y., Porter, D., Hamrick, J. L. & Vilgalys, R. (1999). Evidence for limited intercontinental gene flow in the cosmopolitan mushroom, *Schizophyllum commune*. Evolution 53, 1665-1677.

James, T. Y., Moncalvo, J.-M., Li, S. & Vilgalys, R. (2001). Polymorphism at the ribosomal DNA spacers and its relation to breeding structure of the widespread mushroom *Schizophyllum commune*. Genetics 157, 149-161.

Jelsma, J. & Kreger, D. R. (1979). Polymorphism in crystalline (1 to 3)-alpha-D-glucan from fungal cell-walls *Laetiporus sulphureus*, *Piptoporus betulinus*, *Schizophyllum commune*, *Aspergillus nidulans*. 51-64 ill.

Jersild, R. A., S. Mishkin and D. J. Niederpruem (1967). Origin and ultrastructure of comlex septa in *Schizophyllum commune* development. Archives of microbiology 57, 20-32.

Jinks, J. L. & Connolly, V. (1973). Selection for Specific and General Response to Environmental Differences. [*Schizophyllum commune*]. Heredity 30, 33-40.

Jinks, J. L. & Connolly, V. (1975). Determination of the Environmental Sensitivity of Selection Lines by the Selection Environment [*Schizophyllum commune*]. Heredity 34, 401-406.

Johnston, J. M., Ramos, E. R., Bilbrey, R. E., Gathman, A. C. & Lilly, W. W. (2000). Characterization of ScPrI, a small serine protease, from mycelia of *Schizophyllum commune*. Mycological Research 104, 726-731.

Jonathan, S. G. & Fasidi, I. O. (2001). Studies on phytohormones, vitamins and mineral element requirements of Lentinus subnudus (Berk) and *Schizophyllum commune* (Fr Ex Fr) from Nigeria. Food chemistry 75, 303-307.

Jurgens, C. (1958). Physiologische und genetische Untersuchungen uber die Fruchtkorperbildung bei *Schizophyllum commune*. Archives of Mikrobiology 30, 409-432.

Kamei, K., Unno, H., Nagao, K., Kuriyama, T. & Nishimura, K. (1994). Allergic Bronchopulmonary Mycosis Caused by the Basidiomycetous Fungus *Schizophyllum commune*. Clinical infectious diseases : an official publication of the Infectious Diseases Society of America 18, 305.

Kano, R., Oomae, S., Nakano, Y., Minami, T., Sukikara, M., Nakayama, T. & Hasegawa, A. (2002). First report on *Schizophyllum commune* from a dog. Journal of clinical microbiology 40, 3535-3537.

Kawai, G. & Ikeda, Y. (1983). Fruiting-inducing activity of cerebrosides observed with *Schizophyllum commune* [Fungi]. Report of the Noda Institute for Scientific Research, 5-11 ill.

Kawai, G. & Ikeda, Y. (1985). Structure of biologically active and inactive cerebrosides prepared from *Schizophyllum commune*. Journal of lipid research 26, 338-343.

Kawai, G., Ikeda, Y. & Tubaki, K. (1985). Fruiting of *Schizophyllum commune* induced by certain ceramides and cerebrosides from Penicillium funiculosum. Agricultural and biological chemistry 49, 2137-2146.

Kekelidze, T. N., Edmondson, D. E. & McCormick, D. B. (1994). Flavin substrate specificity of the vitamin B2-aldehyde-forming enzyme from *Schizophyllum commune*. Archives of biochemistry and biophysics 315, 100-103.

Kekelidze, T. N., Edmondson, D. E. & McCormick, D. B. (1994). Flavin Substrate Specificity of the Vitamin B_b2_s-Aldehyde-Forming Enzyme from *Schizophyllum commune*. Archives of Biochemistry and Biophysics 315, 100-103.

Kekelidze, T. N., Edmondson, D. E. & McCormick, D. B. (1995). Preparation of Riboflavin Specifically Labeled in the 5'-Hydroxymethyl Terminus Using A Vitamin BÀ2-Aldehyde-Forming Enzyme from *Schizophyllum commune*. Journal of labelled compounds & radiopharmaceuticals 36, 953.

Kim, M.-S. (2000). Technical Features - b-(1,6)-Branched b-(1,3)-Glucan in Skin Care - b-(1,3)-Glucan, produced in a new way from the *Schizophyllum commune* mushroom, has measurable benefits. Cosmetics and toiletries 115, 9.

Kinoshita, H., Maki, Y., Nakai, R., Sen, K. & Shibai, H. (2001). MICROBIAL PHYSIOLOGY, AND BIOTECHNOLOGY - Competitive Amino Acid Transport between L-Tryptophan and Other Amino Acids in *Schizophyllum commune*. Journal of bioscience and bioengineering 92, 4.

Kinoshita, H., Sen, K., Iwama, H., Samadder, P. P., Kurosawa, S. I. & Shibai, H. (2002). Effects of indole and caffeine on cAMP in the ind1 and cfn1 mutant strains of *Schizophyllum commune* during sexual development. Federation of European Microbiological Societies 206, 247-251.

Klein, K. K. (1982).Studies in the Developmental Genetics of *Schizophyllum commune*: University of Minnesota.

Klein, K. K., Landry, J., Friesen, T. & Larimer, T. (1997). Kinetics of asymmetric mycelial growth and control by dikaryosis and light in *Schizophyllum commune*. Mycologia 89, 916-923.

Kniep, H. (1930). Uber Selektionswirkungen in fortlaufenden Massenaussaaten von Schizophyllum. Z. Bot. 23, 510-536.

Kogen, H., Tago, K., Kaneko, S., Hamano, K., Onodera, K., Haruyama, H., Minagawa, K., Kinoshita, T., Ishikawa, T., Tanimoto, T. & Tsujita, Y. (1996). Schizostatin, a Novel Squalene Synthase Inhibitor Produced by the Mushroom, *Schizophyllum commune* II Structure Elucidation and Total Synthesis. Journal of antibiotics 49, 7.

Koltin, Y. (1967).The Structure and Function of the B Incompatibility Factor of *Schizophyllum commune*: Harvard University.

Koltin, Y. (1968). The genetic structure of the incompatibility factors of *Schizophyllum commune*: comparitive studies of primary mutations in the B factor. Mol Gen Genet 102, 196-203.

Koltin, Y. (1969). The structure of the incompatiblilty factors of *Schizophyllum commune*. Mol Gen Genet 103, 380-384.

Koltin, Y. (1970). Development of the Amut Bmut Strain of *Schizophyllum commune*. Arch Mikrobiol 74, 123-128.

Koltin, Y. (1970). Studies on Mutations Disruptive to Nuclear Migration in *Schizophyllum commune*. Mol Gen Genet.

Koltin, Y. & Raper, J. R. (1966). *Schizophyllum commune*: new mutations in the B incompatiblity factor. Science (Wash. D.C.) 154, 510-511.

Koltin, Y. & Raper, J. R. (1967). The genetic structure of the incompatibility factor of *Schizophyllum commune*: three functionally distinct classes of B factors. Proceedings of the National Academy of Sciences of the United States of America 58, 1220-1226.

Koltin, Y. & Raper, J. R. (1967). The genetic structure of the incompatiblity factors of *Schizophyllum commune*; resolution of class III B factors. Mol Gen Genet 100, 275-282.

Koltin, Y. & Raper, J. R. (1968). Dikaryosis: Genetic determination in Schizophyllum. Science (Wash. D.C.) 160, 85-86.

Koltin, Y. & Flexer, A. S. (1969). Alteration of Nuclear Distribution in B-Mutant Strains of *Schizophyllum commune*. J Cell Sci 4, 739-749.

Koltin, Y. & Stamberg, J. (1973). Genetic Control of Recombination in *Schizophyllum commune*: Location of a Gene Controlling B-Factor Recombination. Genetics 74, 55-62.

Koltin, Y., Raper, J. R. & Simchen, G. (1967). Genetic structure of the incompatibility factors of *Schizophyllum commune*: the B factor. Proceedings of the National Academy of Sciences of the United States of America 47, 55-63.

Koltin, Y., Stamberg, J. & Simchen, G. (1971). Three Tests for Shared Allelic Specificities in the B Incompatibility Factor of *Schizophyllum commune*. Genetica.

Koltin, Y., Stamberg, J. & Lemke, P. A. (1972). Genetic structure and evolution of the incompatibility factors in higher fungi. Bacteriology Review 36, 156-171.

Koltin, Y., Berick, R. & Stamberg, J. (1973). Virus-Like Particles and Cytoplasmic Inheritance of Plaques in a Higher Fungus. [*Schizophyllum commune*]. Nat New Biol 241, 108-109.

Koltin, Y., Wessels, J. G. H. & Valk, P. V. D. (1973). Chlamydospores of *Schizophyllum commune*. Arch Mikrobiol 91, 179-182.

Koltin, Y., Stamberg, J. & Ronen, R. (1975). Meiosis as a Source of Spontaneous Mutations in *Schizophyllum commune*. Mutat Res 27, 319-325.

Kothe, E. (1997). J/Wendland Isolation of tef1 ecoding translation elongation factor EF1x from the homobasidomycete *Schizophyllum commune*. Mycological research 101, 5.

Kothe, E. (1997). Solving a Puzzle Piece by Piece: Sexual Development in the Basidiomycetous Fungus *Schizophyllum commune*. Botanica acta : Berichte der Deutschen Botanischen Gesellschaft = journal of the German Botanical Society 110, 6.

Kothe, E. (1999). Mating types and pheromone recognition in the homobasidiomycete *Schizophyllum commune*. Fungal genetics and biology : FG & B 27, 146-152.

Kothe, E. (2001). Mating-type genes for basidiomycete strain improvement in mushroom farming. Applied Microbiology and Biotechnology 56, 602-612.

Kothe, E., Kothe, H. W., Specht, C. A., Novotny, C. P. & Ullrich, R. C. (1993). The flr1 gene, a useful system for rapid screening of tryptophan auxotrophs in *Schizophyllum commune*. Mycologia 85, 381-384.

Krstic, M. (1968). An Experiment on Inhibiting *Schizophyllum commune* Fr., Development by Antagonism.

Lacok, P. (1982). Rast mycelia a tvorba fruktifikacnych organov u huby *Schizophyllum commune* Fr. Biologia 37, 13-21 ill.

Latham, A. J. (1969). Unusual Fruit Rot Found in Alabama. [Apples, Fruit, Wood, *Schizophyllum commune*]. Highlights Agr Res 16, 13.

Latham, A. J. (1970). Development of Apple Fruit Rot and Basidiocarp Formation by *Schizophyllum commune*. Phytopathology 60, 596-598.

Laussamayer, B. (1996).Untersuchungen Zur Wirkungsweise Von Hemicellulasen an Nadelholzzellstoffen: Technische Universitaet Graz (Austria).

Leary, J. V. (1969).Early Mating Interactions in *Schizophyllum commune*, pp. 109 L ILLUS. East Lansing.

Leary, J. V. (1969). Isolation and functional ribosomes and polysomes from lyophilized fungi. Biochim Biophys Acta 182, 113-120.

Leary, J. V. & Ellingboe, A. H. (1970). The Kinetics of Initial Nuclear Exchange in Compatible and Noncompatible Matings of *Schizophyllum commune*. Amer J Bot 57, 19-23.

Lee, W.-L. S. (1972).Regulation of Carbohydrate Metabolism in the Developmental Process of *Schizophyllum commune*: State University of New York at Buffalo.

Lengeler, K. B. & Kothe, E. (1999). Identification and characterization of brt1, a gene down-regulated during B-regulated development in *Schizophyllum commune*. Current Genetics 35, 551-556.

Lengeler, K. B. & Kothe, E. (1999). Mated: a putative peptide transporter of *Schizophyllum commune* expressed in dikaryons. Current genetics 36, 159-164.

Leonard, T. J. (1967).Studies of Induced and Spontaneous Fruiting in *Schizophyllum commune*: Indiana University.

Leonard, T. J. (1971). Phenoloxidase Activity and Fruiting Body Formation in *Schizophyllum commune*. J Bacteriol 106, 162-167.

Leonard, T. J. (1972). Phenoloxidase Activity in Mycelia Carrying Modifier Mutations That Affect Sporocarp Development in *Schizophyllum commune*. J Bacteriol 111, 292-293.

Leonard, T. J. (1973). The Effects of Smoke Fractions on Mutagenesis in *Schizophyllum commune*. Ky Univ Tob Health Res Inst Conf Rep.

Leonard, T. J. (1973). Induction of Haploid Fruiting by Mechanical Injury in *Schizophyllum commune*. Mycologia 65, 809-822.

Leonard, T. J. (1975). An Inherited "Neoplasm" in a Fungus [*Schizophyllum commune*]. Proc Natl Acad Sci U S A 72, 4626-4630.

Leonard, T. J. & Dick, S. (1968). Chemical inductions of haploid fruiting in *Schizophyllum commune*. Proceedings of the national Academy of Sciences of the United States of America 59, 745-751.

Leonard, T. J. & Raper, J. R. (1969). *Schizophyllum commune*: gene controlling induced haploid fruiting. Science (Wash. D.C.) 165, 190.

Leonard, T. J. & Phillips, L. E. (1973). Study of Phenoloxidase Activity During the Reproductive Cycle in *Schizophyllum commune*. J Bacteriol 114, 7-10.

Leonard, T. J., Gaber, R. F. & Dick, S. (1978). Internuclear Genetic Transfer in Dikaryons of *Schizophyllum commune* [Fungi]. Ii. Direct Recovery and Analysis of Recombinant Nuclei. Genetics 89, 685-693.

Leonard, T. J., Dick, S. & Gaber, R. F. (1978). Internuclear Genetic Transfer in Vegetative Dikaryons of *Schizophyllum commune* [Fungi]. I. Di-Mon Mating Analysis. Genetics 88, 13-26.

Leonard, T. J., Dick, S. & Deng, R. (1989). A new genetic element affecting somatic mnd recombination in *Schizophyllum commune*. Experimental mycology 13, 231-238.

Leonhartsberger, S. (1989).Durchfuehrung Von Fermentationen Mit *Schizophyllum commune* Auf Hexosen Und Verschiedenen Staerken Sowie Gewinnung Von Schizophyllan: Karl-Franzens Universitaet Graz (Austria).

Leslie, J. F. (1979).Genetic and Physiologic Aspects of Monokaryotic Fruiting in the Basidiomycetous Fungus *Schizophyllum commune*. Madison: The University of Wisconsin.

Lilly, W. W. (1979).Regulation of Acid Phosphatase in *Schizophyllum commune*: University of Minnesota.

Lilly, W. W. & Henson, T. L. (1985). Mycelial phosphorus content of *Schizophyllum commune*. Mycologia 77, 545-548.

Lilly, W. W. & Charvat, I. (1987). Activities and isozymes of acid phosphatase in *Schizophyllum commune*: a re-examination. Mycologia 79, 314-319.

Lilly, W. W., Higgins, S. M. & Wallweber, G. J. (1990). Electrophoretic detection of multiple proteases from *Schizophyllum commune*. Mycologia 82, 505-508.

Lilly, W. W., Higgins, S. M. & Wallweber, G. J. (1990). Uptake and translocation of 2-aminoisobutyric acid by *Schizophyllum commune*. Experimental mycology 14, 169-177.

Lilly, W. W., Wallweber, G. J. & Higgins, S. M. (1991). Proteolysis and amino acid recycling during nitrogen deprivation in *Schizophyllum commune*. Current microbiology 23, 27-32.

Lilly, W. W., Wallweber, G. J. & Lukefahr, T. A. (1992). Cadmium absorption and its effects on growth and mycelial morphology of the basidiomycete fungus, *Schizophyllum commune*. Microbios 72, 227.

Lilly, W. W., Bilbrey, R. E., Williams, B. L. & Loos, L. S. (1994). Partial characterization of the cellular proteolytic system of *Schizophyllum commune*. Mycologia 86, 564.

Lilly, W. W., Bilbrey, R. E., Williams, B. L., Loos, L. S., Venabale, D. F. & Higgins, S. M. (1994). Partial characterization of the cellular proteolytic system of *Schizophyllum commune*. Mycologia 86, 564-570.

Lo, A. C., Barbier, J. R. & Willick, G. E. (1990). Kinetics and specificities of two closely related beta-glucosidases secreted by *Schizophyllum commune*. European journal of biochemistry 192, 175.

Lugones, L. G., Scholtmeijer, K., Klootwick, R. & Wessels, J. G. H. (1999). Introns are necessary for mRNA accumulation in *Schizophyllum commune*. Molecular microbiology 32, 681-689.

Lugones, L. G., Wosten, H. A. B., Birkenkamp, K. U., Sjollema, K. A., Zagers, J. & Wessels, J. G. H. (1999). Hydrophobins line air channels in fruiting bodies of *Schizophyllum commune* and *Agaricus bisporus*. Mycological Research 103, 635-640.

Luo, Y., Ullrich, R. C. & Novotny, C. P. (1994). Only one of the paired *Schizophyllum commune* A-alpha mating-type, putative homeobox genes encodes a homeodomain essential for A-alpha-regulated development. Molecular & general genetics : MGG 224, 318-324.

MacKenzie, C. R. & Bilous, D. (1988). Ferulic acid esterase activity from *Schizophyllum commune*. Applied and Environmental microbiology 54, 1170-1173.

Magae, Y., Novotny, C. & Ullrich, R. (1995). Interaction of the Aα Y and Z Mating-Type Homeodomain Proteins of *Schizophyllum commune* Detected by the Two-Hybrid System. Biochemical and Biophysical Research Communications 211, 1071-1076.

Magnani, G. (1975). Un Attacco Di *Schizophyllum commune* Fr. Su Giovani Piante Di Pioppo Bianco. Cellul Carta 26, 55-61 ENG.

Magruder, G. C. (1979).The Chitin Synthetase Enzyme of *Schizophyllum commune* "Wild-Type" and the Mutant "Streak". Rolla: University of Missouri.

Mankel, A. & Kothe, E. (1999). Determining parameters for the use of a b-galactosidase reporter gene in *Schizophyllum commune*. Journal of basic microbiology 39, 2.

Mao, C.-P. (1993).Immune Response Enhancement in Channel Catfish, Ictalurus Punctatus, Using Beta-Glucan from *Schizophyllum commune*: Mississippi State University.

Marchant, R. & Wessels, J. G. H. (1973). Septal Structure in Normal and Modified Strains of *Schizophyllum commune* Carrying Mutations Affecting Septal Dissolution. Arch Mikrobiol.

Marchant, R. & Wessels, J. G. H. (1974). An Ultrastructural Study of Septal Dissolution in *Schizophyllum commune*. Arch Mikrobiol.

Marchant, R., Raudaskoski, M. & Shneyour, Y. (1976). Ultrastructure of an Indigotin-Producing Dome Mutant of *Schizophyllum commune* [Fungi]. J Gen Microbiol 96, 333-339.

Marion, A. L., Bartholomew, K. A., Wu, J., Yang, H., Novotny, C. P. & Ullrich, R. C. (1996). The Aalpha mating-type locus of *Schizophyllum commune*: structure and function of gene X. Current genetics 29, 7.

Marlier, S., De Jaureguiberry, J. P., Aguilon, P., Carloz, E. & Duval, J. L. (1993). Chronic sinusitis caused by *Schizophyllum commune* in a male AIDS patient. La Presse mâedicale 22, 1107.

Martin, S. A. (1983).Studies on a Nuclease from the Fungus *Schizophyllum commune* with a Preference for Single-Stranded Nucleic Acid: The University of Vermont and State Agricultural College.

Martin, M. C. & De Bola¤os, R. (1994). Aislamiento de *Schizophyllum commune* en Panama. Revista mâedica de Panamâa 19, 117.

Martin, S. A., Ullrich, R. C. & Meyer, W. L. (1986). Partial purification and properties of a nuclease from *Schizophyllum commune* with a preference toward single-stranded nucleic acid. Biochimica et biophysica acta 867, 67-75.

Matthee, F. N. (1982). Treatment of pruning wounds on fruit trees and grapevines with Baycor and Bayleton Bitertanol, triadimefon, Polyporus adustus-hirsutus group, Stereum purpureum, Eutypa armeniacae, *Schizophyllum commune*, South Africa. Pflanzenschutz-Nachrichten Bayer 35, 134-151 ill.

Mayfield, J. E. (1972).Electron Microscopic and Cytochemical Analyses of the Vegetative Hyphae in *Schizophyllum commune*: State University of New York at Buffalo.

Mayfield, J. E. (1974). Septal Involvement in Nuclear Migration in *Schizophyllum commune*. Arch Mikrobiol.

Meinhardt, F., Saleh, F. & Esser, K. (1982). Two morphological markers indicating dikaryosis in *Schizophyllum commune* Wood destroying basidiomycete. Theoretical and applied genetics 63, 279-281.

Middleton, R. B. (1963).Common-Ab Heterokaryosis in *Schizophyllum commune*: Harvard University.

Middleton, R. B. (1964). Sexual and somatic recombination in common AB heterokaryons of *Schizophyllum commune*. Genetics 50, 701-710.

Miles, P. G., H. Lund and J. R. Raper (1956). The identification of indigo as a pigment porduced by a mutant strain of *Schizophyllum commune*. Archives of Biochemical Biophysics 62, 1-5.

Miles, P. G. (1970). The Action of a Modifier Gene on the Puff Morphological Mutant of *Schizophyllum commune*. Can J Genet Cytol 12, 70-79.

Mills, D. I. (1969).The Induction of Recessive Suppressor Mutations and Somatic Recombination in the Common-Ab Diploid of *Schizophyllum commune*: Michigan State University.

Mills, D. I. (1971).The induction of recessive suppressor mutations and somatic recombination in the common-AB diploid of *Schizophyllum commune*, pp. ix, 121 leaves. Ann Arbor, Mich.: University Microfilms

Michigan State University.

Mills, D. I. & Ellingboe, A. H. (1969). A Common-Ab Diploid of *Schizophyllum commune*. Genetics 62, 271-279.

Mills, D. I. & Ellingboe, A. H. (1969). The Induction and Characterization of Recessive Suppressors of Arg-2 in *Schizophyllum commune*. Z Vererbungslehre.

Mills, D. I. & Ellingboe, A. H. (1971). Somatic Recombination in the Common-Ab Diploid of *Schizophyllum commune*. Mol Gen Genet 110, 67-76.

Mishkin, S. L. (1967).Genetic and Cytological Studies of a Linked Suppressor of the B-Incompatibility Factor and a Haploid Fruiting Phenomenon in *Schizophyllum commune*: Indiana University.

Mizuno, K. & Tachiki, T. (1998). Extracellular Dextran-induced p-Nitrophenyl-a-D-glucoside-hydrolyzing Enzyme of Bacillus circulans KA-304: A Producer of *Schizophyllum commune*-lytic Enzyme. Bioscience, biotechnology, and biochemistry 62, 3.

Mizuno, K., Kimura, O. & Tachiki, T. (1997). Protoplast Formation from *Schizophyllum commune* by a Culture Filtrate of Bacillus circulans KA-304 Grown on a Cell-wall Preparation of S commune as a Carbon Source. Bioscience, biotechnology, and biochemistry 61, 6.

Mizuno, K., Awazu, N. & Tachiki, T. (1998). Purification and Some Properties of p-Nitrophenyl-b-D-glucoside-hydrolyzing Enzymes in Culture Filtrate of Bacillus circulans KA-304 Grown on Cell-wall Preparation of *Schizophyllum commune*. Bioscience, biotechnology, and biochemistry 62, 5.

Mokady, S. & Koltin, Y. (1971). Sterols of *Schizophyllum commune*. Phytochemistry 10, 2035-2036.

Mooibroek, H., Kuipers, A. G. J., Sietsma, J. H., Punt, P. J. & Wessels, J. G. H. (1990). Introduction of hygromycin B resistance into *Schizophyllum commune*: preferential methylation of donor DNA. M G G : Molecular and general genetics 222, 41-48.

Moore, R. T. & McAlear, J. H. (1962). Fine structure of Mycota. 7. Observations on septa of Ascomycetes and Basidomycetes. American Journal of Botany 49, 86-94.

Moore, R. T. & Patton, A. M. (1975). Parenthesome Fine Structure in Pleurotus Cystidiosus and *Schizophyllum commune* [Fungi]. Mycologia 57, 1200-1205.

Moranelli, F., Barbier, J. R., Dove, M. J., MacKay, R. M., Seligy, V. L., Yaguchi, M. & Willick, G. E. (1986). A clone coding for *Schizophyllum commune* beta-glucosidase: homology with a yeast beta-glucosidase. Biochemistry international 12, 905-912.

Mori, K. & Funaki, Y. (1984). Synthesis of (2S, 3R, 4E, 8E)-N-(2'R)-2'hydroxyhexadecanoyl-9-methyl-4,8-sphingadienine, the ceramide portion of the fruiting-inducing cerebroside in a basidiomycete *Schizophyllum commune*. Tetrahedron letters 25, 5291-5294.

Mori, K. & Uenishi, K. (1996). Synthesis of Sphingosine Relatives, XVII - Synthesis of (2S,2'R,3R,3'E,4E,8E)-1-O-(b-D-Glucopyranosyl)-N-(2'-hydroxy- 3'-octadecenoyl)-9-methyl-4,8-sphingadienine (Pen II), the Major Cerebroside Isolated from Penicillium funiculosum as the Fruiting-Inducer Against *Schizophyllum commune*. Liebigs Annalen : organic and bioorganic chemistry, 6.

Morris, B. B. & Motta, J. J. (1982). Isolation of an apparent temperature-sensitive cell cycle mutant or *Schizophyllum commune* Fungi. Mycologia 74, 412-422.

Mueller, W. H., Van Aelst, A. C., Van der Krift, T. P. & Boekhout, T. (1994). Scanning electron microscopy of the septal pore cap of the basidiomycete *Schizophyllum commune*. Canadian journal of microbiology 40, 879.

Mulder, G. H. & Wessels, J. G. H. (1986). Molecular cloning of RNAs differentially expressed in monokaryons and dikaryons of *Schizophyllum commune* in relation to fruiting. Experimental mycology 10, 214-227.

Muller, W. H., Aelst, A. C. v., Krift, T. P. v. d. & Boekhout, T. (1994). Scanning electron microscopy of the septal pore cap of the basidiomycete *Schizophyllum commune*. Canadian journal of microbiology 40, 879-883.

Munoz, A. & Dubovoy, C. (1979). Influencia de la cafeina en la antibiosis de *Schizophyllum commune*. Boletin de la Sociedad Mexicana de Micologia, 30-37 ill.

Munoz-Rivas, A. M., Specht, C. A., Ullrich, R. C. & Novotny, C. P. (1986). Isolation of the DNA sequence coding indole-3-glycerol phosphate synthetase and phosphoribosylanthranilate isomerase of *Schizophyllum commune*. Current genetics 10, 909-913.

Munoz-Rivas, A., Specht, C. A., Drummond, B. J., Froeliger, E., Novotny, C. P. & Ullrich, R. C. (1986). Transformation of the basidiomycete, *Schizophyllum commune*. M G G : Molecular and general genetics 205, 103-106.

Nesvera, J. (1975). Genetic Analysis of Formation of Chlamydospore-Like Structures in *Schizophyllum commune* [Fungi]. Ceska Mykol 29, 105-109.

Nesvera, J. (1977). Cyanide-Insensitive Respiration in *Schizophyllum commune* [Fungi]. Folia Microbiol.

Nguyen, T. T. (1985).Biological and Biochemical Studies of Cellular Interactions in *Schizophyllum commune*: Indiana University.

Nguyen, T. & Niederpruem, D. J. (1984). Hyphal interactions in *Schizophyllum commune*: the di-mon mating. Symposium series - British Mycological Society, 73-102 ill.

Nguyen, T. T., Schloemer, R. H. & Niederpruem, D. J. (1987). Control of basidiospore germination in *Schizophyllum commune*. Mycologia 79, 399-404.

Nicolotti, G., Martinis, R. & Tamietti, G. (1998). Control of *Schizophyllum commune* and Ophiostoma piliferum growth in wood by solarization. Material und Organismen. Materials and organisms 32, 12.

Nidetzky, B. & Eis, C. (2001). alpha-Retaining glucosyl transfer catalysed by trehalose phosphorylase from *Schizophyllum commune*: Mechanistic evidence obtained from steady-state kinetic studies with substrate analogues and inhibitors. Biochemical Journal 360, 727-736.

Niederpruem, D. J. (1960).Comparative Studies on the Respiratory Mechanisms of Streptococcus Faecalis, *Schizophyllum commune* and Streptomyces: State University of New York at Buffalo.

Niederpruem, D. J. (1963). Role of carbon dioxide in the control of fruiting of *Schizophyllum commune*. Journal of Bacteriology 85, 1300-1308.

Niederpruem, D. J. (1971). Kinetic Studies of Septum Synthesis, Erosion and Nuclear Migration in a Growing B-Mutant of *Schizophyllum commune*. Arch Mikrobiol 75, 189-196.

Niederpruem, D. J. & Hackett, D. P. (1961). Cytochrome system in *Schizophyllum commune*. Plant Physiology 36, 79-84.

Niederpruem, D. J. & Wessels, J. G. H. (1969). Cytodifferentiation and morphogenesis in *Schizophyllum commune*. Bacteriology Review 33, 505-535.

Niederpruem, D. J. & Jersild, R. A. (1972). Cellular Aspects of Morphogenesis in the Mushroom *Schizophyllum commune*. Crc Crit Rev Microbiol 1, 545-576.

Niederpruem, D. J., Jersild, R. A. & Lane, P. L. (1971). Direct Microscopic Studies of Clamp Connection Formation in Growing Hyphae of *Schizophyllum commune*. Ii. The a-Mutant Homokaryon and Pseudo-Clamp Connections. Arch Mikrobiol.

Novotny, C. P., Stankis, M. M., Specht, C. A., Yang, H., Ullrich, R. C. & Giasson, L. (1991). The Aa mating type locus of *Schizophyllum commune*. More Gene Manipulations in Fungi, Bennett, J. W. and Lasure, L. L., eds., 234-257.

Nsolomo, V. R., Venn, K. & Solheim, H. (2000). The ability of some fungi to cause decay in the East African camphor tree, Ocotea usambarensis. Mycological Research 104, 1473-1479.

Ogawa, T. & Kaburagi, T. (1982). Synthesis of a branched D-glucotetraose, the repeating unit of the extracellular polysaccharides of Grifola umbellate, Sclerotinia libertiana, Porodisculus pendulus, and *Schizophyllum commune* Fries Fungi. Carbohydrate research 103, 53-64 ill.

Oprea, M., Sesan, T. & Balan, V. (1995). *Schizophyllum commune*-Canker and Dieback Disease of Apricot Trees in Orchards of South-Eastern Rumania. Acta horticulturae, 6.

Paice, M. G. & Jurasek, L. (1977). Wood Saccharifying Enzymes from *Schizophyllum commune* [Wood Destroying Fungi]. In Tappi Forest Biology, Wood Chemistry Conference.

Paice, M. G. & Jurasek, L. (1984). Removing hemicellulose from pulps by specific enzymic hydrolysis [*Schizophyllum commune*]. Journal of wood chemistry and technology 4, 187-198.

Paice, M. G., Desrochers, M., Rho, D., Jurasek, L. & Roy, C. (1984). Two forms of endoglucanase from the basidiomycete *Schizophyllum commune* and their relationship to other beta-1,4-glycoside hydrolases [Cellulose chemistry]. Bio technology 2, 535-539 ill.

Papazian, H. P. (1950).The Genetics and Physiology of the Incompatibility Alleles and Some Related Genes in *Schizophyllum commune*: The University of Chicago.

Papazian, H. P. (1950). Physiology of the incompatibilty factors in *Schizophyllum commune*. Bot. Gaz. 112, 441-459.

Papazian, H. P. (1962). The incompatibility factors and related gene in *Schizophyllum commune*. Genetics 36, 441-459.

Parag, Y. (1961).Genetic Studies on Somatic Recombination and Common-B Heterokaryosis in *Schizophyllum commune*: Harvard University.

Parag, Y. (1962). Mutations in the B incompatibility factor of *Schizophyllum commune*. Proc. Natl. Acad. Sci. USA 48, 743-750.

Parag, Y. (1975). Extrachromosomal Factors Affecting Mating Reactions in *Schizophyllum commune* [Fungi]. Heredity 34, 61-70.

Parag, G. & Raper, J. R. (1960). Genetic recombination in a common-B cross of *Schizophyllum commune*. Nature (Lond.) 188, 765-766.

Parag, G. & Nachman, B. (1966). Diploidy in the tetrapolar heterothallic Basidiomycete *Schizophyllum commune*. Heredity 21, 151-154.

Parag, Y. & Koltin, Y. (1971). The Structure of the Incompatibility Factors of *Schizophyllum commune*: Constitution of the Three Classes of B Factors. Mol Gen Genet 112, 43-48.

Parag, Y. & Parag, G. (1974). Plaque Formation in Bacillus Subtilis, and Growth Inhibition of Bacillus Subtilis and Sarcina Sp., Induced by *Schizophyllum commune*. Can J Microbiol 20, 1754-1757.

Parag, Y. & Gani, J. M. (1975). Monokaryon Frequency among Survivors from Dikaryotic Mycelial Fragments [*Schizophyllum commune*]. Heredity 35, 133-137.

Parag, Y. & Giami, S. (1975). Recovery of High Frequency of Dikaryotic Cells Following Ultraviolet Irradiation of Dikaryons of *Schizophyllum commune*. Mutat Res 27, 127-130.

Parag, Y., Ben-Shaul, R. & Lavie, B. (1971). Dominance and Non-Complementation among Pink-Adenineless Mutants of *Schizophyllum commune* Involving Two Discrete Genes. Mol Gen Genet.

Park, D. C., Novotny, C. P., Ullich, R. C. & Lee, K. D. (1994). Isolation and Characterization of Aà mating locus from *Schizophyllum commune*. Han'guk Kyunhakhoe chi 22, 247.

Penas, M. M., Rust, B., Larraya, L. M., Ramirez, L. & Pisabarro, A. G. (2002). Differentially regulated, vegetative-mycelium-specific hydrophobins of the edible basidiomycete Pleurotus ostreatus. Applied and Environmental Microbiology 68, 3891-3898.

Perkins, J. H. (1969). Morphogenesis in *Schizophyllum commune*. I. Effects of White Light. Plant Physiol 44, 1706-1711.

Perkins, J. H. (1969).The Development of the Fruiting Body of the Basidiomycete *Schizophyllum commune*: Harvard University.

Perkins, J. H. & Gordon, S. A. (1969). Morphogenesis of *Schizophyllum commune*. Ii. Effects of Monochromatic Light. Plant Physiol 44, 1712-1716.

Perkins, J. H. & Raper, J. R. (1970). Morphogenesis in *Schizophyllum commune*. Iii. A Mutation That Blocks Initiation of Fruiting. Mol Gen Genet.

Phillips, L. E. (1974).Studies of Phenoloxidase Activity During Development in *Schizophyllum commune*: University of Kentucky.

Phillips, L. E. & Leonard, T. J. (1976). Benzidine as a Substrate for Measuring Phenoloxidase Activity in Crude Cell-Free Extracts of *Schizophyllum commune* [Fungi]. Mycologia 68, 277-285.

Phillips, L. E. & Leonard, T. J. (1976). Extracellular and Intracellular Phenoloxidase Activity During Growth and Development in Schizophyllum [Commune, Fungi]. Mycologia 68, 268-276.

Phillips, L. E. & Leonard, T. J. (1977). On the Oxidation of Dihydroxyphenylalanine and Benzidine in Crude Cell-Free Fungal Extracts [*Schizophyllum commune*]. Mycologia 69, 413-416.

Pontecorvo, G. (1956). The parasexual cycle in fungi. Annual Review of Microbiology 10, 393-400.

Prokop, A., Rapp, P. & Wagner, F. (1992). Production of extracellular beta-1,3-/beta-1,6-glucan by mono- and dikaryons of *Schizophyllum commune*. Experimental mycology 16, 197-206.

Prokop, A., Rapp, P. & Wagner, F. (1994). Production, purification, and characterization of an extracellular endo-beta-1,3-glucanase from a monokaryon of *Schizophyllum commune* ATCC 38548 defective in exo-beta-1,3-glucanase formation. Canadian journal of microbiology 40, 18-23.

Radu, M., Steinlauf, R. & Koltin, Y. (1974). Meiosis in *Schizophyllum commune*: Chromosomal Behavior and the Synaptinemal Complex. Arch Mikrobiol.

Raper, J. R., G. S. Krongelb and M. G. Baxter (1958). The number and distribution of incompatibility factors in *Schizophyllum commune*. American Nat. 92, 221-232.

Raper, J. R., Baxter, M.G., and Ellingboe, A.H. (1960). The genetic structure of the incompatibility factors of *Schizophyllum commune*: the A factor. Proc. Natl. Acad. Sci. USA 44, 889-900.

Raper, J. R. (1963). Device for the isolation of spores. Journal of bacteriology 86, 342-344.

Raper, J. R. (1966). Genetics of Sexuality in Higher Fungi. New York: Ronald Press.

Raper, J. R. a. A. S. F. (1970). The road to diploidy with emphasis on a detour. In Organization and Control in Prokaryotic and Eukaryotic Cells., pp. 401-432. Edited by H. P. C. a. B. C. J. G. Knight. London: Cambridge University Press.

Raper, C. A. (1983). Controls for development and differentiation of the dikaryon in basidiomycetes. In Secondary Metabolism and Differentiation in Fungi, pp. 195-238. Edited by J. W. a. C. Bennett, A. New York: Marcel Dekker.

Raper, C. A. (1988). *Schizophyllum commune*, a model for genetic studies of the Basidiomycotina. Advances in plant pathology, 511-522.

Raper, J. R. & Antonio, J. P. S. (1954). Heterokaryotic mutagenesis in Hymenomycetes. I. Heterokaryosis in *Schizophyllum commune*. American Journal of Botany 41, 69-86.

Raper, J. R. & Miles, P. G. (1958). The genetics of *Schizophyllum commune*. Genetics 43, 530-546.

Raper, J. R. & Krongelb, G. S. (1958). Genetic and environmental aspects of fruiting in *Schizophyllum commune*. Mycologia 50, 707-740.

Raper, J. R. & Esser, K. (1961). Antigenic differences due to the incompatiblity factors in *Schizophyllum commune*. Z Vererbungslehre 92, 439-444.

Raper, J. R. & Hyatt, E. A. (1963). Modified press for disruption of microorganisms. Journal of bacteriology 85, 712-713.

Raper, C. A. & Raper, J. R. (1964). Mutations affecting heterokaryosis in *Schizophyllum commune*. American Journal of Botany 51, 503-513.

Raper, C. A. & Raper, J. R. (1966). Mutations modifying sexual morphogenesis in *Schizophyllum commune*. Genetics 54, 1151-1168.

Raper, J. R. & M., R. (1968). Secondary mutations at the Bb incompatibility locus of Schizophyllum. Heredity 23, 109-117.

Raper, J. R. & Raper, C. A. (1968). Genetic regulation of sexual morphogenesis in *Schizophyllum commune*. Journal of Elisha Mitchell Sci. Soc. 84, 267-273.

Raper, J. R. & Raudaskoski, M. (1968). Secondary mutations at the BB locus of Schizophyllum. Heredity 23, 109-117.

Raper, C. A. & Raper, J. R. (1973). Mutational analysis of a regulatory gene for morphogenesis in Schizophyllum. Proc. Natl. Acad. Sci. USA 69, 1426-1431.

Raper, J. R. & Hoffman, R. M. (1974). *Schizophyllum commune*. In Handbook of Genetics, pp. 597-626. Edited by R. C. King. New York: Plenum Press.

Raper, J. R., Antonio, J. P. S. & Miles, P. G. (1958). The expression of mutations in common-A heterokaryons of *Schizophyllum commune*. Zeitschrift für Vererbungslehre 89, 540-558.

Raper, J. R., Baxter, M. G. & Middleton, R. B. (1958). The genetic structure of the incompatibilityfactors in *Schizophyllum commune*. Proceedings of the National Academy of Sciences of the United States of America 44, 889-900.

Raper, J. R., Boyd, D. H. & Raper, C. A. (1965). Primary and secondary mutation at the incompatibility loci in Schizophyllum. Proceedings of the National Academy of Sciences of the United States of America 53.

Rau, U. & Brandt, C. (1994). Oxygen controlled batch cultivations of *Schizophyllum commune* for enhanced production of branched á-1,3-glucans. Bioprocess engineering 11, 161.

Raudaskoski, M. (1970). A new secondary BB mutation in Schizophyllum revealing functional differences in wild BB alleles. Hereditas 64, 259-266.

Raudaskoski, M. (1970). Occurence of microtubules and microfilaments and origin of septa in dikaryotic hyphae of *Schizophyllum commune*. Protoplasma 70, 415-422.

Raudaskoski, M. (1972). Secondary Mutations at the Bbeta Incompatibility Locus and Nuclear Migration in the Basidiomycete *Schizophyllum commune*. Hereditas.

Raudaskoski, M. (1972). Occurrence of Microtubules in the Hyphae of *Schizophyllum commune* During Intercellular Nuclear Migration. Arch Mikrobiol 86, 91-100.

Raudaskoski, M. (1973). Light and Electron Microscope Study of Unilateral Mating between a Secondary Mutant and a Wild-Type Strain of *Schizophyllum commune*. Protoplasma 76, 35-48.

Raudaskoski, M. (1976). Acid Phosphatase Activity in the Wild-Type and B-Mutant Hyphae of *Schizophyllum commune* [Fungi]. J Gen Microbiol 94, 373-379.

Raudaskoski, M. (1998). The relationship between B-mating-type genes and nuclear migration in *Schizophyllum commune*. Fungal genetics and biology : FG & B 24, 207-227.

Raudaskoski, M., Färdig, M., and Uuskallio, M. (1998).The structure of pheromone and receptor gene transcripts in Ba1 and Bb1 mating-type loci of *Schizophyllum commune*. In Fourth Meeting on the Genetics and Cellular Biology of Basidiomycetes, pp. 119-124. Edited by L. J. L. D. V. G. a. J. Visser.

Raudaskoski, M. & Koltin, Y. (1973). Ultrastructural Aspects of a Mutant of *Schizophyllum commune* with Continuous Nuclear Migration. J Bacteriol 116, 981-988.

Raudaskoski, M. & Vauras, R. (1982). Scanning electron microscope study of fruit body differentiation in *Schizophyllum commune* Fungi. Transactions of the British Mycological Society 78, 475-481 ill.

Raudaskoski, M. & Viitanen, H. (1982). Effect of aeration and light on fruit body induction in *Schizophyllum commune* Fungi. Transactions of the British Mycological Society 78, 89-96 ill.

Raudaskoski, M. & Lahti, R. (1983). Mitochondrial structure, ATP concentration and inorganic pyrophosphatase activity in a B mutant strain of *Schizophyllum commune* [Fungi]. The Journal of general microbiology 129, 2801-2808 ill.

Raudaskoski, M. & Yli-Mattila, T. (1985). Capacity for photoinduced fruiting in a dikaryon of *Schizophyllum commune*. Transactions of the British Mycological Society 85, 145-151.

Raudaskoski, M., Mao, W. Z. & Yli-Mattila, T. (1994). Microtubule cytoskeleton in hyphal growth Response to nocodazole in a sensitive and a tolerant strain of the homobasidiomycete *Schizophyllum commune*. European journal of cell biology 64, 131.

Raudaskoski, M., Stamberg, J., Bawnik, N. & Koltin, Y. (1976). Mutational Analysis of Natural Alleles at the B Incompatibility Factor of [the Fungus] *Schizophyllum commune*: Alpha2 and Beta6. Genetics 83, 507-516.

Rho, D., Desrochers, M., Jurasek, L., Driguez, H. & Defaye, J. (1982). Induction of cellulase in *Schizophyllum commune*: thiocellobiose as a new inducer Enzymatic saccharification of cellulose. Journal of bacteriology 149, 47-53 ill.

Riegman, R. & Wessels, J. G. H. (1980). Nuclear inheritance of plaques in *Schizophyllum commune*. Transactions of the British Mycological Society 75, 325-327 ill.

Rihs, J. D., Padhye, A. A. & Good, C. B. (1996). Brain Abscess Caused by *Schizophyllum commune*: An Emerging Basidiomycete Pathogen. Journal of clinical microbiology 34, 5.

Robertson, C. I., Bartholomew, K. A., Novotny, C. P. & Ullrich, R. C. (1996). Deletion of the *Schizophyllum commune* Aalpha locus: the roles of Aalpha Y and Z mating-type genes. Genetics 144, 1437-1444.

Robertson, C. I., Kende, A. M., Toenjes, K., Novotny, C. P. & Ullrich, R. C. (2002). Evidence for interaction of *Schizophyllum commune* Y mating-type proteins in vivo. Genetics 160, 1461-1467.

Rojo, H. P., Vattuone, M. A. & Sampietro, A. R. (1994). Invertase from *Schizophyllum commune*. Phytochemistry 37, 119-123.

Roshal, J. Y. (1950).Incompatibility Factors in a Population of *Schizophyllum commune*: The University of Chicago.

Roshal, J. V. (1954).Studies of Variation in Dikaryotization of *Schizophyllum commune*, a Tetrapolar Hymenomycete: The University of Chicago.

Rudoy, C. D. (1974).A Class of Genes Controlling B-Factor Regulated Development in *Schizophyllum commune*: Harvard University.

Ruiters, M. H. J. & Wessels, J. G. H. (1989). In situ localization of specific RNAs in developing fruit bodies of the basidiomycete *Schizophyllum commune*. Experimental mycology 13, 212-222.

Ruiters, M. H. J. & Wessels, J. G. H. (1989). In situ localization of specific RNAs in whole fruiting colonies of *Schizophyllum commune*. The Journal of general microbiology 135, 1747-1754.

Rupes, I., Mao, W. Z., Astrom, H. & Raudaskoski, M. (1995). Effects of nocodazole and brefeldin A on microtubule cytoskeleton and membrane organization in the homobasidiomycete *Schizophyllum commune*. Protoplasma 185, 212-221.

Rusmin, S. (1974).Biochemical Induction of Homokaryotic Fruiting in *Schizophyllum commune*: University of Kentucky.

Rusmin, S. & Leonard, T. J. (1975). Biochemical Induction of Fruiting Bodies in *Schizophyllum commune*: A Bioassay and Its Application [Fungi]. J Gen Microbiol 90, 217-227.

Rusmin, S. & Leonard, T. J. (1978). Biochemical Induction of Fruiting in Schizophyllum [Commune]. Isolation and Preliminary Purification of an Inducing Substance from *Agaricus bisporus* Mushrooms. Plant Physiol 61, 538-543.

Russo, P., Juuti, J. T. & Raudaskoski, M. (1992). Cloning, sequence and expression of a beta-tubulin-encoding gene in the homobasidiomycete *Schizophyllum commune*. Gene 119, 175-182.

Saha, S. B. & Samajpati, N. (1975). Effect of Different Toxic Chemicals on the Spore Germination of *Schizophyllum commune*. Sci Cult 41, 557-558.

Samadder, P. P., Sen, K. & Kurosawa, S. (1997). Isolation and characterization of *Schizophyllum commune* mutants resistant to indole and caffeine. Federation of European Microbiological Societies 150, 277-282.

Samadder, P. P., Sen, K. & Kurosawa, S. i. (1997). Isolation and characterization of *Schizophyllum commune* mutants resistant to indole and caffeine. FEMS microbiology letters 150, 6.

Samadder, P. P., Sen, K. & Kurosawa, S. (1998). Indole- and caffeine-resistant mutations of *Schizophyllum commune* are involved in the behavior of a class III B mating-type factor in trp1 cells. Federation of European Microbiological Societies 163, 113-120.

Sanelli, T. E. (1995).An Investigation of the Catalytic Nucleophile of *Schizophyllum commune* Endoglucanase I: University of Guelph (Canada).

Schaap, T. a. G. S. (1971). Inbreeding and the gentic control of recombination in a natural population of *Schizophyllum commune*. Genetics 68, 67-75.

Schmidt, O. & Liese, W. (1980). Variability of wood degrading enzymes of *Schizophyllum commune*. Holzforschung 34, 67-72.

Schneberger, G. L. (1965).Beta-D-Glucanases of *Schizophyllum commune*: West Virginia University.

Scholtmeijer, K., Wosten, H. A. B., Springer, J. & Wessels, J. G. H. (2001). Effect of introns and AT-rich sequences on expression of the bacterial hygromycin B resistance gene in the basidiomycete *Schizophyllum commune*. Applied and Environmental Microbiology 67, 481-483.

Scholtmeijer, K., Wosten, H. A. B., Springer, J. & Wessels, J. G. H. (2001). GENETICS AND MOLECULAR BIOLOGY - Effect of Introns and AT-Rich Sequences on Expression of the Bacterial Hygromycin B Resistance Gene in the Basidiomycete *Schizophyllum commune*. Applied and environmental microbiology 67, 3.

Schorey, J. S. & Lilly, W. W. (1986). Depression of extracellular acid phosphatase activity in *Schizophyllum commune*. Microbios letters 32, 87-90.

Schuren, F. H. J. (1999). Atypical interactions between thn and wild-type mycelia of *Schizophyllum commune*. Mycological Research 103, 1540-1544.

Schuren, F. H. J. & Wessels, J. G. H. (1994). Highly-efficient transformation of the homobasidiomycete *Schizophyllum commune* to phleomycin resistance. Current genetics 26, 179-183.

Schuren, F. H. J. & Wessels, J. G. H. (1998). Expression of heterologous genes in *Schizophyllum commune* is often hampered by the formation of truncated transcripts. Current genetics 33, 151-156.

Schuren, F. H. J., Lende, T. R. v. d. & Wessels, J. G. H. (1993). Fruiting genes of *Schizophyllum commune* are trascriptionally regulated. Mycological research 97, 538-542.

Schuren, F. H. J., Harmsen, M. C. & Wessels, J. G. H. (1993). A homologous gene-reporter system for the basidiomycete *Schizophyllum commune* based on internally deleted homologous genes. M G G : Molecular and general genetics 238, 91-96.

Schuren, F. H. J., Van Der Lende, T. R. & Wessels, J. G. H. (1993). Fruiting genes of *Schizophyllum commune* are transcriptionally regulated. Mycological research 97, 538-542.

Schuren, F. H., Harmsen, M. C. & Wessels, J. G. (1993). A homologous gene-reporter system for the basidiomycete *Schizophyllum commune* based on internally deleted homologous genes. Molecular & general genetics : MGG 238, 91-96.

Schuren, F. H. J., Asgeirsdottir, S. A., Kothe, E. M., Scheer, J. M. J. & Wessels, J. G. H. (1993). The Sc7/Sc14 gene family of *Schizophyllum commune* codes for extracellular proteins specifically expressed during fruit-body formation. The Journal of general microbiology 139, 2083-2090.

Schuurs, T. A., Schaeffer, E. A. M. & Wessels, J. G. H. (1997). Homology-dependent silencing of the SC3 gene in *Schizophyllum commune*. Genetics 147, 589-596.

Schuurs, T. A., Dalstra, H. J. P., Scheer, J. M. J. & Wessels, J. G. H. (1998). Positioning of nuclei in the secondary mycelium of *Schizophyllum commune* in relation to differential gene expression. Fungal genetics and biology : FG & B 23, 150-161.

Schwalb, M. N. (1967).Studies on the Control of Morphogenesis of the Basidiomycete *Schizophyllum commune* Fr: State University of New York at Buffalo.

Schwalb, M. N. (1971). Commutment to Fruiting in Synchronously Developing Cultures of the Basidiomycete *Schizophyllum commune*. Arch Mikrobiol 79, 102-107.

Schwalb, M. N. (1971). Developmental Regulation of Amylase Activity During Fruiting of *Schizophyllum commune*. J Bacteriol 108, 1205-1209.

Schwalb, M. N. (1974). Changes in Activity of Enzymes Metabolizing Glucose 6-Phosphate During Development of the Basidiomycete *Schizophyllum commune*. Dev Biol 40, 84-89.

Schwalb, M. N. (1974). Effect of Adenosine 3',5'-Cyclic Monophosphate on the Morphogenesis of Fruit Bodies of *Schizophyllum commune*. Arch Mikrobiol.

Schwalb, M. N. (1975). Developmental Control of Enzyme Modification During Fruiting of the Basidiomycete *Schizophyllum commune* [Fungi]. Biochem Biophys Res Commun.

Schwalb, M. N. (1977). Developmentally Regulated Proteases from the Basidiomycete *Schizophyllum commune* [Fungi]. J Biol Chem 252, 8435-8439.

Schwalb, M. N. (1977). Cell Wall Metabolism During Fruiting of the Basidiomycete *Schizophyllum commune* [Fungi]. Arch Microbiol 114, 9-12.

Schwalb, M. N. & Miles, P. G. (1967). Morphogenesis of *Schizophyllum commune*. I. Morphological variation and mating behavior of the thin mutation. American Journal of Botany 54, 440-446.

Schwalb, M. N. & Miles, P. G. (1968). Morphogenesis of *Schizophyllum commune*. Iii. Activity of Inhibitors of Energy Metabolism. Plant Cell Physiol 9, 661-669.

Schwalb, M. N. & Jansons, V. K. (1973). Comparison of Developmentally Controlled Glucoamylase from Normal and Mutant Strains of the Basidiomycete *Schizophyllum commune*. Biochem Genet 9, 359-367.

Schwalb, M. N. & Shanler, A. (1974). Phototropic and Geotropic Responses During the Development of Normal and Mutant Fruit Bodies of the Basidiomycete *Schizophyllum commune*. J Gen Microbiol 82, 209-212.

Schwanter, H. O. & Schippers, K. (1975). Bildung Abnormer Schnallenmyzelien Beim Standerpilz *Schizophyllum commune*. Mikrokosmos 64, 109-112.

Sebastian, R. (1970).Morphogenetic Studies of Mycelial Mutants of *Schizophyllum commune*: State University of New York at Buffalo.

Sessoms, D. B. & Lilly, W. W. (1986). Derepressible proteolytic activity in homokaryotic hyphae of *Schizophyllum commune*. Experimental mycology 10, 294-300.

Shaw, W. L. & Miles, P. G. (1970). Inhibition of the Development of *Schizophyllum commune* Germlings by the Ammonium Ion. Plant Cell Physiol 11, 487-497.

Shen, G.-P., Park, D.-C., Ullrich, R. C. & Novotny, C. P. (1996). Cloning and characterization of a Schizophyllum gene with Ab6 mating activity. Current Genetics 29, 136-142.

Shen, G.-P., Chen, Y., Song, D., Peng, Z., Novotny, C. P. & Ullrich, R. C. (2001). The Aalpha6 locus: Its relation to mating-type regulation of sexual development in *Schizophyllum commune*. Current Genetics 39, 340-345.

Shneyour, Y. & Koltin, Y. (1981). Meiosis in *Schizophyllum commune*: The effect of hydroxyurea on the frequency of recombination and mutations. Current genetics 4, 159-163.

Shneyour, Y. & Koltin, Y. (1983). Mutator activity in *Schizophyllum commune* Fungi. Mutation research : international journal on mutagenesis, chromosome breakage and related subjects 107, 41-51.

Shneyour, Y., Stamberg, J., Hundert, P., Werczberger, R. & Koltin, Y. (1978). Selection with Cycloheximide of Metabolic and Uv [Ultra Violte]-Sensitive Mutants of *Schizophyllum commune* and *Saccharomyces cerevisiae* [Fungi]. Mutat Res 49, 195-201.

Shu, C. H., Chen, Y. C. & Hsu, Y. C. (2002). Effects of Citric Acid on Cell Growth and Schizophyllan Formation in the Submerged Culture of *Schizophyllum commune*. Journal of the Chinese Institute of Chemical Engineers 33, 315-320.

Sicari, L. M. & Ellingboe, A. H. (1967). Microscopical observations of initial interactions in various matings of *Schizophyllum commune* and *Coprinus lagopus*. American Journal of Botany 54, 437-439.

Sietsma, J. H. & Wessels, J. G. H. (1977). Chemical Analysis of the Hyphal Wall of *Schizophyllum commune* [Fungi]. Biochim Biophys Acta 496, 225-239.

Sietsma, J. H., Rast, D. & Wessels, J. G. H. (1977). The Effect of Carbon Dioxide on Fruiting and on the Degradation of a Cell-Wall Glucan in *Schizophyllum commune* [Fungi]. J Gen Microbiol 102, 385-389.

Sigler, L., Bartley, J. R., Parr, D. H. & Morris, A. J. (1999). MYCOLOGY - Maxillary Sinusitis Caused by Medusoid Form of *Schizophyllum commune*. Journal of clinical microbiology 37, 4.

Sigler, L., Maza, L. M. d. l., Tan, G., Egger, K. N. & Sherburne, R. K. (1995). Diagnostic Difficulties Caused by a Nonclamped *Schizophyllum commune* Isolate in a Case of Fungus Ball of the Lung. Journal of clinical microbiology 33, 5.

Sigler, L., Estrada, S., Montealegre, N. A., Jaramillo, E., Arango, M., De Bedout, C. & Restrepo, A. (1997). Maxillary sinusitis caused by *Schizophyllum commune* and experience with treatment. Journal of Medical & Veterinary Mycology 35, 6.

Simchen, G. (1966). Monokaryotic variation and haploid selection in *Schizophyllum commune*. Heredity 21, 241-263.

Simchen, G. (1966). Fruiting and growth rate among single wild isolates of *Schizophyllum commune*. Genetics 53.

Simchen, G. (1967). Genetic control of recombination and the incompatibility system in *Schizophyllum commune*. Genet. Res. 9, 195-210.

Simchen, G. (1967). Independent evolution of a polygenic system in isolated populations of the fungus *Schizophyllum commune*. Evolution 21, 310-315.

Simchen, G. & Links, J. L. (1964). The determination of dikaryotic growth-rate in the Basidiomycete, *Schizophyllum commune*: a biometrical analysis. Heredity 19, 629-649.

Simchen, G. & Connolly, V. (1968). Changes in recombination frequency following inbreeding in Schizophyllum. Genetics 58, 319-326.

Simchen, G. & Stamberg, J. (1969). Genetic Control of Recombination in *Schizophyllum commune*: Specific and Independent Regulation of Adjacent and Non-Adjacent Chromosomal Regions. Heredity 24, 369-381.

Simchen, G. & Stamberg, J. (1969). Fine and coarse control of genetic recombination. Nature (Lond.) 222, 329-332.

Simchen, G. & Stamberg, J. (1969). Genetic control of recombination in *Schizophyllum commune*: specific and independent regulation of adjacent and non-adjacent chromosomal regions. Heredity 24, 369-381.

Smit, S. (1972). Proucavanje Biologije *Schizophyllum commune* Fr., Prouzrokovaca Prozuklosti Bukovog Drveta.

Snider, P. J. (1963). Estimation of nuclear ratios directly from heterokaryotic mycelia in Schizophyllum. American Journal of Botany 50, 255-262.

Snider, P. J. (1963). Genetic evidence for nuclear migration in Basidiomycetes. Genetics 48, 47-55.

Snider, P. J. (1968). Nuclear movements in Schizophyllum. In Aspects of Cell Motility. XXII Symposium of the Society of Experimental Biology, pp. 261-283. London: Cambridge University Press.

Snider, P. J. & Raper, J. R. (1958). Nuclear migration in the basidiomycete *Schizophyllum commune*. American Journal of Botany 45, 538-546.

Sonnenberg, A. S. M., Sietsma, J. H. & Wessels, J. G. H. (1982). Biosynthesis of alkali-insoluble cell-wall glucan in *Schizophyllum commune* protoplasts. The Journal of general microbiology 128, 2667-2674.

Sonnenberg, A. S. M., Sietsma, J. H. & Wessels, J. G. H. (1985). Spatial and temporal differences in the synthesis (1 leads to 3)-beta and (1leads to 6)-beta linkages in a wall glucan of *Schizophyllum commune*. Experimental mycology 9, 141-148.

Specht, C. A. (1995). Isolation of the B alpha and B beta mating-type loci of *Schizophyllum commune*. Current genetics 28, 374-379.

Specht, C. A. (1995). Isolation of the Ba and Bb mating-type loci of *Schizophyllum commune*. Current genetics 28, 6.

Specht, C. A., Novotny, C. P. & Ullrich, R. C. (1983). Isolation and characterization of mitochondrial DNA from the basidiomycete *Schizophyllum commune* [Fungi, genomes]. Experimental mycology 7, 336-343 ill.

Specht, C. A., Novotny, C. P. & Ullrich, R. C. (1992). Mitochondrial DNA of *Schizophyllum commune*: restriction map, genetic map, and mode of inheritance. Current genetics 22, 129-134.

Specht, C. A., Munoz-Rivas, A., Novotny, C. P. & Ullrich, R. C. (1988). Transformation of *Schizophyllum commune*: an analysis of parameters for improving transformation frequencies. Experimental mycology 12, 357-366.

Specht, C. A., Munoz-Rivas, A., Novotny, C. P. & Ullrich, R. C. (1991). Transformation of *Schizophyllum commune*: an Analysis of specific properties. Experimental mycology 15, 326-335.

Specht, C. A., Stankis, M. M., Novotny, C. P. & Ullrich, R. C. (1994). Mapping the heterogeneous DNA region that determines the nine A-alpha mating-type specificies of *Schizophyllum commune*. Genetics 137, 709-714.

Specht, C. A., Stankis, M. M., Giasson, L., Novotny, C. P. & Ullrich, R. C. (1992). Functional analysis of the homeodomain-related proteins of the A-alpha locus of *Schizophyllum commune*. Proceedings of the National Academy of Sciences of the United States of America 89, 7174-7178.

Speth, J. L. (1976).Enzymes of Polyol Metabolism in Hyphal Differentiation and Fruiting of *Schizophyllum commune*: Indiana University.

Speth, J. L. & Niederpruem, D. J. (1976). Enzyme Activities Associated with Arabitol and Mannitol Biosynthesis and Catabolism in *Schizophyllum commune* [Fungi]. Arch Microbiol 107, 81-86.

Springer, J. & Wessels, J. G. H. (1989). A frequently occurring mutation that blocks the expression of fruiting genes in *Schizophyllum commune*. M G G : Molecular and general genetics 219, 486-488.

Stamberg, J. (1969). Genetic Control of Recombination in *Schizophyllum commune*: The Occurrence and Significance of Natural Variation. Heredity 24, 361-368.

Stamberg, J. A. (1969).Genetic Control of Recombination in *Schizophyllum commune*: Harvard University.

Stamberg, J. & Simchen, G. (1970). Specific Effects of Temperature on Recombination in *Schizophyllum commune*. Heredity 25, 41-52.

Stamberg, J. & Koltin, Y. (1971). Selectively Recombining B Incompatibility Factors of *Schizophyllum commune*. Mol Gen Genet 113, 157-165.

Stamberg, J. & Koltin, Y. (1972). The organization of the incompatibility factors in higher fungi: The effects of structure and symmetry of breeding. Heredity 30, 15-26.

Stamberg, J. & Koltin, Y. (1973). Genetic Control of Recombination in *Schizophyllum commune*: Evidence for a New Type of Regulatory Site. Genet Res 22, 101-111.

Stamberg, J. & Koltin, Y. (1974). Recombinational Analysis of Mutations at an Incompatibility Locus of Schizophyllum [Commune]. Mol Gen Genet (Mgg).

Stamberg, J., Koltin, Y. & Tamarkin, A. (1977). Deletion Mapping of Wildtype and Mutant Alleles at the B Incompatibility Factor of Schizophyllum [Commune, Fungi]. Mol Gen Genet (Mgg).

Stankis, M. M., Specht, C. A., Yang, H., Giasson, L., Ullrich, R. C. & Novotny, C. P. (1992). The A-alpha mating locus of *Schizophyllum commune* encodes two dissimilar multiallelic homeodomain proteins. Proceedings of the National Academy of Sciences of the United States of America 89, 7169-7173.

Steiner, W., Lafferty, R. M., Gomes, I. & Esterbauer, H. (1987). Studies on a wild strain of *Schizophyllum commune*: cellulase and xylanase production and formation of the extracellular polysaccharide Schizophyllan. Biotechnology and bioengineering 30, 169-178.

Strating, H. (1993).Affinity Labelling of *Schizophyllum commune* Cellulase: University of Guelph (Canada).

Sundberg, W. J. (1971).A study of basidial ontogeny and meiosis in *Schizophyllum commune* utilizing light and electron microscopy, pp. v, 156 leaves 121 cm: University of California.

Sundberg, W. J. (1976). A Hybrid Technique for Staining Meiotic Nuclei of Basidiomycetes [*Schizophyllum commune*, Fungi]. Stain Technol 51, 103-105.

Swack, N. S. & Miles, P. G. (1960). Conditions affedting growth and indogotin porduction by strain 130 of *Schizophyllum commune*. Mycologia 52, 574-583.

Tachibana, S. (1969). On the Mechanism of L-Malic Acid Fermentation Using *Schizophyllum commune* Fries. Mushroom Sci.

Tachibana, S. (1972). Metabolism of Riboflavin in *Schizophyllum commune*. J Vitaminol.

Tachibana, S. & Murakami, T. (1974). Effects of Flavins on L-Malate Fermentation Utilizing Ethanol by *Schizophyllum commune*. J Ferment Technol.

Tachibana, S. & Murakami, T. (1974). Effects of Carbon Dioxide Sources and Other Compounds on Lmalate Fermentation Utilizing Ethanol by *Schizophyllum commune*. J Ferment Technol 52, 353-359.

Tachibana, S. & Murakami, T. (1975). The Isolation and Some Properties of New Flavins ("Schizoflavin") Formed by *Schizophyllum commune* [Fungi]. J Nutr Sci Vitaminol 21, 61-63.

Tachibana, S. & Oka, M. (1982). NADPH-dependence of vitamin B2-aldehyde-forming enzyme Isolated from *Schizophyllum commune*, riboflavin. Journal of nutritional science and vitaminology 28, 335-342.

Tachibana, S., Murakami, T. & Ninomiya, T. (1975). Identification of the Chemical Structures of Schizoflavins [*Schizophyllum commune*, Fungi] as 7,8-Dimethyl-10(2,3,4-Trihydroxy-4-Formylbutyl)Isoalloxazine and 7,8-Dimethyl-10-(2,3,4-Trihydroxy-4-Carboxybutyl)Isoalloxazine. J Nutr Sci Vitaminol 21, 347-353.

Tang, C. Y. & Chang, S. T. (1974). Variation in Recombination Frequencies in *Schizophyllum commune* and Its Genetic Control. Aust J Biol Sci 27, 103-110.

Tanimoto, T., Tsujita, Y., Hamano, K. & Haruyama, H. (1995). Schizostatin, a potent squalene synthase inhibitor from *Schizophyllum commune*: isolation, structure elucidation, and total synthesis. Tetrahedron letters; the international organ for the rapid publication of preliminary communications in organic chemistry 36, 6301.

Tanimoto, T., Tsujita, Y., Hamano, K., Haruyama, H., Kinoshita, T., Hosoya, T., Kaneko, S., Tago, K. & Kogen, H. (1995). Schizostatin, a potent squalene synthase inhibitor from *Schizophyllum commune*: isolation, structure elucidation, and total synthesis. Tetrahedron letters

: the international organ for the rapid publication of preliminary communications in organic chemistry 36, 6301-6304.

Tanimoto, T., Onodera, K., Hosoya, T., Takamatsu, Y., Kinoshita, T., Tago, K., Kogen, H., Fujioka, T., Hamano, K. & Tsujita, Y. (1996). Schizostatin, a Novel Squalene Synthase Inhibitor Produced by the Mushroom, *Schizophyllum commune* I Taxonomy, Fermentation, Isolation, Physico-chemical Properties and Biological Activities. Journal of antibiotics 49, 7.

Tarkka, M. T., Vasara, R., Gorfer, M. & Raudaskoski, M. (2000). Molecular characterization of actin genes from homobasidiomycetes: Two different actin genes from *Schizophyllum commune* and Suillus bovinus. Gene 251, 27-35.

Tenkanen, M. & Siika-aho, M. (2000). An alpha-glucuronidase of *Schizophyllum commune* acting on polymeric xylan. Journal of Biotechnology 78, 149-161.

Todd, N. K. & Aylmore, R. C. (1985). Cytology of hyphal interactions and reactions in *Schizophyllum commune*. Symposium series - British Mycological Society, 231-248 ill.

Tomita, K. (1996). Allergic Bronchopulmonary Mycosis Caused by *Schizophyllum commune*. Nihon Kyåobu Shikkan Gakkai zasshi = The Japanese journal of thoracic diseases 34, 804.

Trojanowski, J., De Vries, O. M. H., Wessels, J. G. H. & Huttermann, A. (1986). Capacity to demethylate lignin and oxidase production by *Schizophyllum commune* (monokaryon) and Polyporus species. Microbios letters 130, 67-70.

Tryel, E. (1974). Guldregn (Laburnum Anagyroides) Som Vaertplante for Klovblad (*Schizophyllum commune*) Og Tre Andre Storsvampe. Friesia.

Tzean, S. S. & Estey, R. H. (1978). *Schizophyllum commune* Fr. As a Destructive Mycoparasite. Can J Microbiol 24, 780-784 PLATES.

Ullrich, R. C. (1977). Isozyme Patterns and Cellular Differentiation in [the Woodrotting Fungus] Schizophyllum [Commune]. Mol Gen Genet (Mgg).

Ullrich, R. C., Giasson, L., Specht, C. A., Stankis, M. M. & Novotny, C. P. (1990). The A alpha multiallelic mating-type genes of *Schizophyllum commune*. UCLA symposia on molecular and cellular biology, 271-288.

Ullrich, R. C., Specht, C. A., Munoz-Rivas, A., Froeliger, E., Drummond, B. J. & Novotny, C. P. (1985). Mating type in the Basidiomycete *Schizophyllum commune*. In Plant cell cell interactions edited by Ian Sussex [et al], pp. 41-45. Cold Spring Harbor, N.Y.: Cold Spring Harbor Laboratory.

Ullrich, R. C., Specht, C. A., Stankis, M. M., Yang, H., Giasson, L. & Novotny, C. P. (1991). Molecular biology of mating-type determination in *Schizophyllum commune*. Genetic engineering : Principles and methods, 279-306.

Vaillancourt, L. J. & Raper, C. A. (1996). Pheromones and pheromone receptors as mating-type determinants in basidiomycetes. Genetic Engineering 18, 219-247.

Vaillancourt, L. J., Raudaskoski, M., Specht, C. A. & Raper, C. A. (1997). Multiple genes encoding pheromones and a pheromone receptor define the B beta 1 mating-type specificity in *Schizophyllum commune*. Genetics 146, 541-551.

Vakili, N.-G. (1953).On the Genetics of the a Factor in *Schizophyllum commune*: The University of Chicago.

Valk, P. V. D. & Wessels, J. G. H. (1976). Ultrastructure and Localization of Wall Polymers During Regeneration and Reversion of Protoplasts of *Schizophyllum commune* [Fungi]. Protoplasma.

Valk, P. V. D. & Wessels, J. G. H. (1977). Light and Electron Microscopic Autoradiography of Cell-Wall Regeneration by *Schizophyllum commune* Protoplasts [Fungi]. Acta Bot Neerl 26, 43-52.

Valk, P. V. D. & Marchant, R. (1978). Hyphal Ultrastructure in Fruit-Body Primordia of the Basidiomycetes *Schizophyllum commune* and *Coprinus cinereus* [Fungi]. Protoplasma.

Valk, P. V. D., Marchant, R. & Wessels, J. G. H. (1977). Ultrastructural Localization of Polysaccharides in the Wall and Septum of the Basidiomycete *Schizophyllum commune* [Fungi]. Exp Mycol 1, 69-82 PLATES.

Van My, D. & Grzywacz, A. (1975). Wystepowanie I Znaczenie Gospodarcze *Schizophyllum commune* Fr. Jako Grzyba Niszczacego Drewno. Lesnictwo (Warsz).

vanWetter, M. A., Wosten, H. A. B. & Wessels, J. G. H. (2000). SC3 and SC4 hydrophobins have distinct roles in formation of aerial structures in dikaryons of *Schizophyllum commune*. Molecular microbiology 36, 201-210.

vanWetter, M. A., Schuren, F. H. J., Schuurs, T. A. & Wessels, J. G. H. (1996). Targeted mutation of the SC3 hydrophobin gene of *Schizophyllum commune* affects formation of aerial hyphae. FEMS microbiology letters 140, 6.

vanWetter, M. A., Wosten, H. A. B., Sietsma, J. H. & Wessels, J. G. H. (2000). Hydrophobin gene expression affects hyphal wall composition in *Schizophyllum commune*. Fungal genetics and biology : FG & B 31, 99-104.

Vanyushin, B. F., Belozersky, A. N. & Bogdanova, S. L. (1960). A comparitive study of the nucleotide composition of ribonucleic acid and deoxyibonucleic acid in some fungi and myxomycetes. Dokl. Akad. Nauk. SSSR Ser. Biol. Sci. Sect. (English Trans.) 134, 1222-1225.

Varadi, J. & Jurasek, L. (1970). Cellulase and Xylanase of Fungus *Schizophyllum commune*. Ii. Submerged Cultivation on a Rotary Shaker and Vibrating Equipment. Drevarsky Vyskum.

Varadi, J., Necesany, V. & Kovacs, P. (1971). Cellulase and Xylanase of Fungus *Schizophyllum commune*. Iii. Purification and Properties of Xylanase. Drevarsky Vyskum.

Vermeulen, C. A. & Wessels, J. G. H. (1984). Ultrastructural differences between wall apices of growing and non-growing hyphae of *Schizophyllum commune*. Protoplasma 120, 123-131 ill.

Villa, V. D. & Storck, R. (1968). Nucleotide composition of nuclear and mitochondrial deoxyribonucleic acid of fungi. Journal of Bacteriology 96, 184-190.

Volz, P. A. (1970). Induced Cytological Aberrancies in Basidiocarp Morphology of *Schizophyllum commune* Fr. Arch Mikrobiol 72, 371-374.

Voorhees, D. A. & Peterson, J. L. (1986). Hypha-spore attractions in *Schizophyllum commune*. Mycologia 78, 762-765.

Wallweber, G. J. & Lilly, W. W. (1992). Purification and characterization of the two constitutively produced acid phosphatase isozymes from *Schizophyllum commune*. Mycological research 96, 792-797.

Wang, C.-S. (1964).Studies of the Cell Walls of *Schizophyllum commune*: State University of New York at Buffalo.

Wang, C.-S. & Raper, J. R. (1969). Protein Specificity and Sexual Morphogenesis in *Schizophyllum commune*. J Bacteriol 99, 291-297.

Wang, C. S. & Raper, J. R. (1970). Isozyme-patterns and sexual morphogenesis in Schizophyllum. Proceedings of the National Academy of Sciences of the United States of America 66, 882-889.

Wang, C. S., Schwalb, M. N. & Miles, P. G. (1968). A relationship between cell-wall composition and mutant morphology in the basidiomycete *Schizophyllum commune*. Canadian Journal of Microbiology 14, 809-811.

Watling, R. & Sweeney, J. (1974). Observations on *Schizophyllum commune* Fries. Sabouraudia 12, 214-226.

Watrud, L. S. (1972).Evidence for Cytoplasmic Exchange in Matings of *Schizophyllum commune*: Michigan State University.

Watrud, L. S. (1973).Evidence for cytoplasmic exchange in matings of *Schizophyllum commune*, pp. 87 leaves. Ann Arbor, Mich.: University Microfilms

Michigan State University.

Watrud, L. S. & Ellingboe, A. H. (1973). Cobalt as a Mitochondrial Density Marker in a Study of Cytoplasmic Exchange During Mating of *Schizophyllum commune*. J Cell Biol 59, 127-133.

Watrud, L. S. & Ellingboe, A. H. (1973). Use of Cobalt as a Mitochondrial Vital Stain to Study Cytoplasmic Exchange in Matings of the Basidiomycete *Schizophyllum commune*. J Bacteriol 115, 1151-1158.

Wazny, J., Van My, D. & Grzywacz, A. (1975). Wartosc Grzybobojcza Fungicydow W Stosunku Do *Schizophyllum commune* Fr. Lesnictwo (Warsz).

Wendland, J. & Kothe, E. (1996). Allelic divergence at B alpha 1 pheromone receptor genes of *Schizophyllum commune*. Federation of European Microbiological Societies 145, 451-455.

Wendland, J. & Kothe, E. (1997). Isolation of tef1 encoding translation elongation factor EF1 alpha from the homobasidiomycete *Schizophyllum commune*. Mycological research 101, 798-802.

Wendland, J., Vaillancourt, L. J., Hegner, J., Lengeler, K. B., Laddison, K. J., Specht, C. A., Raper, C. A. & Kothe, E. (1995). The mating-type locus Bà1 of *Schizophyllum commune* contains a pheromone receptor gene and putative pheromone genes. The EMBO journal 14, 5271.

Wessels, J. G. H. (1969). Biochemistry of sexual morphogenesis in *Schizophyllum commune*: effects of mutations affecting teh incompatibility system on cell-wall metabolism. Journal of Bacteriology 98, 697-704.

Wessels, J. G. H. (1969). A Beta-1,6-glucan glucanohydrolase involved in hydrolysis of cell-wall glucan in *Schizophyllum commune*. Biochim Biophys Acta 178, 191-193.

Wessels, J. G. H. (1971). Cell wall metabolism and morphogenesis in Schizophyllum. Int. Congr. Microbiol. (Mexico) 10, 141-146.

Wessels, J. G. H. (1985). Gene expression during basidiocarp formation in *Schizophyllum commune*. UCLA symposia on molecular and cellular biology, 193-206 ill.

Wessels, J. G. H. (1992). Gene expression during fruiting in *Schizophyllum commune*. Mycological research 96, 609-620.

Wessels, J. G. H. & Niederpruem, D. J. (1967). Role of a cell-wall glucan-degrading enzyme in mating of *Schizophyllum commune*. Journal of bacteriology 94, 1594-1602.

Wessels, J. G. H. & deVries, O. M. H. (1973). Wall Structure, Wall Degradation, Protoplast Liberation and Wall Regeneration in *Schizophyllum commune*. In Yeast Mould an Plant Protoplasts Proceedings, Held at Salamanca, Spain J R Villanueva, & Others, Eds.

Wessels, J. G. H. & Marchant, R. (1974). Enzymic Degradation of Septa in Hyphal Wall Preparations from a Monokaryon and a Dikaryon of *Schizophyllum commune*. J Gen Microbiol 83, 359-358.

Wessels, J. G. H. & Sietsma, J. H. (1981). Significance of linkages between chitin and beta-glucan in fungal walls *Schizophyllum commune*. Microbiology, 232-234.

Wessels, J. G. H., Hoeksema, H. L. & Stemerding, D. (1976). Reversion of Protoplasts from Dikaryotic Mycelium of *Schizophyllum commune* [Fungi, Morphology]. Protoplasma.

Wessels, J. G. H., Sietsma, J. H. & Sonnenberg, A. S. M. (1983). Wall synthesis and assembly during hyphal morphogenesis in *Schizophyllum commune* Fungi. The Journal of general microbiology 129, 1607-1616 ill.

Wessels, J. G. H., Dons, J. J. M. & Vries, O. M. H. d. (1985). Molecular biology of fruit body formation in *Schizophyllum commune*. Symposium series - British Mycological Society, 485-497 ill.

Wessels, J. G. H., Kreger, D. R., Marchant, R. & Vries, O. M. H. D. (1972). Chemical Morphological Characterization of the Hyphal Wall Surface of the Basidiomycete *Schizophyllum commune*. Biochim Biophys Acta 273, 346-358.

Wessels, J. G. H., Vries, O. M. H. D., Ásgeirsdottir, S. A. & Springer, J. (1991). The thn mutation of *Schizophyllum commune*, which suppresses formation of aerial hyphae, affects expression of the Sc3 hydrophobin gene. Journal of Genetic Microbiology 137, 2439-2445.

Wessels, J. G., Schuurs, T. A., Dalstra, H. J. & Scheer, J. M. (1999). Nuclear distribution and gene expression in the secondary mycelium of *Schizophyllum commune*. British Mycological Society symposium series 21, 302-325.

Wessels, J. G. H., Asgiersdottir, S. A., Birkenkamp, K. U., Vries, O. M. H. d., Lugones, L. G., Scheer, J. M. J., Schuren, F. H. J., Schuurs, T. A., Wetter, M. A. v. & Wosten, H. A. B. (1995). B4 6 Genetic regulation of emergent growth in *Schizophyllum commune*. Canadian journal of botany 73, S273.

Williams, S., Verma, M. M., Jinks, J. L. & Brasier, C. M. (1976). Variation in a Natural Population of *Schizophyllum commune* [Fungi]. Ii. Variation within the Extreme Isolates for Growth Rate [Biometrical Genetical Studies]. Heredity 37, 365-375.

Willick, G. E. & Seligy, V. L. (1985). Multiplicity in cellulases of *Schizophyllum commune*. Derivation partly from heterogeneity in transcription and glycosylation. European journal of biochemistry 151, 89-96.

Willick, G. E., Morosoli, R., Seligy, V. L., Yaguchi, M. & Desrochers, M. (1984). Extracellular proteins secreted by the basidiomycete *Schizophyllum commune* in response to carbon source [Fungi]. Journal of bacteriology 159, 294-299 ill.

Wilson, R. W. (1972). Acid and Alkaline Phosphatases in *Schizophyllum commune*. Can J Microbiol 18, 694-695.

Wosten, H. A. B., Van Wetter, M.-A., Lugones, L. G., Van Der Mei, H. C., Busscher, H. J. & Wessels, J. G. H. (1999). How a fungus escapes the water to grow into the air. Current Biology 9, 85-88.

Wu, J., Ullrich, R. C. & Novotny, C. P. (1996). Regions in the Z5 mating gene of *Schizophyllum commune* involved in Y-Z binding and recognition. Molecular & general genetics : MGG 252, 739-745.

Yamagishi, K., Kimura, T., Suzuki, M. & Shinmoto, H. (2002). Suppression of fruit-body formation by constitutively active G-protein alpha-subunits ScGP-A and ScGP-C in the homobasidiomycete *Schizophyllum commune*. Microbiology 148, 2797-2809.

Yamagishi, K., Kimura, T., Suzuki, M. & Shinmoto, H. (2002). Suppression of fruit-body formation by constitutively active G-protein a-subunits ScGP-A and ScGP-C in the homobasidiomycete *Schizophyllum commune*. Microbiology 148, 14.

Yang, H., Shen, G. P., Park, D. C., Novotny, C. P. & Ullrich, R. C. (1995). The Aalpha mating-type transcripts of *Schizophyllum commune*. Experimental mycology 19, 16-25.

Yli-Mattila, T. (1985). Action spectrum for fruiting in the basidiomycete *Schizophyllum commune*. Physiologia plantarum 65, 287-293.

Yli-Mattila, T. (1990).Photobiology of Fruit Body Formation in the Basidiomycete *Schizophyllum commune*. Arto Niemi, Painosalama Oy, Uudenmaankatu 2, Sf-20500 Turku, Finland: Turun Yliopisto (Finland).

Yli-Mattila, T. & Raudaskoski, M. (1992). Glucoamylase activity and water-soluble polysaccharides during monokaryotic and dikaryotic fruiting in *Schizophyllum commune*. Mycological research 96, 597-604.

Yli-Mattila, T., Ruiters, M. H. J. & Wessels, J. G. H. (1989). Photoregulation of dikaryon-specific mRNAs and proteins by UV-A Light in *Schizophyllum commune*. Current microbiology 18, 289-295.

Yli-Mattila, T., Ruiters, M. H. J., Wessels, J. G. H. & Raudaskoski, M. (1989). Effect of inbreeding and light on monokaryotic and dikaryotic fruiting in the homobasidiomycete *Schizophyllum commune*. Mycological research 93, 535-542.

Yue, C. L., Osier, M., Novotny, C. P. & Ullrich, R. C. (1997). The specificity determinant of the Y mating-type proteins of *Schizophyllum commune* is also essential for Y-Z protein binding. Genetics 145, 253-260.

Zentz, F. & Muller, G. U. Y. (1992). Post-fermentation processing conditions and solution properties of an extracellular fungal polysaccharide isolated from the culture filtrate of *Schizophyllum commune*. Carbohydrate polymers 19, 75-82.

Zhang, X. (1994).Studies of the Genetics, Morphology, and Physiology of the Thin (Thn) Mutant in the Basidiomycete *Schizophyllum commune*. Madison: The University of Wisconsin.

Zhao, J. & Chang, S. T. (1995). Intraspecific hybridization between *Coprinus cinereus* and *Schizophyllum commune* by PEG-induced protoplast fusion and electrofusion. World journal of microbiology & biotechnology 11, 585-590.

Zhao, J. & Chang, S. T. (1996). Intergeneric hybridization between *Pleurotus ostreatus* and *Schizophyllum commune* by PEG-induced protoplast fusion. World journal of microbiology & biotechnology 12, 573-578.