

Fungal Genetics Reports

Volume 54

Article 7

Aspergillus Bibliography

A. J. Clutterbuck
University of Glasgow

Follow this and additional works at: <https://newprairiepress.org/fgr>



This work is licensed under a Creative Commons Attribution-Share Alike 4.0 License.

Recommended Citation

Clutterbuck, A. J. (2007) "Aspergillus Bibliography," *Fungal Genetics Reports*: Vol. 54, Article 7.
<https://doi.org/10.4148/1941-4765.1101>

This Bibliography is brought to you for free and open access by New Prairie Press. It has been accepted for inclusion in Fungal Genetics Reports by an authorized administrator of New Prairie Press. For more information, please contact cads@k-state.edu.

Aspergillus Bibliography

Abstract

This bibliography attempts to cover genetical and biochemical publications on *Aspergillus nidulans* and also includes selected references to related species and topics.

Aspergillus Bibliography 2007

This bibliography attempts to cover genetical and biochemical publications on *Aspergillus nidulans* and also includes selected references to related species and topics. Entries have been checked as far as possible, but please tell me of any errors and omissions. Authors are kindly requested to send a copy of each article to the FGSC for its reprint collection.

John Clutterbuck. Faculty of Biomedical and Life Sciences, Anderson College, University of Glasgow, Glasgow G11 6NU, Scotland, UK. Email: j.clutterbuck@bio.gla.ac.uk

- 1. Akao, T., Yamaguchi, M., Yahara, A., Yoshiuchi, K., Fujita, H., Yamada, O., Akita, O., Ohmachi, T., Asada, Y. & Yoshida, T.** 2006 Cloning and expression of 1,2-a-mannosidase gene (*fmanIB*) from filamentous fungus *Aspergillus oryzae*: *in vivo* visualization of the FmanIBp-GFP fusion protein. Biosci. Biotechnol. Biochem. 70:471-479
- 2. Alvarez, F.J., Douglas, L.M. & Konopka, J.B.** 2007 Sterol-rich plasma membrane domains in fungi. Eukaryot. Cell 6:755-763
- 3. Araujo, R., Pina-Vaz, C. & Rodrigues, A.G.** 2007 Susceptibility of environmental versus clinical strains of pathogenic *Aspergillus*. Int. J. Antimicrob. Agents 29:108-111
- 4. Asano, Y., Hagiwara, D., Yamashino, T. & Mizuno, T.** 2007 Characterization of the bZip-type transcription factor NapA with reference to oxidative stress response in *Aspergillus nidulans*. Biosci. Biotechnol. Biochem. 71:1800-1803
- 5. Azuma, N., Kanamaru, K., Matsushika, A., Yamashino, T., Mizuno, T., Kato, M. & Kobayashi, T.** 2007 *In vitro* analysis of His-Asp phosphorelays in *Aspergillus nidulans*: the first direct evidence for the existence of His-Asp phosphotransfer systems in fungi. Biosci. Biotechnol. Biochem. 71:2493-2502
- 6. Bachand, F.** 2007 Protein arginine methyltransferases: from unicellular eukaryotes to humans. Eukaryot. Cell 6:889-898
- 7. Baker, R.E. & Rogers, K.** 2006 Phylogenetic analysis of fungal centromere H3 proteins. Genetics 174:1481-1492
- 8. Balajee, S.A., Tay, S.T., Lasker, B.A., Hurst, S.F. & Rooney, A.P.** 2007 Characterization of a novel gene for strain typing reveals substructuring of *Aspergillus fumigatus* across North America. Eukaryot. Cell 6:1392-1399
- 9. Baskova, L., Landlinger, C., Preuner, S. & Lion, T.** 2007 The Pan-AC assay: a single-reaction real-time PCR test for quantitative detection of a broad range of *Aspergillus* and *Candida* species. J. Med. Microbiol. 56:1167-1173

- 10. Becker, T.C.A. & de Castro-Prado, M.A.A.** 200 Parasexuality in asexual development mutants of *Aspergillus nidulans*. *Biol. Res.* **39**:297-305
- 11. Benoit, I., Asther, Y., Bourne, Y., Navarro, D., Canaan, S., Lesage-Meessen, L., Herweijer, M., Coutinho, P.M., Asther, M. & Record, E.** 2007 Gene overexpression and biochemical characterization of the biotechnologically relevant chlorogenic acid hydrolase from *Aspergillus niger*. *Appl. Env. Microbiol.* **73**:5624-5632
- 12. Bergmann, S., Schümann, J., Scherlach, K., Lange, C., Brakhage, A.A. & Hertweck, C.** 2007 Genomics-driven discovery of PKS-NRPS hybrid metabolites from *Aspergillus nidulans*. *Nature Chem. Biol.* **3**: 213-217
- 13. Bernardo, S.M., Gray, K.A., Todd, R.B., Cheetham, B.F. & Katz. M.E.** 2007 Characterization of regulatory non-catalytic hexokinases in *Aspergillus nidulans*. *Mol. Gen. Genomics* **277**:519-532
- 14. Bernreiter, A., Ramon, A., Fernández-Martínez, J., Berger, H., Araújo-Bazán, L., Espeso, E.A., Pachlinger, R., Gallmetzer, A., Anderl, I., Scazzocchio, C. & Strauss, J.** 2007 Nuclear Export of the Transcription Factor NirA Is a Regulatory Checkpoint for Nitrate Induction in *Aspergillus nidulans*. *Mol. Cell. Biol.* **27**:791-802
- 15. Bevan, D.R., Garst, J.F., Osborne, C.K. & Sims, A.M.** 2005 Application of molecular modeling to analysis of inhibition of kinesin motor proteins of the BimC subfamily by monastrol and related compounds. *Chem. Biodiversity* **2**:1525-1532
- 16. Bloom, E., Bal, K., Nyman, E., Must, A. & Larsson, L.** 2007 Mass spectrometry-based strategy for direct detection and quantification of some mycotoxins produced by *Stachybotrys* and *Aspergillus* spp. in indoor environments. *Appl. Env. Microbiol.* **73**:4211-4217
- 17. Borsuk, P., Przykorska, A., Blachnio, K., Koper, M., Pawlowicz, J.M., Pekala, M. & Weglenski, P.** 2007 L-arginine influences the structure and function of arginase mRNA in *Aspergillus nidulans*. *Biol. Chem.* **388**:135-144
- 18. Bouhired, S., Weber, M., Kempf-Sontag, A., Keller, N.P. & Hoffmeister, D.** 2007 Accurate prediction of the *Aspergillus nidulans* terrequinone gene cluster boundaries using the transcriptional regulator LaeA. *Fungal Genet. Biol.* **44**:1134-1145
- 19. Bowen, A.D., Davidson, F.A., Keatch, R. & Gadd, G.M.** 2007 Induction of contour sensing in *Aspergillus niger* by stress and its relevance to fungal growth mechanics and hyphal tip structure. *Fungal Genet. Biol.* **44**:484-491
- 20. Bowman, J.C., Abruzzo, G.K., Flattery, A.M., Gill, C.J., Hickey, E.J., Hsu, M.J., Kahn, J.N., Liberator, P.A., Misura, A.S., Pelak, B.A., Wang, T.C. & Douglas, C.M.** 2006 Efficacy of caspofungin against *Aspergillus flavus*, *Aspergillus terreus*, and *Aspergillus nidulans*. *Antimicrob. Agents Chemother.* **50**:4202-4205

- 21. Breakspear, A. & Momany, M.** 2007 *Aspergillus nidulans* conidiation genes *dewA*, *fluG*, and *stuA* are differentially regulated in early vegetative growth. *Eukaryot. Cell* **6**:1697-1700
- 22. Bromley, M., Gordon, C., Rovira-Graells, N. & Oliver, J.** 2006 The *Aspergillus fumigatus* cellobiohydrolase B (**cbhB**) promoter is tightly regulated and can be exploited for controlled protein expression and RNAi. *FEMS Microbiol. Lett.* **264**:246-254
- 23. Brzywczycy, J., Natorff, R., Sienko, M. & Paszewski, A.** 2007 Multiple fungal enzymes possess cysteine synthase activity in vitro. *Res. Microbiol.* **158**:428-436
- 24. Busch, S. & Braus, G.H.** 2007 How to build a fungal fruit body: from uniform cells to specialized tissue. *Mol. Microbiol.* **64**:873-876
- 25. Busch, S., Schwier, E.U., Nahlik, K., Bayram, O., Helmstaedt, K., Draht, O.W., Krappmann, S., Valerius, O., Lipscomb, W.N. & Braus, G.H.** 2007 An eight-subunit COP9 signalosome with an intact JAMM motif is required for fungal fruit body formation. *Proc. Natl. Acad. Sci. USA*. **104**:8089-8094
- 26. Cánovas, D. & Andrianopoulos, A.** 2006 Developmental regulation of the glyoxylate cycle in the human pathogen *Penicillium marneffei*. *Mol. Microbiol.* **62**:1725-1738
- 27. Caprara, M.G., Chatterjee, P., Solem, A., Brady-Passerini, K.L. & Kaspar, B.J.** 2007 An allosteric-feedback mechanism for protein-assisted group I intron splicing. *RNA* **13**:211-222
- 28. Chen, C.-C., Kumar, H.G.A., Kumar, S., Tzean, S.-S. & Yeh, K.-W.** 2007 Molecular cloning, characterization, and expression of a chitinase from the entomopathogenic fungus *Paecilomyces javanicus*. *Curr. Microbiol.* **55**:8-13
- 29. Clutterbuck, A.J.** 2007 A tale of two dead ends: origin of a potential new gene and a potential new transposable element. *Mol. Microbiol.* **63**:1565-1567
- 30. Corrochano, L.M.** 2007 Fungal photoreceptors: sensory molecules for fungal development and behaviour. *Photochem. Photobiol. Sci.* **6**:725-736
- 31. Cultrone, A., Domínguez, Y.R., Drevet, C., Scazzocchio, C. & Fernández-Martín, R.** 2007 The tightly regulated promoter of the *xanA* gene of *Aspergillus nidulans* is included in a helitron. *Mol. Microbiol.* **63**: 1577-1587
- 32. David, H., Hofmann, G., Oliveira, A.P., Jarmer, H. & Nielsen, J.** 2006 Metabolic network driven analysis of genome-wide transcription data from *Aspergillus nidulans*. *Genome Biol.* **7**:R108.
- 33. Davis, R. & Clutterbuck, A.J.** 2007 Microbiological and genetic methods for filamentous fungi. Ch. 44 in Methods for General and Molecular Microbiology, 3rd edition, ed. C.A. Reddy, Washington, ASM Press. pp. 965-977

- 34. De Souza, C.P., Hashmi, S.B., Horn, K.P. & Osmani, S.A.** 2006A point mutation in the *Aspergillus nidulans sonB^{Nup98}* nuclear pore complex gene causes conditional DNA damage sensitivity. *Genetics*. **174**:1881-1893
- 35. De Souza, C.P.C. & Osmani, S.A.** 2007 Mitosis, not just open or closed. *Euk Cell* **6**:1521-1527
- 36. DeCaprio, D., Vinson, J.P., Pearson, M.D., Montgomery, P., Doherty, M. & Galagan, J.E.** 2007 Conrad: gene prediction using conditional random fields. *Genome Res.* **17**:1389-1398
- 37. Deng, J., Carbone, I. & Dean, R.A.** 2007 The evolutionary history of cytochrome P450 genes in four filamentous Ascomycetes. *BMC Evol. Biol.* **7**:30
- 38. Dreyer, J., Eichhorn, H., Friedlin, E., Kürnsteiner, H. & Kück, U.** 2007 A homologue of the *Aspergillus velvet* gene regulates both cephalosporin C biosynthesis and hyphal fragmentation in *Acremonium chrysogenum*. *Appl. Env. Microbiol.* **73**:3412-3422
- 39. Dutech, C., Enjalbert, J., Fournier, E., Delmotte, F., Barrès, B., Carlier, J., Tharreau, D. & Giraud, T.** 2007 Challenges of microsatellite isolation in fungi. *Fungal Genet. Biol.* **44**:933-949
- 40. Emri, T., Molnár, Z., Veres, T., Pusztahelyi, T., Dudás G. & Pócsi, I.** 2006Glucose-mediated repression of autolysis and conidiogenesis in *Emericella nidulans*. *Mycol. Res.* **110**:1172-1178
- 41. Enke, C., Zekert, N., Veith, D., Schaaf, C., Konzack, S. & Fischer, R.** 2007 *Aspergillus nidulans* Dis1/XMAP215 protein AlpA localizes to spindle pole bodies and microtubule plus ends and contributes to growth directionality. *Eukaryot. Cell* **6**:555-562
- 42. Fang, H.-L., Lai, J.-J., Lin, W.-L. & Lin, W.-C,** 2007 A fermented substance from *Aspergillus phoenicis* reduces liver fibrosis induced by carbon tetrachloride in rats. *Biosci. Biotechnol. Biochem.* **71**:1154-1161
- 43. Ferreira, M.E.S., Heinekamp, T., Härtl, A., Brakhage, A.A., Semighini, C.P., Harris, S.D., Savoldi, M., de Gouvea, P.F., Goldman, M.H.S. & Goldman, G.H.** 2007 Functional characterization of the *Aspergillus fumigatus* calcineurin. *Fungal Genet. Biol.* **44**; 219-230
- 44. Ferrer-Sevillano, F. & Fernández-Cañón JM.** 2007 Novel phacB-encoded cytochrome P450 monooxygenase from *Aspergillus nidulans* with 3-hydroxyphenylacetate 6-hydroxylase and 3,4-dihydroxyphenylacetate 6-hydroxylase activities. *Eukaryot. Cell* **6**:514-520
- 45. Forgue, P., Halouska, S., Werth, M., Xu, K., Harris, S. & Powers, R.** 2006 NMR metabolic profiling of *Aspergillus nidulans* to monitor drug and protein activity. *J. Proteome Res.* **5**:1916-1923

- 46. Fujioka, T., Mizutani, O., Furukawa, K., Sato, N., Yoshimi, A., Yamagata, Y., Nakajima, T. & Abe, K.** 2007 MpkA-dependent and –independent cell wall integrity signaling in *Aspergillus nidulans*. *Eukaryot. Cell* **6**:1497-1510
- 47. Furukawa, K., Yoshimi, A., Furukawa, T., Hoshi, Y., Hagiwara, D., Sato, N., Fujioka, T., Mizutani, O., Mizuno, T., Kobayashi, T. & Abe, K.** 2007 Novel reporter gene expression systems for monitoring activation of the *Aspergillus nidulans* HOG pathway. *Biosci. Biotechnol. Biochem.* **71**:1724-1730
- 48. Ganley, A.R. & Kobayashi, T.** 2007 Highly efficient concerted evolution in the ribosomal DNA repeats: total rDNA repeat variation revealed by whole-genome shotgun sequence data. *Genome Res.* **17**:184-191
- 49. Garscha, U. & Oliw, E.H.** 2007 Steric analysis of 8-hydroxy- and 10-hydroxyoctadecadienoic acids and dihydroxyoctadecadienoic acids formed from 8*R*-hydroperoxyoctadecadienoic acid by hydroperoxide isomerases. *Anal. Biochem.* **367**:238-246
- 50. Geiser, D.M., Gueidan, C., Miadlikowska, J., Lutzoni, F., Kauff, F., Hofstetter, V., Fraker, E., Schoch, C.L., Tibell, L., Untereiner, W.A. & Aptroot, A.** 2006 Eurotiomycetes: Eurotiomycetidae and Chaetothyriomycetidae. *Mycologia* **98**:1053-1064
- 51. Goosen, C., Yuan, X.-L., van Munster, J.M., Ram, A.F.J., van der Maarel, M.J.E.C. & Dijkhuizen, L.** 2007 Moelcular and biochemical characterization of a novel intracellular invertase from *Aspergillus niger* with transfuctlosylating activity. *Eukaryot. Cell* **6**:674-681
- 52. Goudela, S., Tsilivi, H. & Diallinas, G.** 2006Comparative kinetic analysis of AzgA and Fcy21p, prototypes of the two major fungal hypoxanthine-adenine-guanine transporter families. *Mol. Membr. Biol.* **23**:291-303
- 53. Hagen, S., Marx, F., Ram, A.F. & Meyer, V.** 2007 The antifungal protein AFP from *Aspergillus giganteus* inhibits chitin synthesis in sensitive fungi. *Appl. Env. Microbiol.* **73**:2128-2134
- 54. Hagiwara, D., Asano, Y., Marui, J., Furukawa, K., Kanamaru, K., Kato, M., Abe, K., Kobayashi, T., Yamashino, T. & Mizuno, T.** 2007 The SskA and SrrA response regulators are implicated in oxidative stress responses of hyphae and asexual spores in the phosphorelay signaling network of *Aspergillus nidulans*. *Biosci. Biotechnol. Biochem.* **71**:1003-1014
- 55. Hagiwara, D., Matsubayashi, Y., Marui, J., Furukawa, K., Yamashino, T., Kanamaru, K., Kato, M., Abe, K., Kobayashi, T. & Mizuno, T.** 2007 Characterization of the NikA histidine kinase implicated in the phosphorelay signal transduction of *Aspergillus nidulans*, with special reference to fungicide responses. *Biosci. Biotechnol. Biochem.* **71**:844-847
- 56. Hatakeyama, R., Nakahama, T., Higuchi, Y. & Kitamoto, K.** 2007 Light represses conidiation in koji mold *Aspergillus oryzae*. *Biosci. Biotechnol. Biiochem.* **71**:1844-1849

- 57. Hayashi, A., Fujioka, S., Nukina, M., Kawano, T., Shimada, A. & Kimura, Y.** 2007 Fumiquinones A and B, nematicidal quinones produced by *Aspergillus fumigatus*. *Biosci. Biotechnol. Biochem.* **71**:1697-1702
- 58. Herrera-Estrella, A. & Horwitz, B.A.** 2007 Looking through the eyes of fungi: molecular genetics of photoreception. *Mol. Microbiol.* **64**:5-15
- 59. Hoffmann, M., Hornung, E., Busch, S., Kassner, N., Ternes, P., Braus, G.H. & Feussner, I.** 2007 A small membrane-peripheral region close to the active center determines regioselectivity of membrane-bound fatty acid desaturases from *Aspergillus nidulans*. *J. Biol. Chem.* **282**:26666-26674
- 60. Horio, T.** 2007 Role of microtubules in tip growth of fungi. *J. Plant Res.* **120**:53-60
- 61. Howard-Jones, A.R., Elkins, J.M., Clifton, I.J., Roach, P.L., Adlington, R.M., Baldwin, J.E. & Rutledge, P.J.** 2007 Interactions of isopenicillin N synthase with cyclopropyl-containing substrate analogues reveal new mechanistic insight. *Biochemistry* **46**:4755-4762
- 62. Hynes, M.J., Szewczyk, E., Murray, S.L., Suzuki, Y., Davis, M.A. & Sealy-Lewis, H.M.** 2007 Transcriptional control of gluconeogenesis in *Aspergillus nidulans*. *Genetics* **176**:139-150
- 63. Ishida, H., Hata, Y., Kawato, A. & Abe, Y.** 2006 Improvement of the *glaB* promoter expressed in solid-state fermentation (SSF) of *Aspergillus oryzae*. *Biosci. Biotechnol. Biochem.* **70**:1181-1187
- 64. Kafasla, P., Bouzarelou, D., Frillingos, S. & Sophianopoulou, V.** 2007 The proline permease of *Aspergillus nidulans*: functional replacement of the native cysteine residues and properties of a cysteine-less transporter. *Fungal Genet. Biol.* **44**:615-626
- 65. Kato, Y., Ng, C.A., Brownlee, R.T. & Tanokura, M.** 2007 PinA from *Aspergillus nidulans* binds to pS/pT-P motifs using the same Loop I and XP groove as mammalian Pin1. *Biochim. Biophys. Acta – Proteins & Proteomics* **1774**:1208-1212
- 66. Khatri, M. & Rajam, M.V.** 2007 Targeting polyamines of *Aspergillus nidulans* by siRNA specific to fungal ornithine decarboxylase gene. *Med. Mycol.* **45**:211-220
- 67. Kim, S., Lee, K. & Rhee, K.** 2007 NEK7 is a centrosomal kinase critical for microtubule nucleation. *Biochem. Biophys. Res. Commun.* **360**:56-62
- 68. Kim, T., Mullaney, E.J., Porres, J.M., Roneker, K.R., Crowe, S., Rice, S., Ko, T., Ullah, A.H.J., Daly, C.B., Welch, R. & Lei, X.G.** 2006 Shifting the pH profile of *Aspergillus niger* PhyA phytase to match the stomach pH enhances its effectiveness as an animal feed additive. *Appl. Env. Microbiol.* **72**:4397-4403
- 69. Kim, Y., Nandakumar, M.P. & Marten, M.R.** 2007 Proteome map of *Aspergillus nidulans* during osmoadaptation. *Fungal Genet. Biol.* **44**:886-895

- 70.** Kobayashi, T., Abe, K., Asai, K., Gomi, K., Juvvadi, P.R., Kato, M., Kitamoto, K., Takeuchi, M. & Machida, M. 2007 Genomics of *Aspergillus oryzae*. Biosci. Biotechnol. Biochem. **7**:646-670
- 71.** Koseki, T., Takahashi, K., Handa, T., Yamane, Y., Fushinobu, S. & Hashizume, K. 2006 N-linked oligosaccharides of *Aspergillus awamori* feruloyl esterase are important for thermostability and catalysis. Biosci. Biotechnol. Biochem. **70**:2476-2480
- 72.** Kragl, C., Schrettl, M., Abt, B., Sarg, B., Lindner, H.H. & Haas, H. 2007 EstB-mediated hydrolysis of the siderophore triacetyl fusaranine C optimizes iron uptake of *Aspergillus fumigatus*. Eukaryot. Cell **6**:1278-1285
- 73.** Lamarre, C., Ibrahim-Granet, O., Du, C., Calderone, R. & Latgé, J.-P. 2007 Characterization of the *SKN7* ortholog of *Aspergillus fumigatus*. Fungal Genet. Biol. **44**:682-690
- 74.** Latgé, J.-P. 2007 The cell wall: a carbohydrate armour for the fungal cell. Mol. Microbiol. **66**:279-290
- 75.** Lee, S.C. & Shaw, B.D. 2007 A novel interaction between N-myristylation and the 26S proteasome during cell morphogenesis. Mol. Microbiol. **63**: 1039-1053
- 76.** Levdansky, E., Romano, J., Shadkchan, Y., Sharon, H., Verstrepen, K.J., Fink, G.R. & Osherov, N. 2007 Coding tandem repeats generate diversity in *Aspergillus fumigatus* genes. Eukaryot. Cell **6**:1380-1391
- 77.** Li, H., Zhou, H., Luo, Y., Ouyang, H., Hu, H. & Jin, C. 2007 Glycosylphosphatidylinositol (GPI anchor) is required in *Aspergillus fumigatus* for morphogenesis and virulence. Mol. Microbiol. **64**:1014-1027
- 78.** Li, S., Bao, D., Yuen, G., Harris, S.D. & Calvo, A.M. 2007 *basA* regulates cell wall organization and asexual/sexual sporulation ratio in *Aspergillus nidulans*. Genetics **176**:243-253
- 79.** Li, S., Myung, K., Guse, D., Donkin, B., Proctor, R.H., Grayburn, W.S. & Calvo, A.M. 2006 *FvVE1* regulates filamentous growth, the ratio of microconidia to macroconidia and cell wall formation in *Fusarium verticillioides*. Mol. Microbiol. **62**:1418-1432
- 80.** Lubertozzi, D. & Keasling, J.D. 2006 Marker and promoter effects on heterologous expression in *Aspergillus nidulans*. Appl. Microbiol. Biotechnol. **72**:1014-1023
- 81.** Lundberg, M. & Morokuma, K. 2007 Protein environment facilitates O₂ binding in non-heme iron enzyme. An insight from ONIOM calculations on isopenicillin N synthase (IPNS). J. Phys. Chem. B **111**:9380-9389
- 82.** Mabashi, Y., Kikuma, T., Maruyama, J.-i., Arioka, M. & Kitamoto, K. 2006 Development of a versatile expression plasmid construction system for *Aspergillus oryzae* and its application to visualization of mitochondria. Biosci. Biotechnol. Biochem. **70**:1882-1889

- 83. Malavazi, I., Savoldi, M., da Silva Ferreira, M.E., Soriani, F.M., Bonato, P.S., Goldman, M.H. de S. & Goldman, G.H.** 2007 Transcriptome analysis of the *Aspergillus nidulans atmA* (ATM, ataxia-telangiectasia mutated) null mutant. *Mol. Microbiol.* **66**:74-99
- 84. Márquez-Fernández, O., Trigos, Á., Ramos-Balderas, J.L., Viniegra-González, G., Deising, H.B. & Aguirre, J.** 2007 Phosphopantetheinyl transferase CfwA/NpgA is required for *Aspergillus nidulans* secondary metabolism and asexual development. *Eukaryot. Cell* **6**:710-720
- 85. Martínez, O., Marco, E., Gago, F., Laborda, F. & De Lucas, J.R.** 2007 Suppression of the *acuH13* and *acuH31* nonsense mutations in the carnitine/acylcarnitine translocase (*acuH*) gene of *Aspergillus nidulans* by the G265S substitution in the domain 2 of the release factor eRF1. *Fungal Genet. Biol.* **44**:139-151
- 86. Marzluf, G.A.** 2007 Physiology, metabolism and molecular aspects of filamentous fungi, Ch. 43 in Methods for General and Molecular Microbiology, 3rd edition, ed. C.A. Reddy, Washington, ASM Press. pp. 952-964
- 87. Mlakar, T. & Legisa, M.** 2006 Citrate inhibition-resistant form of 6-phosphofructo-1-kinase from *Aspergillus niger*. *Appl. Env. Microbiol.* **72**: 4515-4521
- 88. Molnár, Z., Emri, T., Zavaczki, E., Pusztahelyi, T. & Pocsi, I.** 2006 Effects of mutations in the GanB/RgsA G protein mediated signalling on the autolysis of *Aspergillus nidulans*. *J. Basic Microbiol.* **46**:495-503
- 89. Montero-Morán, G.M., Li, M., Rendon-Huerta, E., Jourdan, F., Lowe, D.J., Stumpff-Kane, A.W., Feig, M., Scazzocchio, C. & Hausinger, R.P.** 2007 Purification and characterization of the Fe^{II}- and a-ketoglutarate-dependent xanthine hydroxylase from *Aspergillus nidulans*. *Biochemistry* **46**:5293-5304
- 90. Moreno, M.A., Ibrahim-Granet, O., Vicentefranqueira, R., Amich, J., Ave, P., Leal, F., Latgé, J.-P. & Calera, J.A.** 2007 The regulation of zinc homeostasis by the ZafA transcriptional activator is essential for *Aspergillus fumigatus* virulence. *Mol. Microbiol.* **64**:1182-1197
- 91. Morita, H., Hatamoto, O., Masuda, T., Sato, T. & Takeuchi, M.** 2007 Function analysis of *steA* homolog in *Aspergillus oryzae*. *Fungal Genet. Biol.* **44**:330-338
- 92. Morozov, I.Y., Negrete-Urtesan, S., Tilburn, J., Jansen, C.A., Caddick, M.X. & Arst, H.N.Jr.** 2006 Nonsense-mediated mRNA decay mutation in *Aspergillus nidulans*. *Eukaryot. Cell* **5**: 1838-1846
- 93. Nakamura, T., Maeda, Y., Tanoue, N., Makita, T., Kato, M., Kobayashi, T.** 2006 Expression profile of amylolytic genes in *Aspergillus nidulans*. *Biosci. Biotechnol. Biochem.* **70**:2363-2370

- 94.** **Notheis, G., Tarani, L., Costantino, F., Jansson, A., Rosenecker, J., Friederici, D., Belohradsky, B.H., Reinhardt, D., Seger, R., Schweinitz, D.V. & Wintergerst, U.** 2006 Posaconazole for treatment of refractory invasive fungal disease. *Mycoses* **49(s1)**:37-41
- 95.** **Osmani, A.H., Davies, J., Liu, H.-L., Nile, A. & Osmani, S.A.** 2006 Systematic deletion and mitotic localization of the nuclear pore complex proteins of *Aspergillus nidulans*. *Mol. Biol. Cell* **17**:4946-4961
- 96.** **Osmani, A.H., Oakley, B.R. & Osmani, S.A.** 2006 Identification and analysis of essential *Aspergillus nidulans* genes using the heterokaryon rescue technique. *Nature Protocols* **1**:2517-2526
- 97.** **Pan, F., Malmberg, R.L. & Momany, M.** 2007 Analysis of septins across kingdoms reveals orthology and new motifs. *BMC Evol. Biol.* **7**:103.
- 98.** **Pantazopoulou, A. & Diallinas, G.** 2006 The first transmembrane segment (TMS1) of UapA contains determinants necessary for expression in the plasma membrane and purine transport. *Mol. Membr. Biol.* **23**:337-348
- 99.** **Pantazopoulou, A., Lemuh, N.D., Hatzinikolaou, D.G., Drevet, C., Cecchetto, G., Scazzocchio, C. & Diallinas, G.** 2007 Differential physiology and developmental expression of the UapA and AzgA purine transporters in *Aspergillus nidulans*. *Fungal Genet. Biol.* **44**:627-640
- 100.** **Pemberton, T.J.** 2006 Identification and comparative analysis of sixteen fungal peptidyl-prolyl cis/trans isomerase repertoires. *BMC Genomics*. **7**:244.
- 101.** **Peñas, M.M., Hervás-Aguilar, A., Múnera-Huertas, T., Reoya, E., Peñalva, M.A., Arst, H.N.Jr. & Tilburn, J.** 2007 Further characterization of the signalling proteolysis step in the *Aspergillus nidulans* pH signal transduction pathway. *Eukaryot. Cell* **6**:960-970
- 102.** **Pilsyk, S., Natorff, R., Sienko, M. & Paszewski, A.** 2007 Sulfate transport in *Aspergillus nidulans*: a novel gene encoding alternative sulfate transport. *Fungal Genet. Biol.* **44**:715-725
- 103.** **Poulter, R.T.M., Goodwin, T.J.D. & Butler, M.I.** 2007 The nuclear-enriched inteins of fungi. *Fungal Genet. Biol.* **44**:153-179
- 104.** **Power, T., Ortoneda, M., Morrissey, J.P. & Dobson, A.D.** 2006 Differential expression of genes involved in iron metabolism in *Aspergillus fumigatus*. *Internat. Microbiol.* **9**:281-287
- 105.** **Probst, C., Njapau, H. & Cotty, P.J.** 2007 Outbreak of an acute aflatoxicosis in Kenya in 2004: identification of the causal agent. *Appl. Env. Microbiol.* **73**:2762-2764
- 106.** **Pusztaföldi, T., Molnár, Z., Emri, T., Klement, É., Miskei, M., Kerékgyártó, J., Balla, J. & Pocsí, I.** 2006 Comparative studies of differential expression of chitinolytic enzymes encoded by *chiA*, *chiB*, *chiC* and *nagA* genes in *Aspergillus nidulans*. *Folia Microbiol.* **51**:547-554

- 107. Ragno, R., Simeoni, S., Castellano, S., Vicidomini, C., Mai, A., Caroli, A., Tramontano, A., Bonaccini, C., Trojer, P., Bauer, I., Brosch, G. & Sbardella, G.** 2007 Small molecule inhibitors of histone arginine methyltransferases: homology modeling, molecular docking, binding mode analysis, and biological evaluations. *J. Med. Chem.* **50**:1241-1253
- 108. Ram, A.F.J. & Klis, F.M.** 2006 Identification of fungal cell wall mutants using susceptibility assays based of calcofluor white and congo red. *Nature Protocols* **1**:2253-2256
- 109. Razzaghi-Abyaneh, M., Yoshinari, T., Shams-Ghahfarokhi, M., Rezaee, M.-B., Nagasawa, H. & Sakuda, S.** 2007 Dillapiol and apiol as specific inhibitors of the biosynthesis of aflatoxin G₁ in *Aspergillus parasiticus*. *Biosci. Biotechnol. Biochem.* **71**:2329-2332
- 110. Rexer, H.U., Schäberle, T., Wohlleben, W. & Engels, A.** 2006 Investigation of the functional properties and regulation of three glutamine synthetase-like genes in *Streptomyces coelicolor* A3(2). *Arch. Microbiol.* **186**:447-458
- 111. Reyes, G., Romans, A., Nguyen, C.K. & May, G.S.** 2006 Novel mitogen-activated protein kinase MpkC of *Aspergillus fumigatus* is required for utilization of polyalcohol sugars. *Eukaryot. Cell* **5**:1934-1940
- 112. Ritchie, D.L., Miley, M.D., Bhabhra, R., Robson, G.D., Rhodes, J.C. & Askew, D.S.** 2007 The *Aspergillus fumigatus* metacaspases CasA and CasB facilitate growth under conditios of endoplasmic reticulum stress. *Mol. Microbiol.* **63**: 591-604
- 113. Rohlf, M., Albert, M., Keller, N.P. & Kempken, F.** 2007 Secondary chemicals protect mould from fungivory. *Biol. Lett.* **3**:523-525
- 114. Rydholm, C., Dyer, P.S. & Lutzoni, F.** DNA sequence characterization and molecular evolution of *MAT1* and *MAT2* mating-type loci of the self-compatible ascomycete mold *Neosartorya fischeri*. *Eukaryot. Cell* **6**:868-874
- 115. Scazzocchio, C.** 2006 *Aspergillus* genomes: secret sex and the secrets of sex. *Trends Genet.* **22**:521-525
- 116. Schabereiter-Gurtner, C., Selitsch, B., Rotter, M.L., Hirschl, A.M. & Willinger, B.** 2007 Development of novel real-time PCR assays for detection and differentiation of eleven medically important *Aspergillus* and *Candida* species in clinical specimens. *J. Clin. Microbiol.* **45**: 906-914
- 117. Scherlach, K. & Hertweck, C.** 2006 Discovery of aspoquinolones A-D, prenylated quinoline-2-one alkaloids from *Aspergillus nidulans*, motivated by genome mining. *Org. Biomol. Chem.* **4**:3517-3520
- 118. Schneider, P., Weber, M., Rosenberger, K. & Hoffmeister, D.** 2007 A one-pot chemoenzymatic synthesis for the universal precursor of antidiabetes and antiviral bis-indolylquinones. *Chem. Biol.* **14**:635-644

- 119. Schoustra, S.E., Debets, A.J.M., Slakhorst, M. & Hoekstra, R.F.** 2007 Mitotic recombination accelerates adaptation in the fungus *Aspergillus nidulans*. PLoS Genet. **3**:e68
- 120. Schwab, E.K., Bok, J.W., Tribus, M., Galehr, J., Graessle, S. & Keller, N.P.** 2007 Histone deacetylase activity regulates chemical diversity in *Aspergillus*. Eukaryot. Cell **6**:1656-1664
- 121. Shin, H.-D. & Chen, R.R.** 2007 A type B feruloyl esterase from *Aspergillus nidulans* with broad pH applicability. Appl. Microbiol. Biotechnol. **73**:1323-1330
- 122. Sienko, M., Natorff, R., Zielinski, Z., Hejduk, A. & Paszewski, A.** 2007 Two *Aspergillus nidulans* genes encoding methylenetetrahydrofolate reductases are up-regulated by homocysteine. Fungal Genet. Biol. **44**:691-700
- 123. Silva, E., Valdés, J., Holmes, D., Shmaryahu, A. & Valenzuela, P.D.T.** 2006 Generation and analysis of expressed sequence tags from *Botrytis cinerea*. Biol. Res. **39**:367-376
- 124. Smith, C.A., Woloshuk, C.P., Robertson, D. & Payne, G.A.** 2007 Silencing of the aflatoxin gene cluster in a diploid strain of *Aspergillus flavus* is suppressed by ectopic *aflR* expression. Genetics **176**:2077-2086
- 125. Steinberg, G.** 2007 Hyphal growth: a tale of motors, lipids and the spitzenkörper. Eukaryot. Cell. **6**:351-360
- 126. Stinnett, S.M., Espeso, E.A., Cobeño, L., Araújo-Bazán, L. & Calvo, A.M.** 2007 *Aspergillus nidulans* VeA subcellular location is dependent on the importin a carrier and on light. Mol. Microbiol. **63**: 242-255
- 127. Sugimoto, H., Nakaura, M., Kosuge, Y., Imai, K., Miyake, H., Karita, S. & Tanaka, A.** 2007 Thermodynamic effects of disulfide bonds on thermal unfolding of the starch-binding domain of *Aspergillus niger* glucoamylase. Biosci. Biotechnol. Biochem. **71**:1535-1541
- 128. Sugui, J.A., Pardo, J., Chang, Y.C., Müllbacher, A., Zaremba, K.A., Galvez, E.M., Brinster, L., Zerfas, P., Gallin, J.I., Simon, M.M. & Kwon-Chung, K.J.** 2007 The role of *laeA* in regulation of *alb1*, *gliP*, conidial morphology, and virulence in *Aspergillus fumigatus*. Euk. Cell **6**:1552-1561
- 129. Sugui, J.A., Pardo, J., Chang, Y.C., Zaremba, K.A., Nardone, G., Galvez, E.M., Müllbacher, A., Brinster, L., Simon, M.M. & Kwon-Chung, K.J.** 2007 Gliotoxin is a virulence factor of *Aspergillus fumigatus*: *gliP* deletion attenuates virulence in mice immunosuppressed with hydrocortisone. Euk. Cell **6**:1562-1569
- 130. Szeghalmi, A., Kaminskyj, S. & Gough, K.M.** 2007 A synchrotron FTIR microspectroscopy investigation of fungal hyphae grown under optimal and stressed conditions. Analyt. Bioanalyt. Chem. **387**:1779-1789

- 131.** Szewczyk, E., Nayak, T., Oakley, C.E., Edgerton, H., Xiong, Y., Taheri-Talesh, N., Osmani, S.A. & Oakley, B.R. 2007 Fusion PCR and gene targeting in *Aspergillus nidulans*. *Nature Protocols* **1**:3111-3120
- 132.** Takahashi, T., Masuda, T. & Koyama, Y. 2006 identification of *Ku70* and *Ku80* homologs in the *koji* molds *Aspergillus sojae* and *Aspergillus oryzae*. *Biosci. Biotechnol. Biochem.* **70**:135-143
- 133.** Takemoto, D., Tanaka, A. & Scott, B. 2007 NADPH oxidases in fungi: diverse roles of reactive oxygen species in fungal cellular differentiation. *Fungal Genet. Biol.* **44**:1065-1076
- 134.** Takeshita, N., Vienken, K., Rolbetzki, A. & Fischer, R. 2007 The *Aspergillus nidulans* putative kinase, KfsA (kinase for septation) plays a role in septation and is required for efficient asexual spore formation. *Fungal Genet. Biol.* **44**:1205-1214
- 135.** Tamano, K., Satoh, Y., Ishii, T., Terabayashi, Y., Ohtaki, S., Sano, M., Takahashi, T., Koyama, Y., Mizutani, O., Abe, K. & Machida, M. 2007 The b-1,3-exoglucanase gene *exgA* (*exg1*) of *Aspergillus oryzae* is required to catalyze extracellular glucan, and is induced in growth on a solid surface. *Biosci. Biotechnol. Biochem.* **71**:926-934
- 136.** Taubitz, A., Bauer, B., Heesemann, J. & Ebel, F. 2007 Role of respiration in the germination process of the pathogenic mold *Aspergillus fumigatus*. *Curr. Microbiol.* **54**:354-360
- 137.** Teepe, A.G., Loprete, D.M., He, Z., Hoggard, T.A. & Hill, T.W. 2007 The protein kinase C orthologue PkcA plays a role in cell wall integrity and polarized growth in *Aspergillus nidulans*. *Fungal Genet. Biol.* **44**:554-562
- 138.** Thön, M., Al-Abdallah, Q., Hortschansky, P. & Brakhage, A.A. 2007 The thioredoxin system of the filamentous fungus *Aspergillus nidulans*: impact on development and oxidative stress response. *J. Biol. Chem.* **282**:27259-27269
- 139.** Todd, R.B., Davis, M.A. & Hynes, M.J. 2007 Genetic manipulation of *Aspergillus nidulans*: meiotic progeny for genetic analysis and strain construction. *Nature Protocols* **2**:811-821
- 140.** Todd, R.B., Davis, M.A. & Hynes, M.J. 2007 Genetic manipulation of *Aspergillus nidulans*: heterokaryons and diploids for dominance, complementation and haploidization analyses. *Nature Protocols* **2**:822-830
- 141.** Todd, R.B., Hynes, M.J. & Andrianopoulos, A. 2006 The *Aspergillus nidulans rcoA* gene is required for *veA*-dependent sexual development. *Genetics* **174**:1685-1688
- 142.** Tsitsigiannis, D.I. & Keller, N.P. 2007 Oxylipins as developmental and host-fungal communication signals. *Trends Microbiol.* **15**:109-118

- 143. Tuckwell, D., Lavenes, S.E. & Birch, M.** 2006 Two families of extracellular phospholipase C genes are present in aspergilli. *Mycol. Res.* **110**:1140-1151
- 144. Upadhyay, S. & Shaw, B.D.** 2006 A phosphoglucose isomerase mutant in *Aspergillus nidulans* is defective in hyphal polarity and conidiation. *Fungal Genet. Biol.* **43**:739-751
- 145. van den Berg, M.A., Westerlaken, I., Leeflang, C., Kerkman, R. & Bovenberg, R.A.L.** 2007 Functional characterization of the penicillin biosynthetic gene cluster of *Penicillium chrysogenum* Wisconsin54-1255. *Fungal Genet. Biol.* **44**:830-844
- 146. van der Kaaij, R.M., Yuan, X.-L., Franken, A., Ram, A.F.J., Punt, P.J., van der Maarel, M.J.E.C. & Dijkhuizen, L.** 2007 Two novel, putatively cell wall-associated and glycosylphosphatidylinositol-anchored α-glucanotranferase enzymes of *Aspergillus niger*. *Eukaryot. Cell* **6**:1178-1188
- 147. Vargas-Pérez, I., Sánchez, O., Kawasaki, L., Georgellis, D. & Aguirre, J.** 2007 Response regulators SrrA and SskA are central components of a phosphorelay system involved in stress signal transduction and asexual sporulation in *Aspergillus nidulans*. *Euk. Cell* **6**:1570-1583
- 148. Varma, A., Wu, S., Guo, N., Liao, W., Lu, G., Li, A., Hu, Y., Bulmer, G. & Kwon-Chung, K.J.** 2006 Identification of a novel gene, *URE2*, that functionally complements a urease-negative clinical strain of *Cryptococcus neoformans*. *Microbiol.* **152**:3723-2731
- 149. Wang, G., Lu, L., Zhang, C.-Y., Singapuri, A. & Yuan, S.** 2006 Calmodulin concentrates at the apex of growing hyphae and localizes to the Spitzenkörper in *Aspergillus nidulans*. *Protoplasma* **228**:159-166
- 150. Watanabe, J., Tanaka, H., Akagawa, T., Mogi, Y. & Yamazaki, T.** 2007 Characterization of *Aspergillus oryzae* aspartyl aminopeptidase expressed in *Escherichia coli*. *Biosci. Biotechnol. Biochem.* **71**:2557-2560
- 151. Wong, K.H., Hynes, M.J., Todd, R.B. & Davis, M.A.** 2007 Transcriptional control of *nmrA* by bZIP transcription factor MeaB reveals a new level of nitrogen regulation in *Aspergillus nidulans*. *Mol. Microbiol.* **66**:534-551
- 152. Yamada, O., Ikeda, R., Ohkita, Y., Hayashi, R., Sakamoto, K. & Akita, O.** 2007 Gene silencing by RNA interference in the koji mold *Aspergillus oryzae*. *Biosci. Biotechnol. Biochem.* **71**:138-144
- 153. Yamashita, N., Sakamoto, K., Yamada, O., Akita, O. & Nishimura, A.** 2007 The promoter activity of isovaleryl-CoA dehydrogenase-encoding gene (*ivdA*) from *Aspergillus oryzae* is strictly repressed by glutamic acid. *Biosci. Biotechnol. Biochem.* **71**:1561-1563

- 154.** Yamazaki, H., Yamazaki, D., Takaya, N., Takagi, M., Ohta, A. & Horiuchi, H. 2007 A chitinase gene, *chiB*, involved in the autolytic process of *Aspergillus nidulans*. *Curr. Genet.* **51**: 89-98
- 155.** Yu, F., Zaleta-Rivera, K., Zhu, X., Huffman, J., Millet, J.C., Harris, S.D., Yuen, G., Li, X.-C. & Du, L. 2007. Structure and biosynthesis of heat stable antifungal factor (HSAF), a broad spectrum antimycotic with a novel mode of action. *Antimicrob. Agents Chemother.* **51**:64-72
- 156.** Zarnack, K. & Feldbrügge, M. 2007 mRNA trafficking in fungi. *Mol. Gen. Genomics* **278**:1617-1623
- 157.** Zhang, W., Mullaney, E.J. & Lei, X.G. 2007 Adopting selected hydrogen bonding and ionic interactions from *Aspergillus fumigatus* phytase structure improves the thermostability of *Aspergillus niger* PhyA phytase. *Appl. Env. Microbiol.* **73**:3069-3076
- 158.** Zhao, X., Mehrabi, R. & Xu, J.-R. 2007 Mitogen-activated protein kinase pathways and fungal pathogenesis. *Eukaryot. Cell* **6**:1701-1714
- 159.** Zhuang, L., Zhang, J. & Xiang, X. 2007 Point mutation in the stem region and the fourth AAA domain of cytoplasmic dynein heavy chain partially suppress the phenotype of NUDF/LIS1 loss in *Aspergillus nidulans*. *Genetics* **175**: 1185-1196