Fungal Genetics Reports

Volume 14

Article 33

Comments on enzyme assays

R. Flavell

Follow this and additional works at: https://newprairiepress.org/fgr



This work is licensed under a Creative Commons Attribution-Share Alike 4.0 License.

Recommended Citation

Flavell, R. (1969) "Comments on enzyme assays," *Fungal Genetics Reports*: Vol. 14, Article 33. https://doi.org/10.4148/1941-4765.2064

This Enzyme Methodology is brought to you for free and open access by New Prairie Press. It has been accepted for inclusion in Fungal Genetics Reports by an authorized administrator of New Prairie Press. For more information, please contact cads@k-state.edu.

Comments on enzyme assays

Abstract

Comments on enzyme assays

Flavell, R. Comments on assay methods. The following assays have been used for Neurospora as reported by Flavell and Fincham (1968 J. Bacteriol. 95: 1063). Any modifications used since then are noted after the relevant assay. The original references to the assays are given in the paper mentioned above.

```
Isocitrate lyase, E.C. 4. 1.3. 1.; but with 15 µmoles of DL-isocitrote.

Malate synthase, E.C. 4. 1.3.2.; but with 0.04 µmoles of Acetyl C oA.

Phosphoenolpyruvate carboxykinase, E.C. 4. 1. 1.32.; but with 9 µmoles phosphoenolpyruvate.

Citrate synthase, E.C. 4.1.3.7.; but with 0.04 µmoles of Acetyl CoA.

Acetyl CoA synthetase E.C. 6.2. 1. 1.

Malate dehydrogenase, E.C. 1. 1. 1.37.

NADP-linked Isocitrate dehydrogenase, E.C. 1. 1. 1.42.

NAD-linked Isocitrate dehydrogenase, E.C. 1. 1. 1.41.; but with 8 mM DL-isoctote and 1 mM NAD.

Fumarate hydratase, E.C. 4.2. 1. 2.
```

The following assays have also been used without modification of the method cited in the reference following each enzyme: Succinate dehydrogenase, E.C. 1.3.99. 1. (King 1963 J. Biol. Chem. 238:4032) ATP citrate lyase, E.C. 4. 1.3.6. (Atkinson - Department of Biological Sciences, Stanford University, Stanford, California 94305.