Fungal Genetics Reports

Volume 26

Article 7

A Neurospora experiment for on introductory biology course

A.J. F. Griffiths University of British Columbia

Follow this and additional works at: https://newprairiepress.org/fgr



This work is licensed under a Creative Commons Attribution-Share Alike 4.0 License.

Recommended Citation

Griffiths, A. F. (1979) "A Neurospora experiment for on introductory biology course," *Fungal Genetics Reports*: Vol. 26, Article 7. https://doi.org/10.4148/1941-4765.1695

This Teaching Notes is brought to you for free and open access by New Prairie Press. It has been accepted for inclusion in Fungal Genetics Reports by an authorized administrator of New Prairie Press. For more information, please contact cads@k-state.edu.

A Neurospora experiment for on introductory biology course

Abstract

A Neurospora experiment for on introductory biology course.

Griffiths, A. J. F.

A Neurospora experiment for on

introductory biology course.

For the past two years the procedure described below, has been used at this University as an investigative exercise in a first year biology course. The success of this lab in a course of well over 1500 students illustrates that Neurospora can in fact be used on a large scale in teaching with none of the horrors usually anticipated with this species. The secret is to use aconidial fluffy strains, which virtually eliminates the risk of cross-contamination.*


For the student, the purpose of the exercise is to determine the

life cycle of on unnamed mold. Each group of four students is given α plate of crossing medium, two cultures lobelled A (fl A, FGSC #3249) and β (fl a, FGSC #3250), ond α small bundle of sterile toothpicks wrapped in aluminum foil. The students are 1²-

structed to examine strains A and B for any visible differences. Unsing the toothnicks, the strains ore then inoculated onto the-medium as shown in figure 1. The plates, kept in drawers, ore observed weekly for three weeks ond a record is kept of events occurring at the macroscope level, and, as far as available equipment allows, at the microscopic level. Obviously, details such as ploidy levels, and meiotic sequences cannot be determined, but intelligent guesses based on careful observations con be mode, and a reasonable facsimile of the Neurospora life cycle can be derived.

One intriguing complication arises since the plates show a double line of perithecia bordering a zone of what is presumably vegetative incompatibility (figure 1). This striking 'racing stripe' down the middle of the plate gives the students another puzzle to think about.

This exercise has produced a favorable student response and stimulated much useful discussion. It is a simple, reliable, and challenging experiment and the students' goals are clearly defined and generally well understood. The exercise





con be used as a vehicle for a variety of teaching purposes, not the least of which is to introduce haploids and microbes at an early point in the curriculum.

*The cross-contamination problem could be solved in other ways. For example, the use of conidial separation = defective (csp) mutants considerably reduces the risk of dispersal of aerial particles. However, only fluffy has been tested on a large scale.