UNIVERSITY^{OF} BIRMINGHAM University of Birmingham Research at Birmingham

Differentiating patterns of violence in the family and the effects on children

Dixon, Louise; Hamilton-Giachritsis, Catherine; Browne, Kevin

Document Version Early version, also known as pre-print

Citation for published version (Harvard):

Dixon, L, Hamilton-Giachritsis, C & Browne, K 2006, 'Differentiating patterns of violence in the family and the effects on children', Paper presented at XVIth ISPCAN International Congress on Child Abuse and Neglect, 1/01/06 pp. 152.

Link to publication on Research at Birmingham portal

General rights

Unless a licence is specified above, all rights (including copyright and moral rights) in this document are retained by the authors and/or the copyright holders. The express permission of the copyright holder must be obtained for any use of this material other than for purposes permitted by law.

• Users may freely distribute the URL that is used to identify this publication.

• Users may download and/or print one copy of the publication from the University of Birmingham research portal for the purpose of private study or non-commercial research.

• User may use extracts from the document in line with the concept of 'fair dealing' under the Copyright, Designs and Patents Act 1988 (?) • Users may not further distribute the material nor use it for the purposes of commercial gain.

Where a licence is displayed above, please note the terms and conditions of the licence govern your use of this document.

When citing, please reference the published version.

Take down policy

While the University of Birmingham exercises care and attention in making items available there are rare occasions when an item has been uploaded in error or has been deemed to be commercially or otherwise sensitive.

If you believe that this is the case for this document, please contact UBIRA@lists.bham.ac.uk providing details and we will remove access to the work immediately and investigate.




Background

The Co-occurrence of partner and child maltreatment

- Researchers have highlighted co-occurrence rates of 30-60% (Edleson, 1999; Browne & Hamilton, 1999;Appel and Holden, 1998)
- The majority of studies examine the aetiology, maintenance and intervention of partner and child maltreatment separately, treating them as discrete entities

Patterns of family violence

- Typologies of men who abuse their female partner (Holtzworth-Munroe & Stuart, 1994)
- Adopting an interactionsist approach to family violence, researchers have suggested that aggression is a product of the person-environment interaction (Frude, 1991)



Aim

To examine the feasibility and prevalence of the Paternal, Reciprocal and Hierarchical patterns of family violence proposed by Dixon & Browne (2003) within a sample of maltreating families

Research Questions

- Examine the prevalence of patterns of family violence in the present sample
- Examine the type of child maltreatment perpetrated by mothers and fathers in each pattern
- Examine the extent to which parenting couples (dyads) who both maltreat their child use the same form of child maltreatment


Method


Sample

- Examined psychological reports of 162 parents who had been assessed by a Forensic Psychology consulting service for their suitability to parent their child/ren, following allegations of child mattreatment
- Parents from the English Midlands and South Wales
- Parents assessed by the practice between June 1996 and June 2003 were investigated
- Parent ages ranged from 17 56 years (mean age 30; SD = 8.14)
- The age of the index child ranged from 1 month to 15 years (mean age = 4.6, SD = 4.26)

91.4% parents were classified as white UK

Presults Of the total sample of 162 parents: 104 (64.2%) resided in a family in which physical partner abuse and child maltreatment co-occurred 66 (40.7%) perpetrated both partner and child abuse (43 (65%) fathers and 23 (35%) mothers) Fifty-eight (35.8%) parents resided in a family where only child maltreatment occurred 15 (25.8%) parents resided in a family violence in the present sample (n=104; 13.5%) Paternal (n = 14; 13.5%) Hierarchical (n = 47; 45.2%)





Cont'd		Re	sults	5		
2. Examine each pati		ild maltreatmer	nt perpet	rated by mother	s and fati	hers in
	MOTHERS			FATHERS		
Pattern	Physical and/or sexual	neglect	mother subtotal	Physical and/or sexual	neglect	father sub-total
	n %	n %	n %	n %	n %	n %
Paternal (n = 8)				8 (100)	0 (0)	8 (100)
Hierarchical (n = 43)	8 (32)	17 (68)	25 (58.1)	16 (88.9)	2 (11.1)	18 (41.9)
Reciprocal (n = 40)	10 (47.6)	11 (52.4)	21 (52.5)	10 (52.6)	9 (47.4)	19 (47.5)

Resu	lts
hich parenting couples rm of child maltreatm	s (dyads) who both maltreat ent
PARENTS ADOPTING SAME FORM OF CHILD MALTREATMENT	PARENTS ADOPTING DIFFERENT FORMS OF CHILD MALTREATMENT
Both parents physically and/or sexually abuse or neglect their child n %	One parent physically and/or sexually abuses the child and the other parent neglects the child. n %
8 (57.1)	6 (42.9)
11 (84.6)	2 (15.4)
	rm of child maltreatm PARENTS ADOPTING SAME FORM OF CHLD MALTREATMENT Both parents physically and/or sexually abuse or neglect their child n % 8 (57.1)

Summary & Conclusions

- The 3 hypothesised patterns of family violence, proposed by Dixon and Browne (2003), exist in this sample
- It is important for professionals to consider how each person in the family is influenced and affected by every other member in that unit, rather than examining only the adult male aggressor within the family
- Verifies the need for service provision and professionals to recognise the coexistence of different forms of violence within the family unit

Key References

- Dixon, L. & Browne, K.D. (2003). Heterogeneity of spouse abuse: a review. Aggression and Violent Behavior: A Review journal, 8, 107-130
- Holtzworth-Munroe, A. & Stuart, G.L. (1994). Typologies of male Batterers: Three Subtypes and the Differences Among Them. *Psychological Bulletin*, *116*, 476-497