



SOLAS

Open Science Conference 2019

21 - 25 April
Sapporo - Japan



surface ocean **solas** lower atmosphere study
20 | 19

www.solas-int.org



Table of contents

Welcome note	3
Open Science Conference 2019 organisation	4
In memorioum: Ronald Kiene	5
Sponsors	6
Programme overview	8
General information	
Venue information	10
Directions and transport	12
Social events & Food	18
Programme of Sunday - 21 April	
Early career scientist day (ECSD)	22
Geoengineering Workshop	23
Programme of Monday - 22 April	
Daily overview Monday	24
Abstracts of the plenary sessions – Integrated topics I	25
Abstracts of the plenary sessions – Theme 4	28
Abstracts of the parallel discussion sessions	31
Poster titles	33
Programme of Tuesday - 23 April	
Daily overview Tuesday	36
Abstracts of the plenary sessions – Geoengineering / Science and Society	37
Abstracts of the plenary sessions – Theme 2	41
Abstracts of the parallel discussion sessions	43
Poster titles	45
Programme of Wednesday - 24 April	
Daily overview Wednesday	49
Abstracts of the plenary sessions – Theme 1	50
Abstracts of the plenary sessions – Theme 5	53
Abstracts of the parallel discussion sessions	56
Poster titles	58
Programme of Thursday – 25 April	
Daily overview Thursday	60
Abstracts of the plenary sessions - Integrated topics II	61
Abstracts of the plenary sessions – Theme 3	63
Contact list	66



Welcome to Sapporo for the 2019 SOLAS Open Science Conference!

We have an exciting and interesting program lined up for our 7th installment of the SOLAS open science conferences, set in this cosmopolitan city at the wild end of Japan. During the coming week, you have the opportunity to explore the full range of SOLAS science, from the core themes of the science plan during plenary lectures, to emerging issues in discussion sessions, to the future wave during the Early Career Scientists' Day.

SOLAS is a bottom-up organization, in which the scientific community sets the agenda, and the Open Science Conferences play a key role in that process. The first SOLAS Open Science Conference, held in Damp, Germany in 2000, generated the ideas that formed the first SOLAS Science Plan, and that tradition continues, as we hope this week will also identify new frontiers for our community to explore.

Hokkaido provides a perfect backdrop to our discussions this week, located at a nexus of air-sea exchange research of both global and local significance. The northern coast of Hokkaido is the lowest latitude at which sea ice forms. It also borders the Sea of Okhotsk, the primary ventilation site for the North Pacific Ocean. To the west, lies a temperate marginal sea that has been a site of extensive SOLAS research into how the human system interacts with air-sea exchange processes. And of course, to the east, the North Pacific Ocean, itself, where High Nitrate-Low Chlorophyll waters meet atmospheric dust and nutrient deposition, with periodic perturbation by typhoons.

We want to thank all the sponsors and funders of this conference, as well as the sponsors of the International SOLAS program (SCOR, Future Earth, iCACGP, and WCRP) for all their support over the years. We also thank the SOLAS International Project Office and the Local Organizing Committee for their hard work and dedication in assuring that we have a fun and comfortable meeting this week. Finally, we thank you, the SOLAS community, for making SOLAS the productive, exciting, and important organization that it is.

Enjoy!

Lisa A. Miller
Chair, SOLAS Scientific
Steering Committee

Jun Nishioka
Chair, SOLAS 2019 Local
Organizing Committee



Scientific Organising Committee (SOC)

- Katye Altieri (South Africa)
- Phil Boyd (Australia)
- Erik van Doorn (Germany)
- Cristina Facchini (Italy)
- Laura Gallardo (Chile)
- Veronique Garcon (France)
- Santiago Gassó (USA)
- Ilan Koren (Israel)
- Arne Körtzinger (Germany)
- Mohd Talib Latif (Malaysia)
- Maurice Lévassieur (Canada)
- Anoop Mahajan (India)
- Lisa Miller (SOC chair, Canada)
- Peter Minnett (USA)
- Jun Nishioka (LOC chair, Japan)
- Jurgita Ovadnevaite (Ireland)
- Anna Rutgersson (Sweden)
- Alfonso Saiz-Lopez (Spain)
- Parvatha Suntharalingam (UK)
- Guiling Zhang (China)



Local Organising Committee (LOC) at Hokkaido University

- Masahiko Fujii
- Sohiko Kameyama
- Yuzo Miyazaki
- Jun Nishioka (LOC chair)
- Yutaka Watanabe
- Takeshi Yoshimura

Early Career Scientist Day Committee (ESDC)

- Martine Lizotte (Canada)
- Yoko Iwamoto (Japan)
- Sohiko Kameyama (Japan)

SOLAS International Project Office

- Jessica Gier, Germany
- Li Li, China
- Esther Rickert, Germany



In memory of Ron

A dearly beloved colleague and friend in the SOLAS community, Ronald Peter Kiene, died unexpectedly on January 19, 2019. Ron was an incredibly active scientist, a leader in his field, and one who delved deeply into everything that interested him. This included topics ranging from religion and social mores, woodworking, fishing, sports and politics to research on climate change and the marine organosulfur cycle, all topics that he was passionate about. Ron organized and hosted the first and highly successful international DMSP symposium. He played a pivotal role in developing techniques and stimulating ideas that propelled the marine organosulfur field from its early days of discovery to the complex, multifaceted study area of today ranging from molecular to global scales. He was the quintessential SOLAS scientist, interested in interfacial processes at the ocean-atmosphere boundary spanning the globe from ice-impact polar waters to the upwelling region in the equatorial Pacific. His research was not only focused on the oceanic organosulfur cycle and DMS, but also included other volatile compounds such as methane and other environments, including boreal bogs and *Spartina*-dominated salt marshes. Ron was creative and inquisitive, but was also analytical questioning everything – every number, every technique, every experiment, every hypothesis – and this made him an invaluable colleague and an outstanding scientist.



Picture credit: David Kieber

Perhaps more important than his contributions to science, and what Ron may be best remembered for, is that he was a trusted colleague and mentor to many in the field, students and scientists alike. He treated everyone with dignity and respect. He spent countless hours nearly every day corresponding to colleagues and friends, and he made everyone feel special and valued. What an exceptional personal and scientific legacy he gifted to us. I think that we can all smile knowing that a part of Ron, his carbon and sulfur, now flows freely through oceans and atmosphere.

David Kieber

Professor, Department of Chemistry
College of Environmental Science and Forestry
State University of New York, Syracuse



SOLAS Sponsors



Research. Innovation. Sustainability.

Future Earth, Research. Innovation. Sustainability
www.futureearth.org



International Commission on Atmospheric Chemistry and Global Pollution
www.icacgp.org



Scientific Committee on Oceanic Research
www.scor-int.org



World Climate Research Programme
www.wcrp-climate.org

SOLAS Funders



GEOMAR Helmholtz Centre for Ocean Research Kiel
www.geomar.de



近海海洋环境科学国家重点实验室 (厦门大学)

State Key Laboratory of Marine Environmental Science (Xiamen University)

State Key Laboratory of Marine Environmental Science Xiamen University, Xiamen, China

SOLAS Open Science Conference Sponsors



City of Sapporo
City of Sapporo
www.city.sapporo.jp/city/english/



The Innovative Open Access Publisher
Copernicus Publications
The Innovative Open Access Publisher
www.publications.copernicus.org




Elementa
Science of the Anthropocene
www.elementascience.org



Research. Innovation. Sustainability.

Future Earth, Research. Innovation. Sustainability
www.futureearth.org



Hitachi High-Tech Fielding Corporation
www.hitachi-hightech.com/global/about/corporate/



HOKKAIDO UNIVERSITY Hokkaido University
www.global.hokudai.ac.jp



SOLAS Open Science Conference Sponsors



Institute of Low Temperature Science (ILTS)
www.lowtem.hokudai.ac.jp/en/

Innovative Solutions for Energy and Environment



JAPAN NUS CO., LTD.
www.janus.co.jp/eng/



Japan Analytical Industry Co., Ltd.
www.jai.co.jp/english/



Japan Geoscience Union
www.jpгу.org



KANSO CO., LTD.
www.kanso.co.jp/eng/




KIMOTO ELECTRIC CO.,LTD.
www.kimoto-electric.co.jp/english/



Metrohm / www.metrohm.com



North Pacific Marine Science Organization (PICES)
meetings.pices.int



Ocean Mixing Processes Impact on Biogeochemistry,
Climate and Ecosystem
omix.aori.u-tokyo.ac.jp/en/



Science Council of Japan
www.scj.go.jp/en/



Scientific Committee on Oceanic Research (SCOR)
scor-int.org



subCtech
subctech.com



東京ダイレック株式会社
TOKYO DYLEC CORP.
www.t-dylec.net



3S Ocean Network Ltd.
<http://www.3s-ocean.co.jp/>



Open Science Conference Programme

General

Times	Monday, 22 April	Time	Tuesday, 23 April
08:30	Conference opening Welcome & SOLAS introduction	08:30	Geoengineering / Science and Society
	Integrated topics I Session chairs: T. M. Latif and A. Mahajan		Introduction by sessions chairs: P. Boyd and E. van Doorn
08:50	M. Cornejo : The dynamic of the nitrous oxide in the Humboldt Current System	08:40	A. Lenton : Geoengineering, the Ocean and SOLAS
09:20	M. Dai : Air-Sea CO ₂ fluxes, diapycnal nutrient fluxes and export productivity in oligotrophic ocean	09:10	S. Tegtmeier : Impact of large-scale macroalgae production on the ozone layer
09:40	E. Saltzman : Air/sea transfer of highly soluble gases over coastal waters	09:30	K. Mengerink : Marine Spatial Planning as a Tool to Advance Science-Based Decision-Making
10:00	J. Kim/K. Lee : Biological production reduces the net impacts of coastal acidification in the northwestern Pacific Ocean	10:00	S. Sarker : Taking the science to community: An approach of multi-stakeholders integration for sustainable Blue Economy development in Bangladesh
10:20	Coffee break	10:20	Coffee break
10:50	Theme 4: Interconnections between aerosols, clouds and ecosystems Introduction by session chairs: M. Levasseur and Y. Iwamoto	10:50	Theme 2: Air-sea interface and fluxes of mass and energy Introduction by session chairs: A. Rutgersson and P. Minnett
11:00	J. Abbatt : Connecting the ocean to aerosols and clouds in the summertime Canadian Arctic	11:00	D. Nomura : Gas exchange process in the ice covered oceans
11:30	A. Baccarini : Is new particle formation an aerosol source over the Southern Ocean?	11:30	K. Krall : Air-sea gas transfer at hurricane wind speeds
11:50	P. Rodríguez-Ros : Ecological modeling of marine biogenic isoprene emissions in the Southern Ocean	11:50	P. Markuszewski : Sea spray fluxes: interconnections between ambient noise of bubbles and wave age
12:10	P. Zieger : Revising the hygroscopicity of inorganic sea salt particles	12:10	R. Stanley : Relating air-sea gas fluxes to bubble distributions at high wind speeds: insights from the sustain wind-wave tank
12:30	Lunch	12:30	Lunch
14:30	Discussion sessions (in parallel) C. Marandino, A. Koertzing, T. Bell, J. Jeong: Can long term observatories be used to study the processes controlling air-sea exchange? S. Royer, D. Deheyn: Impacts of ocean plastic and microfibers on air quality and climate M. Frey, P. Zieger, D. Nomura, J. Thomas, N. Steiner: The coupling of ocean, sea ice and atmospheric chemistry & biogeochemistry - a cross-disciplinary research challenge	14:30	Discussion sessions (in parallel) E. van Doorn, C. Marandino: SOLAS Science & Society: achievements, present status & future possibilities P. Hwang, T. Toyota: Enhanced air-sea interaction in the emerging Marginal Ice Zone C. Chen, E. Achterberg: The High Resolution Measurement for the Ocean-Atmosphere Interfacial Layers
16:00	Coffee break (during poster session)	16:00	Coffee break (during poster session)
16:30 - 18:00	Poster sessions (in parallel) Theme 3: Atmospheric deposition and ocean biogeochemistry Integrated topics	16:30 - 18:00	Poster sessions (in parallel) Theme 5: Ocean biogeochemical control on atmospheric chemistry Geoengineering
17:30-19:00	Theme 4: Interconnections between aerosols, clouds and ecosystems	17:30 - 19:00	Theme 1: Greenhouse gases and the oceans
19:30	National representatives dinner (invitation only)		



Open Science Conference Programme

General

Time	Wednesday, 24 April	Time	Thursday, 25 April
08:30	Theme 1: Greenhouse gases and the oceans Introduction by session chairs: A. Koertzing and G. Zhang	08:50	Integrated topics II Introduction by session chairs: K. Altieri and S. Kameyama
08:40	S. Lauvset : The Carbon Cycle: The role of oceans and humans	09:00	S. Landwehr : Investigation of sea spray source functions with aerosol size spectra measurements from the Antarctic Circumnavigation Experiment
09:10	O. Bui : Dissolved methane distribution and its controlling factors in the Arctic Ocean in 2016 summer	09:20	L. Gutierrez-Loza : Air-sea CH ₄ fluxes from eddy covariance measurements in the Baltic Sea
09:30	Y. Eddebbar : Volcanic Modulation of Ocean Ventilation: Implications for Air-sea Carbon and Oxygen Exchange	09:40	P. Wongpan : Using under-ice spectra to determine land-fast ice algal biomass in Lake Saroma, Japan
09:50	L. Keppler : Regional Wind Variability Modulates the Southern Ocean Carbon Sink	10:00	M. Frey : Sea salt aerosol from blowing snow above sea ice - a new particle source
10:10	Group picture		
10:20	Coffee break	10:20	Coffee break
10:50	Theme 5: Ocean biogeochemical control on atmospheric chemistry Introduction by session chairs: J. Ovadnevaite and Y. Miyazaki	10:50	Theme 3: Atmospheric deposition and ocean biogeochemistry Introduction by session chairs: L. Gallardo and P. Suntharalingam
11:00	A. Mahajan : Oceanic Regulation of Atmospheric Chemistry: Past, Present and Future	11:00	Y. Chen : Atmospheric deposition of nitrogen and trace metals affects marine phytoplankton and their feedback to aerosols
11:30	S. Smith : Modelling of ammonia/um across the air-sea interface in the Atlantic sector of the Southern Ocean	11:30	W. Landing : Atmospheric Deposition to the Oceans Controls Biological Productivity
11:50	K. Hamasaki : Microbial community dynamics in sea surface microlayer and sea spray aerosols observed in coastal inlets of Japan	11:50	R. Mukherjee : Limitation of iron on N ₂ fixation in the Arabian Sea
12:10	J. Maas : Simulating halocarbon concentration in ocean and atmosphere from industrial water treatment	12:10	C. White : Impact of atmospheric nitrogen deposition to nitrogen limited marine surface waters in the temperate and subtropical North Atlantic Ocean
12:30	Lunch	12:30	Conference closing
14:30	Discussion sessions M. Uematsu, A. Zivian, K. Slavik: WHAT IS Ocean KAN? A. Ito, W. Landing, D. Hamilton: Atmospheric deposition of iron, ocean biogeochemistry and marine emission of biological aerosols P. Suntharalingam, G. Zhang, A. Koertzing: Oceanic greenhouse gases: The present situation and future initiatives		
16:00	Coffee break (during poster session)		
16:30-18:00	Poster session Theme 2: Air-sea interface and fluxes of mass and energy		
19:30	Conference banquet		



Follow us on twitter
@SOLAS_IPO



Conference venue

The SOLAS Open Science Conference will be held on Hokkaido, in Sapporo at the Hokkaido University Conference Hall.

The campus is easily accessible by foot (10 min from the JR Sapporo station) and (20 min from downtown Sapporo).

Address:

Hokkaido, Sapporo, Kita, Kita 8 Jonishi, 7 Chome



Conference Hall, Hokkaido University

Registration/information desk

If you require any assistance, please visit the registration desk.

The registration desk will be open at 9:00 am on Sunday and at 8:00 am on Monday to Thursday.

There will be also a registration desk open at the Ice Breaker event (Sunday) from 5:30 pm to 9:00 pm.

Please regularly check the information board next to the desk, which will inform about conference details, programme changes, and other announcements.

Mobile phones

Please assure that yourself that your phone is turned off or put on silent mode during presentations.

Internet

Your personal WiFi password is printed on your name tag. Please use this WiFi password to connect to the internet.

**Join the
SOLAS
community**


Join the mailing list to stay apprised of the most current news on SOLAS, conferences, events, publications and more.

www.solas-int.org/community/join.html



Conference venue overview map


1st Floor



Early Career Scientist Day Discussion session

Geoengineering workshop Discussion session

2nd Floor





New Chitose airport - Sapporo


New Chitose airport connects Hokkaido with the rest of Japan. The airport is approx. 50 km (30 miles) from downtown Sapporo.



Train – JR rapid airport line

JR rapid airport line is the fastest way to travel between the New Chitose airport and Sapporo city. It takes only **40 minutes** from New Chitose airport to Sapporo station. The JR rapid airport line runs every 15 minutes. The JR rapid airport line is directly connected to the underground floor of the domestic terminal of New Chitose airport and departs only 10 minutes by walking from the international arrival gate. Ticket sales are shortly before the station in the airport.

Fare: adult 1,070 JPY, child 530 JPY



NOTE! JR Sapporo Station is not JR Shin Sapporo Station, which will come up after 30 minutes. Stay on the train until just about everyone prepares to get off; that will be Sapporo Station.

Further information: <http://www2.jrhokkaido.co.jp/global/english/travel/airport.html>

Image source: www2.jrhokkaido.co.jp/global/english/travel/airport.html

Express bus

The express busses **Chuo bus** and **Hokuto Kotsu bus** departs from New Chitose Airport to Sapporo station. One ride from Chitose Airport to Sapporo station takes approx. 70 minutes.

Fare: adult 1,030 JPY, child 520 JPY

Taxi

A taxi ride from New Chitose airport to Sapporo downtown takes approx. 90 minutes. To share a taxi with several other people is recommended.

Fare: 15,000 JPY (New Chitose airport - Sapporo downtown)

Further Information

<http://www.new-chitose-airport.jp/en/access/>


<http://www.new-chitose-airport.jp/en/access/jr/timejr/>



JR Sapporo station

The Sapporo station is a massive transport hub connecting different transportations such as trains, subways, busses, and taxis. In addition, the station hosts an enormous variety of shops, kiosks, drugstores, eateries as well as ATMs, a post office and a tourism information center. The tourist information, is located at the northwest corner of the station at the **JR Information Desk** and the **Hokkaido-Sapporo Tourist Food and Tourism Information Center** (see highlighted red boxes in the map below).

Sapporo Station has two exits to the outside: North and South. Take the **North Exit** to walk to the campus of **Hokkaido University** (see highlighted red box in the map below).



PLATFORM INFORMATION			
1 – 3	Hakodate Line Up	5 – 6	Chitose Line
4	Chitose & Sassho Lines (Gakuen-Toshi Line)		
7 – 8	Hakodate Line Down	9 – 10	Hakodate Line Down & Sassho Line (Gakuen-Toshi Line)

- Ticket Reservation Office
- Ticket Counter
- Restroom Men/Women
- Wheelchair Accessible Restroom
- Coin Locker
- Elevator
- Escalator
- JR Information Desk

Map downloaded from www.sapporostation.com/sapporo-station-layout-and-facilities/



SAPICA cards in Sapporo

SAPICA is a prepaid card which can be used on Sapporo's three subway lines, city buses (JR Hokkaido Bus, Jotetsu and Hokkaido Chuo Bus) and tram. SAPICA cannot be used on JR trains or outside of the Greater Sapporo area. Purchase locations: Subway stations, commuter pass sales offices, bus terminals, office counters



Price: ¥2,000 (¥1,500 can be used for fare, while ¥500 is the deposit. [Source: www.sapporo.travel/](http://www.sapporo.travel/)

Taxi in Sapporo

Taxi stands are located all over central Sapporo, JR Sapporo station, at some hotels and you can also find many taxis running on the major roads. Credit cards are accepted in most of the taxis. In addition, there are sightseeing taxis that visit tourist attractions inside Sapporo City, with a wide range of plans for different courses and schedules. The drivers also serve as guides. [Source: www.sapporo.travel/](http://www.sapporo.travel/)

If you want to get a taxi in the streets raise your hand to stop it.

Japan connected-free Wi-Fi App

The “Japan Connected-free Wi-Fi” smartphone app is a free app that allows you to search for free Wi-Fi hotspots and connect to free Wi-Fi with a single tap. It allows you to bypass the registration procedures necessary to use Wi-Fi at each hotspot. It can be used to connect to many free Wi-Fi hotspots around Japan such as those in airports, train stations and commercial facilities. The app is available in 11 languages.



Visit the “Japan Connected-free Wi-Fi” website for further details. [Source: www.sapporo.travel/](http://www.sapporo.travel/)

Free Wi-Fi in Sapporo

Free Wi-Fi offered at around 2,400 locations across Sapporo. This Wi-Fi service can be accessed by visitors with a Wi-Fi enabled device such as a smartphone. This service is available regardless of your mobile carrier or mobile phone manufacturer. For details, check out **NTT East’s “Hikari Station Service Contents.”** [Source: www.sapporo.travel/](http://www.sapporo.travel/)



Free Wi-Fi is also available at convenience stores and shopping centers with this mark. Ask the staff at the store for details.



7 Spot



FamilyMart



ATM service in Sapporo Seven Bank and Japan Post Bank

Many ATMs in Japan do not accept cards that are issued outside of Japan.

Exception are **ATMs at Seven Bank (セブン銀行) convenience stores**, and the **cashing service in Japan Post Bank (ゆうちょ銀行)**.

Seven Bank ATMs, mainly located inside 7-Eleven convenience stores (see map below for 7-Eleven store location or use the QR code to find the next ATM).



ATMs **No. 1 - 4** (indicated in the map) are open from **Mo-Sun, 7:00 am - 10:00 pm**.
all other 7-Eleven convenience stores indicated at the map are open form Mo-Sun, 24 hours.

For details, please see the website:
<https://www.sevenbank.co.jp/intlcard/card2.html>

Searching for the nearest Seven Bank ATMs, use this website:
<http://inbound.standard.navitime.biz/sevenbank-english/Index.act>



Search via mobile ATM location.



Subway transportation in Sapporo


Sapporo’s subway system has three lines: Namboku line (green) running north-south, Tozai line (orange) running east-west, and Toho line (blue) connecting suburbs in between. The subway hub, with all lines pass through, is the Odori Station. Odori Station is located below the downtown center and Odori Park.

A **one-day ticket** is the money-saving alternative that allows you **unlimited subway rides for the whole day**. Single ticket price is approx. 200 – 360 yen.

One-day pass for adults: approx. 830 yen

Sales points: subway ticket-vending machines, and commuter pass sales offices .


It’s worth a ride!





Tram transportation

The slowly moving Sapporo Streetcars (*Sapporo shiden*) run in a loop from central Sapporo to mainly the western area. Most stops are located in the middle of the street. Choose to hop on the inner loop (counter-clockwise) or the outer loop (clockwise) depending on which direction is closer to your destination. Be sure to stand clear as the train arrives at the station. The fare for one ride on the shiden is ¥200 for adults, and ¥100 for children, per person. The SAPICA card can be used.



Source and further information:

www.sapporo.travel/choose/keywords/sapporo-streetcar-sightseeing-how-to-ride/?lang=en

Bus transportation

There are bus terminals in various locations in Sapporo City, including those directly connected to subway stations. Extensive regular-route buses link different locations in the city and are operated by three companies: **Hokkaido Chuo Bus**, **JR Hokkaido Bus**, and **Jotetsu Bus**.

City bus tickets can be paid in cash or with SAPICA cards.



Ice breaker location with direction maps

The OSC Ice breaker event will take place on Sunday 21 April from 6.00 to 9.00 pm at the Beer Keller Sapporo Bureau of Development. The Beer Keller is located in a brick building of the Sapporo Factory (1F) / North 2, East 4, Chuo-ku, Sapporo.

By walking the Beer Keller is approx. 25 min away from the conference hall or rather approx. 10 min by walking from the Sapporo TV tower.







Banquet location with direction maps

The OSC banquet event will take place on Wednesday 24 April from 7.30 to 10.30 pm at the Sapporo Grand Hotel (2F). The Sapporo Grand Hotel is located at North 1, West 4, Chuo-ku, Sapporo.

By walking the Sapporo Grand Hotel is approx. 15 min away from the conference hall.



Information






Dinning out in Sapporo

Restaurants with lunch menus in Sapporo

No	Name	Category
A	Elm no Mori	Cafeteria (light meal)
B	Hokudai Marche	Restaurant
C	Clark Cafeteria *	Cafeteria
D	Chuo Cafeteria *	Cafeteria
E	Elm Restaurant	Restaurant
F	Seicomart	Store & Restaurant
1	Clark-Tei	Restaurant
2	Hashimaya	Ramen
3	THE KEBAP'S	Turkish food restaurant
4	Maru	Ramen
5	Go Bee	Chinese food restaurant
6	Suriyothai	Thai food restaurant
7	Dejeuner Campanula	Restaurant
9	Jack in the box	Soup curry
10	Marutaka Ramen	Ramen
11	Kitchen taft B	Restaurant
12	Chinman	Chinese food restaurant
13	Hirose Shoten	Ramen
14	Mos Burger	Hamburger restaurant
15	Osteria EST EST EST	Italian food restaurant
16	Shun	Japanese food restaurant
17	CoCo ichibanya	Curry
18	Kuromugi	Buckwheat noodles
19	Yunron	Chinese food restaurant
20	Kogane	Japanese food restaurant
21	Yamawasabi	Buckwheat noodles
22	Mizuki	Buckwheat noodles
23	ROGA	Curry
24	Erimo-Tei	Japanese food restaurant
25	Fukagawa	Japanese food restaurant
26	Ushinoya	BBQ house
27	Kofuku	Chinese food restaurant
29	Ramen Jiro	Jiro Ramen
30	Tsukimiken	Ramen
31	Sopracciglia	Italian food restaurant
32	Ichizen	Buckwheat noodles
33	Mia Bocca	Italian food restaurant
34	175° DENO	Ramen
35	McDonald's	Hamburger restaurant
36	Barikiya	Ramen
37	Saint Marc cafe	Cafe
38	The Republic of Ramen	Ramen street



* **Please note!** – Hokkaido University's cafeterias (C and D) might be overcrowded during lunch time.



Dinning out in Sapporo

Local Cuisine

Nemuro Hanamaru JR Tower Stellar Place

\$\$ - \$\$\$, Japanese, Seafood, Sushi

Certificate of Excellence 2015 - 2018 Winner

2 Kitagojonishi, Chuo-ku | 6F Stella Place, Chuo, Sapporo
060-0005, Hokkaido



Suage Honten

\$\$ - \$\$\$, Asian, Soups, Vegetarian Friendly - Certificate of Excellence 2015 - 2018 Winner

5-chome Minami 4jo Nishi, Chuo-ku | 2nd Floor, Chuo, Sapporo 064-0804, Hokkaido

Jingisukan Daruma

\$\$ - \$\$\$, Japanese, Barbecue

Minami 4 jo Nishi 4, Sapporo 064-0804, Hokkaido

Cheap Cuisine

Refined Tavern Aiyo

\$, Japanese, Seafood

Kita 3 Jo Nishi 2 cho-me, Chuo-ku, Sapporo, Hokkaido



Ramen Sapporo Akaboshi

\$, Japanese

7-7 Minami 3 Jo Nishi, Chuo-ku | Tanukikoji Market, Sapporo
060-0063, Hokkaido

Bars and Pubs

Sky Lounge ANA Hotel Sapporo

\$\$ - \$\$\$, Bar

1-2-9 Kita 3 Jo Nishi, Chuo-ku | Ana Crowne Plaza Sapporo 26F,
Chuo, Sapporo 060-0003, Hokkaido



Brooklyn Parlor Sapporo

\$\$ - \$\$\$, Pub, Gastropub

4-1 Kita 2-jo Nishi, Chuo-ku | 2F Aka Red Terrace, Sapporo 060-0002, Hokkaido

Source and for further restaurant information see:

www.tripadvisor.com/Restaurant_Review-g14126710-d1588319-Reviews-Suage_Honten-Chuo_Sapporo_Hokkaido.html



Early Career Scientist Day (ECSD)

The SOLAS Early Career Scientist Day (ECSD) is an international event that brings together around 30 early career scientists and world-leading international scientists for a day of lectures and practical sessions. In addition, we will do a tour to the beautiful Lake Shikotsu which is surrounded by volcanoes. No registration fee is required to attend the ECSD. The selected 30 participants will have coffee breaks, lunch, and transportation to and from Lake Shikotsu paid for. Participants are responsible for airfare and registration for the SOLAS conference.



Sunday

ECSD Programme – Sunday, 21 April 2019

08:30 - 09:00	Registration at the conference venue at Hokkaido University
09:00 - 09:10	Opening remarks by the ECSD organizing committee
09:10 - 09:50	Lecture by Anoop Mahajan, Scientist at the Indian Institute of Tropical Meteorology, India (<i>Title tbd</i>).
09:50 - 10:20	Lecture by Naoki Namba, International Public Relations Senior Academic Specialist Global Relations Office, Institute for International Collaboration, Hokkaido University, Japan ("Writing about your research for a non academic audience")
10:20 - 10:50	<i>Break (coffee, snacks, refreshments etc)</i>
10:50 - 13:00	Presentation contest by the ECSD participants (max 1 slide, 3 min & Q&A, 2 min)
13:30	Departure from Hokkaido University by bus (<i>bento box lunches in the bus</i>)
14:50	Arrival at Lake Shikotsu
15:00 - 17:30	Lake Shikotsu walk/visit
17:30	Departure from Lake Shikotsu
18:50	Arrival at Sapporo factory for the ice breaker



Geoengineering Workshop

This one-day workshop will assess how SOLAS science can contribute to the debate around negative CO₂ emission technologies (NETs) and geoengineering, by bringing together observationalists, modellers, and legal experts working on the interactions between the ocean and the atmosphere. In addition to considering different NET approaches and how SOLAS science can add rigour to their assessment, the workshop will examine international frameworks, with the aim of developing strategies on how scientific organisations such as SOLAS can help coordinate governance and guidelines for NETs-related research.

Geoengineering Workshop Programm – Sunday, 21 April 2019

09:00	Registration at the venue
09:15	Welcome, introduction, and aims
09:30	SOLAS & Geoengineering - Setting the scene: What has been achieved?
10:00	Looking forward: Geoengineering techniques and SOLAS
10:30	<i>Coffee break</i>
11:00	Breakout session 1 / Four groups based upon SOLAS Themes: How can each SOLAS theme contribute to the understanding of Geoengineering? What are the questions, opportunities, and roadblocks?
12:00	Regroup (5-minute summary from rapporteurs)
12:20	Discussion
12:30	<i>Lunch</i>
13:30	Modelling Geoengineering (Andrew Lenton, Commonwealth Scientific and Industrial Research Organisation, Australia)
14:00	Societal issues of Geoengineering relating to SOLAS (Erik van Doorn, Kiel University, Germany)
14:30	Breakout session 2 / Four groups focusing on: a) Modelling and societal aspects of SOLAS Themes; b) Process modelling, earth system modelling, public perceptions, and policy frameworks
15:30	<i>Coffee break</i>
16:00	Regroup (5-minute summary from rapporteurs)
16:20	Brief discussion
16:30	The way forward - identify meeting outputs and next steps
17:00	Meeting End
18:00	Ice breaker



Times	Monday, 22 April
08:30	Conference opening - Welcome & SOLAS introduction
	Integrated topics I Session chairs: T. M. Latif and A. Mahajan
08:50	M. Cornejo : The dynamic of the nitrous oxide in the Humboldt Current System
09:20	M. Dai : Air-Sea CO ₂ fluxes, diapycnal nutrient fluxes and export productivity in oligotrophic ocean
09:40	E. Saltzman : Air/sea transfer of highly soluble gases over coastal waters
10:00	J. Kim/K. Lee : Biological production reduces the net impacts of coastal acidification in the northwestern Pacific Ocean
10:20	Coffee break
10:50	Theme 4: Interconnections between aerosols, clouds and ecosystems Introduction by session chairs: M. Levasseur and Y. Iwamoto
11:00	J. Abbatt : Connecting the ocean to aerosols and clouds in the summertime Canadian Arctic
11:30	A. Baccharini : Is new particle formation an aerosol source over the Southern Ocean?
11:50	P. Rodríguez-Ros : Ecological modeling of marine biogenic isoprene emissions in the Southern Ocean
12:10	P. Zieger : Revising the hygroscopicity of inorganic sea salt particles
12:30	Lunch
14:30	Discussion sessions (in parallel) C. Marandino, A. Koertzinger, T. Bell, J. Jeong: Can long term observatories be used to study the processes controlling air-sea exchange? S. Royer, D. Deheyn: Impacts of ocean plastic and microfibers on air quality and climate M. Frey, P. Zieger, D. Nomura, J. Thomas, N. Steiner: The coupling of ocean, sea ice and atmospheric chemistry & biogeochemistry - a cross-disciplinary research challenge
16:00	Coffee break (during poster session)
16:30 -18:00	Poster sessions Theme 3: Atmospheric deposition and ocean biogeochemistry / Integrated topics
17:30 -19:00	Theme 4: Interconnections between aerosols, clouds and ecosystems
19:30	National representatives dinner (invitation only)

Monday



Plenary session Integrated topics I

Session chairs: M. T. Latif and A. Mahajan



Keynote speaker: Marcela Cornejo

Marcela Cornejo was born in Santiago de Chile. Her undergraduate studies were in Oceanography, at the Pontifical Catholic University of Valparaíso, where she began research on the nitrogen cycle in sediments and water column in central Chile subjected to the oxygen minimum zone. Next, she moved to Concepción, where she completed her postgraduate studies in Oceanography, working with the carbon and nitrogen cycle focused on the ocean-atmosphere exchange of greenhouse gases,

along the South Eastern Pacific Ocean. Currently, she is an academic at the Pontificia Universidad Católica de Valparaíso, where she promoted the biogeochemical line of greenhouse gases. Her research covers, among others, regions such as the mesoscale eddies generation zone, the coastal upwelling zone, the Chilean fjords and channels, and that Australian Ocean.

The dynamic of the nitrous oxide in the Humboldt Current System

Nitrous oxide is a potent greenhouse gas in the troposphere, and it is involved in the ozone destruction in the stratosphere. The Global Ocean is a source of atmospheric nitrous oxide with a high spatial, seasonal and temporal variability. A critical ecosystem in the marine nitrous oxide dynamic contribution is the Humboldt Current System in the eastern South Pacific, which acts as a net source to the atmosphere, but sink regions are also present. The magnitude of this contribution is subject to the occurrence of different physical and biogeochemical processes. Thus, the presence of coastal upwelling events, upwelling fronts, El Niño, mesoscale eddies, the variability of the oxygen minimum zone, contributions of fluvial waters, among others, determine a large part of the temporal and spatial dynamics of the coastal region in both subsurface and surface layer. Additionally, the oxycline variability is influencing the gas diffusion from the subsurface layer. In situ biogeochemical processes are also affecting the sub or over saturation of nitrous oxide in the surface layer through the presence of the aerobic (e.g., nitrification, nitrous oxide fixation) and anaerobic (by denitrification) processes. These processes have been measured in experiments with seawater and with particles, such as a faecal pellet, showing an important contribution to the surface nitrous oxide budget. Additionally, there are some efforts to establish the nitrous oxide cycling in microorganisms living associated with the surface microplastic, known as plastisphere. These results allow to estimate a direct impact of the plastic pollution in the ocean on the surface nitrous oxide inventories.



Minhan Dai is a Chair Professor of Marine Chemistry at Xiamen University. He has published over 150 papers in leading international journals. Minhan Dai has served on many national and international committees. He was elected as an Academician of the Chinese Academy of Sciences in 2017.

Air-Sea CO₂ fluxes, diapycnal nutrient fluxes and export productivity in oligotrophic ocean

M. Dai, C Du, Z. Liu, W. Yang, Z. Yuan, Y. Ma, K. Zhou, Y. Xu, X. Guo and Z. Cao

The oligotrophic ocean is conventionally known to be characterized by permanent stratification, nutrient depletion and extremely low net biological production, and hence, contributes little to carbon export from surface to deep waters or net sequestration of atmospheric CO₂. Based on simultaneous turbulence microstructure and high-resolution chemical measurements during two cruises conducted in the oligotrophic South China Sea, we quantified diapycnal fluxes of dissolved inorganic nitrogen (DIN) and other nutrients. These diapycnal fluxes are then compared with the export and CO₂ fluxes. We show extremely low diapycnal fluxes of DIN in the nutrient depleted layer (NDL), where other nutrient supplies sustain the export production. Below the NDL across the nutricline to the base of euphotic zone, termed as nutrient replete layer (NRL), the DIN flux is 1-3 orders of magnitude larger and sufficient in supporting the export production therein. Considering these new observations, we attempt to propose an improved framework of nutrient-determined and biologically mediated carbon export and their coupling or decoupling with CO₂ fluxes in the oligotrophic ocean.



Eric Saltzman is an atmospheric chemist who studies the atmospheric cycling of trace gases, the exchange of chemicals between the ocean and atmosphere, and the atmospheric histories of climate-active trace gases.

Air/Sea transfer of highly soluble gases over coastal waters

J. G. Porter, W. DeBruyn, S. D. Miller, and E. S. Saltzman

The physical processes governing soluble trace gas deposition to the sea surface are not well studied, due to a lack of direct flux measurements carried out under field conditions. Unlike less soluble gases, the air-sea exchange of these substances are controlled by physical processes on the air-side of the interface. In this study simultaneous eddy covariance flux measurements of water vapor, sulfur dioxide (SO₂), and momentum were made from coastal piers in the Pacific and Atlantic oceans. The gas transfer velocities were compared with each other and with gas transfer theory and previously published parameterizations. Transfer velocities were lower for sulfur dioxide than for the other quantities, reflecting the influence of diffusion in the interfacial layer as a source of resistance to gas transfer. These are the first field observations quantifying differences in air-side resistance due to differences molecular diffusivity.




Ja-Myung Kim is a research scientist at POSTECH. Her research has focused on impacts of the ocean acidification on marine phytoplankton. She investigated the CO₂-induced changes in growth of natural phytoplankton assemblage, biological C pump efficiency and the bioavailability of trace metals (the role of weak ligands in metal uptake process).

Biological production reduces the net impacts of coastal acidification in the northwestern Pacific Ocean

J.-M. Kim, K. Lee, I.-S. Han

The seasonal and interannual dynamics of primary production and carbonate chemistry were investigated in coastal waters of Korea (the Yellow Sea, East China Sea, and East Sea (Sea of Japan) using time series data collected from 2015 to 2018 (April, August and October). Analysis of carbonate data revealed that organic carbon production (photosynthesis) dominates over inorganic carbon production (calcification) in the study area. The changes in surface pH and *p*CO₂ (calculated at a constant temperature from TA and DIC) via photosynthesis of phytoplankton were comparable to a magnitude of the alterations due to temperature variation, indicating that net impacts of ocean acidification and global warming can be mitigated by biological activity in the coastal marine ecosystem.

Monday





Plenary session

Theme 4: Interconnections between aerosols, clouds and ecosystems

Session chairs: M. Levasseur and Y. Iwamoto



Keynote speaker: Jonathan Abbatt


Jon Abbatt is an atmospheric chemist interested in multiphase processes that occur between gases, aerosol particles, and environmental surfaces. He has a longstanding interest in polar chemistry, starting with halogen activation processes in both the stratosphere and troposphere. Most recently he has been the principal investigator of a large Canadian project (NETCARE) that has endeavored to assess the connections between the ocean, aerosol particles, and climate in remote environ-

ments, such as in the Canadian Arctic Archipelago.

Connecting the ocean to aerosols and clouds in the summertime Canadian Arctic

The Arctic is warming at twice the global average rate and the extent of summertime sea ice is diminishing. How will the atmosphere respond to the increased levels of Open Ocean? In this talk, observational results from the NETCARE research consortium will be presented for icebreaker and aircraft field campaigns conducted in the Canadian Arctic in 2014. It was observed that the ocean is productive, releasing high levels of DMS and oxygenated VOCs. As well, ultrafine particles are frequently observed in marine boundary layer environments, with occasional growth to CCN sizes. The impacts of these particles on low-level cloud properties will be presented. These observations will be placed in the context of other high latitude measurements that together illustrate the tight coupling that exists in the summertime Arctic between sea ice extent and the chemical state of the atmosphere.

Monday



Andrea Baccharini is a PhD student in the Laboratory of Atmospheric Chemistry at Paul Scherrer Institute. Andrea is interested in the investigation of aerosol processes in polar regions and chamber studies. He participated in the Antarctic Circumnavigation Expedition, in the ArcticOcean18 expedition and in several CLOUD campaigns at CERN.

Is new particle formation an aerosol source over the Southern Ocean?

A. Baccharini, S. Henning, K. Lehtipalo, M. Hartmann, F. Tummon, A. Welti, F. Aemisegger, C. Bolas, K. Carslaw, N. Harris, L. Regayre, F. Stratmann, I. Thurnherr, H. Wernli, U. Baltensperger, M. Gysel, J. Dommen and J. Schmale

Models estimate that about 38 - 66 % of the cloud condensation nuclei (CCN) in the atmosphere originate from new particle formation (NPF) events driven by nucleation of vapors (in contrast to direct particulate emissions). However, field and laboratory experiments are required to confirm the validity of these predictions. With this contribution we will present the first comprehensive investigation of NPF in the Southern Ocean. Concentration of gaseous precursors (like sulfuric and iodine acid), chemical composition of small nucleating clusters and size distribution of ions and neutral particles were measured during the Antarctic Circumnavigation Expedition. We will show that, despite of the generally low temperatures and small condensational sink, NPF in the Southern Ocean rarely happen due to the small amount of condensable vapors. Our observations suggest that the few NPF events observed are sulfuric acid driven. Finally, we will discuss the relevance of NPF in the Southern Ocean as source of CCN.

Monday



Pablo Rodríguez-Ros is a graduate researcher doing a PhD in marine sciences at the Institute of Marine Sciences in Barcelona. His research focus on marine trace gases in the Southern Ocean, for which I use different ecological-biogeochemical modelling approaches. I have also participated in a couple of oceanographic cruises along many of the Earth's oceans. Passionate about science outreach and social communication of scientific research.

Ecological modeling of marine biogenic isoprene emissions in the Southern Ocean

P. Rodríguez-Ros, C. Nissen, P. Cortés, N. Gruber, R. Simó, S. Vallina, M. Vogt

Marine isoprene (C_5H_8) is a volatile organic compound produced eminently by phytoplankton, which acts as a precursor of secondary organic aerosol upon emission to the atmosphere. However, there is still a huge uncertainty on its global marine emission estimates (0.1-11.6 Tg C year⁻¹). We implemented lab- and in situ-derived, chlorophyll-specific isoprene production rates of three phytoplankton functional types (diatoms, coccolithophores and others), into a high-resolution set-up of the marine ecosystem model ROMS-BEC for the Southern Ocean (SO). Modeled isoprene emission peaks within the latitude band 40-60° S during austral summer, associated with high chlorophyll-a concentrations of diatoms and coccolithophores. The annual flux of isoprene in the SO (< 40° S) accounts for 0.027 Tg C year⁻¹, which represents 0.2 - 27 % of global marine isoprene emission estimates. Model sensitivity analyses show that better constraints on phytoplankton isoprene production rates and sinks are needed if we aim to project emission changes under global warming.



Paul Zieger is an assistant professor in atmospheric sciences at Stockholm University, Sweden. His research focuses around atmospheric aerosols and clouds using field and laboratory based experiments. In particular, he is interested in aerosol hygroscopicity (e.g. of sea spray particles) and aerosol optical properties. One major focus is the Arctic.

Revising the hygroscopicity of inorganic sea salt particles

P. Zieger, O. Väisänen, J.C. Corbin, D. G. Partridge, S. Bastelberger, M. Mousavi-Fard, B. Rosati, M. Gysel, U. K. Krieger, C. Leck, A. Nenes, I. Riipinen, A. Virtanen and M. E. Salter

Sea spray is one of the largest natural aerosol sources and plays an important role in the Earth's radiative budget. These particles are inherently hygroscopic, that is, they take-up moisture from the air, which affects the extent to which they interact with solar radiation. In this work, we demonstrate that the hygroscopic growth of inorganic sea salt is 8 - 15 % lower than pure sodium chloride, most likely due to the presence of hydrates. We observe an increase in hygroscopic growth with decreasing particle size (for particle diameters below 150 nm) that is independent of the particle generation method. We vary the hygroscopic growth of the inorganic sea salt within a general circulation model and show that a reduced hygroscopicity leads to a reduction in aerosol-radiation interactions, manifested by a latitudinal-dependent reduction of the aerosol optical depth by up to 15 %, while cloud-related parameters are unaffected.

Monday



Follow us on twitter
@SOLAS_IPO



Parallel discussion sessions

Can long term observatories be used to study the processes controlling air-sea exchange?

Co-conveners: C. Marandino, A. Koertzing, T. Bell, and J. Jeong

Room: 3

The boundary between the ocean and atmosphere is one of the Earth's most important interfaces. Despite the importance of this interface, the controls upon fluxes of mass and energy are not fully understood and quantified. Researchers from GEOMAR, Plymouth Marine Laboratory, the Korea Institute of Ocean Science and Technology, and the ENEA Station for Climate Observation Roberto Sarao have varying levels of experience running integrated air-sea exchange observatories. During this discussion session, we will identify the benefits and challenges associated with the data collected at these and similar sites around the world. The goal of the workshop is to publicize ongoing activity and to encourage community interest and participation at these sites.

Impacts of ocean plastic and microfibers on air quality and climate

Co-conveners: S. Royer and D. Deheyn

Room: 4

Plastic pollution has been a growing concern recently as it is found everywhere, impacting all forms of life, including humans. While many studies have investigated the extent of plastic pollution in aquatic environments and wildlife, very few studies have looked at the interplay between plastics and the atmosphere. It was recently proven that greenhouse gases are emitted from plastic degradation, which may potentially affect the global budget of methane, and thus link plastics to climate change. Similarly, synthetic microfibers are ubiquitous in the environment, including in the oceans and the atmosphere. Microfibers are invisible to the naked eye given their small size, and thus we breathe, eat and drink them without being aware of it. There is clearly an urgent need for increasing our knowledge regarding plastics and synthetic microfibers in the ocean and their transfer to the atmosphere, especially in the wake of environmental and human health issues already increased by climate change.



The coupling of ocean, sea ice and atmospheric chemistry & biogeochemistry – a cross-disciplinary research challenge

Co-conveners: M. Frey, P. Zieger, J. Thomas, D. Nomura, and N. Steiner

Room: 2nd meeting venue

The ocean areas covered by sea ice are undergoing significant climate change. Yet many underlying chemical, biological, and physical processes and feedbacks are still poorly understood strongly motivating continued research on the ocean-sea ice-atmosphere system. CATCH is an emerging activity sponsored by IGAC and SOLAS, whereas BEPSII is an initiative supported by SOLAS and CliC. Both facilitate interdisciplinary and international research on atmospheric chemistry and biogeochemistry with a focus on interactions between snow, ice, ocean, aerosols, and clouds in cold regions.

The session aim is to identify uncertainties in our understanding of the coupled ocean-sea ice-atmosphere system and discuss potential SOLAS/CATCH/BEPSII collaboration strategies. Topics include: ocean-sea ice-atmosphere interactions and their impacts on atmospheric and ocean biogeochemistry; feedbacks between climate change and atmospheric chemistry mediated by changes in sea ice; production and processing of aerosol and cloud precursors above and within sea ice/polar ocean and climate impacts; modelling challenges.



Poster sessions - Monday

These sessions features the posters from the following topics:

- 16:30 - 18:00
 - Theme 3: Atmospheric deposition and ocean biogeochemistry
 - Integrated topics
- 17:30 - 19:00
 - Theme 4: Interconnections between aerosols, clouds and ecosystems

Author	Title	No.
Theme 3: Atmospheric deposition and ocean biogeochemistry		
Gao, Huiwang	Changes in phytoplankton community due to dust addition in eutrophication, LNLC and HNLC seawaters in the Northwest Pacific	301
Gong, Xiang	Spatial variation of subsurface chlorophyll maximum in relation to temperature in northern South China Sea	302
Guo, Wei	Modelling the effects of atmospheric nitrogen deposition on primary production in the Yellow Sea and East China Sea	303
Guo, Zhigang	Atmospheric deposition and air? Sea gas exchange of polycyclic aromatic hydrocarbons over the Yangtze River Estuary, East China Sea	304
Hamilton, Douglas	Anthropogenic impacts on iron biogeochemical cycles	305
Ito, Akinori	Atmospheric deposition of iron from mineral dust and combustion aerosols to the ocean	306
Kurusu, Minako	Estimation of contribution of anthropogenic iron in marine aerosols by iron isotope ratios	307
Marsay, Chris	Concentrations, provenance, and fluxes of aerosol trace metals along the US GEOTRACES Pacific Meridional Transect	308
Matoba, Sumito	Temporal variation in iron deposition onto the Northern North Pacific reconstructed from an ice core drilled in Alaska	309
Matsui, Hitoshi	Anthropogenic combustion iron as a complex climate forcer	310
Nagashima, Kana	Provenance study of suspended detrital grains in the subarctic North Pacific using cathodoluminescence spectra of single quartz grains	311
Nakagawa, Fumiko	The triple oxygen isotopes of nitrate as tracer of atmospheric nitrate deposition in coastal seawater	312
Noguchi, Tadateru	Influence of Atmospheric Nutrient Deposition and Phytoplankton Species Composition in the Western North Pacific Subtropical Area in Winter	313
Obata, Hajime	Speciation of copper in the East China Sea	314



Olgun Kiyak, Nazlı	Iron (Fe) solubility of volcanic ash in seawater: Effect of grain size distribution of pristine volcanic ash	315
Perron, Morgane M.	Aerosol iron transport and deposition to the ocean around Australia.	316
Qi, Jianhua	Distribution of dry deposition velocities and fluxes of atmospheric particulate nitrogen and phosphorus over the China Marginal Seas and northwest Pacific	317
Sakata, Kohei	Organic carbon in sea spray aerosol: the role in iron and claw hypotheses	318
Taketani, Fumikazu	Seasonal response of northwestern Pacific marine ecosystems to deposition of atmospheric inorganic nitrogen compounds from East Asia	319
Tsunogai, Urumu	The O-17 excess of nitrate in the Japan sea	320
Wang, Lingyan	The $\delta^{15}\text{N}$ and $\delta^{18}\text{O}$ values of nitrate and ammonium in aerosols over the East China Sea-implications on offshore atmospheric processing	321
Yamamoto, Akitomo	Impact of glaciogenic dust on glacial CO_2 decrease and deoxygenation	322
Zhang, Chao	Fertilization of the Northwest Pacific Ocean by Chinese haze particles	323
Integrated topics		
Evans, La Kenya	Accumulation processes of trace metals into arctic sea ice: distribution of Fe, Mn and Cd associated with ice structure	601
Hepach, Helmke	The CoastSens project - providing a unique tool for coastal environmental monitoring in the Baltic Sea	602
Maione, Michela	Contribution of shipping to BC emissions: a European study	603
Martinez Lopez, Aida (by Hakspiel, C.)	Eutrophication and climate forcing: effects in nitrogen pathways in lagoons of the gulf of California	604
Suzuki, Koji	Seasonal variation of phytoplankton assemblages in surface waters of the North Pacific	605
Theme 4: Interconnections between aerosols, clouds and ecosystems		
Abe, Manabu	Effect of two different DMS emission schemes on aerosol processes on the Earth System Model, MIROC-ES2L	401
Aiki, Hidenori	A marine-field optical particle counter for sea-spray measurements: understanding the relationship between surface wave breaking and aerosol generation	402



Ding, Xue	Concentration distribution and sources of organic carbon in atmospheric particulates over the Yellow and Bohai Seas and in the coastal region	403
Hara, Keiichiro	Atmospheric sea-salt halogen chemistry in polar regions	404
Iwamoto, Yoko	CCN activities of marine aerosols over the North Pacific and its marginal seas during summer	405
Kawana, Kaori	Measurements of fluorescent aerosol particles over the North Pacific and the Indian Ocean	406
Kim, Wonnyon	Environmental magnetic assessment of particulate pollution by biomass burning in Korea	407
Law, Cliff	Surface ocean aerosol production (soap) in the south-west Pacific: an update	408
Lehahn, Yoav	The stimulating effect of horizontal dispersion on phytoplankton blooms in oligotrophic environments	409
Mansour, Karam	Marine biological activity influence on aerosol and cloud properties, observed through in situ and remote sensing measurements	410
Miyazaki, Yuzo	Origin of water-soluble organic nitrogen in marine atmospheric aerosols in the subtropical North Pacific	411
Perkins, Russell	Ice nucleation by surfactant films	412
Saint-Macary, Alexia	Will ocean acidification and warming alter DMS emissions from coastal waters?	413
Sellegri, Karine	Is marine biology influencing sea spray number concentrations and CCN properties?	414
Steiner, Nadja	Model simulations of present and future DMS emissions in the Arctic	415
Takahashi, Yoshio	Increase of soluble fraction of Fe in aerosol of volcanic origin during long-range transport	416
Wang, Yao	Distribution characteristics of culturable microorganism in Qingdao area	417
Yim, Un Hyuk	Atmospheric concentrations, total deposition and air? Water exchange of Polycyclic Aromatic Hydrocarbons (PAHs) in Anmyeon Island, eastern part of the Yellow Sea	418
Zhu, Chunmao	Sources of black carbon in the Arctic Ocean simulated by Flexpart transport model	419



Times	Tuesday, 23 April
08:30	Geoengineering / Science and Society Introduction by sessions chairs: P. Boyd and E. van Doorn
08:40	A. Lenton: Geoengineering, the Ocean and SOLAS
09:10	S. Tegtmeier: Impact of large-scale macroalgae production on the ozone layer
09:30	K. Mengerink: Marine spatial planning as a tool to advance science-based decision-making
10:00	S. Sarker: Taking the science to community: An approach of multi-stakeholders integration for sustainable Blue Economy development in Bangladesh
10:20	Coffee break
10:50	Theme 2: Air-sea interface and fluxes of mass and energy Introduction by session chairs: A. Rutgersson and P. Minnett
11:00	D. Nomura: Gas exchange process in the ice covered oceans
11:30	K. Krall: Air-sea gas transfer at hurricane wind speeds
11:50	P. Markuszewski: Sea spray fluxes: interconnections between ambient noise of bubbles and wave age
12:10	R. Stanley: Relating air-sea gas fluxes to bubble distributions at high wind speeds: insights from the sustain wind-wave tank
12:30	Lunch
14:30	Discussion sessions (in parallel) E. van Doorn, C. Marandino: SOLAS Science & Society: achievements, present status & future possibilities P. Hwang, T. Toyota: Enhanced air-sea interaction in the emerging Marginal Ice Zone C. Chen, E. Achterberg: The high-resolution measurement for the ocean-atmosphere interfacial layers
16:00	Coffee break (during poster session)
16:30 -18:00	Poster sessions Theme 5: Ocean biogeochemical control on atmospheric chemistry Geoengineering
17:30 -19:00	Theme 1: Greenhouse gases and the oceans



Plenary session Geoengineering

Session chairs: P. Boyd and E. van Doorn



Keynote speaker: Andrew Lenton

Andrew Lenton is an ocean carbon cycle and earth system modeler with Commonwealth Scientific and Industrial Research Organisation's (CSIRO's) Climate Science Centre, the Antarctic Climate and Ecosystems CRC, and the Centre for Southern Hemisphere Oceans Research, based in Tasmania, Australia. His research focuses on key three key impact areas: (i) Quantifying the past, present and future role of the of the global carbon cycle focusing primarily on the ocean; (ii) Exploring and understanding the impact of the carbon cycle and feedbacks changes on both climate and the marine environment; (iii) The potential role of geoengineering in ameliorating or reducing climate change, both globally and locally. He initiated and now leads the Carbon Dioxide Removal Model Intercomparison Project (CDRMIP) and continues to be part of the Geoengineering Model Intercomparison Project (GeoMIP), as well as serving on the international Working Group on Marine Geoengineering (GESAMP WG41).

Geoengineering, the Ocean and SOLAS

At present even rapid decarbonization through emissions reduction is unlikely to be sufficient to stabilise climate at the global temperature thresholds of the Paris Agreement. Consequently, keeping warming to well-below 2 degrees will almost certainly require some form(s) of climate geoengineering, either through solar radiation/reflection management (SRM) and/or negative emissions technologies (NETs). Despite the potential of geoengineering to limit warming, and its inclusion in many IPCC low-emissions pathways, the efficacy and potential impacts on the ocean, and the ecosystem services that it provides remains poorly known.

Therefore it is urgent that we fully understand the degree to which geoengineering could help mitigate climate change, and what may be the associated potential positive and negative impacts at the global and regional scale. This knowledge is needed if we are to weigh up the risks between the deployment of climate scale geoengineering and the projected impacts of climate change.

In this talk, I will discuss the current proposed SRM, and oceanic NETs approaches, how they differ, the domain and time-scales over which they act, and the ongoing challenges associated with geoengineering research. I will conclude by highlighting the potential role SOLAS, and its associated research community could play in geoengineering research.



Susann Tegtmeier (GEOMAR Helmholtz Centre for Ocean Research Kiel) is working in the field of atmospheric chemistry-climate interactions. Her research interests include oceanic halogen and sulfur emissions and their impact on atmospheric processes. Currently she is investigating if anthropogenic very short-lived halocarbons can pose a new threat to the ozone layer.

Impact of large-scale macroalgae production on the ozone layer

S. Tegtmeier, Y. Jia, D. Keller, B. Quack, J. Wu

Large-scale industrial production of marine macroalgae is currently discussed as an opportunity to mitigate and adapt to climate change. Among other climate benefits, macroalgae aquaculture can remove CO₂ from the atmosphere. Some of this carbon may be buried in sediments or exported to the deep sea, leading to long-term sequestration. There have also been initiatives to create biochar and bioenergy from macroalgal biomass with the goal of sequestering carbon via technical means.

In addition to the currently discussed benefits and limitations of macroalgae aquaculture, substantial production and emissions of very-short lived halocarbons (VSLHs) such as bromoform can be expected. Since VSLH contribute significantly to current ozone depletion, higher emissions in the future might install a new and so-far unrecognized threat to the ozone layer. Here, we simulate the bromoform production rates for future scenarios of industrial macroalgae production and highlight the implications for atmospheric ozone chemistry.

Tuesday



Follow us on twitter
@SOLAS_IPO



Plenary session Science and Society

Session chairs: P. Boyd and E. van Doorn



Keynote speaker: Kathryn Mengerink

Kathryn Mengerink is Executive Director at the Waitt Institute, a U.S. nonprofit that partners with governments to support sustainable ocean management. In particular, her work focuses on operationalizing science-based decision making through marine spatial planning, marine protected area development and fisheries management. In this position, she leads a team of ocean experts through a process of assessment, legal and policy development and management implementation.

From 2006 -2016 Kathryn founded and directed the Ocean Program at the Environmental Law Institute. Under her leadership, the Ocean Program launched law and policy projects related to regional ocean management, coastal zoning, fisheries management and enforcement, aquaculture, ocean and coastal restoration, offshore energy development, marine protection, Alaska Natives rights and ocean management, environmental DNA, deep seabed mining and more. From 2007-2016, she also served as a lecturer for Scripps Institution of Oceanography (SIO), where she taught ocean law and policy and served as an advisor to the Center for Marine Biodiversity and Conservation. She holds a B.S. in Zoology (Texas A&M University), Ph.D. in Marine Biology from SIO (UC San Diego) and a J.D. with a certificate of specialization in environmental law (UC Berkeley).

Marine spatial planning as a tool to advance science-based decision-making

Policymakers must make decisions about all aspects of society, economy and environment—decisions that sometimes align across these topics and other time conflict. In this framework, policymakers struggle with decisions related to ocean health, biodiversity, climate change, and how to achieve long-term sustainability. Clearly science is a core part of decision-making, but it is not the only issue under consideration. There are many competing interests. So how does science inform decision-making? This talk will explore the interface between science and society, focusing particularly on marine spatial planning (MSP). MSP is a science-based and participatory process that results in ocean plans that determine how the ocean will be used. MSP considers existing uses, as well as proposals for future uses such as deep seabed mining and geoengineering experiments. This talk will highlight existing work in South Pacific and the Caribbean where marine spatial planning efforts are underway.



Subrata Sarker is serving as an assistant professor of oceanography at the Shahjalal University of Science and Technology, Bangladesh. Here he is involved in teaching and research. His research interests are stochastic and nonlinear modelling of marine ecosystem, aquatic biodiversity, and coastal and marine resource management.

Taking the science to community: An approach of multi-stakeholders integration for sustainable Blue Economy development in Bangladesh

S. Sarker, M. M. Rahman, S. C. Basak and M. M. Islam


Utilization of marine resources towards achieving the sustainable economic development has got worldwide attention. This study aims to identify the Blue Economy (BE) potentials, challenges and develop a management framework for Bangladesh integrating multi-stakeholders. To collect data, consultations with different stakeholders were conducted. Secondary data were collected from the review of policy documents and articles. Marine resources, trades and commerce related to sea, and protections from the disasters are identified as the components of BE of Bangladesh. Conversely, climate-driven extreme events, pollutions, human interferences and limited law enforcement are identified as the challenges for the BE. To achieve sustainable BE in Bangladesh, a strategic planning is required which should focus on potential sectors related to BE, research and governance. The study argue that enhancing BE and achieving Sustainable Development Goals must go together to ensure that balance does not swing too far towards BE at the expense of environmental sustainability.



Plenary session

Theme 2: Air-sea interface and fluxes of mass and energy

Introduction by session chairs: P. Minnett and A. Rutgersson



Keynote speaker: Daiki Nomura

Daiki Nomura's research focuses on the carbon cycle within the ocean-atmosphere system, especially in the polar oceans. He has studied sea ice in the Southern Ocean, the Arctic Ocean, and the Sea of Okhotsk, in addition to conducting laboratory experiments on sea-ice freezing processes.

Gas exchange process in the ice covered oceans

Sea ice has until now rarely been considered in estimates of global biogeochemical cycles, especially gas exchanges, because of the assumption that, in ice-covered oceans, sea-ice acts as a barrier for atmosphere–ocean exchange. In order to understand the effects of sea-ice growth and decay processes on the biogeochemical cycles in the polar oceans, field observations in the Arctic, Antarctic, and Sea of Okhotsk as well as laboratory experiments were carried out. Observations over recent decades suggest that sea ice plays a significant role in global biogeochemical cycles, providing an active biogeochemical interface at the ocean-atmosphere boundary.



Kerstin Krall is a postdoctoral researcher at the Institute of Environmental Physics at Heidelberg University, Germany, and the head of the Aeolotron wind-wave tank laboratory. Her research interest is to untangle the physical mechanisms driving air-sea gas exchange. She has worked in wind-wave flumes throughout the world.

Air-sea gas transfer at hurricane wind speeds

K. Krall, S. Friman, B. Jähne, N. Takagaki, S. Komori, A. Smith, B. Haus, D. Sergeev, A. Kandaurov, Y. Troitskaya

The gas transfer velocities of many tracers (including He, SF₆, and DMS) spanning a wide range of solubilities and Schmidt numbers were measured in the Kyoto High-Speed Wind-Wave-Tank and the Miami SUSTAIN wind-wave-tank at wind speeds up to 76 m/s. Gas transfer velocities were measured with fresh and sea water.

A new regime starting at a wind speed of around 35 m/s was found, in which the gas transfer velocity increases stronger than the friction velocity cubed. In fresh water (sea water), bubble-mediated transfer contributes at most one third (two thirds) to the total gas transfer velocity, even for the gases with the lowest solubilities. For moderately soluble gases with negligible bubble contribution, the same steep increase was found. Therefore, this strong increase is not caused by bubble-induced gas transfer. For gases with solubilities larger than one, bubble contribution was found to be not dominant.



Piotr Markuszewski is a scientist from the Institute of Oceanology PAS, Poland. He received his PhD in 2018. His research interests include *in situ* observations of marine aerosols: fluxes, vertical and horizontal composition and transport. He performs his work in the Baltic Sea and North Atlantic region on board R/V Oceania.

Sea spray fluxes: interconnections between ambient noise of bubbles and wave age

P. Markuszewski, T. Petelski, Z. Klusek, E. D. Nilsson, P. Makuch, J. Piskozub, I. Wróbel, V. Drozdowska, K. Dziembor

We present results of nine years of sea spray emission measurements on-board the R/V Oceania ship (Petelski, 2003; Markuszewski et al., 2017). Scientific cruises were conducted in the so-called European Arctic (Norwegian Sea, Greenland Sea, Spitsbergen's fiords) and in the southern Baltic Sea region.

Based on a long range of measurements we found a strong relationship between the sea spray flux and parameters such as a wave age and a wind history. A wave age is the parameter combining a wind speed with a wave phase velocity. Our findings shows the flux even one order of magnitude higher for young waves than for old ones. We combined the sea spray flux measurements with recordings of an ambient noise of bubbles. The acoustic system, with the bandwidth of the tract reduced to the frequency range from 80 Hz to 12.5 kHz, was oriented towards registration of wind/rain components of an underwater noise.



Rachel Stanley is an assistant professor in the chemistry department at Wellesley College. Her research focuses on using dissolved gases as tracers of air-sea gas exchange and upper-ocean productivity. She is the United States national representative to SOLAS and the chair of the OCB Ocean-Atmosphere Interaction Committee.

Relating air-sea gas fluxes to bubble distributions at high wind speeds: insights from the sustain wind-wave tank

R. H. R. Stanley, L. Kinjo, H. Alt, E. Kopp, D. Aldrett, A. W. Smith and B. K. Haus

Despite much progress, air-sea gas exchange parameterizations differ from each other widely at high wind speeds. In addition, the gas flux due to bubbles, which become increasingly important as wind speed increases, is not explicitly represented in many commonly-used air-sea gas exchange parameterizations. In order to improve understanding of gas exchange at high wind speeds, in July 2018 we measured the gas flux of five noble gases (He, Ne, Ar, Kr and Xe) and oxygen at wind speeds of 20 to 50 m s⁻¹ in the SUSTAIN salt-water wind-wave tank. Concurrent shadowgraph measurements, which provide bubble size distributions, and polarimetric images of the water surface, which provide surface wave slopes and short wave spectra, enable the noble gas and oxygen fluxes to be linked to the physical environment. In this presentation, we will discuss results from this study, focusing on the linkages between bubble size distribution and air-sea gas fluxes.



Parallel discussion sessions

SOLAS Science & Society: achievements, present status & future possibilities

Co-conveners: E. van Doorn and C. Marandino

Room: 3

SOLAS has grown in recent years to include more disciplines as well as a diversity of stakeholders. It has recognised that greater efforts are needed to increase interaction between natural scientists and social scientists – especially in the light of anthropogenic influence on the ocean-atmosphere system. At the last Open Science Conference, we organised a discussion session to probe the interest in this topic. Multiple workshops have followed, focusing on bridging the gap between SOLAS science and the societal realm. SOLAS' current Science Plan contains a cross-cutting theme on science and society. Three main topics are currently being worked on under this umbrella: valuing carbon in the ocean, air-sea interaction and policy, and ship emissions. In this discussion session, we would like to outline how SOLAS scientists can participate in deepening and widening this range of topics.

Enhanced air-sea interaction in the emerging Marginal Ice Zone

Co-conveners: P. Hwang and T. Toyota

Room: 4

Multi-decadal observations have shown significant reductions in the extent and thickness of Arctic sea ice. Thinner sea ice promotes less snow accumulation on sea ice due to the loss of thicker multiyear ice and later freeze-up dates. Declining sea ice extent promotes more dynamic sea ice conditions in the emerging Marginal Ice Zone (MIZ). The expanding MIZ allows an intensification of the momentum and heat exchange between atmosphere and ocean, generates stronger ocean surface waves and enhances solar warming in the upper ocean. By contrast, intense sea ice melt in the MIZ forms a fresher surface layer and subdues the exchanges of momentum and heat between the ocean surface and the deep ocean. How do these contrasting factors affect air-sea interactions in the future Arctic Ocean?



The high-resolution measurement for the ocean-atmosphere interfacial layers

Co-conveners: C. Chen and E. Achterberg

Room: 2nd meeting venue

Ocean-atmosphere interactions (OAIs) form a dynamic and continuous natural material exchange process, and play an important role in the functioning of our earth system. Many of the mechanism of OAIs are not well understood. OAIs involve molecular activities, but the present in-situ measurements can only provide data at cm to m resolution, and cannot meet the need for OAI studies. It is necessary to improve the observation resolution for OAI layers. The temperature observation at the OAI layers with 0.6mm resolution (using the Buoyant Equipment for Skin Temperature-BEST) show that there is a strong OAI thermocline, which is just several centimeters thick on the top of ocean with up to 5k temperature difference. The strong temperature difference in the OAI thermocline will influence exchange processes and likely impact on microbial ecosystems and their functioning. This discussion session will provide a forum for scientists and technique experts to exchange ideas on promoting the high resolution measurement for the OAI layers, including new instrument development, high resolution measurement of physical, chemical and biological parameters, and data analysis



Poster sessions - Tuesday

These sessions features the posters from the following topics:

- 16:30 - 18:00
 - Theme 5: Ocean biogeochemical control on atmospheric chemistry
 - Geoengineering
- 17:30 - 19:00
 - Theme 1: Greenhouse gases and the oceans

Author	Title	No.
Theme 5: Ocean biogeochemical control on atmospheric chemistry		
Altieri, Katy	Biogeochemical controls on marine aerosols and their precursors in the pristine atmosphere of the Southern Oceans	501
Bell, Thomas	Controls on dimethylsulfide variability in the North Atlantic during different seasons and states of the phytoplankton bloom	502
Booge, Dennis	Seasonal changes of coastal surface ocean isoprene concentrations	503
Conte, Ludivine	Modeling the oceanic cycle of isoprene at the global scale	504
Deschaseaux, Elisabeth	Dimethylsulfide (DMS) fluxes from permeable coral reef carbonate sediments	505
Du, Lin	Surface reactions of marine aerosols	506
Fujii, Masahiko	First long-term continuous monitoring and modeling of ocean acidification properties in the subarctic coast of Hokkaido, Japan	507
He, Xucheng	Nucleation and growth of iodine particles in the CERN CLOUD experiment	508
Hepach, Helmke	Linking marine phytoplankton and atmospheric chemistry – biogenic iodate reduction and potential impacts on tropospheric iodine	509
Jia, Yue	The impact of oceanic emissions of bromoform on the remote atmosphere	510
Jung, Jinyoung	Characteristics of sulfur-containing aerosols and organic carbon in the Amundsen Sea, Antarctica	511
Kameyama, Sohiko	Development of measurement system for marine and atmospheric isoprene and dimethyl sulfide using Curie-Point Pyrolyzer (CPP)	512
Kanaya, Yugo	Comprehensive over-ocean atmospheric ozone measurements on R/V Mirai from 67 °S to 75 °N during 2012 – 2017: missing sink linked to iodine chemistry in low latitudes	513
Kieber, David	Photochemical production and biological turnover of acrylate in a coral reef ecosystem in Mo'orea, French Polynesia	514




Latif, Mohd Talib	Surfactants in the sea surface microlayer, subsurface water and fine marine aerosols in coastal areas around Malaysian Peninsula	515
Lawson, Sarah (by Law, C.)	Atmospheric DMS, methanethiol and acetone over the South West Pacific during the SOAP voyage	516
Liu, Chun-Ying	Effects of <i>Ulva prolifera</i> blooms on the carbonate system in the southern Yellow Sea	517
Manville, George	High-resolution spatial variability length scales of surface ocean dimethylsulfide (DMS) concentrations	518
Masdeu Navarro, Marta	Day/night VOC's cycling in open ocean and coral reef ecosystems of the French Polynesia	519
Nishikawa, Hatsumi	High-resolution modeling of iron and phosphate transport in the subarctic North Pacific	520
Omori, Yuko	Quantification of microbial and photochemical production of oxygenated volatile organic compounds in coastal seawater	521
Ooki, Atsushi	Isoprene productions in seawater of the Funka Bay, Hokkaido, Japan	522
Schneider, Stephanie	Formation of secondary organic aerosol from the oxidation of <i>T. pseudonana</i> cultures	523
Sellegri, Karine	Biological influences on atmospheric new particle formation during a mesocosm experiment in New Zealand coastal waters	524
Simó, Rafel	Sources and sinks of DMS, isoprene and halomethanes in a coral reef ecosystem of the French Polynesia	525
Tanimoto, Hiroshi	Air-sea exchange and budget of sulfur and oxygen-containing organic compounds in the Pacific Ocean	526
Tham, Yee Jun	Observation of inorganic oxides and acids in the Atlantic coastal environment: implications on the aerosol formation and growth	527
Tjiputra, Jerry	Amplification of future warming through changes in marine DMS emissions	528
Wilson, Jesse	Using time-series analysis to assess relationships between atmospheric volatile organic compounds, algal populations, microbial functioning, and marine gases	529
Yadav, Atul	Anthropogenic very short-lived halocarbons from seaweed farming in Southeast Asia	530
Yang, Gui-Peng	Transformation and cycling processes of biogenic dimethylated sulfur compounds in the East China Continental Sea	531
Yao, Xiaohong	Mapping concentrations of ammonia in the marine atmosphere along the long coastline in China	532



Yu, Juan	Effects of nitrate and salinity on DMSP production and antioxidant systems of <i>Emiliana huxleyi</i> (Prymnesiophyceae)	533
Geoengineering		
Tjiputra, Jerry	Asymmetry in air-sea CO ₂ fluxes during rapid warming and rapid cooling scenario	606
Lauvset, Siv	Climate engineering and the ocean: effects on biogeochemistry and primary production	607
Theme 1: Greenhouse gases and the oceans		
González-Dávila, Melchor	24 years studying the fluxes of CO ₂ and its effects in the Estoc station	101
Gu, Xueji	Dissolved nitrous oxide and hydroxylamine in the marginal seas of China: distribution, emission and production	102
Hakspiel, Cristian	Nitrification and removal of dissolved inorganic nitrogen in the hypoxic layer of Alfonso Basin, Gulf of California	103
He, Zhen	Distributions of volatile halocarbons in the marine atmosphere and seawater of the northern South China Sea during summer	104
Lachkar, Zouhair	Air-sea CO ₂ fluxes in the Arabian Sea under higher atmospheric CO ₂ and warmer climate	105
Le Nguyen, Hoa Tien	The impact of the hydrodynamics on coastal mangrove forests in response to sea level rise and climate change	106
Miller, William	Re-examining photochemical oxidation of DOC to DIC/CO ₂ : methods, proxies and models	107
Nakaoka, Shin-ichiro	fCO ₂ and sea-air CO ₂ flux variability in the global ocean from 2001 to 2014	108
Orselli, Iole	Satellite-derived carbon dioxide partial pressure along Agulhas eddies trajectories	109
Santana-Casiano, J. Magdalena	Changes in the fluxes of CO ₂ in the Mauritanian - Cap Vert upwelling region and its effect in the ocean acidification	110
Suntharalingam, Parvadha	Oceanic nitrous-oxide emission estimates from empirical and process models	111
Yasunaka, Sayaka	Arctic Ocean CO ₂ uptake: an improved multi-year estimate of the air-sea CO ₂ flux incorporating chlorophyll-a concentrations	112
Yasunaka, Sayaka	Spatio-temporal variability of surface water pCO ₂ and nutrients in the tropical Pacific from 1981 to 2015	113



Zhang, Guiling	Distribution of concentration and stable isotopic composition of N ₂ O in the shelf and slope of the northern South China Sea: Implications for production and emission	114
Zhang, Hong-Hai	Coastal observation of non-methane hydrocarbons in the Yellow Sea and East China Sea during spring: spatial variability, controlling factors and environmental effect	115



Tuesday



Times	Wednesday, 24 April
08:30	Theme 1: Greenhouse gases and the oceans Introduction by sessions chairs: A. Koertzinger and G. Zhang
08:40	S. Lauvset : The Carbon Cycle: The role of oceans and humans
09:10	O. Bui : Dissolved methane distribution and its controlling factors in the Arctic Ocean in 2016 summer
09:30	Y. Eddebbar : Volcanic modulation of ocean ventilation: implications for air-sea carbon and oxygen exchange
09:50	L. Kepler : Regional wind variability modulates the Southern Ocean carbon sink
10:10	Group picture
10:20	Coffee break
10:50	Theme 5: Ocean biogeochemical control on atmospheric chemistry Introduction by session chairs: J. Ovadnevaite and Y. Miyazaki
11:00	A. Mahajan : Oceanic regulation of atmospheric chemistry: past, present and future
11:30	S. Smith : Modelling of ammonia/um across the air-sea interface in the Atlantic sector of the Southern Ocean
11:50	K. Hamasaki : Microbial community dynamics in sea surface microlayer and sea spray aerosols observed in coastal inlets of Japan
12:10	J. Maas : Simulating halocarbon concentration in ocean and atmosphere from industrial water treatment
12:30	Lunch
14:30	Discussion sessions M. Uematsu, A. Zivian, K. Slavik: WHAT IS Ocean KAN? A. Ito, W. Landing, D. Hamilton: Atmospheric deposition of iron, ocean biogeochemistry and marine emission of biological aerosols P. Suntharalingam, G. Zhang, A. Koertzinger: Oceanic greenhouse gases: The present situation and future initiatives
16:00	Coffee break (during poster session)
16:30 -18:00	Poster session Theme 2: Air-sea interface and fluxes of mass and energy
19:30	Conference banquet

Wednesday



Plenary session

Theme 1: Greenhouse gases and the oceans

Session chairs: A. Koertzinger and G. Zhang



Keynote speaker: Siv Kari Lauvset

Siv Kari Lauvset is interested in increasing the overall understanding we have of the carbon cycle in the ocean and how human perturbations to the atmosphere affects the ocean. She focuses especially on carbon cycle changes in recent decades, but also how this may change in a future with or without emission mitigation efforts. While she focuses mostly on observational studies she finds Earth System models a useful and valuable tool. It is very important that we have good observational data

and she is engaged in global data syntheses and quality control of large datasets such as GLODAP and SOCAT. She is currently coordinating the Norwegian node of the European distributed research infrastructure ICOS, and on the steering committee for the Norwegian BGC-Argo network. She started her career by focusing on the waters around Norway, but in recent years has worked more and more with global issues.

The Carbon Cycle: The role of oceans and humans

One of the fundamental unanswered questions in climate science is: where does the carbon go? Humans are perturbing the natural carbon cycle by burning fossil fuels and we need to be able to quantify the movement of anthropogenic carbon in nature in order to verify the self-reporting of emission reductions pledged under the Paris Agreement. Quantifying the magnitude of these carbon fluxes is non-trivial, and identifying where carbon goes is further complicated by the large internal variability in Earth's carbon cycle. The ocean currently remove ~25 % of anthropogenic CO₂ emissions, and the ocean carbon sink has considerably less variability than the terrestrial carbon sink. Nevertheless, recent research has shown that fully accounting for the interannual and multidecadal variations in the ocean carbon sink significantly reduce the estimated cumulative ocean uptake. The ocean carbon sink is a key element in understanding future climate change because the retention time of carbon in the ocean is vastly longer than that in the terrestrial sink, making the ocean the only long-term removal option for anthropogenic carbon. To properly quantify this removal large amounts of data with high spatial and temporal coverage is necessary. This is beginning to become available through networks such as ICOS, SOCONET, and BGC-Argo and already a transformation in our understanding of both the magnitude and dynamics of the ocean carbon sink is taking place. This presentation will focus on the role of oceans and humans in Earth's carbon cycle, including how these roles might influence the future ocean and the future climate.



Bùi Thị Ngọc Oanh studied in Earth Science and received her PhD from Hokkaido University (Japan) in 2018. After graduation, Oanh started lecturer position in the field of Oceanology in University of Science (VNU-HCMC, Vietnam). Her research interests are sea-air interaction of methane in the polar regions, biogeochemical cycles.

Dissolved methane distribution and its controlling factors in the Arctic Ocean in 2016 summer

O. T. N. Bui, S. Kameyama, U. Tsunogai, J. Jung, E. J. Yang and S.-H. Kang

Methane (CH_4) is a potent greenhouse gas and plays significant roles in both tropospheric and stratospheric chemistry. In the Arctic Ocean, a massive CH_4 hydrates from marine sediments release and/or biogenic CH_4 producing in anaerobic environment and then diffusion into water column was examined. Due to global warming sea ice extent is decreasing, it directly affects sea-air exchange of CH_4 . During the cruise of IBRV ARAON (ARAON-07B) on August 2016, we investigated CH_4 distribution in the Arctic Ocean under two conditions: in the shelf water and sea ice covered region in order to evaluate the influence of sea ice coverage on CH_4 emission. High dissolved CH_4 concentration was found at the Chukchi shelf slope and was detected at surface seawater where was consistent with high sea ice concentration. This investigation allows us to gain some insights into the role of the sea ice on CH_4 concentration and the flux.



Yassir Eddebbbar is a postdoctoral scholar at the Scripps Institution of Oceanography. He received his PhD in Oceanography working with Dr. Ralph Keeling on understanding the natural variability of the oceanic oxygen cycle using models and observations. Currently, he is focused on understanding how mesoscale phenomena impact ocean biogeochemical dynamics.

Volcanic modulation of ocean ventilation: implications for air-sea carbon and oxygen exchange

Y. Eddebbbar and K. Rodgers

Volcanic eruptions have a major influence on global and regional climate. Their impacts on the oceanic oxygen (O_2) and carbon cycle however remain poorly understood. We evaluate here Large Ensemble CESM and GFDL model simulations of recent eruptions including Agung, El Chichon, and Pinatubo on ocean physics and biogeochemistry. Models indicate a substantial volcanic modulation of ocean ventilation at higher latitudes and ENSO phase in the tropical Pacific driving significant changes in air-sea O_2 and carbon exchange. The high latitude ventilation response is associated with significant upper ocean heat loss, deepening of mixed layer, and enhanced mode and intermediate water mass formation, driving significant changes in air-sea O_2 and carbon exchanges. This acts to significantly halt the advance of ocean deoxygenation during the 20th century and drives substantial interannual-to-decadal variability in the oceanic carbon sink, and must thus be taken into account in attribution studies.



Lydia Keppler did a MSc in climate science at the University of the South Pacific in Fiji. Currently Lydia is doing her PhD at the Max-Planck-Institute for Meteorology in Hamburg, Germany. Combining various observation-based estimates, her research focus is on the carbon uptake in the Southern Ocean and the physical drivers behind its variability.

Regional wind variability modulates the Southern Ocean carbon sink

L. Keppler and P. Landschützer

The Southern Ocean (SO) accounts for ~50 % of the annual oceanic carbon uptake, substantially mitigating the effect of anthropogenic carbon dioxide (CO₂) emissions. The intensity of this globally important carbon sink varies substantially, but the drivers of this variability are still debated. Analyzing observation-based air-sea CO₂ fluxes, we find that the overall carbon sink south of 35 °S has weakened since ~2011, reversing the trend of the reinvigoration period of the 2000s. Although there is a strong regional correspondence between the SO carbon uptake and the Southern Annular Mode (SAM) over the past 35 years, the overall effect of the SAM on the SO carbon sink variability is approximately zero, due to the opposing effects of enhanced outgassing in upwelling regions and enhanced uptake elsewhere. Instead, regional shifts in sea level pressure and surface wind patterns substantially contribute to the inter-annual to decadal variability of the SO carbon sink.



Follow us on twitter
@SOLAS_IPO



Plenary session

Theme 5: Ocean biogeochemical control on atmospheric chemistry

Introduction by session chairs: J. Ovadnevaite and Y. Miyazaki



Keynote speaker: Anoop Mahajan

Anoop S. Mahajan received his PhD in atmospheric chemistry at the University of Leeds, UK and after working as a postdoctoral researcher at the Department of Atmospheric Chemistry and Climate, CSIC, Spain, he has been working at the Indian Institute of Tropical Meteorology since 2012. His research group focuses on the measurement and modelling of trace gases in the atmosphere. Most of his work has been on the emissions of halogens and volatile organic compounds from the ocean

surface and the impact they have on the atmosphere in terms of changing the oxidising capacity and affecting the radiation budget through aerosol formation. He has co-authored more than 50 papers on halogen, dimethyl sulphide and volatile organic carbon chemistry.

Oceanic regulation of atmospheric chemistry: past, present and future

It has been more than three decades since the CLAW hypothesis, which suggested that ocean biogeochemistry could directly affect atmospheric chemistry and hence climate, was proposed. In this intervening period, significant research has investigated the links between different biogeochemical processes and their effect on the lower and upper atmosphere. We now know that the hypothesized processes are more complex than first proposed but it has also become clear that ocean biogeochemistry does significantly affect atmospheric chemistry. This happens through a range of processes such as changing the aerosol concentrations and hence cloud properties, as in the case of dimethyl sulfide or non-methane volatile organic compounds (NMVOCs); affecting oxidation chemistry and the ozone and hydroxyl radical budget, as in the case of halogens and NMVOCs such as acetone and isoprene; or impacting reactive chemistry in the troposphere and stratosphere, as in the case of halocarbons. Indeed, these processes can also have a feedback with changes in atmospheric concentrations affecting oceanic biogeochemistry and emissions. Proxies from ice cores have thrown new light on the extent of changes that have occurred in the past and the trends that can be expected in the future. New observations indicate that the impacts of ocean biogeochemistry on the atmosphere are not only important on climatic scales but that some of these processes are important on short timescales and need to be included in air quality models. This talk summarizes the major achievements, current state-of-the-art and new questions that need attention on this front, with a focus on oceanic emissions and its impact on atmospheric trace gas chemistry.



Shantelle Smith is an oceanography student at the University of Cape Town. Her thesis uses an observational and modeling approach to study the exchange of ammonia/um across the air-sea interface in the Southern Ocean.

Modelling of ammonia/um across the air-sea interface in the Atlantic sector of the Southern Ocean

S. Smith, M. Vichi, and K. E. Altieri

Investigating the anthropogenic effect on the nitrogen cycle requires distinguishing between natural and anthropogenic sources. However, the largest natural source, the surface ocean, has been difficult to study due to the dominance of continental sources and inaccessibility of remote regions. We investigated ammonia/um cycling between the surface ocean and lower atmosphere at 15 stations across the Southern Ocean during 2017. We used the Biogeochemical Flux Model, initialised with cruise observations, to calculate the concentrations and isotopic compositions of atmospheric ammonia gas and ammonium aerosols. The model was forced with environmental conditions from atmospheric and oceanic reanalyses, extracted at selected stations. Predicted concentrations and isotopic compositions varied between Southern Ocean Zones. The main drivers of atmospheric ammonia/um variability are seawater ammonium concentrations and isotopic compositions, sea surface temperatures, and wind speeds. The relationship between environmental conditions and atmospheric ammonia/um suggests a regionally varying isotopic signature of the natural marine ammonia source.



Koji Hamasaki is professor of the laboratory of marine microbiology. He has been interested in microbial diversity and functions in surface ocean ecosystems and their roles in biogeochemical cycles. Many work of his group is based on sample and data collections during sea-going oceanographic research.

Microbial community dynamics in sea surface microlayer and sea spray aerosols observed in coastal inlets of Japan

K. Hamasaki, S. K. Wong, Y. Iwamoto, A. Iwata, M. Furuya, A. Matsuki and M. Uematsu

Organic matter and microbes in the sea surface microlayer (SML) are sources of bioaerosols in the ocean and determines physicochemical characteristics of sea spray aerosols (SSA) such as cloud condensation nuclei (CCN) activity and ice nuclei (IN) activity. They are important to understand interacting mechanisms between marine biota and physicochemical atmospheric processes. We investigated the prokaryotic diversity and functions in the SML and their roles in SSA as a source of CCN and IN activities. Community structure analyses of bacterial and archaeal 16S rRNA gene sequencing revealed large differences between the SML and UW. The difference was also found in functional potential of microbial community genomes analyzed by an environmental gene microarray, GeoChip 5.0M. Furthermore, field campaigns have been done to study the relationship between microbial community diversity in the SML and CCN/IN activity of the SSA.



Josefina Maas is a PhD candidate at GEOMAR in Kiel, Germany. Her research focuses on the increase of very short-lived halocarbons from oxidative water treatment in industry and shipping. With high-resolution models she simulates anthropogenic species in the ocean and their emission to the atmosphere. Her aim is to estimate anthropogenic halocarbon concentration against natural sources.

Simulating halocarbon concentrations in ocean and atmosphere from industrial water treatment

J. Maas, Y. Jia, A. Biastoch, B. Quack, S. Tegtmeier

Large volumes of seawater are used in different industrial sectors such as power plants and ships. Chemical disinfection of this seawater prevents bio-fouling, but also produces halogenated disinfection by-products (DBPs). One major DBP is bromoform whose anthropogenic input to the environment is highly uncertain. Halocarbons such as bromoform impact the oxidation of trace gases and ozone chemistry in the atmosphere.

We quantify the contribution of DBPs from industrial waste water to oceanic halocarbon concentrations and their impact on atmospheric chemistry. Based on industrial water discharge and DBP estimates, we simulate oceanic pathways of halocarbons along NEMO-ORCA12 driven Lagrangian trajectories. Anthropogenic halocarbon concentration are strongly enhanced along the coasts in Southeast Asia, but also allow for transport into the open ocean. We highlight bromoform showing that its anthropogenic sources can explain much of observed shelf water concentrations. We show how anthropogenic marine bromine impacts tropospheric and stratospheric ozone chemistry compared to natural background emissions.



Parallel discussion sessions

WHAT IS Ocean KAN?

Co-conveners: M. Uematsu, A. Zivian, and K. Slavik

Room: 4

The importance of protecting the ocean is recognized in Sustainable Development Goal (SDG) 14, “Conserve and sustainably use the oceans, seas and marine resources (LIFE BELOW WATER)”, proclaimed by the United Nations. The goal recognizes several threats to the ocean including climate change, acidification, deoxygenation, and pollution, which are closely related to SOLAS research topics. In addition, SOLAS, as a Global Research Project under Future Earth, will play a critical role in the upcoming United Nations Decade of Ocean Science for Sustainable Development (2021–2030). The Ocean Knowledge-Action Network (KAN), co-sponsored by Future Earth, WCRP, SCOR, and IOC, is a network of networks. Its mission is to bridge disciplines and draw experts together to seek action-focused solutions for challenges that require a multi-sectoral approach, international cooperation and transdisciplinary research. In that role, it can work with SOLAS to contribute directly to global sustainability efforts, in particular the SDGs, the UNFCCC, and the Decade of Ocean Science. This session will explore and outline ways that SOLAS and the Ocean KAN can work together to amplify SOLAS’s work and to connect it to the broader ocean, climate, and sustainable development communities to improve the knowledge, governance, and action needed to ensure healthy, functional oceans.

Atmospheric deposition of iron, ocean biogeochemistry and marine emission of biological aerosols

Co-conveners: A. Ito, W. Landing, and D. Hamilton

Room: 2nd meeting venue

Atmospheric deposition of aerosols to the ocean has been suggested to modulate marine primary productivity. Marine organic material has been shown to be an important source of ice-nucleating particles (INP) in high-latitude environments, and hence impacts the atmospheric energy balance. Significant progress has been made in our understanding of atmospheric inputs of labile iron (Fe) from natural and anthropogenic sources to the surface oceans. However, there are still large uncertainties regarding the relative importance of different sources of aerosols, the effects of atmospheric aerosol deposition on bioavailable Fe concentrations in the ocean and on the marine organic material and its role as INP. The discussion in this session focuses on problems and challenges in laboratory experiments and field measurements to improve the representations of trace metal biogeochemistry in atmosphere and ocean models, in particular, the two-way movement of aerosol material across the boundary between the atmosphere and ocean.



Oceanic greenhouse gases: The present situation and future initiatives

Co-conveners: P. Suntharalingam, G. Zhang, and A. Koertzing

Room: 3

Carbon dioxide (CO₂), methane (CH₄), and nitrous oxide (N₂O) are the most significant long lived greenhouse gases (GHGs) after water vapour. Physical and biogeochemical processes in the surface ocean play an important role in controlling the fluxes of these gases between the ocean and atmosphere. This session aims to encourage discussions about pertinent and unresolved issues relating to oceanic GHGs. For example, what are the sensitivities of the governing source and sink processes to climate and environmental change? How will GHG cycling and air-sea fluxes be influenced by factors such as increasing seawater temperatures, decreasing oxygen concentrations, ocean acidification and increasing nutrient loading? How reliably can we predict future oceanic fluxes of GHGs in a changing earth system? We will also highlight the work of ongoing GHG related programs and initiatives such as the Global Carbon Project's GHG Budget syntheses, and the newly formed Intergovernmental Oceanographic Commission Integrated Ocean Carbon Research Working Group. This session aims to provide an overview of ongoing GHG-related activities, to highlight directions for future relevant research, and to encourage the development of new initiatives and collaborations. Participants are encouraged to contribute to this session by providing the organisers with short summaries (e.g., 1 slide) of their ongoing and planned GHG research activities.



Poster session - Wednesday

These session features the posters from the following topic:

- 16:30 - 18:00
 - Theme 2: Air-sea interface and fluxes of mass and energy

Author	Title	No.
Theme 2: Air-sea interface and fluxes of mass and energy		
Barbot, Simon	Internal tidal waves impact over the surface elevation and their seasonal variability	201
Dai, Hanjing	Surface oil film effects on hydrodynamic properties of short wind-generated waves	202
Du, Ling	Costal vulnerability connected with sea level rise and storm surge in the Northwest Pacific Ocean	203
Esters, Leonie	Evaluation of a turbulence-based description of the air-water gas transfer velocity	204
Friman, Sonja	Investigations of SO ₂ transfer across the air-water interface	205
Giostra, Umberto	Influence of sub-mesoscale motions on dispersion in marine boundary layer	206
Guo, Tianfeng	Seasonal deposition to and gas exchange of PBDEs at the air-water interface over a strongly human influenced large river estuary: role of atmospheric transport and riverine runoff	207
Horowitz, Hannah	Blowing snow sea salt aerosol emissions and radiative effects in present and future climates	208
Kameyama, Kohei	Typhoon-induced vertical mixing measured by the Kuroshio Extension Observatory buoy	209
Kang, Sok Kuh	Air-sea interaction around the warm and cold eddies in low wind conditions within the eddy-rich zone of the Northwestern Pacific	210
Kieber, David	Oceanic efflux of ancient marine dissolved organic carbon in primary marine aerosol	211
Kinjo, Lumi	Measuring noble gas fluxes at high wind speeds in the sustain wind-wave tank	212
Komatsu, Kosei	Measuring the air-sea interface using a bird-attached logger	213
Li, Bofeng	Quasi-real-time and high-resolution spatiotemporal distribution of anthropogenic CO ₂ in the subarctic North Pacific Ocean	214
Li, Yangchun	The relationship between the NAO and North Atlantic CO ₂ flux on different timescales	215
Marandino, Christa	Baltic Sea Gas Exchange Experiment (Baltic GasEx)	216



Pan, Xianliang	Evaluation of oceanic anthropogenic fixed nitrogen in the western North Pacific	217
Rutgersson, Anna	Using land-based stations for air-sea interaction studies	218
Shi, Huangyuan	North-South pathway of sea surface salinity anomaly combined with observation and satellite data in the west Pacific Warm Pool	220
Shi, Jian	The influence of sea spray on sea surface drag coefficient	222
Watanabe, Yutaka	Dynamics of fixed nitrogen cycling between the Okhotsk Sea and the subarctic North Pacific	223
Xu, Yongfu	Trends in the air-sea CO ₂ exchange fluxes in the Southern and Northern Hemispheric oceans	224
Yunoki, Shun	Spatiotemporal changes of ocean acidification and anthropogenic CO ₂ by using parameterizations of ocean carbon species in the western North Pacific	225
Zavarsky, Alex	Reynolds number parameterization of gas transfer suppression	226
Zhang, Yong	Preliminary study on atmospheric PAHs and flux deposition in coastal mangrove ecosystem	227
Zhou, Li	Temporal changes of DMS mixing ratios in the air over the Baltic Sea	228
Zhou, Lin	The influence of wave induced Stokes drift on the sea surface temperature in North Pacific	229
Stolle, Christian (by Zieger, P.)	The effect of (no) light on the air-water interface	230
Zieger Paul	Characterisation of sea spray simulation chamber generated bioaerosols in the Baltic Sea	231



Times	Thursday, 25 April
08:50	Integrated topics II Introduction by session chairs: K. Altieri and S. Kameyama
09:00	S. Landwehr: Investigation of sea spray source functions with aerosol size spectra measurements from the Antarctic Circumnavigation Experiment
09:20	L. Gutierrez-Loza: Air-sea CH ₄ fluxes from eddy covariance measurements in the Baltic Sea
09:40	P. Wongpan: Using under-ice spectra to determine land-fast ice algal biomass in Lake Saroma, Japan
10:00	M. Frey: Sea salt aerosol from blowing snow above sea ice - a new particle source
10:20	Coffee break
10:50	Theme 3: Atmospheric deposition and ocean biogeochemistry Introduction by session chairs: L. Gallardo and P. Suntharalingam
11:00	Y. Chen: Atmospheric deposition of nitrogen and trace metals affects marine phytoplankton and their feedback to aerosols
11:30	W. Landing: Atmospheric deposition to the oceans controls biological productivity
11:50	R. Mukherjee: Limitation of iron on N ₂ fixation in the Arabian Sea
12:10	C. White: Impact of atmospheric nitrogen deposition to nitrogen limited marine surface waters in the temperate and subtropical North Atlantic Ocean
12:30	Conference closing



Follow us on twitter
@SOLAS_IPO



Sebastian Landwehr studies air-sea interaction processes. Whether he is investigating CO₂ piston-velocity via ship-borne Eddy Covariance or harmonising multidisciplinary data sets of the ACE Expedition in the Antarctic, he is convinced that advances in theory require close observation of measurement data. He currently works at Paul Scherrer Institute, Switzerland.

Investigation of sea spray source functions with aerosol size spectra measurements from the Antarctic Circumnavigation Experiment

S. Landwehr, R. Modini, M. Volpi, F. P. Cruz, A. Toffoli, I. Thurnherr, F. Aemisegger, H. Wernli and J. Schmale

Sea spray aerosols affect the Earth's radiation balance. They directly scatter solar radiation, and act as cloud condensation nuclei, thereby modifying the reflectivity and lifetime of clouds. This may be especially important over remote, heavily undersampled, ocean regions, which are far from continental and anthropogenic sources of particles. The scarcity of data limits our ability to constrain sea spray aerosol flux parameterisations and to accurately model the natural aerosol burden of the atmosphere. Here we present aerosol size spectra measurements from the Antarctic Circumnavigation Expedition (ACE) December 2016 to March 2017, which covered a wide range of regions (some previously unsampled) and weather conditions. We isolate the sea spray component using a lognormal-mode-fitting procedure and relate it to in situ measurements of wind speed and sea state. Using air parcel backward trajectories we also evaluate commonly used sea spray source function parameterisations against the measured number size distributions.



Lucia Gutierrez Loza did her master studies in physical oceanography in México on air-sea interaction processes. Currently, she does her PhD at the Uppsala University on air-sea exchange processes with the focus on the direct flux estimation of energy, water vapor, and greenhouse gases in the Baltic Sea.

Air-sea CH₄ fluxes from eddy covariance measurements in the Baltic Sea

L. Gutierrez Loza, A. Rutgersson, M. Wallin, E. Sahlée and E. Nilsson

The potential of micrometeorological methods has been poorly exploited for the estimation of CH₄ fluxes (FCH₄) in marine environments. The use of these techniques (e.g. eddy covariance (EC)) can be useful for constraining the regional and global estimates of oceanic CH₄ contributions to the atmosphere, as well as, to improve our understanding about air-sea exchange processes.

We investigate the viability and quality of EC measurements to estimate FCH₄ from a land-based station in the Baltic Sea. We use one year of continuous measurements to analyze the annual cycle of CH₄ concentrations and FCH₄. We observe positive FCH₄ throughout the year. Both the air-water concentration gradient and the physical conditions (i.e. wind speed) are crucial parameters controlling the flux. The results are in well agreement with other CH₄ measurements in the Baltic Sea (MEMENTO database) suggesting that the EC technique is a useful tool for improving the understanding of air-sea FCH₄.



Pat Wongpan was born in Thailand. He obtained his PhD from University of Otago, New Zealand, and was a David Crighton fellow at University of Cambridge. He is a JSPS Postdoctoral fellow at ILTS, Hokkaido, Japan. He is interested in sea ice-ice shelf-ocean interaction and its consequences on ecosystem.

Using under-ice spectra to determine land-fast ice algal biomass in Lake Saroma, Japan

P. Wongpan, T. Toyota, T. Tanikawa, D. Nomura, T. Hirawake, A. Ooki, and S. Aoki

Land-fast ice is a key component of coastal ecosystems in polar regions, providing a habitat for ice algal communities. To date the estimation of algal biomass by satellites has only applied to the unfrozen ocean. This study examines the relationships between the normalized difference indices (NDI) calculated from under-ice hyperspectral measurements and ice algal biomass for land-fast ice in Lake Saroma, Japan. We analyze physical properties of snow and ice supporting our paired in situ optical and biological measurements along transect lines. Our new observation-based algorithms can be applied to non-invasively estimate land-fast ice algal biomass which will fill the gap of monitoring algal biomass under the ice cover during winter and winter-spring transition. Together with the Ocean Color, our algorithms will help improve the understanding of the temporal and spatial variability of algal biomass using moorings and underwater vehicles and its impact on the local aquaculture of Japanese scallops.



Markus M. Frey is an atmospheric and ice chemist at the British Antarctic Survey and co-chair of the IGAC activity CATCH (Cryosphere & Atmospheric Chemistry). His research is about physical and chemical air-snow exchange to understand better polar air chemistry and the chemical record preserved in ice cores.

Sea salt aerosol from blowing snow above sea ice – a new particle source

M. M. Frey, S. J. Norris, I. M. Brooks, K. Nishimura, P. S. Anderson, S. P. Palm, A. E. Jones, X. Yang, E. W. Wolff

Atmospheric particles in the polar regions consist mostly of sea salt aerosol (SSA). SSA plays an important role in the regional radiation balance and therefore climate, either directly or indirectly via clouds. SSA irradiated by sunlight also releases halogen radicals, which control concentrations of ozone, a pollutant and greenhouse gas. Recent observations above sea ice confirm that blowing salty snow, which undergoes sublimation, is a significant but so far neglected source of SSA especially during winter and spring, rivalling that of the open ocean. Based on observations from two polar sea ice cruises, one in the Weddell Sea / Antarctica and the other in the Arctic Ocean, we critically evaluate source mechanism and existing model parameterisations. In particular, we discuss the impact of chemical and physical sea ice properties on the magnitude of the SSA source as well as implications for model predictions of regional climate change and air quality.



Plenary session

Theme 3: Atmospheric deposition and ocean biogeochemistry

Introduction by session chairs: L. Gallardo and P. Suntharalingam



Keynote speaker: Ying Chen

Ying Chen's research focuses on marine aerosols and its biogeochemical and climatic effects. Specifically, her group does long-term or cruise observations on physiochemical and optical properties of aerosols as well as abundance and community structure of airborne microbes over the marginal seas and the western North Pacific. They do source apportionment and study the effects of anthropogenic emissions and Asian dust on chemical composition, microbial structure and light

extinction ability of marine aerosols. The contribution of marine biogenic sources to the aerosol components and microbes is also of interest. Her working group estimates the atmospheric deposition fluxes of nutrients and trace elements to the ocean using the dry deposition velocities corrected by the size distribution of each component. The effects of aerosol deposition on phytoplankton growth and community structure is explored through microcosm experiments and analysis of observational and remote sensing data.

Atmospheric deposition of nitrogen and trace metals affects marine phytoplankton and their feedback to aerosols

Atmospheric deposition is an important source of nutrients and trace metals to the surface ocean, which may affect the efficiency of biological carbon pump and the emission of marine biogenic gases and aerosols through changing the phytoplankton biomass and community structure. Marine aerosols influenced by dust storms and polluting air masses have very different chemical composition, size distribution, elemental solubility, etc., and thereby their impacts on phytoplankton growth are also distinct. Atmospheric deposition contains much more nitrogen relative to phosphorus, and increased anthropogenic emissions exacerbate this ratio. Affluent nitrogen may enhance the primary productivity in oligotrophic oceans, but atmospheric deposition may not be able to promote the phytoplankton growth in eutrophic coastal areas if phosphorus is in shortage. Iron in dust deposition can stimulate phytoplankton growth in high nutrient low chlorophyll oceans, whilst high copper deposition may show a toxic effect and induce the change of phytoplankton community structure. Its toxic threshold may vary under different nutrient conditions and trace metal concentrations such as iron and zinc. Nitrogen, iron and copper are probably the most important elements in the atmospheric deposition affecting marine phytoplankton. The change of phytoplankton biomass and community structure in turn can influence the composition and characters of marine aerosols by contributing to MSA, amines, ammonium, etc.



William Landing is a professor in the Department of Earth, Ocean, and Atmospheric Science at Florida State University. His research interests include the biogeochemistry of trace elements in marine and fresh waters, the chemistry and deposition of atmospheric aerosols, and mercury cycling in the atmospheric and in aquatic environments.

Atmospheric deposition to the oceans controls biological productivity

W. M. Landing

The atmospheric flux of trace elements and isotopes (TEIs) to the oceans is extremely important in marine biogeochemical cycles, especially for bioactive trace elements such as Mn, Fe, Co, Ni, Cu, Zn, and Cd. However, converting aerosol TEI concentrations into atmospheric deposition fluxes is problematic. We use an aerosol tracer, beryllium-7, whose atmospheric deposition flux can be calculated from its upper ocean inventory. By measuring upper ocean inventories and aerosol concentrations of Be-7, we derive “bulk deposition” velocities that account for both wet and dry deposition. These can then be applied to any other aerosol species to calculate its flux, such as the soluble fraction of aerosol TEIs. This is especially useful for estimating the impact of atmospheric deposition of bioactive TEIs on biological productivity. We will present results from field campaigns in the Sargasso Sea (Bermuda) and the Arctic Ocean to test this approach.



Rupa Mukherjee is a early career scientist working as an assistant professor at the Rajendra College, Bihar, India. Rupa completed her M.Sc from IIT Roorkee and her PhD work at the Physical Research Laboratory, India with major research focus on N and C biogeochemistry of aquatic ecosystems in India.

Limitation of iron on N₂ fixation in the Arabian Sea

R. Mukherjee, A. Singh, A. Patel, P. K. Kumar, N. Rastogi, S. Kumar

The Arabian Sea is one of the major upwelling driven eutrophic regions of the world oceans. However, there are reports that high nutrient low chlorophyll (HNLC) condition prevails in some part of the Arabian Sea due to iron (Fe) limitation. Dust being the major supplier of Fe in the ocean has potential to enhance N₂ fixation rates. Here, we conducted thirteen dust (~ 1.45 nM dissolved Fe) addition onboard deck incubations to understand the role of Fe on N₂ fixation rates in the central and eastern Arabian Sea during spring 2017. Average surface N₂ fixation rates for dust and controlled experiments were $\sim 0.14 \pm 0.26$ and 0.13 ± 0.25 nmol N L⁻¹ h⁻¹, respectively, whereas, average column integrated rates for the same were $\sim 114.63 \pm 85.15$ and 127.45 ± 157.15 $\mu\text{mol N d}^{-1}\text{m}^{-2}$, respectively. These findings suggest that Fe is not a limiting nutrient in this region.



Caroline White is a third year PhD candidate from the University of Plymouth. Her research focuses on the cycling of reactive nitrogen aerosols in the atmosphere and, has conducted this research at Penlee Point Atmospheric Observatory in the United Kingdom and Tudor Hill Atmospheric Observatory in Bermuda.

Impact of atmospheric nitrogen deposition to nitrogen limited marine surface waters in the temperate and subtropical North Atlantic Ocean

C. White, S. Ussher, T. Bell, M. Fitzsimons, A. Peters, S. Atkinson, M. Yang

Nitrogen cycling is a vital process in global biogeochemistry but recent anthropogenic activities have altered the global nitrogen cycle, by creating new and enhanced sources of fixed reactive nitrogen. Atmospheric reactive nitrogen is transported long distances from emission sources, spanning entire continents and ocean basins, which results in nutrient limited ecosystems receiving significant pulses of reactive nitrogen.

Seasonal observations of atmospheric nitrogen species in soluble aerosols and rainwater have been compared from two marine sites (2017-2018). Tudor Hill Atmospheric Observatory, (Bermuda) is uniquely situated in the remote North Atlantic Ocean, whereas Penlee Point Atmospheric Observatory, (UK) monitors marine and continental urban air masses. Both sites are systematically relevant to two well-established marine time series, Bermuda Atlantic Time series and Western Channel Observatory, respectively. Using atmospheric and sea surface measurements, important estimates of nitrogen deposition to stratified nitrogen limited waters have shown deposition can temporarily relieve nitrogen limitation and affect primary production.



SOLAS Open Science Conference - Participants list

Name	Affiliation	Country	E-Mail
Jon Abbatt	University of Toronto	Canada	jabbatt@chem.utoronto.ca
Manabu Abe	Japan Agency for Marine-Earth Science and Technology	Japan	abemnb@jamstec.go.jp
Hidenori Aiki	Nagoya University	Japan	aiki@nagoya-u.jp
Katye Altieri	University of Cape Town	South Africa	katye.altieri@uct.ac.za
JoonGeon An	Korea Institute of Ocean Science & Technology	South Korea	keemo@kiost.ac.kr
Andrea Baccharini	Paul Scherrer Institute	Switzerland	andrea.baccharini@psi.ch
Simon Barbot	LEGOS, CNES	France	simon.barbot@legos.obs-mip.fr
Thomas Bell	Plymouth Marine Laboratory	United Kingdom	tbe@pml.ac.uk
Dennis Booge	GEOMAR Helmholtz Centre for Ocean Research Kiel	Germany	dbooge@geomar.de
Philip Boyd	IMAS / UTAS	Australia	philip.boyd@utas.edu.au
Oanh Bui	University of Science - Vietnam National University Ho Chi Minh City	Vietnam	btnoanh@hcmus.edu.vn
Xiaoyan Cao	Ocean University of China	China	caoxy@ouc.edu.cn
Ying Chen	Fudan University	China	yingchen@fudan.edu.cn
Chuqun Chen	South China Sea Institute of Oceanology, Chinese Academy of Sciences	China	cqchen@scsio.ac.cn
Ludivine Conte	Laboratoire des Sciences du Climat et de l'Environnement	France	ludivine.conte@lscce.ipsl.fr
Marcela Cornejo	Escuela de Ciencias del Mar, Pontificia Universidad Católica de Valparaíso	Chile	cornejo_marcela@hotmail.com
Minhan Dai	Xiamen University	China	sundyys@xmu.edu.cn
Hanjing Dai	RSMAS, University of Miami	United States	hdai@rsmas.miami.edu



Dimitri Deheyn	Scripps Institution of Oceanography, UC San Diego	United States	ddeheyn@ucsd.edu
Elisabeth Deschaseaux	Southern Cross University	Australia	elisabeth.deschaseaux@gmail.com
Xue Ding	Ocean University of China	China	993957391@qq.com
Tsukasa Dobashi	Hokkaido University	Japan	dobashi@pop.lowtem.hokudai.ac.jp
Ryo Dobashi	Hokkaido University	Japan	ry.dobashi@gmail.com
Ling Du	Ocean University of China	China	duling@ouc.edu.cn
Lin Du	Shandong University	China	lindu@sdu.edu.cn
Yassir Eddebbar	Scripps Institution of Oceanography	United States	yeddebba@ucsd.edu
Leonie Esters	Uppsala University	Sweden	leonie.esters@geo.uu.se
La Kenya Evans	Hokkaido University Institute of Low Temperature Sciences	Japan	lkevans@pop.lowtem.hokudai.ac.jp
Markus Frey	British Antarctic Survey	United Kingdom	maey@bas.ac.uk
Sonja Friman	Heidelberg University	Germany	sonja.friman@iup.uni-heidelberg.de
Masahiko Fujii	Hokkaido University	Japan	mfujii@ees.hokudai.ac.jp
Laura Gallardo	Universidad de Chile/Center for Climate and Resilience Research	Chile	lgallard@u.uchile.cl
Huiwang Gao	Ocean University of China	China	hwgao@ouc.edu.cn
Jessica Gier	SOLAS IPO	Germany	jgier@geomar.de
Umberto Giostra	University of Urbino	Italy	umberto.giostra@uniurb.it
Xiang Gong	Qingdao University of Science and Technology	China	gongxiang@qust.edu.cn
Melchor González-Dávila	Universidad de Las Palmas de Gran Canaria	Spain	magdalena.santana@ulpgc.es



Xueji Gu	Ocean University of China	China	xuejigu@hotmail.com
Tianfeng Guo	Fudan University	China	tfguo16@fudan.edu.cn
Wei Guo	Ocean University of China	China	1270489571@qq.com
Zhigang Guo	Fudan University	China	guozgg@fudan.edu.cn
Lucia Gutierrez-Loza	Uppsala University	Sweden	lucia.gutierrez_loza@geo.uu.se
Cristian Hakspiel	UABC	Mexico	cristian_hakspiel@yahoo.com
Koji Hamasaki	The University of Tokyo	Japan	hamasaki@aori.u-tokyo.ac.jp
Douglas Hamilton	Cornell University	United States	dsh224@cornell.edu
Keiichiro Hara	Fukuoka University	Japan	harakei@fukuoka-u.ac.jp
Zhen He	Key Laboratory of Marine Chemistry Theory and Technology	China	zhenhe@ouc.edu.cn
Xucheng He	University of Helsinki	Finland	xucheng.he@helsinki.fi
Helmke Hepach	GEOMAR Helmholtz Centre for Ocean Research Kiel	Germany	hhepach@geomar.de
David Ho	University of Hawaii	United States	ho@hawaii.edu
Hannah Horowitz	University of Washington	United States	hmhorow@uw.edu
Phil Hwang	University of Huddersfield	United Kingdom	B.Hwang@hud.ac.uk
Shun Ito	Graduate School of Fisheries Sciences	Japan	hunte-paus@eis.hokudai.ac.jp
Akinori Ito	JAMSTEC	Japan	akinorii@jamstec.go.jp
Yoko Iwamoto	Hiroshima University	Japan	y-iwamoto@hiroshima-u.ac.jp
Yue Jia	GEOMAR Helmholtz Centre for Ocean Research Kiel	Germany	yjia@geomar.de
Jinyoung Jung	Korea Polar Research Institute	South Korea	jinyoungjung@kopri.re.kr
Kohei Kameyama	Nagoya University	Japan	kameyama.kohei@k.mbox.nagoya-u.ac.jp



Sohiko Kameyama	Hokkaido University	Japan	skameyama@ees.hokudai.ac.jp
Yugo Kanaya	Japan Agency for Marine-Earth Science and Technology	Japan	yugo@jamstec.go.jp
Sok Kuh Kang	Korea Institute of Ocean Science and Technology	South Korea	skkang@kiost.ac.kr
Fumiko Kasuga	Future Earth	Japan	fumiko.kasuga@futureearth.org
Kaori Kawana	Japan Agency for Marine-Earth Science and Technology	Japan	kawanak@jamstec.go.jp
Lydia Keppler	Max-Planck-Institute for Meteorology	Germany	lydia.keppler@mpimet.mpg.de
David Kieber	SUNY College of Environmental Science and Forestry	United States	djkieber@esf.edu
Wonnyon Kim	Korea Institute of Ocean Science and Technology	South Korea	wkim@kiost.ac.kr
Lumi Kinjo	Wellesley College	United States	lkinjo@wellesley.edu
Kosei Komatsu	University of Tokyo	Japan	kosei@aori.u-tokyo.ac.jp
Arne Koertzinger	GEOMAR Helmholtz Centre for Ocean Research	Germany	akoertzinger@geomar.de
Kerstin Krall	Heidelberg University	Germany	kerstin.krall@iup.uni-heidelberg.de
Minako Kurisu	The University of Tokyo	Japan	minako-kurisu@eps.s.u-tokyo.ac.jp
William Landing	Florida State University	United States	wlanding@fsu.edu
Sebastian Landwehr	Paul Scherrer Institute	Switzerland	sebastian.landwehr@gmail.com
Mohd Talib Latif	University Kebangsaan	Malaysia	talib@ukm.edu.my
Siv Lauvset	NORCE Norwegian Research Centre	Norway	siv.lauvset@norersearch.no
Cliff Law	NIWA / University of Otago	New Zealand	cliff.law@niwa.co.nz



Hoa Tien Le Nguyen	University of Science, VNU- HCMC	Vietnam	Inhtien@hcmus.edu.vn
Kitack Lee	Pohang University of Science and Technology	South Korea	ktl@postech.ac.kr
Chon-Lin Lee	National Sun Yat-sen University	Taiwan	linnohc@fac.nsysu.edu.tw
Yoav Lehahn	University of Haifa	Israel	ylehahn@univ.haifa.ac.il
Andrew Lenton	Commonwealth Scientific and Industrial Research Organisation	Australia	Andrew.Lenton@csiro.au
Maurice Levasseur	Laval University	Canada	maurice.levasseur@bio.ulaval.c a
Yangchun Li	Institute of Atmospheric Physics	China	lych@mail.iap.ac.cn
Li Li	MEL, Xiamen University	China	lili34@xmu.edu.cn
Bofeng Li	Hokkaido University	Japan	mikolee@ees.hokudai.ac.jp
Huan Liu	Tsinghua University	China	liu_env@tsinghua.edu.cn
Chun-Ying Liu	Ocean University of China	China	roseliu@ouc.edu.cn
Josefine Maas	GEOMAR Helmholtz Centre for Ocean Research Kiel	Germany	jmaas@geomar.de
Anoop Mahajan	Indian Institute of Tropical Meteor	India	anoop@tropmet.res.in
Michela Maione	University of Urbino	Italy	michela.maione@uniurb.it
Karam Mansour	Alexandria University/ ISAC- CNR	Egypt	karam.mansour@alexu.edu.eg
George Manville	University of Exeter	United Kingdom	gm441@exeter.ac.uk
Christa Marandino	GEOMAR Helmholtz Centre for Ocean Research Kiel	Germany	cmarandino@geomar.de
Piotr Markuszewski	Institute of Oceanology Polish Academy of Sciences	Poland	pmarkusz@iopan.gda.pl



Chris Marsay	University of Georgia	United States	christopher.marsay@skio.uga.edu
Marta Masdeu Navarro	Marine Science Institute (ICM-CSIC)	Spain	masdeu@icm.csic.es
Sumito Matoba	Hokkaido University	Japan	matoba@pop.lowtem.hokudai.ac.jp
Hitoshi Matsui	Nagoya University	Japan	matsui@nagoya-u.jp
Kathryn Mengerink	Waite Institute	United States	mengerink@waiteinstitute.org
Lisa Miller	Institute of Ocean Sciences, Fisheries and Oceans	Canada	lisa.miller@dfo-mpo.gc.ca
William Miller	University of Georgia	United States	bmiller@uga.edu
Hideki Minami	Tokai University	Japan	south@tsc.u-tokai.ac.jp
Peter Minnett	RSMAS, University of Miami	United States	pminnett@rsmas.miami.edu
Yuzo Miyazaki	Hokkaido University	Japan	yuzom@lowtem.hokudai.ac.jp
Rupa Mukherjee	Rajendra College	India	rpmkhrj@gmail.com
Kana Nagashima	Japan Agency for Marine-Earth Science and Technology	Japan	nagashimak@jamstec.go.jp
Fumiko Nakagawa	Nagoya University	Japan	f.nakagawa@nagoya-u.jp
Shin-ichiro Nakaoka	National Institute for Environmental Studies	Japan	nakaoka.shinichiro@nies.go.jp
Hatsumi Nishikawa	Hokkaido University	Japan	hatsumi-n@pop.lowtem.hokudai.ac.jp
Jun Nishioka	Hokkaido University	Japan	nishioka@lowtem.hokudai.ac.jp
Tadateru Noguchi	Toyama University	Japan	m1841505@ems.u-toyama.ac.jp
Daiki Nomura	Hokkaido University	Japan	daiki.nomura@fish.hokudai.ac.jp
Hajime Obata	The University of Tokyo	Japan	obata@aori.u-tokyo.ac.jp



Nazlı Olgun Kiyak	Istanbul Technical University	Turkey	nazliolgun@gmail.com
Yuko Omori	University of Tsukuba	Japan	omori.yuko.ft@u.tsukuba.ac.jp
Atsushi Ooki	Hokkaido University	Japan	ooki@fish.hokudai.ac.jp
Iole Orselli	FURG	Brazil	iole.orselli@gmail.com
Jurgita Ovadnevaite	National University of Ireland Galway	Ireland	jurgita.ovadnevaite@nuigalway.ie
Xianliang Pan	Hokkaido University	Japan	panxianliang@ees.hokudai.ac.jp
Russell Perkins	Colorado State University	United States	Russell.Perkins@colostate.edu
Morgane Perron	University of Tasmania	Australia	morgane.perron@utas.edu.au
Jianhua Qi	Ocean University of China	China	qjianhua@ouc.edu.cn
Esther Rickert	SOLAS IPO / Helmholtz Centre for Ocean Research Kiel (GEOMAR)	Germany	erickert@geomar.de
Pablo Rodríguez-Ros	Institute of Marine Sciences (ICM-CSIC)	Spain	rodriguezros pablo@gmail.com
Dorita Rostkier-Edelstein	IIBR	Israel	drostkier@yahoo.com
Sarah-Jeanne Royer	University of California	United States	sarahjroyer@hotmail.com
Anna Rutgersson	Uppsala University	Sweden	anna.rutgersson@met.uu.se
Alexia Saint-Macary	NIWA/University of Otago	New Zealand	alexia.Saint-Macary@niwa.co.nz
Kohei Sakata	National Institute for Environmental Studies	Japan	sakata.kohei@nies.go.jp
Eric Saltzman	University of California, Irvine	United States	esaltzma@uci.edu
Magdalena Santana-Casiano	Universidad de Las Palmas de Gran Canaria	Spain	magdalena.santana@ulpgc.es



Subrata Sarker	Shahjalal University of Science and Technology	Bangladesh	subratasrk-ocg@sust.edu
Stephanie Schneider	University of Toronto	Canada	steph.schneider@mail.utoronto.ca
Karine Sellegri	LaMP/CNRS	France	K.Sellegri@opgc.cnrs.fr
Huangyuan Shi	Ocean University of China	China	shihuangyuan@stu.ouc.edu.cn
Jian Shi	National University of Defense Technology	China	shijian.mil@163.com
Rafel Simó	Institut de Ciències del Mar	Spain	rsimo@icm.csic.es
Kaela Slavik	Future Earth	France	kaela.slavik@futureearth.org
Shantelle Smith	University of Cape Town	South Africa	shantelle@denier.co.za
Alexander Soloviev	Nova Southeastern University	United States	soloviev@nova.edu
Rachel Stanley	Wellesley College	United States	rachel.stanley@wellesley.edu
Nadja Steiner	Institute of Ocean Sciences (IOS/DFO)	Canada	nadja.steiner@dfo-mpo.gc.ca
Parvadha Suntharalingam	University of East Anglia	United Kingdom	P.Suntharalingam@uea.ac.uk
Koji Suzuki	Hokkaido University	Japan	kojis@ees.hokudai.ac.jp
Yoshio Takahashi	The University of Tokyo	Japan	ytakaha@eps.s.u-tokyo.ac.jp
Shigenobu Takeda	Nagasaki University	Japan	s-takeda@nagasaki-u.ac.jp
Fumikazu Taketani	Japan Agency for Marine-Earth Science and Technology	Japan	taketani@jamstec.go.jp
Hiroshi Tanimoto	National Institute for Environmental Studies	Japan	tanimoto@nies.go.jp
Susann Tegtmeier	Helmholtz Centre for Ocean Research Kiel (GEOMAR)	Germany	stegtmeier@geomar.de
Yee Jun Tham	University of Helsinki	Finland	yee.tham@helsinki.fi
Jerry Tjiputra	NORCE Norwegian Research Centre	Norway	jerry.tjiputra@norceresearch.no



Takenobu Toyota	Hokkaido University	Japan	toyota@lowtem.hokudai.ac.jp
Atsushi Tsuda	University of Tokyo	Japan	tsuda@aori.u-tokyo.ac.jp
Ururu Tsunogai	Nagoya University	Japan	urumu@nagoya-u.jp
Mitsuo Uematsu	The University of Tokyo	Japan	uematsu@aori.u-tokyo.ac.jp
Erik van Doorn	Kiel University	Germany	edoorn@wsi.uni-kiel.de
Yao Wang	Ocean University of China	China	1280314744@qq.com
Lingyan Wang	Ocean University of China	China	wanglingyan509@126.com
Lei Wang	Third Institute of Oceanography, Ministry of Natural Resources	China	wanglei@tio.org.cn
Yan Wang	Zhongyuan University of Technology	China	wyztzi@163.com
Yutaka Watanabe	Hokkaido University	Japan	yywata@ees.hokudai.ac.jp
Caroline White	University of Plymouth	United Kingdom	Caroline.white12@plymouth.ac.uk
Jesse Wilson	Scripps Institute of Oceanography	United States	jessewilson13@gmail.com
Pat Wongpan	Hokkaido University	Japan	wongpan@lowtem.hokudai.ac.jp
Yongfu Xu	Institute of Atmospheric Physics	China	xyf@mail.iap.ac.cn
Atul Yadav	GEOMAR Helmholtz centre for Ocean Research Kiel	Germany	ayaday@geomar.de
Akitomo Yamamoto	JAMSTEC	Japan	akitomo@jamstec.go.jp
Gui-Peng Yang	Ocean University of China	China	gpyang@mail.ouc.edu.cn
Chan-Su Yang	Korea Institute of Ocean Science & Technology	South Korea	yangcs@kiost.ac.kr
Xiaohong Yao	Ocean University of China	China	xhyao@ouc.edu.cn
Sayaka Yasunaka	JAMSTEC	Japan	yasunaka@jamstec.go.jp
Un Hyuk Yim	KIOST	South Korea	uhyim@kiost.ac.kr
Takeshi Yoshimura	Hokkaido University	Japan	yoshimura-t@fish.hokudai.ac.jp



Juan Yu	Ocean University of China	China	yuetian@ouc.edu.cn
Shun Yunoki	Hokkaido University	Japan	syunoki@ees.hokudai.ac.jp
Alex Zavorsky	Independent Researcher	Germany	alexz@mailbox.org
Wenhua Zeng	National University of Defense Technology	China	zengwh1966@sina.com
Jing Zhang	Ocean University of China	China	zhruoyu@vip.163.com
Chao Zhang	Ocean University of China	China	llyz_c3911@163.com
Dahai Zhang	Ocean University of China	China	dahaizhang@ouc.edu.cn
Guiling Zhang	Ocean University of China	China	guilingzhang@ouc.edu.cn
Hong-Hai Zhang	Ocean University of China	China	honghaizhang@ouc.edu.cn
Yong Zhang	Xiamen University	China	yzhang@xmu.edu.cn
Yanan Zhao	GEOMAR - Helmholtz Center for Ocean Research Kiel	Germany	yzhao@geomar.de
Lin Zhou	National University of Defense Technology	China	zhou_lin4458@sohu.com
Li Zhou	GEOMAR Helmholtz Centre for Ocean Research Kiel	Germany	lzhou@geomar.de
Chunmao Zhu	Japan Agency for Marine-Earth Science and Technology	Japan	chmzhu@jamstec.go.jp
Paul Zieger	Stockholm University	Sweden	paul.zieger@aces.su.se
Anna Zivian	Ocean Conservancy	United States	azivian@oceanconservancy.org



surface ocean **solas** lower atmosphere study
20 | 192

