

SCITECH RESEARCH ORGANISATION

Volume 2, Issue 2 Published online on August 17, 2016

Journal of Progressive Research in Biology www.scitecresearch.com/journals

An Assessment of the Family Asteraceae at Shadullapur Upazila of Gaibandha District, Bangladesh with Particular Reference to Medicinal Plants

¹M. Jamirul Islam and ²A.H.M. Mahbubur Rahman*

¹M.S. Student, Plant Taxonomy Laboratory, Department of Botany, Faculty of Life and Earth Sciences, University of Rajshahi, Rajshahi-6205, Bangladesh.

²Associate Professor, Plant Taxonomy Laboratory, Department of Botany, Faculty of Life and Earth Sciences, University of Rajshahi, Rajshahi-6205, Bangladesh.

*Address for Correspondence:

Dr. A.H.M. Mahbubur Rahman, Associate Professor, Department of Botany, Faculty of Life and Earth Sciences, University of Rajshahi, Rajshahi-6205, Bangladesh.

Phone: 880 721 751485, Mobile: 88 01714657224

Abstract

An assessment of the family Asteraceae at Sadullapur upazila of Gaibandha district, Bangladesh was carried out from August 2014 to October 2015. A total of 32 species under 27 genera belonging to the family Asteraceae were collected and identified. Frequent field trips were made during August 2014 to October 2015 to record medicinal information by interviewing local people of various age groups, mostly ranging between 18 to 67 years, including medicinal healers (herbalists/hakims). A total of 28 plant species under 24 genera of the family Asteraceae have been documented which are used for the treatment of 57diseases/illness. In majority cases, leaves of the medicinal plants were found leading in terms of their use followed by whole plant, stem, bark, flower, seed and root. For each species scientific name, local name, chromosome number, voucher number, ailments to be treated and part(s) used are provided.

Keywords: Assessment; Asteraceae; Medicinal plants; Sadullapur; Gaibandha; Bangladesh.

1. Introduction

Asteraceae or Compositae (commonly referred to as the aster, daisy, composite, or sunflower family) is an exceedingly large and widespread family of flowering plants (Angiospermae) (Jeffrey, 2007). The family Asteraceae consists of more than 1100 genera and 20,000 species, cosmopolitan in distribution, but well represented in temperate or subtropical regions. In Bangladesh, the family is represented by 71 genera and 130 species (Ahmed et al., 2008-2009). Most members of Asteraceae are herbaceous, but a significant number are also shrubs, vines, or trees. The family has a worldwide distribution, from the polar regions to the tropics, colonizing a wide variety of habitats. It is most common in the arid and semiarid regions of subtropical and lowers temperate latitudes (Barkley et al., 2006). The Asteraceae may represent as much as 10% of autochthonous flora in many regions of the world.

The Asteraceae are an economically important family, providing products such as cooking oils, lettuce, sunflower seeds, artichokes, sweetening agents, coffee substitutes and herbal teas. Several genera are of horticultural importance, including pot marigold, *Calendula officinalis, Echinacea* (cone flowers), various daisies, fleabane, chrysanthemums, dahlias, zinnias, and heleniums. Asteraceae are important in herbal medicine, including Grindelia, yarrow, and many others (Duke, 2015).

Several medicinal plants and ethno-botanical studies in Bangladesh have been carried out. Such as Alam 1992; Alam et al., 1996; Anisuzzaman et al., 2007; Choudhury and Rahmatullah 2012; Faruque and Uddin 2014; Isrer et al., 2015; Khan 1998; Khisha 1996; Malek et al., 2014a, 2014b; Moonmoon et al., 2014; Nilima et al., 2015; Rahman et al., 2013a, 2013b, 2013c, 2013d; Rahman et al., 2014a, 2014b, 2014c; Rahman and Akter 2013; Rahman et al., 2015b, 2015b, 2015c, 2013d; Rahman et al., 2015b, 2015c, 2015b, 2015b, 2015c, 2015c, 2015b, 2015c, 2015b, 2015c, 2015c, 2015b, 2015c, 2015c,

2015c; Rahman et al., 2008a, 2008b; Rahman and Debnath 2015; Rahman et al., 2010, 2012; Rahman and Gulshana 2014; Rahman and Jamila 2015; Rahman and Keya 2015; Rahman and Khanom 2013; Rahman and Parvin 2014; Rahman and Rahman 2014; Rahman and Rojonigondha 2014; Rahman 2014a, 2014b; Rahman 2013a, 2013b, 2013c, 2013d, 2013e, 2013f, 2013g, 2013h, 2013i, 2013j, 2013k, 2013l; Sadika et al., 2015 and Uddin et al., 2008, 2014. The aim of the present study was to first record of medicinal plants used by the local people living in Sadullahpur Upazila of Gaibandha district, Bangladesh.

2. Materials and Methods

The present study in based on the intensive field of the area during the period of August 2014 to October 2015. A total of 32 species under 27 genera belonging to the family Asteraceae were collected and identified. The methods employed during the study were designed with the sole purpose of eliciting the precious wealth of information on the medicinal uses of plants practiced by the local people. Detailed survey has made in gathering information regarding use of medicine has been documented. Usually, the survey in each locality started with the interview of elderly and experienced members, locally known as Hakims. Besides, this the common people of the surveyed localities who themselves have used these plant-based for health treatments were interviewed to prove veracity of the curative features of plants. Medicinal uses and data about the treatment of various alignments based on the information gathered by using questionnaires are given subsequently. Herbal plants referred by these people were authentically identified with the help of Hooker (1961); Prain (1963); Kirtikar and Basu (1987); Huq (1986) Ahmed et al. (2008-2009) and Pasha and Uddin (2013). The voucher specimens are stored at the Herbarium, Deartment of Botany, Rajshahi University, Bangladesh for future reference.

3. Results and Discussion

Based on the study, a preliminary list of the family Asteraceae at Shadullapur Upazila of Gaibandha District, Bangladesh conducted during August 2014 to October 2015. A total of 32 species under 27 genera belonging to the family Asteraceae were collected and identified. The collected information is comparable with the result of other studies in Bangladesh. A total of 8 species belonging to 8 genera were recorded in Ramgarh upazila of Khagrachhari district, Bangladesh (Islam et al., 2009). A total of 9 species belonging to 9 genera were recorded in Comilla district (Hossain et al., 2005). A total of 11 species belonging to 11 genera were recorded in Gazipur district (Alam et al., 2006). A total of 7 species belonged to 6 genera are documented in Habiganj district (Arefin et al., 2011). A total of 7 species belonging to 7 genera are recorded in Lawachara National Park, Bangladesh (Uddin et al., 2010). A total of 13 species belonging to 11 genera are recorded in Teknaf Wildlife Sanctuary, Bangladesh (Uddin et al., 2013). A total of 36 species under 29 genera of the family Asteraceae in Rajshahi division, Bangladesh (Rahman et al., 2011). A total of 13 species belonging to 13 genera are recorded in Munshiganj district (Rahman et al., 2013). A total of 33 species under 29 genera are recorded in Bangladesh Police Academy, Rajshahi (Rahman et al., 2014). So far the information available, no published data recorded on the family Asteraceae at Shadullapur Upazila of Gaibandha District, Bangladesh.

The important medicinal values of Asteraceae plant species at Shadullapur Upazila of Gaibandha District, Bangladesh were highlighted. A total of 28 medicinal plant species belonging to 24 genera were collected and recorded for their use in various ailments. These medicinal plants are used by them to cure the following diseases, especially for abscess, asthma, anemia, bronchitis, boils, biliousness, cancer, constipation, cough, cholera, dysentery, earache, eczema, fever, headache, herpes, hysteria, inflammation, jaundice, kidney diseases, leprosy, ovarian disorder, opthalmia, scabies, snakebite, skin diseases, stomachic, ulcers, urinary disorder, wound and others. The collected medicinal information of those plant species is in agreement with the result of other studies done in Bangladesh (Ghani, 2003; Yusuf et al., 2009, 1994, 2006; Anisuzzaman et al., 2007; Khan and Huq, 1975; Alam, 1992; Khan, 1998; Rahman et al., 2010; Rahman et al., 2012: Rahman et al., 2013: Rahman and Kumar, 2015). The current research reveals that the native folks are having good knowledge on traditional uses of plants. But due to the modernization, this knowledge may be lost in due course. Hence it is essential to study and document the indigenous knowledge, which can provide valuable information to biochemists and pharmacologists in screening of individual species and their phyto-constituents. The plants recorded here need phyto-chemical and pharmacological screening for their active principles and clinical trials for therapeutic action. Therefore, the present survey makes an important addition to the growing knowledge on medico-botany and may help in developing effective drugs for human health care. The study area is very rich in medicinal plant species and indigenous traditional ethno-botanical knowledge. There are also potential threats that need priority for conservation. Potentially significant plant species need screening, verifying and approval for setting conservation priorities.

Sl. No.	Scientific name	Local name	Phenology	Chromosome number	Voucher number
1	Ageratum conyzoides L.	Ochunti	November to June	2n = 20, 40 (Fedorov, 1969)	JI 01
2	Blumea lacera (Burm.f.) DC.	Kuksim	November to June	2n = 18, 22 (Fedorov, 1969)	JI 02
3	Calendula officinalis L.	Calendula	December to February	2n = 50 (Fedorov, 1969)	JI 32
4	Chromolaena odorata (L.) King & Robinson	Assamlata	November to May	2n = 20, 58 (Fedorov, 1969)	JI 03
5	Chrysanthemum coronarium L.	Chandramollica	December to March	2n = 18, 36 (Fedorov, 1969)	Л 31
6	Cirsium arvense (L.) Scop.	Shial kata	February to June	2n = 34 (Fedorov, 1969)	JI 04
7	Cosmos bipinatus Cav.	Cosmos	March to July	2n = 24 (Fedorov, 1969)	JI 30
8	Eclipta alba (L.) Hassk.	Kalokeshi	January to December	2n = 18, 22 (Fedorov, 1969)	JI 05
9	Emilia sonchifolia (L.) DC.	Sadimudi	January to December	2n = 36 (Fedorov, 1969)	JI 06
10	Enhydra fluctuans Lour.	Helencha	January to April	2n = 22 (Fedorov, 1969)	JI 07
11	Ethulia conyzoides L.	Ethulacon	January to May	2n = 20, 40 (Fedorov, 1969)	JI 08
12	Gnaphalium luteo-album L.	Bara kamra	March to August	2n = 14, 14 + 1B (Fedorov, 1969)	JI 10
13	Gnaphalium polycaulon Pers.	Kolaklomi	December to May	2n = 14 (Fedorov, 1969)	JI 09
14	Grangea maderaspatana (L.) Poir.	Namuti	December to May	2n = 18 (Fedorov, 1969)	JI 11
15	Helianthus annuus L.	Surjamukhi	July to May	2n = 34 (Fedorov, 1969)	JI 12
16	Lactuca sativa L.	Lettuce	December to April	2n = 18 (Fedorov, 1969)	JI 13
17	Launaea aspliniifolia DC.	Tik-chana	January to August	2n = 14, 18 (Fedorov, 1969)	JI 14
18	Mikania cordata (Burm. f.) Robinson	Assamlata	October to February	2n = 36, 38 (Fedorov, 1969)	JI 15
19	Sonchus asper (L.) Hill.	Sonpalong	September to June	2n = 34 (Fedorov, 1969)	JI 16
20	Sonchus wightianus DC.	Banpalong	November to June	2n = 18, 36, 45, 54, 60, 64 (Fedorov, 1969)	JI 17
21	Spilanthes calva DC.	Surjakannya	January to December	2n = 14, 24, 52 (Fedorov, 1969)	JI 18

Table1: Assessment of Plant Species of the Family Asteraceae in the Study Area.

22	Synedrella nodiflora (L.) Gaertn	Relanodi	January to Deccember	2n = 36, 38, 40 (Fedorov, 1969)	JI 19
23	Tagetes erecta L.	Genda	October to March	2n = 24 (Fedorov, 1969)	Л 20
24	Tagetes patula L.	Genda	October to March	2n = 48 (Fedorov, 1969)	JI 29
25	Tridax procumbens L.	Tridhara	January to June	2n = 36 (Fedorov, 1969)	JI 21
26	<i>Vernonia patula</i> (Dryand.) Merr.	Kuksim	January to December	2n = 18 (Fedorov, 1969)	JI 28
27	Vernonia cinerea (L.) Less.	Kuksim	January to December	2n = 18 (Fedorov, 1969)	JI 22
28	<i>Wedelia chinensis</i> (Osbeck) Merr.	Mohabhringaraj	May to July	2n = 50 (Fedorov, 1969)	JI 27
29	Wedelia trilobata (L.) A.S. Hitchc.	Mohabhringaraj	March to August	2n = 22, 44 (Fedorov, 1969)	JI 23
30	Xanthium indicum Koen ex Roxb	Ghagra	January to December	2n = 36 (Fedorov, 1969)	JI 24
31	Youngia japonica (L.) DC.	Youngaful	August to January	2n = 34 (Fedorov, 1969)	JI 25
32	Zinnia elegans Jacq.	Zinnia	November to May	2n = 24 (Fedorov, 1969)	JI 26

Table2. Traditional Medicinal Uses of the Family Asteraceae in the Study Area.

SI. No.	Scientific name	Local name	Part(s) used	Ailments
1	Ageratum conyzoides L.	Ochunti	Whole plant, leaf, stem	Skin disease, leprosy, stomach disorder, tonic, wound.
2	Blumea lacera (Burm.f.) DC.	Kuksim	Leaf, root	Anthelmintic, astringent, diuretic, bleeding piles, cholera.
3	Calendula officinalis L.	Calendula	Whole plant, flower	Wound, injury, ulcers, burning sensation, skin disease.
4	Chromolaena odorata (L.) King & Robinson	Assamlata	Whole plant, root, leaf	Emetic, diuretic, snake-bite.
5	Chrysanthemum coronarium L.	Chandramollica	Bark, leaf	Syphilis, inflammation.
6	Cirsium arvense (L.) Scop.	Shial kata	Leaf, stem	Antiscorbutic.
7	Cosmos bipinatus Cav.	Cosmos	Leaf, stem	Skin disease, leprosy, eczema
8	Eclipta alba (L.) Hassk.	Kalokeshi	Leaf,	Skin disease, wound, hair disease, jaundice,

				ISSIN 2454-1672
			whole plant	fever, toothache.
9	Enhydra fluctuans Lour.	Helencha	Leaf	Inflammation, bronchitis, biliousness, small pox, gonorrhea, headache.
10	Gnaphalium polycaulon Pers.	Bara kamra	Whole plant	Astringent, vulnerary.
11	Grangea maderaspatana (L.) Poir.	Namuti	Whole plant, leaf	Ovarian disorder, earache, cough.
12	Helianthus annuus L.	Surjamukhi	Flower, seed	Heart disease, anthelmintic, skin disease, itching, ulcers, leprosy, hysteria, fever, biliousness, asthma, bronchitis, urinary discharges, anemia, good for burning sensation in the vagina, scorpion-bite, snake-bite, bronchial laryngeal, pulmonary affections, coughs, colds.
13	Lactuca sativa L.	Lettuce	Whole plant, leaf	Stomachic, appetite, purify the blood, biliousness, burning sensation, headache, troubles of the nasal disease, bronchitis, cough, heart disease, scabies, opthalmia, liver disease, diuretic, bronchitis, asthma.
14	Launaea aspliniifolia DC.	Tik-chana	Root	Lactagogue.
15	Mikania cordata (Burm. f.) Robinson	Assamlata	Whole plant, leaf	Snake-bite, wound.
16	Sonchus asper (L.) Hill.	Sonpalong	Whole plant, root	Jaundice, bitter, diuretic, chronic fevers.
17	Sonchus wightianus DC.	Banpalong	Leaf, root, stem	Tonic.
18	Spilanthes calva DC.	Surjakannya	Flower, whole plant, leaf	Toothache, dysentery, sore throat, childbirth.
19	Synedrella nodiflora (L.) Gaertn	Relanodi	Leaf, root	Boils, tetanus, wound.
20	Tagetes patula L.	Genda	Flower, leaf	Bitter, piles, kidney troubles, muscular pain, earache, opthalmia, boils.
21	Tridax procumbens L.	Tridhara	Whole plant, leaf, flower	Bleeding piles, kidney troubles, muscular pain, earache, opthalmia, astringent, carminative, stomachic, inflammation, scabies, scorpion-bite, snake-bate, liver complaints, bleeding piles, ulcers, purify the blood.
22	<i>Vernonia patula</i> (Dryand.) Merr.	Kuksim	Flower	Ulcers, wounds.
23	Vernonia cinerea (L.) Less.	Kuksim	Whole plant,	Cold, tonic, stomachic, astringent, asthma, bronchitis, fevers, wounds, sores,

	1531/2434-10/2				
			flower, root	perspiration, conjunctivitis, dropsy.	
24	Wedelia chinensis (Osbeck) Merr.	Mohabhringaraj	Whole plant, leaf	Hair disease, jaundice, fevers, astringent, haemorrhages, toothache, asthma, bronchitis.	
25	Wedelia trilobata (L.) A.S. Hitchc.	Mohabhringaraj	Leaf	Tonic, alterative, cough, skin diseases, alopecia, swelling of the abdomen.	
26	Xanthium indicum Koen ex Roxb	Ghagra	Whole plant, stem, fruit, root, leaf	Diabetes, bitter, tonic, cancer, small-pox, snake-bite, scorpion-bite, ulcers, boils, abscess, herpes.	
27	Youngia japonica (L.) DC.	Youngaful	Leaf, root	Wound.	
28	Zinnia elegans Jacq.	Zinnia	Leaf, stem	Skin disease, leprosy, boils, tetanus, wound.	

Important Photographs



Ageratum conyzoides

Wedelia trilobata

Tagetes patula



Vernonia patula

Synedrella nodiflora

Sonchus asper



Helianthus annuus

Mikania cordata

Eclipta alba



Grangea maderaspatana

Enhydra fluctuans

Calendula officinalis

Acknowledgements

The authors are grateful to the local people at Sadullapur upazila of Gaibandha district, Bangladesh for their co-operation and help during the research work.

References

- Ahmed, Z.U., Z.N.T. Begum, M.A. Hassan, M. Khondker, S.M.H. Kabir, M. Ahmad, A.T.A. Ahmed, A.K.A. Rahman and E. U. Haque, (Eds), 2008-2009. Encyclopedia of Flora and Fauna of Bangladesh.6-10.Angiosperms; Dicotyledons.Asiat. Soc. Bangladesh, Dhaka.
- [2] Alam, M.K., J. Choudhury and M.A. Hassan, MA. 1996. Some folk formularies from Bangladesh. J. Life Sci., 8(1): 49-63.
- [3] Alam, M.K, 1992. Medical ethno-botany of the Marma tribe of Bangladesh. Economic Botany, 46(3): 330-335.
- [4] Anisuzzaman, M., A.H.M. Rahman, M.H. Rashid, A.T.M. Naderuzzaman and A.K.M.R. Islam, 2007.An Ethnobotanical Study of Madhupur, Tangail, Journal of Applied Sciences Research, 3(7): 519-530.
- [5] Arefin, M.K., M.M. Rahman, M.Z. Uddin and M.A. Hassan, 2011. Angiosperm Flora of Satchari National Park, Habiganj, Bangladesh, Bangladesh J. Plant Taxon. 18(2): 117-140.
- [6] Alam, M.S., M.A. Hassan and M.Z. Uddin, 2006. A preliminary checklist of the angiosperm flora of Ghagotia Union under Kapasia Upazila in Gazipur district, Bangladesh, Bangladesh J. Plant Taxon, 13(2): 155-170.
- [7] Barkely, T.M., L. Brouillet and J.L. Strother, 2006. Flora of North America, Asteraceae.
- [8] Chakma, S., M.K. Hossain, MK, B.M. Khan and M.A. Kabir, 2003. Ethno-botanical knowledge of Chakma community in the use of medicinal plants in Chittagong Hill Tracts, Bangladesh. MFP News XIII, (3): 3-7.

- [9] Choudhury, A.R. and M. Rahmatullah, 2012. Ethnobotanical study of wound healing plants among the folk medicinal practioners several district in Bangladesh. American-Eurasian Journal of Sustainable Agriculture, 6(4): 371-377.
- [10] Duke, 2006. Phytochemical and Ethnobotanical Database. Ars-grin. Government.
- [11] Faruque, M.O. and S.B. Uddin, 2014. Ethnomedicinal study of the Marma community of Bandarban district of Bangladesh. Academia Journal of Medicinal Plants, 2(2): 014-025.
- [12] Fedorov, A.A. 1969. Chromosome Numbers of Flowering Plants. Academy of Science of USSR, Moscow. 926pp.
- [13] Ghani, A. 2003. Medicinal Plants of Bangladesh. Asiatic Society of Bangladesh, Dhaka.
- [14] Hooker, J. D. 1961. Flora of British India. Vols.1-7. L. Reeve and Co. Ltd. London, U.K.
- [15] Hossain, M.M., M.A. Hassan and M.Z. Uddin, 2005. A checklist of angiosperm flora of Lalmai hills, Comilla, Bangladesh, Bangladesh J. Plant Taxon., 12(2): 85-96.
- [16] Islam, M.R., M.Z. Uddin and M.A. Hassan, 2009. An Assessment of the Angiosperm Flora of Ramgarh Upazila of Khagrachhari District, Bangladesh. Bangladesh J. Plant Taxon, 16(2): 115-140.
- [17] Isrer Tasannun, Farhana Akter Ruba, Borhan Uddin Bhuiyan, Kazi Mahbub Hossain, Jamila Khondokar, Ishita Malek, A.B.M. Anwarul Bashar, Mohammed Rahamatullah. 2015. Indigenous medicinal Practices: medicinal plants of Chakma tribal medicinal practitioners in Rangamati district. American-Eurasian Journal of Sustainable Agriculture. 9(5): 28-35.
- [18] Jeffrey, C. 2007. Compositae: Introduction with key to tribes. Pages 61–87 in Families and Genera of Vascular Plants, vol. VIII, Flowering Plants, Eudicots, Asterales (J. W. Kadereit and C. Jeffrey, Eds.). Springer-Verlag, Berlin.
- [19] Khan, M.S. and A.M. Huq, 1975. Medicinal Plants of Bangladesh, BARC, Dhaka, Bangladesh.
- [20] Khan, M.S. 1998. Prospects of Ethnobotany and Ethnobotanical Research in Bangladesh. In: Banik RL, Alam MK, Pei SJ, Rastogi A (eds.), Applied Ethnobotany, BFRI, Chittagong, Bangladesh, P. 24-27.
- [21] Khisha, B. 1996. Chakma Talik Chikitsa. Herbal Medicine Centre Committee, Rajban Bihar, Rajbari, Rangamati, Pp.1-136.
- [22] Kirtikar, K.R and B.D. Basu, 1987. BD. Indian Medicinal Plants. Vol. 1-4. Lalit Mohan Basu, Allahabad, Jayyed Press, New Delhi, India.
- [23] Malek, I., M.R. Miah, M.F. Khan, R.B.F. Awal, N,Nahar, I.Khan, S.Chowdhury and M. Rahmatullah, 2014b. Medicinal Plants of two practitioners in two Marma tribal communities of Khagrachhari district, Bangladesh, American-Eurasian Journal of Sustainable Agriculture. 8: 78-85.
- [24] Malek, I., N.Mia, M.E. Mustary, M.J. Hossain, S.M. Sathi, M.J. Parvez, M.Ahmed, S. Chakma, S. Islam, M.M. Billah and M. Rahmatullah, 2014a. Medicinal Plants of the Chakma Community of Rangapanir Chara area of Khagrachhari district, Bangladesh. American-Eurasian Journal of Sustainable Agriculture. 8: 59-68.
- [25] Moonmoon, M., S.A. Islam, S.T.J. Bristy, M.B. Kader, S. Akter, S.K. Pk, S.T. Ahmed, M.P. Mosharaf, M.J. Mahal and M. Rahmatullah, 2014. Medicinal Plant Knowledge of a Folk medicinal Practitioner in Aria Bazar Village, Bogra District, Bangladesh, American-Eurasian Journal of Sustainable Agriculture. 8: 124-131.
- [26] Nilima Mahnoor, Ive Farha Moonmoon, Tonmoy Saha, Kaosar Mahamud, Suborna Biswas, Erena Islam, Mohammed Rahmatullah. 2015. Medicinal Plants of a Folk Herbalist in Tangail District, Bangladesh. American-Eurasian Journal of Sustainable Agriculture. 9(4): 74-82.
- [27] Prain, D. 1963. Bengal Plants. Vols.1-2. Botanical Survey of India. Calcutta, India.
- [28] Rahman, A.H.M.M., S.K. Nitu, Z. Ferdows and A.K.M.R. Islam, 2013a. Medico-botany on herbaceous plants of Rajshahi, Bangladesh. American Journal of Life Sciences, 1(3): 136-144.
- [29] Rahman, A.H.M.M., M.W. Afsana and A.K.M.R. Islam, 2014. Taxonomy and Medicinal Uses on Acanthaceae Family of Rajshahi, Bangladesh, Journal of Applied Science and Research, 2(1): 82-93.
- [30] Rahman, A.H.M.M. and M. Akter, 2013. M. Taxonomy and Medicinal Uses of Euphorbiaceae (Spurge) Family of Rajshahi, Bangladesh. Research in Plant Sciences, 1(3): 74-80.

- [31] Rahman, A.H.M.M., S. Akter, R. Rani and A.K.M.R. Islam, 2015. Taxonomic Study of Leafy Vegetables at Santahar Pouroshova of Bogra District, Bangladesh with Emphasis on Medicinal Plants. International Journal of Advanced Research, 3(5): 1019-1036.
- [32] Rahman, A.H.M.M., M. Anisuzzaman, F. Ahmed, A.K.M.R. Islam and A.T.M. Naderuzzaman, 2008a. ATM. Study of Nutritive Value and Medicinal Uses of Cultivated Cucurbits. Journal of Applied Sciences Research, 4(5): 555-558.
- [33] Rahman, A.H.M.M., M. Anisuzzaman, S.A. Haider, F. Ahmed, A.K.M.R. Islam and A.T.M. Naderuzzaman, 2008b. Study of Medicinal Plants in the Graveyards of Rajshahi City. Research Journal of Agriculture and Biological Sciences, 4(1): 70-74.
- [34] Rahman, A.H.M.M., M.C. Biswas, A.K.M.R. Islam and A.T.M.N. Zaman, 2013b. Assessment of Traditional Medicinal Plants Used by Local People of Monirampur Thana under Jessore District of Bangladesh. Wudpecker Journal of Medicinal Plants, 2(6): 099-109.
- [35] Rahman, A.H.M.M. and A. Debnath, 2015. Ethno-botanical Study at the Village Pondit Para under Palash Upazila of Narsingdi District, Bangladesh. International Journal of Advanced Research, 3(5): 1037-1052.
- [36] Rahman, A.H.M.M., J.E. Gulsan, M.S. Alam, S. Ahmad, A.T.M. Naderuzzaman and A.K.M.R. Islam, 2012.An Ethnobotanical Portrait of a Village: Koikuri, Dinajpur with Reference to Medicinal Plants. International Journal of Biosciences, 2(7): 1-10.
- [37] Rahman, A.H.M.M. and M.I.A. Gulshana, 2014. Taxonomy and Medicinal Uses on Amaranthaceae Family of Rajshahi, Bangladesh. Applied Ecology and Environmental Sciences, 2(2): 54-59.
- [38] Rahman, A.H.M.M., M.M. Hossain and A.K.M.R. Islam, 2014b. Taxonomy and Medicinal Uses of Angiosperm weeds in the wheat field of Rajshahi, Bangladesh. Frontiers of Biological and Life Sciences, 2(1): 8-11.
- [39] Rahman, A.H.M.M. and M. Jamila, 2015. Ethnobotanical Study of Chappai Nawabganj District, Bangladesh, Lambert Academic Publishing, Germany.
- [40] Rahman, A.H.M.M., E.Z.M.F. Kabir, S.N. Sima, R.S. Sultana, M. Nasiruddin and A.T.M. Naderuzzaman, 2010. Study of an Ethnobotany at the Village Dohanagar, Naogaon. Journal of Applied Sciences Research, 6(9): 1466-1473.
- [41] Rahman, A.H.M.M. and M.A. Keya, 2015. Traditional Medicinal Plants Used by local People at the Village Sabgram under Sadar Upazila of Bogra District, Bangladesh. Research in Plant Sciences, 3(2): 31-37.
- [42] Rahman, A.H.M.M and A. Khanom, 2013. Taxonomic and Ethno-Medicinal Study of Species from Moraceae (Mulberry) Family in Bangladesh Flora. Research in Plant Sciences, 1(3): 53-57.
- [43] Rahman, A.H.M.M. and M.I.A. Parvin, 2014. Study of Medicinal Uses on Fabaceae Family at Rajshahi, Bangladesh. Research in Plant Sciences, 2(1): 6-8.
- [44] Rahman, A.H.M.M. and M.M. Rahman, 2014. An Enumeration of Angiosperm weeds in the Paddy field of Rajshahi, Bangladesh with emphasis on medicinal Plants. Journal of Applied Science and Research, 2(2): 36-42.
- [45] Rahman, A.H.M.M. and Rojonigondha, 2014. Taxonomy and Traditional Medicine Practices on Malvaceae (Mallow Family) of Rajshahi, Bangladesh. Open Journal of Botany, 1(2): 19-24.
- [46] Rahman, A.H.M.M., S.M. Jahan-E-Gulsan and A.T.M. Naderuzzaman, 2014c. Ethno-Gynecological Disorders of Folk Medicinal Plants Used by Santhals of Dinajpur District, Bangladesh. Frontiers of Biological & Life Sciences, 2(3): 62-66.
- [47] Rahman, A.H.M.M., N. Sultana, A.K.M.R. Islam and A.T.M.N. Zaman, 2013c. Study of Medical Ethno-botany of traditional medicinal plants used by local people at the village Genda under Savar Upazilla of district Dhaka, Bangladesh. Online International Journal of Medicinal Plants Research, 2(1): 18-31.
- [48] Rahman, A.H.M.M. 2014a. Ethno-gynecological study of traditional medicinal plants used by Santals of Joypurhat district, Bangladesh. Biomedicine and Biotechnology, 2(1): 10-13.
- [49] Rahman, A.H.M.M. 2014b. Ethno-medicinal Practices for the Treatment of Asthma, Diuretic, Jaundice, Piles, Rheumatism and Vomiting at the Village Abdullahpur under Akkelpur Upazilla of Joypurhat District, Bangladesh. International Journal of Engineering and Applied Sciences, 1(2): 4-8.
- [50] Rahman, A.H.M.M., 2013a. Ethno-medico-botanical investigation on cucurbits of the Rajshahi Division, Bangladesh. Journal of Medicinal Plants Studies, 1(3): 118-125.

- [51] Rahman, A.H.M.M., 2013b. Graveyards angiosperm diversity of Rajshahi city, Bangladesh with emphasis on medicinal plants, American Journal of Life Sciences, 1(3): 98-104.
- [52] Rahman, A.H.M.M., 2013c. Medico-botanical study of commonly used angiosperm weeds of Rajshahi, Bangladesh. Wudpecker Journal of Medicinal Plants, 2(3): 044-052.
- [53] Rahman, A.H.M.M., 2013d. Medico-botanical study of the plants found in the Rajshahi district of Bangladesh. Prudence Journal of Medicinal Plants Research, 1(1): 1-8.
- [54] Rahman, A.H.M.M., 2013e. Medico-Ethnobotany: A study on the tribal people of Rajshahi Division, Bangladesh. Peak Journal of Medicinal Plants Research, 1(1): 1-8.
- [55] Rahman, A.H.M.M., 2013f. Traditional Medicinal Plants Used in the Treatment of different Skin diseases of Santals at Abdullapur Village under Akkelpur Upazilla of Joypurhat district, Bangladesh. Biomedicine and Biotechnology, 1(2): 17-20.
- [56] Rahman, A.H.M.M. 2013g. Ethno-medicinal investigation on ethnic community in the northern region of Bangladesh. American Journal of Life Sciences, 1(2): 77-81.
- [57] Rahman, A.H.M.M. 2013h. Ethno-botanical Survey of Traditional Medicine Practice for the Treatment of Cough, Diabetes, Diarrhea, Dysentery and Fever of Santals at Abdullahpur Village under Akkelpur Upazilla of Joypurhat District, Bangladesh. Biomedicine and Biotechnology. 1(2): 27-30.
- [58] Rahman, A.H.M.M. 2013i. Angiospermic flora of Rajshahi district, Bangladesh. American Journal of Life Sciences, 1(3): 105-112.
- [59] Rahman, A.H.M.M. 2013j. An Ethno-botanical investigation on Asteraceae family at Rajshahi, Bangladesh. Academia Journal of Medicinal Plants, 1(5): 92-100.
- [60] Rahman, A.H.M.M. 2013k. Assessment of Angiosperm Weeds of Rajshahi, Bangladesh with emphasis on medicinal plants. Research in Plant Sciences, 1(3): 62-67.
- [61] Rahman, A.H.M.M. 20131. A Checklist of Common Angiosperm Weeds of Rajshahi District, Bangladesh. International Journal of Agricultural and Soil Science, 1(1): 1-6.
- [62] Rahman, A.H.M.M., 2015a. Ethnomedicinal Survey of Angiosperm Plants used by Santal Tribe of Joypurhat District, Bangladesh. International Journal of Advanced Research, 3(5): 990-1001.
- [63] Rahman, A.H.M.M., 2015b. Traditional Medicinal Plants in the treatment of Important Human Diseases of Joypurhat District, Bangladesh. Journal of Biological Pharmaceutical and Chemical Research, 2(1): 21-29.
- [64] Rahman, A.H.M.M., 2015c. Ethno-botanical Survey of Anti-Diabetic Medicinal Plants Used by the Santal Tribe of Joypurhat District, Bangladesh. International Journal of Research in Pharmacy and Biosciences, 2(5): 19-26.
- [65] Rahman, A.H.M.M., E.Z.M.F. Kabir, A.K.M.R. Islam and A.T.M.N. Zaman, 2013d. Medico-botanical investigation by the tribal people of Naogaon district, Bangladesh. Journal of Medicinal Plants Studies, 1(4):136-147.
- [66] Rahman, A.H.M.M. and A.K. Kumar, 2015. Investigation of Medicinal Plants at Katakhali Pouroshova of Rajshahi District, Bangladesh and their Conservation Management. Applied Ecology and Environmental Sciences, 3(6): 184-192.
- [67] Rahman, M.O., M. Begum and M.W. Ullah. 2013. Angiosperm flora of sadar upazila of Munshiganj district, Bangladesh, Bangladesh J.Plant Taxon., 20(2): 213-231.
- [68] Sadika Khan, Mehjaben Tumpa, M. Toreq-ul-Zaman, Shamima Akter, Md. Raziur Rahman, Ariful Islam, Masud Rana, Sharmin Jahan, Md. Ashraful Islam, Mohammed Rahmatullah. 2015. Folk Medicinal Practices among Tea Estate Workers: A Study in Moulvibazar District, Bangladesh. American-Eurasian Journal of Sustainable Agriculture. 9(1): 1-8.
- [69] Tutul, E., M.Z. Uddin, M.O. Rahman and M.A. Hassan, 2010. Angiospermic Flora of Runctia Sal Forest, Bangladesh. II. Magnoliopsida (Dicots). Bangladesh J. Plant Taxon. 17(1): 33-54.
- [70] Uddin, K., A.H.M.M. Rahman and A.K.M.R. Islam, 2014. Taxonomy and Traditional Medicine Practices of Polygonaceae (Smartweed) Family at Rajshahi, Bangladesh. International Journal of Advanced Research, 2(11): 459-469.
- [71] Uddin, M., S. Roy, M.A. Hassan and M.M. Rahman, 2008. Medicobotanical report on the Chakma people of Bangladesh. Bangladesh J. Plant Taxon., 15(1): 67-72.

- [72] Uddin, M.Z., M.A. Hassan, M. Rahman and K. Arefin, 2012. Ethno-medico-botanical study in Lawachara National Park, Bangladesh. Bangladesh J. Bot., 41(1): 97-104.
- [73] Uddin, M.Z., M.A. Hassan and M. Sultana, 2006. Ethnobotanical survey of medicinal plants in Phulbari Upazilla of Dinajpur District, Bangladesh. Bangladesh J. Plant Taxon, 12(1): 63-68.
- [74] Uddin, M.Z., M.S. Khan and M.A. Hassan, 2001. Ethno medical plants records of Kalenga forest range (Habiganj), Bangladesh for malaria, jaundice, diarrhea and dysentery. Bangladesh J.Plant Taxon., 8(1): 101-104.
- [75] Uddin, S.N., M.Z. Uddin, M.A. Hassan and M.M. Rahman, 2004. Preliminary ethno- medicinal plant survey in Khagrachhari district, Bangladesh. Bangladesh J. Plant Taxon., 11(2): 39-48.
- [76] Uddin, M.Z. and M.A. Hassan, 2010. Angiosperm Diversity of Lawachara National Park (Bangladesh): A Preliminary Assessment. Bangladesh J. Plant Taxon. 17(1): 9-22.
- [77] Uddin, M.Z., M.F. Alam, M.A. Rahman and M.A. Hassan, 2013. Diversity in Angiosperm Flora of Teknaf Wildlife Sanctuary, Bangladesh.Bangladesh J. Plant Taxon., 20(2): 145-162.
- [78] Yusuf, M., J. Begum, M.N. Hoque and J.U. Choudhury, 2009. Medicinal plants of Bangladesh-Revised and Enlarged. Bangladesh Coun. Sci. Ind. Res. Lab. Chittagong, Bangladesh.
- [79] Yusuf, M., J.U. Choudhury, M.A. Wahab and J. Begum, 1994. Medicinal Plants of Bangladesh. Bangladesh. Bangladesh. Bangladesh. Pp. 1-340.
- [80] Yusuf, M., M.A. Wahab, J.U. Choudhury and J. Begum, Ethno-medico-botanical knowledge from Kaukhali proper and Betunia of Rangamati district. Bangladesh J. Plant Taxon. 2006; 13(1): 55-61.

Author Profile



Dr. A. H. M. Mahbubur Rahman is an Associate Professor in the Department of Botany, University of Rajshahi, Bangladesh. His research experience is 18 years and teaching experience is 12 years. He has guided 38 B.Sc. (Honours) research fellows, 9 M.S. research fellows and 1 Ph.D. research Fellow. He is an Editorial Board Member of 27 International Journals. He has published 79 research articles in different national and international peer reviewed journals and published 9 books from Lambert Academic Publishing (LAP), Germany. His specialization is Plant Taxonomy, Ethno-botany, Medicinal Plants, Biosystematics and Molecular Plant Systamatics.