
NEURAL NETWORK MODELING FOR PREDICTING
RAINFALL PRECIPITATION

A project submitted to the Graduate School in partial
fulfilment of the requirements for the degree
Master of Science (Information Technology),
Universiti Utara Malaysia

by
Teoh Boon Wei

© Teoh Boon Wei, 2000. All rights reserved



**Sekolah Siswazah
(Graduate School)
Universiti Utara Malaysia**

**PERAKUAN KERJA KERTAS PROJEK
(Certification of Project Paper)**

Saya, yang bertandatangan, memperakukan bahawa
(I, the undersigned, certify that)

Teoh Boon Wei

calon untuk Ijazah _____
(candidate for the degree of) Master of Science (Information Technology)

telah mengemukakan kertas projek yang bertajuk
(has presented his/her project paper of the following title)

Neural Network Modeling For Predicting Rainfall Precipitation

seperti yang tercatat di muka surat tajuk dan kulit kertas projek
(as it appears on the title page and front cover of project paper)

bahawa kertas projek tersebut boleh diterima dari segi bentuk serta kandungan,
dan meliputi bidang ilmu dengan memuaskan.
(that the project paper acceptable in form and content, and that a satisfactory
knowledge of the field is covered by the project paper).

Nama Penyelia
(Name of Supervisor): Prof. Madya Dr. Ku Ruhana Ku Mahamud

Tandatangan
(Signature)

: 

Tarikh
(Date)

: 14/5/2000

PERMISSION TO USE

In presenting this project in partial fulfilment of the requirements for a post graduate degree from the Universiti Utara Malaysia, I agree that the Universiti Library may make it freely available for inspection. I further agree that permission for copying of this project in any manner, in whole or in part, for scholarly purposes may be granted by my supervisor(s) or, in their absence, by the Dean of the Graduate School. It is understood that any copying or publication or use of this project or parts thereof for financial gain shall not be allowed without my written permission. It is also understood that due recognition shall be given to me and to Universiti Utara Malaysia for any scholarly use which may be made of any material from my project paper.

Requests for permission to copy or to make other use of material in this project in whole or in part should be addressed to:

**Dean of Graduate School
Universiti Utara Malaysia
06010 UUM Sintok
Kedah Darul Aman**

ABSTRACT (BAHASA MALAYSIA)

Projek ini bertujuan untuk membangunkan suatu model rangkaian neural perambatan balik untuk meramal jumlah hujan yang turun di negeri Kedah. Ramalan hujan adalah penting untuk Skim Pengurusan dan Pengawalan Air di Kedah memandangkan air hujan menyumbang lebih daripada 50% daripada jumlah air di negeri berkenaan. Model rangkaian neural perambatan balik untuk projek ini telah dibangunkan dengan menggunakan bahasa pengaturcaraan C dan Visual Basics. Data yang digunakan untuk melatih dan menguji model rangkaian neural tersebut telah diperolehi daripada 'Muda Agricultural Development Authority' (MADA). Data merangkumi jumlah hujan untuk 31 pusat pengumpulan air hujan dengan jangkamasa maksima selama 29 tahun. Selepas rangkaian neural ini dilatih, didapati rangkaian neural berupaya membuat jangkaan dengan ketepatan sebanyak 72.44%, berbanding dengan 69% jika jangkaan dibuat dengan pendekatan regresi. Sebagai usaha pertama di Kedah, projek ini telah menunjukkan kebolehan rangkaian neural untuk menjangka air hujan di Kedah. Ketepatan jangkaan air hujan dapat ditingkatkan di masa hadapan dengan memperbaiki struktur rangkaian dan data.

ABSTRACT (ENGLISH)

This project aimed at developing a back propagation neural network model to predict rainfall precipitation for Kedah. Rainfall prediction was essential in the Water Management and Control Scheme (WMCS) of Kedah as rainfall precipitation constituted more than 50% of the total water sources to the state. The back propagation neural network model had been developed using C and Microsoft's Visual Basics. The data used to train and test the network built was provided by Muda Agricultural Development Authority (MADA). Data obtained consisted of rainfall levels for a maximum of 29 years (1970-1 998) for 3 1 rainfall stations in Kedah. Upon completion of the training, the best network model produced prediction accuracy of 72.44% for the rainfall levels and this indicated an improvement over the regression approach of 69%. Being the first attempt at predicting the rainfall precipitation in Kedah, the project had succeeded in initiating an application in this area. Further works such as modifying the inputs and the network model could be performed to improve the prediction accuracy of the network.

ACKNOWLEDGEMENTS

Developing this project has been a long journey. Throughout this journey, I was fortunate to have had the help and contributions of my supervisors, Assoc. Prof. Dr Ku Ruhana Ku Mahamud and Miss Yuhanis Yusof. This project would not have been possible without their continued encouragement, support and guidance.

I would also like to thank the Muda Agricultural Development Authority (MADA) for supplying the data of rainfall precipitation of past years. The data has been tremendously useful in the development of neural network model.

TABLE OF CONTENTS

	Page
PERMISSION TO USE	i
ABSTRACT (BAHASA MALAYSIA)	ii
ABSTRACT (ENGLISH)	iii
ACKNOWLEDGEMENTS	iv
LIST OF TABLES	viii
LIST OF FIGURES	ix
CHAPTER ONE: INTRODUCTION	
1.1 Problem statement	2
1.2 Objectives	3
1.3 Significance of the Study	3
CHAPTER TWO: NEURAL NETWORK AND BACK PROPAGATION NETWORK MODELING	
2.1 The evolvement of back propagation neural network modeling	4
2.2 Back propagation neural network and its algorithm	5
CHAPTER THREE: REVIEW OF RELATED LITERATURE	
3.1 Current practice of irrigation management system	12
3.2 Current practice of rain forecasting methods	15
3.2.1 Persistence method	15
3.2.2 Trend method	16
3.2.3 Climatology	17
3.2.4 Analog method	17
3.2.5 Area-Time-Integral (ATI)	18
3.2.6 Numerical weather prediction method	18

3.3	Applications of neural network in rainfall prediction	20
CHAPTER FOUR: PROJECT METHODOLOGY		
4.1	Design of network architecture	26
4.1.1	Selection of network topology	26
4.1.2	Definition of inputs and outputs	27
4.1.3	Determination of number of hidden layer and hidden nodes	28
4.2	Data preprocessing	29
4.2.1	Data cleansing	31
4.2.2	Data representation	32
4.2.3	Data scaling and normalization	33
4.2.4	Data randomization	35
4.2.5	Data segmentation	35
4.3	Network training, validating and testing	37
4.3.1	Network training	37
4.3.2	Network validation	41
4.3.3	Network stopping criteria	42
4.3.4	Network testing	42
4.4	Development of user interface	43
4.5	Validating results against regression approach	44
CHAPTER FIVE: FINDINGS AND RESULTS		45
CHAPTER SIX: CONCLUSION AND RECOMMENDATION		50
BIBLIOGRAPHY		55
APPENDICES		
Appendix A	Explanation on symbols used in main text	58
Appendix B	Coding for training and testing model in C++	59

Appendix C	Coding for implementation model in Visual Basics	67
Appendix D	Samples of forms developed using Visual Basics	131

LIST OF TABLES

		Page
Table 4.1	Breakdown of data collected from MADA	29
Table 4.2	Data representation for rainfall stations	32
Table 4.3	Data representation for months	33
Table 5.1	Training results	45
Table 5.2	Final neural network model for implementation	48

LIST OF FIGURES

		Page
Figure 4.1	The network architecture built for application	29
Figure 5.1	Prediction of segmented data	46
Figure 5.2	Comparison of prediction results between neural network and regression	48
Figure 5.3	The complete network architecture for implementation	49

Chapter 1 Introduction

The project is initiated upon the requests of course TZ 6996 as one of the graduation requirements of MSc (IT). The aim of the project is to develop a rainfall level forecasting model as part of the irrigation management system for the northern regions of Malaysia. The irrigation management system of Kedah / Perlis, which is maintained by Muda Agricultural Development Authority (MADA) is the biggest irrigation management system in the country. There are 73 rainfall collection centres monitored by MADA throughout Kedah / Perlis through the Water Management & Control Scheme (WMCS). Each station collects and represents the water level of the rainfall for an area of 16-km-sq. The system monitors the water level of 4 sources, which include the rain, the dams, the river and 12 recycle stations scattered around the region. There are 3 dams available in Kedah / Perlis, namely Muda, Ahning and Pedu. Of the 4 sources, rainfall precipitation constitutes more than 50% of the total water sources to the states (Teoh & Chua, 1989). Rainfall precipitation in simple term means the total amount of rain that falls on ground. Since the rainfall precipitation plays a vital role in the irrigation management system, this project attempts to forecast the rainfall level of Kedah / Perlis using back propagation neural network modeling.

Neural network, as an evolving technology, is an information system modeled after the human brain's network of electronically interconnected basic

The contents of
the thesis is for
internal user
only

Bibliography

- Austrian Research Institute of AI. (1997). [www document]. URL. <http://www.ai.univie.ac.at/oefai/nn/neufodi.html>
- Awad, E.M. (1996). *Building Expert Systems: Principles, Procedures, Applications*, St.Paul: West Publishing Company.
- Brandes, E. A. (1998). A Review of Research and Development Activity Related to WSR-88D Algorithms, [www document]. URL. [http://www.osf.noaa.gov/app/sta/algorithm98.htm#2.6PrecipitationAnalysis Techniques](http://www.osf.noaa.gov/app/sta/algorithm98.htm#2.6PrecipitationAnalysisTechniques)
- Casimir, C. (1991). Applying Neural Networks, in: Trippi, R. R. & Turban, E. *Neural Networks in Finance and Investing: Using Artificial Intelligence to Improve Real World Performance*, England: Probus Publishing Company, 47-61.
- Ding, X. & Canu, S. & Denoeux, T. (1996). Neural Network Based Models for Forecasting, in Taylor, J. G., *Neural Networks and Their Applications*, New York: Addison-Wesley Publishing Company, 153-167.
- Fausett, L. (1994). *Fundamentals of Neural Networks: Architectures, Algorithms and Applications*, New Jersey: Prentice Hall.
- Freeman, J. A. & Skapula, D. M. (1992). *Neural Networks: Algorithms, Applications and Programming Techniques*, New York: Addison-Wesley Publishing Company.
- Freeman, J. A. (1994). *Simulating Neural Networks with Mathematica*, New York: Addison-Wesley Publishing Company.
- Gallant, S. I. (1993). *Neural Network Learning and Expert Systems*, Massachusetts: Massachusetts Institute of Technology.
- Hecht-Nielsen, R. (1990). *Neurocomputing*, MA: Addison-Wesley.
- Keihiro, O. & Hideto, S. & Satoshi, S. & Noboru, S. & Yukio, T.(1998). Rainfall and Snowfall Prediction from Images of Weather Radar with Artificial Neural Networks, *Information and Systems Society*, 7: 1631-1638.
- LeCun, Y. & Boser, B. & Denker, J. & Henderson, D. & Howard, R. & Hubbard, W. & Jackel, L. (1989). Back Propagation Applied to Handwritten Zip Code Recognition, *Neural Computing*, 4: 541-551.

- Maeda, N. & Kobayashi, S. & Izumi, K. & Kohno, S. & Amenomori, M. (1999). Prediction of Rainfall and Snowfall by Neural Network Method, [www document]. URL.
[http:// http://www.gs.niigata-u.ac.jp/~maechi/ken9/abst-e2.html](http://www.gs.niigata-u.ac.jp/~maechi/ken9/abst-e2.html)
- Massaad, T.G. & Winkler, L.R. (1995). A basic introduction to neural network for accountants, in: Vasarhelyi, M.A., *Artificial Intelligence in Accounting and Auditing Using Expert Systems Volume 2*, Priceton: Markus Wiener Publishers,131-148.
- Medsker, L. (1992). Neural Networks Fundamentals for Financial Analysts, in Trippi, R. R. & Turban, E. *Neural Networks in Finance and Investing: Using Artificial Intelligence to Improve Real World Performance*, England: Probus Publishing Company, 47-61.
- Minsky, M. L. & Papert, S. A. (1988). *Perceptrons, Expanded Edition*, MA: MIT Press. Original edition, 1969.
- Parker, D. (1985). *Learning Logic: Technical Report TR-87*, MA: MIT Press.
- Rosenblatt, F. (1958). The Perceptron: a Probabilistic Model for Information Storage and Organization in the Brain, *Psychological Review*, 65: 386-408.
- Rosenblatt, F. (1959). Two Theorems of Statistical Separability in the Perceptron, *Mechanization of Thought Processes: Proceeding of a Symposium Held at the National Physical Laboratory*, November 1958, 421-456.
- Rosenblatt, F. (1962). *Principles of Neurodynamics*, New York: Spartan.
- Rumelheart, D. E. & Hinton, G. E. & Williams R. J. (1986). Learning Internal Representation by Error Propagation, *Parallel Distributed Processing*, 1: 675-695.
- Skapula, D. M. (1996). *Building Neural Networks*, New York: Addison-Wesley Publishing Company.
- Teoh, W. C. & Chua, T. S. (1989). *Irrigation Management Practices in Mada*. Jabatan Parit and Taliair Malaysia.
- Tsoukalas, L. H. & Uhrig, R. E. (1997). *Fuzzy and Neural Approaches in Engineering*, New York: John Wileys & Sons.
- Uckan, Y. (1999). *Problem Solving Using C*, Boston: McGraw-Hill.
- University of Illinois. (1999). The Weather World 2010 Project, [www document]. URL.
[http://ww2010.atmos.uiuc.edu/\(Gh\)/guides/mtr/fcst/mth/oth.rxml](http://ww2010.atmos.uiuc.edu/(Gh)/guides/mtr/fcst/mth/oth.rxml)

Werbos, P. (1974). *Beyond Regression: New Tools For Prediction and Analysis in the Behavioral Sciences* (Ph.D. Thesis), MA: Harvard U. Committee on Applied Mathematics.