

The copyright © of this thesis belongs to its rightful author and/or other copyright owner. Copies can be accessed and downloaded for non-commercial or learning purposes without any charge and permission. The thesis cannot be reproduced or quoted as a whole without the permission from its rightful owner. No alteration or changes in format is allowed without permission from its rightful owner.



**RESERVOIR WATER RELEASE DYNAMIC DECISION MODEL
BASED ON SPATIAL TEMPORAL PATTERN**



SURIYATI BINTI ABDUL MOKHTAR

UUM
Universiti Utara Malaysia

**MASTER OF SCIENCE (INFORMATION TECHNOLOGY)
UNIVERSITI UTARA MALAYSIA
2016**



Awang Had Salleh
Graduate School
of Arts And Sciences

Universiti Utara Malaysia

PERAKUAN KERJA TESIS / DISERTASI
(Certification of thesis / dissertation)

Kami, yang bertandatangan, memperakukan bahawa
(We, the undersigned, certify that)

SURIYATI ABDUL MOKHTAR - 813589

calon untuk Ijazah **MASTER**
(candidate for the degree of)

telah mengemukakan tesis / disertasi yang bertajuk:
(has presented his/her thesis / dissertation of the following title):

"RESERVOIR WATER RELEASE DYNAMIC DECISION MODEL BASED ON SPATIAL TEMPORAL PATTERN"

seperti yang tercatat di muka surat tajuk dan kulit tesis / disertasi.
(as it appears on the title page and front cover of the thesis / dissertation).

Bahawa tesis/disertasi tersebut boleh diterima dari segi bentuk serta kandungan dan meliputi bidang ilmu dengan memuaskan, sebagaimana yang ditunjukkan oleh calon dalam ujian lisan yang diadakan pada : **18 Ogos 2015.**

That the said thesis/dissertation is acceptable in form and content and displays a satisfactory knowledge of the field of study as demonstrated by the candidate through an oral examination held on:
August 18, 2015.


| | | | |
|--|---|----------------------------|--|
| Pengerusi Viva: (Chairman for VIVA) | Assoc. Prof. Dr. Shafiz Affendi Mohd Yusof | Tandatangan (Signature) | |
| Pemeriksa Luar: (External Examiner) | Assoc. Prof. Dr. Razali Yaakob | Tandatangan (Signature) | |
| Pemeriksa Dalam: (Internal Examiner) | Dr. Yuhanis Yusof | Tandatangan (Signature) | |
| Nama Penyelia/Penyelia-penyelia: (Name of Supervisor/Supervisors) | Wan Hussain Wan Isahak | Tandatangan (Signature) | |
| Nama Penyelia/Penyelia-penyelia: (Name of Supervisor/Supervisors) | Assoc. Prof. Dr. Norita Md Norwawi | Tandatangan (Signature) | |

Tarikh:
(Date) **August 18, 2015**

Permission to Use

In presenting this thesis in fulfilment of the requirements for a postgraduate degree from Universiti Utara Malaysia, I agree that the Universiti Library may make it freely available for inspection. I further agree that permission for the copying of this thesis in any manner, in whole or in part, for scholarly purpose may be granted by my supervisor(s) or, in their absence, by the Dean of Awang Had Salleh Graduate School of Arts and Sciences. It is understood that any copying or publication or use of this thesis or parts thereof for financial gain shall not be allowed without my written permission. It is also understood that due recognition shall be given to me and to Universiti Utara Malaysia for any scholarly use which may be made of any material from my thesis.

Requests for permission to copy or to make other use of materials in this thesis, in whole or in part, should be addressed to:



Dean of Awang Had Salleh Graduate School of Arts and Sciences

UUM College of Arts and Sciences

Universiti Utara Malaysia

06010 UUM Sintok

Abstrak

Keputusan pelepasan air bagi takungan serba guna memerlukan pakar bagi membuat keputusan dengan menghimpunkan maklumat pmutusan kompleks yang wujud secara masa nyata. Keputusan perlu mengambil kira lebih air takungan yang mencukupi bagi mengekalkan fungsi serba guna takungan dan menyediakan ruang yang mencukupi untuk hujan lebat dan aliran masuk air. Amat penting juga, pelepasan air tidak boleh melebihi tahap maksimum sungai di hilir supaya ia tidak akan menyebabkan banjir. Hujan dan paras air adalah maklumat kabur, oleh itu model keputusan memerlukan keupayaan untuk mengendalikan maklumat yang kabur. Tambahan pula, hujan yang direkodkan di lokasi yang berbeza mengambil masa berbeza untuk sampai ke dalam takungan. Situasi ini menunjukkan terdapat hubungan ruang masa yang tersembunyi di antara setiap stesen pengukur dan takungan. Oleh itu, kajian ini mencadangkan model keputusan pelepasan air takungan dinamik yang menggunakan kedua-dua maklumat ruang dan masa dalam corak input. Berdasarkan kepada corak berkenaan, model ini akan mencadangkan bila air takungan perlu dilepaskan. Model ini menggunakan Penyesuaian sistem inferens neuro-kabur (ANFIS) untuk mengendalikan dengan maklumat yang kabur. Data yang digunakan dalam kajian ini diperolehi daripada Jabatan Pengairan dan Saliran Perlis. Algoritma *Sliding Window* yang telah diubahsuai telah digunakan bagi membentuk corak masa bagi hujan, manakala maklumat ruang telah diperolehi melalui simulasi corak hujan dan paras air takungan yang telah dipetakan. Prestasi model telah diukur berdasarkan *Root Mean Square Error* (RMSE) dan *Mean Absolute Error* (MAE). Hasil daripada kajian ini menunjukkan ANFIS menghasilkan RMSE dan MAE paling rendah apabila dibandingkan dengan model *Autoregressive Integrated Moving Average* (ARIMA) dan *Backpropagation Neural Network* (BPNN). Model ini boleh digunakan oleh operator takungan bagi membantu pembuatan keputusan dan menyokong operator takungan baharu sewaktu ketiadaan operator yang berpengalaman.

Kata Kunci: Penyesuaian sistem inferens neuro-kabur (ANFIS), Kepintaran pengkomputan (CI), Pembuatan keputusan dinamik, Pembuatan keputusan pelepasan air takungan, Perolehan data ruang masa.

Abstract

The multi-purpose reservoir water release decision requires an expert to make a decision by assembling complex decision information that occurred in real time. The decision needs to consider adequate reservoir water balance in order to maintain reservoir multi-purpose function and provide enough space for incoming heavy rainfall and inflow. Crucially, the water release should not exceed the downstream maximum river level so that it will not cause flood. The rainfall and water level are fuzzy information, thus the decision model needs the ability to handle the fuzzy information. Moreover, the rainfalls that are recorded at different location take different time to reach into the reservoir. This situation shows that there is spatial temporal relationship hidden in between each gauging station and the reservoir. Thus, this study proposed dynamic reservoir water release decision model that utilize both spatial and temporal information in the input pattern. Based on the patterns, the model will suggest when the reservoir water should be released. The model adopts Adaptive Neuro-Fuzzy Inference System (ANFIS) in order to deal with the fuzzy information. The data used in this study was obtained from the Perlis Department of Irrigation and Drainage. The modified Sliding Window algorithm was used to construct the rainfall temporal pattern, while the spatial information was established by simulating the mapped rainfall and reservoir water level pattern. The model performance was measured based on the Root Mean Square Error (RMSE) and Mean Absolute Error (MAE). Findings from this study shows that ANFIS produces the lowest RMSE and MAE when compare to Autoregressive Integrated Moving Average (ARIMA) and Backpropagation Neural Network (BPNN) model. The model can be used by the reservoir operator to assist their decision making and support the new reservoir operator in the absence of an experience reservoir operator.

Keywords: Adaptive Neuro-Fuzzy Inference System (ANFIS), Computational intelligence (CI), Dynamic decision making, Reservoir water release decision, Spatial temporal data mining.

Acknowledgement

First of all, I am thankful to Allah for giving me a chance and blessing me to complete this study. My sincere thanks and deep appreciation to Universiti Utara Malaysia and Ministry of Higher Education for funding this study under the Long Term Research Grant Scheme (LRGS). I would like to extend my thanks to the Department of Irrigation and Drainage Malaysia (DID) for supplying hydrology and reservoir operational data. I am also grateful to the education funding received from Ministry of Higher Education through MyBrain15 program.

First and foremost, I sincerely thank my parents, to my late father Abdul Mokhtar Ahmad and my mother Siwah Mat Long. Thanks for your support and understanding. Without both of you, I will have never been who I am. To the most important person in my life, my husband, Mursyidul 'Azim Mazlan, thank you for the love, support, sacrifices and for being with me all the time.

I am very grateful for my supervisors, En Wan Hussain Wan Ishak and Prof Dr Norita Md Norwawi, for the patience, understanding, encouragement and guidance from the beginning till the end. Special thanks to LRGS group 1 members, Prof Dr Ku Ruhana Ku Mahamud, Dr Nooraini Yusoff, Miss Aniza Mohd Din, En Zorkeflee Abu Hasan and other lecturers at Universiti Utara Malaysia who encouraged me to complete this study, and also have been my mentors when I met with difficulty during this period.

My gratitude also extends to friends who gave continuous support and encouragement: Kak Sha, Nurul, Mai, Ayu, Afdhal, Farez, Mat Yi, Sabri, Faiz, Ekin and many others.

Finally yet importantly, I offer my regards and blessings to all of those who supported me in any respect during the completion of this study especially my family, lecturers and friends. Thank you again.

Table of Contents

| | |
|--|-----------|
| Permission to Use..... | i |
| Abstrak | ii |
| Abstract | iii |
| Acknowledgement..... | iv |
| List of Tables..... | viii |
| List of Figures | x |
| List of Appendices | xii |
| List of Abbreviations..... | xiii |
| CHAPTER ONE INTRODUCTION | 1 |
| 1.1 Research Background..... | 1 |
| 1.2 Problem Statement | 6 |
| 1.3 Research Questions | 8 |
| 1.4 Research Objective..... | 9 |
| 1.5 Research Scope | 9 |
| 1.6 Research Significance | 10 |
| 1.7 Organization of the Thesis | 11 |
| CHAPTER TWO LITERATURE REVIEW | 12 |
| 2.1 Decision Making in Emergency Situation | 12 |
| 2.2 Modelling Reservoir Water Release Decision | 14 |
| 2.2.1 Reservoir Operation | 14 |
| 2.2.2 Reservoir Water Release Decision..... | 17 |
| 2.2.3 Reservoir Operating Policy..... | 18 |
| 2.3 Computational Intelligence Approaches in Reservoir Operation and Decision Modelling | 27 |
| 2.3.1 Artificial Neural Network | 27 |
| 2.3.2 Fuzzy Logic | 29 |
| 2.3.3 Genetic Algorithm | 30 |
| 2.3.4 Hybrid Computational Intelligence Model | 31 |
| 2.3.4.1 Adaptive Neuro-Fuzzy Inference System (ANFIS) | 32 |
| 2.3.4.2 Other Hybrid Computational Intelligence Model..... | 35 |

| | |
|--|-----|
| 2.3.5 Comparison of Computational Intelligence Techniques..... | 36 |
| 2.4 Spatial Temporal Data Mining in Reservoir Operation | 39 |
| 2.4.1 Temporal Data Mining..... | 40 |
| 2.4.2 Spatial Data Mining | 42 |
| 2.4.3 Spatial Temporal Data Mining..... | 43 |
| 2.5 Summary | 44 |
| CHAPTER THREE RESEARCH FRAMEWORK AND METHODOLOGY .45 | |
| 3.1 Research Framework..... | 45 |
| 3.2 Research Methodology..... | 47 |
| 3.2.1 Spatial Temporal Data Mining..... | 47 |
| 3.2.2 Development of Reservoir Water Release Dynamic Decision Model..... | 54 |
| 3.3 Summary | 58 |
| CHAPTER FOUR SPATIAL TEMPORAL DATA MINING59 | |
| 4.1 Spatial Temporal Data Mining..... | 59 |
| 4.1.1 Data Pre-processing | 59 |
| 4.1.2 Spatial Temporal Pattern Formation using Sliding Window | 63 |
| 4.2 Spatial Temporal Pattern Extraction Using Neural Network..... | 67 |
| 4.2.1 Experimental Results on Spatial Temporal Pattern Extraction..... | 68 |
| 4.2.2 Spatial Temporal Pattern of Rainfall | 76 |
| 4.3 Spatial Temporal Pattern Extraction Procedure | 77 |
| 4.4 Summary | 79 |
| CHAPTER FIVE PROPOSED RESERVOIR WATER RELEASE DYNAMIC DECISION MODEL BASED ON SPATIAL TEMPORAL PATTERN.....80 | |
| 5.1 Development of Reservoir Water Release Dynamic Decision Model..... | 80 |
| 5.1.1 Constructing Fuzzy Membership Function..... | 80 |
| 5.1.2 ANFIS Model Development | 86 |
| 5.2 Development of Reservoir Water Release Dynamic Decision Model using ANFIS | 89 |
| 5.3 Performance Evaluation | 96 |
| 5.4 Reservoir Water Release Dynamic Decision Model..... | 98 |
| 5.5 Summary | 103 |

| | |
|---|------------|
| CHAPTER SIX CONCLUSION AND FUTURE WORK | 104 |
| 6.1 Contribution of the Study | 104 |
| 6.2 Future Work | 105 |
| 6.2.1 Spatial Temporal Data Mining..... | 105 |
| 6.2.2 Decision Variables Involved of the Modelling Techniques | 106 |
| 6.3 Summary | 107 |
| REFERENCES | 108 |



UUM
Universiti Utara Malaysia

List of Tables

| | |
|---|----|
| Table 2.1 Application of Hedging Rules in Reservoir Operation | 23 |
| Table 2.2 Comparison of Computational Intelligence Techniques..... | 37 |
| Table 3.1 Five Categories of Rainfall Measurement | 48 |
| Table 3.2 Four Categories of Flood Stage | 48 |
| Table 3.3 Example of Reservoir Operational Data | 50 |
| Table 3.4 Example Input and Output of NN Model..... | 53 |
| Table 4.1 Mean Value for Flood Stage | 60 |
| Table 4.2 Fill in Missing Value | 61 |
| Table 4.3 Normalize Value for Rainfall Measurement..... | 61 |
| Table 4.4 Normalize Value for Flood Stage | 62 |
| Table 4.5 Data Normalization Using Min-Max Method..... | 62 |
| Table 4.6 Output Class Using BCD | 63 |
| Table 4.7 Temporal Data Representation..... | 65 |
| Table 4.8 Data set and the Number of Instances based on the Window Size | 67 |
| Table 4.9 Result for PADANG BESAR | 69 |
| Table 4.10 Neural Network Parameters for PADANG BESAR..... | 70 |
| Table 4.11 Results for TASOH..... | 70 |
| Table 4.12 Neural Network Parameters for TASOH..... | 71 |
| Table 4.13 Results for LUBUK SIREH..... | 71 |
| Table 4.14 Neural Network Parameters for LUBUK SIREH | 72 |
| Table 4.15 Results for KAKI BUKIT | 73 |
| Table 4.16 Neural Network Parameters for KAKI BUKIT | 73 |
| Table 4.17 Results for WANG KELIAN..... | 74 |
| Table 4.18 Neural Network Parameters for WANG KELIAN | 75 |
| Table 4.19 Summary of the Findings..... | 75 |
| Table 4.20 Summary of Network Specification..... | 76 |
| Table 5.1 Segmentation of x into two arbitrary classes (from raw data) | 82 |
| Table 5.2 Calculation of Primary Threshold Value (PRI) | 83 |
| Table 5.3 Calculation Threshold Value of NG Side | 83 |
| Table 5.4 Calculation Threshold Value of PO Side..... | 84 |

| | |
|--|----|
| Table 5.5 Calculation Threshold Value of PO Side..... | 84 |
| Table 5.6 Example of Training Set for ANFIS Model 1..... | 88 |
| Table 5.7 ANFIS Parameters | 89 |
| Table 5.8 Results for ANFIS Model | 91 |
| Table 5.9 ANFIS Model 1 Result | 92 |
| Table 5.10 ANFIS Model 2 Result | 94 |
| Table 5.11 Performance Evaluation Result..... | 97 |



List of Figures

| | |
|--|----|
| Figure 2.1. Classifications of Storage Zones of the Reservoir..... | 15 |
| Figure 2.2. Conceptual Model of Reservoir System..... | 16 |
| Figure 2.3. Standard Operating Policies (SOP) | 19 |
| Figure 2.4. Rule Curves for Multi-Purpose Reservoir..... | 21 |
| Figure 2.5. Types of Hedging Rules | 22 |
| Figure 2.6. Steps in KDD process..... | 40 |
| Figure 3.1. Research Framework | 46 |
| Figure 3.2. Data Pre-processing..... | 49 |
| Figure 3.3. Location of Timah Tasoh Reservoir and Five Gauging Stations | 52 |
| Figure 3.4. Example of Window Slice of 2..... | 54 |
| Figure 3.5. ANFIS Architecture..... | 56 |
| Figure 3.6. Process Flow for Development of Reservoir Water Release Dynamic Decision Model..... | 57 |
| Figure 4.1. Temporal Data Mining Classification | 64 |
| Figure 4.2. Pseudo-code for the Sliding Window | 66 |
| Figure 4.3. Pseudo-code for NN Training..... | 68 |
| Figure 4.4. Steps in Spatial Temporal Pattern Extraction Procedure..... | 78 |
| Figure 5.1. Illustration of Threshold Value Idea..... | 82 |
| Figure 5.2. Membership Function Graph for Flood Stage..... | 85 |
| Figure 5.3. Performance Comparison between Hybrid and Backpropagation Model | 90 |
| Figure 5.4. ANFIS Model Structure..... | 93 |
| Figure 5.5. Training Error & Checking error for Model 1..... | 93 |
| Figure 5.6. Rule Viewer for Model 1 | 94 |
| Figure 5.7. Training error & Checking error for Model 2 | 95 |
| Figure 5.8. Rule Viewer for Model 1 | 95 |
| Figure 5.9. BPNN Model using Matlab tool..... | 96 |
| Figure 5.10. ARIMA Model using Matlab tool | 97 |
| Figure 5.11. RMSE and MAE..... | 98 |
| Figure 5.12. Five Layers of ANFIS Model..... | 99 |

Figure 5.13. Input and Output Clustering 101
Figure 5.14. The Architecture of Reservoir Water Release Dynamic Decision Model
..... 102



List of Appendices

| | |
|---|-----|
| Appendix A Sample of Reservoir Operational Data (Year 2007) | 118 |
| Appendix B Sample of Hydrological Data (Year 2009)..... | 121 |



List of Abbreviations

| | |
|-------|---------------------------------------|
| ANFIS | Adaptive Neuro-Fuzzy Inference System |
| ANN | Artificial Neural Network |
| CI | Computational Intelligence |
| CBR | Case Based Reasoning |
| CDM | Classical Decision Making |
| GA | Genetic Algorithm |
| MFs | Membership Function |
| NDM | Naturalistic Decision Making |
| NN | Neural Network |
| RPD | Recognition Primed Decision |
| SW | Sliding Window |



UUM
Universiti Utara Malaysia

CHAPTER ONE

INTRODUCTION

This chapter provides an overview of this study, which includes research background, problem statement, research objectives, scope of study, research significance and organization of the thesis.

1.1 Research Background

Emergency situation is one of the complex situations that require fast and accurate decisions, since the decision is very crucial to save human lives. Emergency situations can be identified by a few characteristics such as dynamic (Philips-Wren, 2009), complex (Norwawi, 2004) and action dependent (Feigh and Pritchett, 2006). Naturally, decisions that are made by people during these situations are based on instances and their past experiences. According to this view, the concept of new theory for understanding how people make decisions are important to illustrate that decisions which have been made do not only depend on a set of alternatives, but also based on their experiences. A decision is defined as the choice of one among a number of alternatives (Bohanec, 2001; Beach & Mitchell, 1978; Hersh, 1999). Naturalistic decision theory is one of the decision making approaches that defined how humans naturally make decisions in urgency and complex environments (Klein & Klinger, 1991). Decision makers have applied this theory during emergency situation such as fire fighting (Hersh, 1999). In emergency situations, typically, decisions are made under dynamic situations and also can be referred as dynamic decision making. Dynamic decision making can be defined as a series of decision that occurs in situations that change over time, where the future decision depends on

The contents of
the thesis is for
internal user
only

REFERENCES

- Ahn, H., & Kim, K. (2009). Bankruptcy prediction modeling with hybrid case-based reasoning and genetic algorithms approach. *Applied Soft Computing*, 9(2), 599–607. doi:10.1016/j.asoc.2008.08.002
- Ahmed, J. A., & Sarma, A. K. (2005). Genetic Algorithm for Optimal Operating Policy of a Multipurpose Reservoir. *Water Resources Management*, 19 (2), 145–161. doi:10.1007/s11269-005-2704-7
- Azuma, R., Daily, M., & Furmanski, C. (2006). A review of time critical decision making models and human cognitive processes. In *Aerospace Conference, 2006 IEEE* (pp. 9-pp). IEEE
- Beach, L.R., & Mitchell, T.R. (1978). A Contingency Model for the Selection of Decision Strategies. *The Academy of Management Review*, Vol. 3, No. 3 (Jul., 1978), pp. 439-449, Retrieved from: <http://www.jstor.org/stable/257535>
- Becerra-Fernandez, I., Xia, W., Gudi, A., & Rocha, J. (2008, May). Task characteristics, knowledge sharing and integration, and emergency management performance: research agenda and challenges. In *Proceedings of the 5th International Conference on Information Systems for Crisis Response and Management (ISCRAM 2008)* (pp. 88-92).
- Bohanec, M. (2001). "What is Decision Support?". *Proc. Information Society IS-2001: Data Mining and Decision Support in Action!*, (eds. Škrjanc, M., Mladenić, D.), Ljubljana, 86-89
- Bower, B. T., Hufschmidt, M. M., and Reedy, W. W. (1962), Operating procedures: Their role in the design of water-resources systems by simulation analyses, in *Design of Water -Resource Systems*, edited by A. Maass et al., pp. 443–458, Harvard Univ. Press, Cambridge, Mass
- Brehmer, B. (1992). Dynamic decision making: Human control of complex systems. *Acta Psychologica*, 81(3), 211–241. doi:10.1016/0001-6918(92)90019-A
- Bussemeyer, J. R. (1999). *Dynamic Decision Making*.
- Cancelliere, A., Giuliano, G., Ancarani, A., & Rossi, G. (2002). A Neural Networks Approach for Deriving Irrigation Reservoir Operating Rules. *Water Resources Management*, 16(1), 71–88. doi:10.1023/A:1015563820136
- Chandramouli, V., & Deka, P. (2005). Neural Network Based Decision Support Model for Optimal Reservoir Operation. *Water Resources Management*, 19(4), 447–464. doi:10.1007/s11269-005-3276-2
- Chang, F.-J., & Chen, L. (1998). Real-Coded Genetic Algorithm for Rule-Based Flood Control Reservoir Management. *Water Resources Management*, 12(3), 185–198. doi:10.1023/A:1007900110595
- Chang, F.-J., Chen, L., & Chang, L.-C. (2005). Optimizing the reservoir operating rule curves by genetic algorithms. *Hydrological Processes*, 19(11), 2277–2289. doi:10.1002/hyp.5674
- Chang, F.-J., & Chang, Y.-T. (2006). Adaptive neuro-fuzzy inference system for prediction of water level in reservoir. *Advances in Water Resources*, 29(1), 1–10. doi:10.1016/j.advwatres.2005.04.015
- Chaves, P., & Chang, F. J. (2008). Intelligent reservoir operation system based on evolving artificial neural networks. *Advances in Water Resources*, 31(6), 926-936.
- Chen, L., McPhee, J., & Yeh, W. W.-G. (2007). A diversified multiobjective GA for

- optimizing reservoir rule curves. *Advances in Water Resources*, 30(5), 1082–1093. doi:10.1016/j.advwatres.2006.10.001
- Chong, C. C., & Jia, J. C. (1994, October). Assessments of neural network output codings for classification of multispectral images using Hamming distance measure. In *Pattern Recognition, 1994. Vol. 2-Conference B: Computer Vision & Image Processing., Proceedings of the 12th IAPR International. Conference on* (Vol. 2, pp. 526-528). IEEE.
- Club Managers Association of America (CMAA). (1999). *The Behavioral Theory of Decision Making*. Retrieved from <https://www.cmaa.org/bmiteam/decision/page4.asp>
- Cruz, A., & Mestrado, N. C. E. (2009). ANFIS: Adaptive Neuro-Fuzzy Inference Systems. *IM, UFRJ, Mestrado NCE*.
- Dawson, C. W., & Wilby, R. L. (2001). Hydrological modelling using artificial neural networks. *Progress in physical Geography*, 25(1), 80-108.
- Deka, P., & Chandramouli, V. (2005). Fuzzy neural network model for hydrologic flow routing. *Journal of Hydrologic Engineering*, 10(4), 302-314.
- Deka, P., & Chandramouli, V. (2009). Fuzzy Neural Network Modeling of Reservoir Operation. *Journal of Water Resources Planning and Management*, 135(1), 5–12. doi:10.1061/(ASCE)0733-9496(2009)135:1(5)
- Department of Irrigation and Drainage. (2012). Retrieved from <http://infobanjirperlis.dyndns.org/perlis/>
- Du, J., Qian, L., Rui, H., Zuo, T., Zheng, D., Xu, Y., & Xu, C. Y. (2012). Assessing the effects of urbanization on annual runoff and flood events using an integrated hydrological modeling system for Qinhuai River basin, China. *Journal of Hydrology*, 464, 127-139
- Dubrovin, T., Jolma, A., & Turunen, E. (2002). Fuzzy Model for Real-Time Reservoir Operation. *Journal of Water Resources Planning and Management*, 128(1), 66–73. doi:10.1061/(ASCE)0733-9496(2002)128:1(66)
- Draper, A., & Lund, J. (2004). Optimal Hedging and Carryover Storage Value. *Journal of Water Resources Planning and Management*, 130(1), 83–87. doi:10.1061/(ASCE)0733-9496(2004)130:1(83)
- Fayyad, U., Piatetsky-Shapiro, G., & Smyth, P. (1996). From data mining to knowledge discovery in databases. *AI magazine*, 17(3), 37.
- Fayyad, U., Piatetsky-Shapiro, G., & Smyth, P. (1996). The KDD process for extracting useful knowledge from volumes of data. *Communications of the ACM*, 39(11), 27-34.
- Feigh, K., & Pritchett, A. (2006). Design of Support Systems for Dynamic Decision Making in Airline Operations. In *2006 IEEE Systems and Information Engineering Design Symposium* (pp. 136–141). doi:10.1109/SIEDS.2006.278727
- Galavi, H., & Shui, L.T. (2012). Neuro-fuzzy modelling and forecasting in water resources. *Scientific Research and Essays*, 7(24). doi:10.5897/SRE11.2164
- Geetha, R., Sumathi, N., & Sathibama, D. S. (2008). A Survey of Spatial, Temporal and Spatio-Temporal Data Mining. *Journal of Computer Applications*, 1(4), 31-33.
- Gilboa, I., & Schmeidler, D. (1995). Case-Based Decision Theory. *The Quarterly Journal of Economics*, 110(3), 605–639. doi:10.2307/2946694

- Gilboa, I., Schmeidler, D., & Wakker, P. P. (2002). Utility in Case-Based Decision Theory. *Journal of Economic Theory*, 105(2), 483–502. doi:10.1006/jeth.2001.2858
- Guo, X., Hu, T., Zeng, X., & Li, X. (2013). Extension of Parametric Rule with the Hedging Rule for Managing Multi-reservoir System during Droughts. *Journal of Water Resources Planning and Management*, 139(2), 139–148. doi:10.1061/(ASCE)WR.1943-5452.0000241
- Grosskopf, B., Sarin, R., & Watson, E. (2007). An Experiment on Case-Based Decision Making. Available at SSRN 1028442.
- Han, J., Kamber, M., & Pei, J. (2006). *Data Mining, Second Edition: Concepts and Techniques*. Morgan Kaufmann.
- Hashimoto, T., Stedinger, J. R., & Loucks, D. P. (1982). Reliability, resiliency, and vulnerability criteria for water resource system performance evaluation. *Water Resources Research*, 18(1), 14–20. doi:10.1029/WR018i001p00014
- Hassin, M. H. B. M., Norwawi, N. B. M., & Aziz, A. (2006). Temporal Case-Based Reasoning for reservoir spillway gate operation. *International Conference on Computing Informatics, 2006. ICOCI '06* (pp. 1–4). Presented at the International Conference on Computing Informatics, 2006. ICOCI '06. doi:10.1109/ICOCI.2006.5276517
- Hejazi, M. I., Ruddell, B. L., & Cai, X. (2008). How Reservoirs Were Operated — Exploring the Role of Hydrologic Information. In *World Environmental and Water Resources Congress 2008* (pp. 1–9). American Society of Civil Engineers. Retrieved from <http://ascelibrary.org/doi/abs/10.1061/40976%28316%29593>
- Hersh, M. A. (1999). Sustainable decision making: the role of decision support systems. *IEEE Transactions on Systems, Man, and Cybernetics, Part C: Applications and Reviews*, 29(3), 395–408. doi:10.1109/5326.777075
- Hüllermeier, E. (2005). Experience-Based Decision Making: A Satisficing Decision Tree Approach. *IEEE Transactions on Systems, Man and Cybernetics, Part A: Systems and Humans*, 35(5), 641–653. doi:10.1109/TSMCA.2005.851145
- Hüllermeier, E. (2007). Case-Based Decision Making. In *Case-Based Approximate Reasoning* (pp. 253–305). Springer Netherlands. Retrieved from http://link.springer.com/chapter/10.1007/1-4020-5695-8_7
- Husain, A. (2012). An Overview of Reservoir Systems Operation Techniques.
- Jain, S. K., & Singh, V. P. (2003). Chapter 11: Reservoir Operation. *Water Resources Systems Planning & Management*, 51, 615–679
- Jang, J. S. (1993). ANFIS: adaptive-network-based fuzzy inference system. *Systems, Man and Cybernetics, IEEE Transactions on*, 23(3), 665–685.
- Jothiprakash, V., & Shanthi, G. (2006). Single Reservoir Operating Policies Using Genetic Algorithm. *Water Resources Management*, 20(6), 917–929. doi:10.1007/s11269-005-9014-y
- Jothiprakash, V., & Kote, A. S. (2011). Improving the performance of data-driven techniques through data pre-processing for modelling daily reservoir inflow. *Hydrological Sciences Journal*, 56(1), 168–186. doi:10.1080/02626667.2010.546358
- Jothiprakash, V., Shanthi, G., & Arunkumar, R. (2011). Development of Operational Policy for a Multi-reservoir System in India using Genetic Algorithm. *Water*

- Resources Management*, 25(10), 2405–2423. doi:10.1007/s11269-011-9815-0
- Kaiornrit, J., Wong, K. W., & Fung, C. C. (2013). A modular technique for monthly rainfall time series prediction. In *2013 IEEE Symposium on Computational Intelligence in Dynamic and Uncertain Environments (CIDUE)* (pp. 76–83). doi:10.1109/CIDUE.2013.6595775
- Kalyani, D., & Chaturvedi, S. K. (2012). A Survey on Spatio-Temporal Data Mining. *International Journal of Computer Science and Network (IJCSN). Volume 1, Issue 4, August 2012* www.ijcsn.org ISSN 2277-5420
- Karaboga, D., Bagis, A., & Haktanir, T. (2004). Fuzzy Logic Based Operation of Spillway Gates of Reservoirs during Floods. *Journal of Hydrologic Engineering*, 9(6), 544–549. doi:10.1061/(ASCE)1084-0699(2004)9:6(544)
- Karaboga, D., Bagis, A., & Haktanir, T. (2008). Controlling spillway gates of dams by using fuzzy logic controller with optimum rule number. *Applied Soft Computing*, 8(1), 232-238
- Kim, T., Heo, J.-H., Bae, D.-H., & Kim, J.-H. (2008). Single-reservoir operating rules for a year using Multiobjective Genetic Algorithm. *Journal of Hydroinformatics*, 10(2), 163. doi:10.2166/hydro.2008.019
- Koutroulis, A. G., Tsanis, I. K., Daliakopoulos, I. N., & Jacob, D. (2013). Impact of climate change on water resources status: A case study for Crete Island, Greece. *Journal of Hydrology*, 479, 146–158. doi:10.1016/j.jhydrol.2012.11.055
- Klein, G. A. (1993). A Recognition-Primed Decision (RPD) Model of Rapid Decision making. In *Decision Making in Action: Models and Methods*, G. A. Klein, J. Orasanu, R. Calderwood, and C. E. Zsombok (eds.), ISBN 0-89391-794-X, pp.138 - 147, 1993.
- Klein, G., & Klinger, D. (1991). Naturalistic decision making. *Human Systems IAC Gateway*, 11(3), 16-19.
- Klein, G. (2008). Naturalistic Decision Making. *Human Factors: The Journal of the Human Factors and Ergonomics Society*, 50(3), 456–460. doi:10.1518/001872008X288385
- Kudryavtsev, A., & Pavlodsky, J. (2012). Description-based and experience-based decisions: individual analysis. *Judgment and Decision Making*, 7(3), 316-331.
- Ku-Mahamud, K. R., Zakaria, N., Katuk, N., & Shbier, M. (2009). Flood Pattern Detection Using Sliding Window Technique. In *Third Asia International Conference on Modelling Simulation, 2009.AMS '09* (pp. 45–50). Presented at the Third Asia International Conference on Modelling Simulation, 2009.AMS '09. doi:10.1109/AMS.2009.15
- Labadie, J. (2004). Optimal Operation of Multireservoir Systems: State-of-the-Art Review. *Journal of Water Resources Planning and Management*, 130(2), 93–111. doi:10.1061/(ASCE)0733-9496(2004)130:2(93)
- Laxman, S., & Sastry, P. S. (2006). A survey of temporal data mining. *Sadhana*, 31(2), 173–198. doi:10.1007/BF02719780
- Lebiere, C., Gonzalez, C., & Martin, M. (2007). Instance-based decision making model of repeated binary choice. *Department of Social and Decision Sciences*, 88.

- Li, B. (2008). The Classical Model of Decision Making Has Been Accepted as not providing an Accurate Account of How People Typically Make Decisions. *International Journal of Business and Management*.
- Lin, W., Orgun, M. A., and Williams, G. J. (2002). An Overview of Temporal Data Mining. In *Proceedings of the 1st Australian Data Mining Workshop (ADM'02)*, pages 83–90, Canberra, Australia
- Lipshitz, R., Klein, G., Orasanu, J., & Salas, E. (2001). Taking stock of naturalistic decision making. *Journal of Behavioral Decision Making*, 14(5), 331-352.
- Liu, X., Guo, S., Liu, P., Chen, L., & Li, X. (2011). Deriving Optimal Refill Rules for Multi-Purpose Reservoir Operation. *Water Resources Management*, 25(2), 431–448. doi:10.1007/s11269-010-9707-8
- Luo, J., Qi, Y., Xie, J., & Zhang, X. (2015). A hybrid multi-objective PSO–EDA algorithm for reservoir flood control operation. *Applied Soft Computing*, 34, 526-538.
- Mehta, R., & Jain, S. K. (2009). Optimal Operation of a Multi-Purpose Reservoir Using Neuro-Fuzzy Technique. *Water Resources Management*, 23(3), 509–529. doi:10.1007/s11269-008-9286-0
- Mohan, A., & Revesz, P. (2012). Temporal data mining of uncertain water reservoir data. In *Proceedings of the Third ACM SIGSPATIAL International Workshop on Querying and Mining Uncertain Spatio-Temporal Data* (pp. 10–17). New York, NY, USA: ACM. doi:10.1145/2442985.2442987
- Momtahn, S., & Dariane, A. B. (2007). Direct Search Approaches Using Genetic Algorithms for Optimization of Water Reservoir Operating Policies. *Journal of Water Resources Planning and Management*, 133(3), 202–209. doi:10.1061/(ASCE)0733-9496(2007)133:3(202)
- Majumdar, V., & Mujumdar, S. V. P. P. (2005). *Water Resources Systems*. Tata McGraw-Hill. Retrieved from <http://books.google.com.my/books?id=oN87XeoHHM0C>
- Manikandan, G., & Srinivasan, S. (2013). An Efficient Algorithm For Mining Spatially Co-Located Moving Objects. *American Journal of Applied Sciences*, 10(3).
- MIKE Basin – An Integrated River Basin Planning and Management Tool. (n.d). Retrieved from <http://www.crwr.utexas.edu/gis/gishyd98/dhi/mikebas/Mbasbody.htm>
- Naik, P. K., & Jay, D. A. (2011). Distinguishing human and climate influences on the Columbia River: Changes in mean flow and sediment transport. *Journal of Hydrology*, 404(3–4), 259–277. doi:10.1016/j.jhydrol.2011.04.035
- Neelakantan, T. R., & Pundarikanthan, N. V. (1999). Hedging Rule Optimisation for Water Supply Reservoirs System. *Water Resources Management*, 13(6), 409–426. doi:10.1023/A:1008157316584
- Neelakantan, T., & Pundarikanthan, N. (2000). Neural Network-Based Simulation-Optimization Model for Reservoir Operation. *Journal of Water Resources Planning and Management*, 126(2), 57–64. doi:10.1061/(ASCE)0733-9496(2000)126:2(57)
- Ngo, L.L. (2006). Optimising reservoir operation: A case study of the HoaBinh reservoir, Vietnam. PhD Thesis, *Institute of Environment & Resources Technical University of Denmark*, 2006

- Ngoc, T. A., Hiramatsu, K., & Harada, M. (2013). Optimizing the rule curves of multi-use reservoir operation using a genetic algorithm with a penalty strategy. *Paddy and Water Environment*, 1–13. doi:10.1007/s10333-013-0366-2
- Norita, M. N. (2004). Computational Recognition-Primed Decision Model Based on Temporal Data Mining Approach in a Multiagent Environment for Reservoir Flood Control Decision (*Doctoral dissertation, Universiti Utara Malaysia*).
- Phillips-Wren, G. (2009). Adaptive Decision Support for Dynamic Environments. In K. Nakamatsu, G. Phillips-Wren, L. C. Jain, & R. J. Howlett (Eds.), *New Advances in Intelligent Decision Technologies* (pp. 235–243). Springer Berlin Heidelberg. Retrieved from http://link.springer.com/chapter/10.1007/978-3-642-00909-9_23
- Oliveira, R., & Loucks, D. P. (1997). Operating rules for multireservoir systems. *Water Resources Research*, 33(4), 839–852. doi:10.1029/96WR03745
- Ossadnik, W., Wilmsmann, D., & Niemann, B. (2013). Experimental evidence on case-based decision theory. *Theory and decision*, 75(2), 211–232.
- Othman, F., & Naseri, M. (2011). Reservoir inflow forecasting using artificial neural network. *International Journal of Physical Sciences*, 6(3), 434–440.
- Palit, A. K., & Popovic, D. (2006). *Computational intelligence in time series forecasting: theory and engineering applications*. Springer.
- Panigrahi, D. P., & Mujumdar, P. P. (2000). Reservoir Operation Modelling with Fuzzy Logic. *Water Resources Management*, 14(2), 89–109. doi:10.1023/A:1008170632582
- Pinthong, P., Gupta, A. D., Babel, M. S., & Weesakul, S. (2009). Improved Reservoir Operation Using Hybrid Genetic Algorithm and Neurofuzzy Computing. *Water Resources Management*, 23(4), 697–720. doi:10.1007/s11269-008-9295-z
- Prasad, M. A., & Mohan, S. (2005). Fuzzy Logic Model for Multi — Purpose Multi - Reservoir System. In D. Li & B. Wang (Eds.), *Artificial Intelligence Applications and Innovations* (pp. 335–347). Springer US. Retrieved from http://link.springer.com/chapter/10.1007/0-387-29295-0_36
- Raje, D., & Mujumdar, P. P. (2010). Reservoir Performance under Uncertainty in Hydrologic Impacts of Climate Change. *Advances in Water Resources*, 33(3), 312–326. doi:10.1016/j.advwatres.2009.12.008
- Rakow, T., & B Rahim, S. (2010). Developmental insights into experience-based decision making. *Journal of Behavioral Decision Making*, 23(1), 69–82.
- Raman, H., & Chandramouli, V. (1996). Deriving a general operating policy for reservoirs using neural network. *Journal of water resources planning and management*, 122(5), 342–347
- Ramani Bai, V, Woo, C. S., Othman, F, & Ramadas, G. (2007). Data Mining In Reservoir Operation and Flood Control Using Artificial Neural Networks. *Proceeding of the 2nd International Conference on Informatics, 2007*. Retrieved February 15, 2013, from <http://myais.fsktm.um.edu.my/1467/>
- Rani, D., & Moreira, M. M. (2010). Simulation–Optimization Modeling: A Survey and Potential Application in Reservoir Systems Operation. *Water Resources Management*, 24(6), 1107–1138. doi:10.1007/s11269-009-9488-0

- Rashid, A. N. M. B., & Hossain, M. A. (2012). Challenging Issues of Spatio-Temporal Data Mining. *Computer Engineering and Intelligent Systems*, 3(4), 55–63.
- Reservoir. (2012). *Dictionary.com Unabridged*. Retrieved Dec 04, 2012, from Dictionary.com website: <http://dictionary.reference.com/browse/reservoir>
- Rittima, A. (2009). Hedging Policy for Reservoir System Operation: A Case Study of Mun Bon and Lam Chae Reservoirs. *Kasetsart Journal, Natural Sciences*, 43(4), 833–842.
- Roddick, J. F., & Spiliopoulou, M. (2002). A survey of temporal knowledge discovery paradigms and methods. *IEEE Transactions on Knowledge and Data Engineering*, 14(4), 750–767. doi:10.1109/TKDE.2002.1019212
- Russell, S. O., & Campbell, P. F. (1996). Reservoir Operating Rules with Fuzzy Programming. *Journal of Water Resources Planning and Management*, 122(3), 165–170. doi:10.1061/(ASCE)0733-9496(1996)122:3(165)
- Salehi, A., & Afshar, A. (2011). Gated Spillways Operation Rules Considering Water Surface Elevation and Flood Peak: Application to Karkheh Dam. In *World Environmental and Water Resources Congress 2011* (pp. 3007–3015). American Society of Civil Engineers. Retrieved from <http://ascelibrary.org/doi/abs/10.1061/41173%28414%29314>
- Shahnawaz, M., Ranjan, A., & Danish, M. (2011). Temporal Data Mining: An Overview. *International Journal of Engineering and Advanced Technology (IJEAT) ISSN: 2249 – 8958, Volume-1, Issue-1, October 2011*
- Sharifi, F., Haddad, O. B., & Naderi, M. (2005). Reservoir optimal operation using DP-ANN. *Evolutionary Computation*, 496-281.
- Shekhar, S., Zhang, P., & Huang, Y. (2005). Spatial Data Mining. In O. Maimon & L. Rokach (Eds.), *Data Mining and Knowledge Discovery Handbook* (pp. 833–851). Springer US. Retrieved from http://link.springer.com/chapter/10.1007/0-387-25465-X_39
- Shekhar, S., Zhang, P., & Huang, Y. (2010). Spatial Data Mining. In O. Maimon & L. Rokach (Eds.), *Data Mining and Knowledge Discovery Handbook* (pp. 837–854). Springer US. Retrieved from http://link.springer.com/chapter/10.1007/978-0-387-09823-4_43
- Shiau, J. (2009). Optimization of Reservoir Hedging Rules Using Multiobjective Genetic Algorithm. *Journal of Water Resources Planning and Management*, 135(5), 355–363. doi:10.1061/(ASCE)0733-9496(2009)135:5(355)
- Shiau, J. T., & Lee, H. C. (2005). Derivation of Optimal Hedging Rules for a Water-supply Reservoir through Compromise Programming. *Water Resources Management*, 19(2), 111–132. doi:10.1007/s11269-005-1502-6
- Shih, J., & ReVelle, C. (1994). Water Supply Operations during Drought: Continuous Hedging Rule. *Journal of Water Resources Planning and Management*, 120(5), 613–629. doi:10.1061/(ASCE)0733-9496(1994)120:5(613)
- Shih, J.-S., & ReVelle, C. (1995). Water supply operations during drought: A discrete hedging rule. *European Journal of Operational Research*, 82(1), 163–175. doi:10.1016/0377-2217(93)E0237-R
- Smith, K., & Ward, R. (1998). *Floods: Physical Processes and Human Impacts* (p. 394). Chichester: Wiley.

- Suriya, S., & Mudgal, B. V. (2012). Impact of urbanization on flooding: The Thirusoolam sub watershed – A case study. *Journal of Hydrology*, 412–413, 210–219. doi:10.1016/j.jhydrol.2011.05.008
- Srinivasan, K., & Philipose, M. C. (1996). Evaluation and selection of hedging policies using stochastic reservoir simulation. *Water Resources Management*, 10(3), 163–188. doi:10.1007/BF00424201
- Srinivasan, K., & Philipose, M. C. (1998). Effect of Hedging on Over-Year Reservoir Performance. *Water Resources Management*, 12(2), 95–120. doi:10.1023/A:1007936115706
- Talib, S. H. A., Yusoff, M. S., & Hasan, Z. A. (2012). Modeling of Sedimentation Pattern in Bukit Merah Reservoir, Perak, Malaysia. *Procedia Engineering*, 50, 201–210. doi:10.1016/j.proeng.2012.10.025
- Taghian, M., Rosbjerg, D., Haghghi, A., & Madsen, H. (2013). Optimization of Conventional Rule Curves Coupled with Hedging Rules for Reservoir Operation. *Journal of Water Resources Planning and Management*, doi:10.1061/(ASCE)WR.1943-5452.0000355
- Tu, M.-Y., Hsu, N.-S., & Yeh, W. W.-G. (2003). Optimization of Reservoir Management and Operation with Hedging Rules. *Journal of Water Resources Planning and Management*, 129(2), 86–97. doi:10.1061/(ASCE)0733-9496(2003)129:2(86)
- Tu, M.-Y., Hsu, N.-S., Tsai, F. T.-C., & Yeh, W. W.-G. (2008). Optimization of Hedging Rules for Reservoir Operations. *Journal of Water Resources Planning and Management*, 134(1), 3–13. doi:10.1061/(ASCE)0733-9496(2008)134:1(3)
- Tucci, C. E. (2002). Flood Flow Forecasting. Presented at 54th session of Executive Council of WMO World Meteorological Organization, Geneva
- U.S. Army Corps of Engineers (USACE). (1991). Optimization of Multiple-Purpose Reservoir System Operations: A Review of Modeling and Analysis Approaches, Hydrologic Engineering Center, R.A. Wurbs, RD-34.
- Valizadeh, N., & El-Shafie, A. (2013). Forecasting the Level of Reservoirs Using Multiple Input Fuzzification in ANFIS. *Water Resources Management*, 27(9), 3319–3331. doi:10.1007/s11269-013-0349-5
- Valizadeh, N., El-Shafie, A., Mirzaei, M., Galavi, H., Mukhlisin, M., & Jaafar, O. (2014). Accuracy Enhancement for Forecasting Water Levels of Reservoirs and River Streams Using a Multiple-Input-Pattern Fuzzification Approach. *The Scientific World Journal*, 2014.
- Wang, W.-C., Chau, K.-W., Cheng, C.-T., & Qiu, L. (2009). A comparison of performance of several artificial intelligence methods for forecasting monthly discharge time series. *Journal of Hydrology*, 374(3–4), 294–306. doi:10.1016/j.jhydrol.2009.06.019
- Wang, B. (2012). Reservoir Characterization and Horizontal Well Placement Guidance Acquisition by Using GIS and Data Mining Methods. *Master Thesis. Department of Geomatics Engineering, University of Calgary, Alberta, 2012.*
- Wan Ishak, Wan Hussain and Ku-Mahamud, Ku Ruhana and Md. Norwawi, Norita (2010). Reservoir Water Level Forecasting Model Using Neural Network. *International Journal of Computational Intelligence*, 6 (4). pp. 947-952.

- Wan Ishak, W. H., Ku Mahamud, K. R., & Md Norwawi, N. (2011a). Reservoir Water Release Decision Modeling. *Proceedings of the 3rd International Conference on Computing and Informatics (8-9 Jun 2011, Bandung, Indonesia)*, pp: 74-79
- Wan Ishak, W. H., Ku Mahamud, K. R., & Md Norwawi, N. (2011b). Mining Temporal Reservoir Data Using Sliding Window Techniques. *CiiT International Journal of Data Mining Knowledge Engineering* ISSN 0974 – 9683 (Print) 0974 – 9578 (Online), Vol. 3, No. 8, (Jun 2011), pp: 473-478 DOI: DMKE062011004
- Wan Ishak, W. H., Ku Mahamud, K. R., & Md Norwawi, N. (2011c). Intelligent Decision Support Model Based on Neural Network to Support Reservoir Water Release Decision. *ICSECS 2011, Part I, Communications in Computer and Information Science (CCIS) 179*, pp. 365–379 ISBN: 978-3-642-22169-9. Springer LNCS
- Wan Ishak, W. H., Ku Mahamud, K. R., & Md Norwawi, N. (2011d). Neural Network Application in Reservoir Water Level Forecasting and Release Decision. *Proceedings of the 3rd International Conference on Computing and Informatics (8-9 Jun 2011, Bandung, Indonesia)*, pp: 74-79
- Wan Ishak, W. H., Ku Mahamud, K. R., & Md Norwawi, N. (2011e). Conceptual Model of Intelligent Decision Support System Based on Naturalistic Decision Theory for Reservoir Operation during Emergency Situation. *IJCEE: International Journal of Civil & Environmental Engineering*, 11(2), 06-11, ISSN: 2077-1258
- Wan Ishak, W. H., Ku Mahamud, K. R., & Md Norwawi, N. (2012). Modelling Reservoir Water Release Decision Using Temporal Data Mining and Neural Network. *International Journal of Emerging Technology and Advanced Engineering*, ISSN 2250-2459 (Online), Vol. 2, No. 8, pp: 422-428
- Wei, C.-C., & Hsu, N.-S. (2008). Derived operating rules for a reservoir operation system: Comparison of decision trees, neural decision trees and fuzzy decision trees. *Water Resources Research*, 44(2), W02428. doi:10.1029/2006WR005792
- Wurbs, R. (1993). Reservoir-System Simulation and Optimization Models. *Journal of Water Resources Planning and Management*, 119(4), 455–472. doi:10.1061/(ASCE)0733-9496(1993)119:4(455)
- Yechiam, E., & Busemeyer, J. R. (2005). Comparison of basic assumptions embedded in learning models for experience-based decision making. *Psychonomic Bulletin & Review*, 12(3), 387–402. doi:10.3758/BF03193783
- Yeh, W. W.-G. (1985). Reservoir Management and Operations Models: A State-of-the-Art Review. *Water Resources Research*, 21(12), 1797–1818. doi:10.1029/WR021i012p01797
- You, J.-Y., & Cai, X. (2007). Determining Forecast and Decision Horizons for Reservoir Operations under Hedging Policies (pp. 1–10). American Society of Civil Engineers. doi:10.1061/40927(243)553
- You, J.-Y., & Cai, X. (2008a). Hedging rule for reservoir operations: 1. A theoretical analysis. *Water Resources Research*, 44(1), n/a–n/a. doi:10.1029/2006WR005481

- You, J.-Y., & Cai, X. (2008b). Hedging rule for reservoir operations: 2. A numerical model. *Water Resources Research*, 44(1), n/a–n/a. doi:10.1029/2006WR005482
- You, J., & Cai, X. (2009). Reexamination of Critical Period for Reservoir Design and Operation. *Journal of Water Resources Planning and Management*, 135(5), 392–396. doi:10.1061/(ASCE)0733-9496(2009)135:5(392)
- You, J.-Y. (2008). Hedging Rule for Reservoir Operation: How Much, When and how Long to Hedge. *PhD Thesis, Graduate College of the University of Illinois at Urbana-Champaign, 2008*

