

# Papéis Avulsos de Zoologia

Museu de Zoologia da Universidade de São Paulo

Volume 57(26):327-345, 2017

[www.mz.usp.br/publicacoes](http://www.mz.usp.br/publicacoes)  
[www.revistas.usp.br/paz](http://www.revistas.usp.br/paz)

ISSN impresso: 0031-1049  
ISSN on-line: 1807-0205

## TYPE SPECIMENS OF CHRYSIDOIDEA (HYMENOPTERA) DEPOSITED IN THE MUSEU DE ZOOLOGIA DA UNIVERSIDADE DE SÃO PAULO, BRAZIL

ALVARO DORIA DOS SANTOS<sup>1,2</sup>  
HELENA CAROLINA ONODY<sup>1,3</sup>  
CARLOS ROBERTO F. BRANDÃO<sup>1,4</sup>

### ABSTRACT

*The present catalogue lists type specimens of Chrysidoidea deposited in the Museu de Zoologia da Universidade de São Paulo (MZSP). The Chrysidoidea collection includes a total of 75 holotypes, 791 paratypes, 2 lectotypes, 1 paralectotype and 5 syntypes of 97 nominal species. All information contained in the labels was compiled and is presented along with additional data taken from the original descriptions, MZSP records and other sources. We present also links to high resolution photographs of holotypes, lectotypes and syntypes uploaded to the Specimage, image database of the Ohio State University.*

KEY-WORDS: Brazil; Insecta; Taxonomy; MZSP; Types list.

### INTRODUCTION

The Hymenoptera collection of the Museu de Zoologia da Universidade de São Paulo (MZSP) originated in the early nineteenth century with specimens collected by Hermann von Lüderwaldt and Hermann von Ihering (Klingenberg & Brandão, 2005). At this time, the collection was stored at the Museu Paulista which housed a plethora of specimens and objects from different natural history branches including archeology, botany, ethnology, mineralogy and zoology (Landim, 2011).

In 1925, a Zoology section was created inside the Museu Paulista, which was transferred to the Secretary of Agriculture and Commerce of São Paulo State as a Department of Zoology, marked by the beginning of the construction of a dedicated building in

1939. After three years of construction, the Department of Zoology and its collections were allocated in the new building. Only in 1969 the Department was incorporated to the University of São Paulo, adopting the current name of Museu de Zoologia da Universidade de São Paulo (Klingenberg & Brandão, 2005).

Throughout the years, the collection increased in size and importance due to the efforts of many collaborators, acquisition of smaller collections, deposit of material from other institutions and by researchers and as a result of Biota/FAPESP and INCT-HYMPAR/Sudeste (CNPq/FAPESP) programs (Onody *et al.*, 2014).

The International Commission on Zoological Nomenclature (1999) recommendation 72F.4 states that lists containing name-bearing types should be published by institutions that house them or have them in possession or custody. Catalogues of ants

<sup>1</sup> Universidade de São Paulo (USP), Museu de Zoologia, (MZ). Avenida Nazaré, 481, Ipiranga, CEP 04263-000, São Paulo, SP, Brasil.

<sup>2</sup> E-mail: [alvarods3@gmail.com](mailto:alvarods3@gmail.com)

<sup>3</sup> E-mail: [helenaonody@gmail.com](mailto:helenaonody@gmail.com)

<sup>4</sup> E-mail: [crlbrand@usp.br](mailto:crlbrand@usp.br)

(Brandão, 1991; Klingenberg & Brandão, 2005; Brandão *et al.*, 2010; Esteves *et al.*, 2011; Prado & Brandão, 2013; Ulysséa & Brandão, 2013; Ulysséa *et al.*, 2015), bees (Ramos *et al.*, 2015) and “Symphyta” & “Parasitica” wasps (Onody *et al.*, 2014) were issued in order to accomplish this recommendation. We present here the first compiled list of Chrysidoidae wasps type specimens deposited in the Museu de Zoologia da Universidade de São Paulo.

## MATERIAL AND METHODS

This catalogue contains all Chrysidoidae primary and secondary types deposited in the Museu de Zoologia da Universidade de São Paulo. Species are organized by families followed by subfamilies, tribes, genera and species always in alphabetical order. Binomial current valid names are given for each species followed by the author’s name, year and page of original publication.

In order to avoid unnecessary movement of primary types, we include full resolution photographs uploaded to Specimage website (<http://specimage.osu.edu>) database of Ohio’s State University. Those images were obtained with a Leica DFC 295 video camera attached to a Leica M205C magnifying stereoscope. We used Leica LAS (Leica Application Suite V3.6.0) and Helicon Focus (version 6.0.18) to assemble the series of images taken at different focus distances by z-stacking method. Small adjustments on the assembled photographs were made using commercial softwares.

All information given was retrieved from label data and organized according to the following sequence: type category, number and sex of specimens, current MZSP unique identifier number, locality (COUNTRY, State/Province, city, other locality details including coordinates), date of collecting, collections technique, collector’s name and the original taxon name if applicable. Additional information is provided in order to facilitate the understanding of abbreviated or misspelled information, gathered from original papers, MZSP registers and other sources; data not included in labels is presented between brackets. Missing information is indicated by a question symbol.

## RESULTS

The Chrysidoidae collection includes a total of 873 types-specimens (75 holotypes, 791 paratypes, 2 lectotypes, 1 paralectotype and 5 syntypes) of 4 families, 19 genera and 97 species.

### Chrysidoidae Bethylinae Bethylinae *Goniozus* Foerster, 1856

#### *Goniozus microstigma* Evans, 1993: 262 (In Melo & Evans, 1993)

(<http://hol.osu.edu/spmInfo.html?id=MZSP%2000201>)

*Holotype*: ♀ (#MZSP 00201), BRASIL, M[inas] G[erais], Viçosa, 30.xi.1990, encontrado em ninhos de *Microstigma* (orifício em caibro), Cisterna (U[universidade]F[ederal de]V[içosa]), G.A.R. Melo.

*Paratypes*: 1 ♀ (#MZSP 00202), same data as holotype except 24.xi.1990, nascido de pupa coletada em ninho de *Microstigma*; 1 ♀ (#MZSP 00203) same data except 15.iii.1991, *Microstigma* de madeira; 1 ♀ (#MZSP 00204) same data except 26.xi.1991, caminhando sobre esteio, Mata do Paraíso; 1 ♀ (#MZSP 00205) same data except 29.xi.1991, caminhando sobre esteio, Mata do Paraíso (casa do Sr. R. Stanciola).

### Epyrinae Epyrini *Anisepyris* Kieffer, 1905

#### *Anisepyris basilonus* Santos, 2008: 329 (In Santos & Azevedo, 2008)

*Paratype*: 1 ♂ (#MZSP 00247), BRASIL, E[spírito] S[anto], S[an]ta Teresa, Res[erva] Bio[lógica] S[an]ta Lúcia, 810 m, 19°58'18.5"S 40°32'07.6"W, arm[adilha] Malaise, Trilha 3, 06-09.iv.2001, C.O. Azevedo e eq[uipe] col.

#### *Anisepyris carinatus* Santos & Azevedo, 2000: 142

*Paratypes*: 1 ♂ (#MZSP 00259), BRASIL, B[ahi]A, S[an]ta Rita de Cássia, 17.vii.1991, S.T.P. Amarante & C.F. Martins col; 1 ♂ (#MZSP 00260), BRASIL, M[inas] Gerais, Passos, iii.1964, C.T. Elias col.

#### *Anisepyris foveapertus* Santos, 2008: 331 (In Santos & Azevedo, 2008)

(<http://hol.osu.edu/spmInfo.html?id=MZSP%2000282>)

*Holotype*: ♀ (#MZSP 00282), BRASIL, B[ahi]A, Porto Seguro, Est[ação] Ecol[ógica] Pau Brasil, 16°23'17.6"S 39°10'55"W, 20.v.2002. Möricke, C.O. Azevedo & eq[uipe] col.

*Paratypes*: 1 ♀ (#MZSP 00283), same data as holotype; 1 ♀ (#MZSP 00284), BRASIL, E[spírito] S[anto], Linhares, Res[erva] Biol[ógica] Sooretama, 19°00'11.5"S 40°07'08"W, 21-24.iii.2002, Malaise, C.O. Azevedo & eq[uipe] col.

***Anisepyris ramosus* Santos, 2008: 338**

(**In Santos & Azevedo, 2008**)

(<http://hol.osu.edu/spmInfo.html?id=MZSP%2000317>)

*Holotype*: ♂ (#MZSP 00317), BRASIL, B[ahi]A, Porto Seguro, Est[ação] Ecol[ógica] Pau BRASIL, 16°23'17.6"S 39°10'55"W, 16.v.2002, Varredura, C.O. Azevedo e eq[uipe] col.

*Paratypes*: 3 ♂ (#MZSP 00322-00324) same data as holotype; 1 ♂ (#MZSP 00325), BRASIL, S[ergipe], S[an]ta Luzia do Itanh, Crasto, 11°22'37.4"S 37°24'50.3"W, 01-04.viii.2002, Malaise, M.T. Tavares & eq[uipe] col.; 4 ♂ (#MZSP 00318-00321), BRASIL, AL [agoas] Quebrangulo, Res[erva] Biol[ógica] da Pedra Talhada, 09°14'54"S 36°25'32"W, 11-14.ix.2002, Mörické, Pentead-Dias & eq[uipe] col.

***Bakeriella* Kieffer, 1910**

***Bakeriella grossensis* Azevedo, 1994: 147**

(<http://hol.osu.edu/spmInfo.html?id=MZSP%2000346>)

*Holotype*: ♀ (#MZSP 00346), BRAZIL, M[ato] G[rosso], Barra do Tapirapé, xii.1960, B. Malkin, col.

***Chlorepbris* Kieffer, 1905**

***Chlorepbris unifoveatus***

(**Rosmann & Azevedo, 2005**): 400

(<http://hol.osu.edu/spmInfo.html?id=MZSP%2055662>)

*Holotype*: ♂ (#MZSP 55662) E[spírito] S[anto], Linhares, Res[erva] Biol[ógica] de Sooretama, 22.iii.2002, 19°00'11.5"S 40°07'08"W, Varredura, C.O. Azevedo & eq[uipe]. col.

*Original name*: *Rhabdepyris (Chlorepbris) unifoveatus* Rosmann & Azevedo, 2005: 400.

***Chlorepbris sulcatus***

(**Rosmann & Azevedo, 2005**): 402

(<http://hol.osu.edu/spmInfo.html?id=MZSP%2055661>)

*Holotype*: ♀ (#MZSP 55661); BRASIL, B[ahi]A, Porto Seguro, Est[ação] Ecol[ógica] Pau Brasil, 20.v.2002,

16°23'17.5"S 39°10'10.55"W, armadilha Malaise, C.O. Azevedo & eq[uipe]. col.

*Original name*: *Rhabdepyris (Chlorepbris) sulcatus* Rosmann & Azevedo, 2005: 402.

***Chlorepbris circinnatus***

(**Rosmann & Azevedo, 2005**): 403

(<http://hol.osu.edu/spmInfo.html?id=MZSP%2055660>)

*Holotype*: ♂ (#MZSP 55660) BRASIL, E[spírito] S[anto], Linhares, Res[erva] Biol[ógica] de Sooretama, 24-27.iii.2002, 19°00'11.5"S 40°07'08"W, armadilha Malaise, C.O. Azevedo & eq[uipe]. col.

*Original name*: *Rhabdepyris (Chlorepbris) circinnatus* Rosmann & Azevedo, 2005: 403.

***Laelius* Ashmead, 1893**

***Laelius muesebecki* (Evans, 1965): 74**

*Paratype*: ♀ (#MZSP 00436), COSTA RICA, S[an] José, 1940 H. Schmidt.

*Original name*: *Rhabdepyris muesebecki* Evans, 1965: 74.

**Scleroderminae**

***Sclerodermus* Latreille, 1809**

***Sclerodermus spilonotum* Evans, 1968: 104**

(<http://hol.osu.edu/spmInfo.html?id=MZSP%2000499>)

*Holotype*: ♀ (#MZSP 00499), BRASIL, S[ão] P[aulo], São Paulo, 01-15.xi.1967, K. Lenko col.

*Paratypes*: 6 ♀ (#MZSP 00500-00505), same data as holotype.

**Pristocerinae**

***Apenesia* Westwood, 1874**

***Apenesia atlantica* Corrêa & Azevedo, 2006: 441**

(<http://hol.osu.edu/spmInfo.html?id=MZSP%2055659>)

*Holotype*: ♂ (#MZSP 55659), BRASIL, R[io] de J[aneiro], S[an]ta Maria Madalena, Parque Estadual de Desengano, 21°59'03"S 41°57'08"W, 16-19.iv.2002, Malaise, A.M. Pentead-Dias e eq[uipe] col.

*Paratypes*: 1 ♂ (#MZSP 00518), same data as holotype; 1 ♂ (#MZSP 00519) same data except Mörické.; 1 ♂ (#MZSP 00520) same data except 21°59'03.9"S

41°57'08.4"W, 19-22.iv.2002, Malaise, A.M. Pentead-Dias e eq[uipe] col.; 1 ♂ (#MZSP 00511), BRASIL, E[spírito] S[anto], S[an]ta Teresa, Res[erva] Biol[ógica] S[an]ta Lúcia, 867 m, 19°58'37.3"S 40°32'22.5"W, arm[adilha] Malaise, Bosque 1, 06-09.iv.2001, C.O. Azevedo e eq[uipe] col.; 5 ♂ (#MZSP 00512-00515, 00517), same data except 638 m, 19°58'25.2"S 40°32'44.6"W, Varredura, 07-11.iv.2001; 1 ♂ (#MZSP 00516) same data except 19°58'10.5"S 40°32'10.3"W, arm[adilha] Malaise, ponto 5, 09-12.iv.2001, C.O. Azevedo e equipe col.

***Apenesia exigua* Corrêa & Azevedo, 2006: 444**

(<http://hol.osu.edu/spmInfo.html?id=MZSP%2055656>)

*Holotype*: ♂ (#MZSP 55656), BRASIL, E[spírito] S[anto], Santa Teresa, Est[ação] Biol[ógica] S[an]ta Lúcia, 19°58'21.1"S 40°32'05.5"W, 07.iv.2001, Varredura, C.O. Azevedo e eq[uipe] col.

***Apenesia hepatica* Corrêa & Azevedo, 2006: 447**

(<http://hol.osu.edu/spmInfo.html?id=MZSP%2055657>)

*Holotype*: ♂ (#MZSP 55657), BRASIL, B[ahi] A, Sapiranga, Reserva de Sapiranga 12°33'38.5"S 38°02'57.2"W, arm[adilha] Malaise, Trilha 6, 22-25.vii.2001, M.T. Tavares e eq[uipe] col.

*Paratypes*: 2 ♂ (#MZSP 00713, 00714), same data as holotype except 12°33'36.4"S 38°02'57.2"W, Trilha 5, 19-22.vii.2001; 1 ♂ (#MZSP 00715), same data except 12°33'24.1"S 38°03'04.7"W, arm[adilha] Möricke, Bosque 7, 20-23.vii.2001; 1 ♂ (#MZSP 00716) same data except 12°33'40.1"S 38°02'43.2"W, Varredura, Amostra 8, 22.vii.2001; 1 ♂ (#MZSP 00717) same data except 12°33'27.7"S 38°03'06.6"W, arm[adilha] Möricke, Bosque 6, 20-23.vii.2001; 1 ♂ (#MZSP 00718), BRASIL, same data except 12°33'39.6"S 37°25'04.4"W, Trilha 1, 22-25.vii.2001; 4 ♂ (#MZSP 00719-00722), BRASIL, S[ergip]E, S[an]ta Luzia do Itahy, Crasto, 11°22'37.4"S 37°24'50.3"W, 29.vii-04.viii.2001, Malaise, M.T. Tavares e eq[uipe] col.

***Apenesia patens* Corrêa & Azevedo, 2006: 445**

(<http://hol.osu.edu/spmInfo.html?id=MZSP%2055655>)

*Holotype*: ♂ (#MZSP 55655), BRASIL, AL[agoas], Quebrangulo, Res[erva] Biol[ógica] Pedra Talhada, 08-11.ix.2002, Malaise, Pentead-Dias e eq[uipe] col.

*Paratypes*: 1 ♂ (#MZSP 00724), BRASIL, B[ahi] A, Sapiranga, Reserva de Sapiranga 12°33'36.4"S

38°02'57.2"W, arm[adilha] Malaise, Trilha 5, 19-22.vii.2001, M.T. Tavares e eq[uipe] col.; 1 ♂ (#MZSP 00725) BRASIL, S[ergip]E, S[an]ta Luzia do Itahy, Crasto, 11°22'37.4"S 37°24'50.3"W, 31.vii.2001, Varredura, M.T. Tavares e eq[uipe] col.

***Apenesia pectinata* Corrêa & Azevedo, 2006: 441**

(<http://hol.osu.edu/spmInfo.html?id=MZSP%2055658>)

*Holotype*: ♂ (#MZSP 55658), BRASIL, E[spírito] S[anto], Res[erva] Biol[ógica] Sooretama, 19°00'11.5"S 40°07'08"W, 22.iii.2002, Varredura, C.O. Azevedo e eq[uipe] col.

*Paratypes*: 1 ♂ (#MZSP 00726), BRASIL, B[ahi] A, Porto Seguro, Est[ação] Ecol[ógica] Pau Brasil, 16°23'17.6"S 39°10'55"W, 17.v.2002, Malaise, C.O. Azevedo e eq[uipe] col.; 1 ♂ (#MZSP 00727), same data as holotype.

***Apenesia simplex* Corrêa & Azevedo, 2006: 447**

(<http://hol.osu.edu/spmInfo.html?id=MZSP%2055654>)

*Holotype*: ♂ (#MZSP 55654), BRASIL, E[spírito] S[anto], Santa Teresa, Est[ação] Biol[ógica], S[an]ta Lúcia, 642 m, 19°58'25.5"S 40°31'44.6"W, 08.iv.2001, Varredura, pt. 31, C.O. Azevedo e equipe col.

*Paratype*: 1 ♂ (#MZSP 00743), same data as holotype.

***Dissomphalus* Ashmead, 1893**

***Dissomphalus amplexus***

**Redighieri & Azevedo, 2006: 329**

(<http://hol.osu.edu/spmInfo.html?id=MZSP%2000802>)

*Holotype*: ♂ (#MZSP 00802), BRASIL, S[anta] C[atarina], São Bento do Sul, C[entro de] E[studo de] P[esquisa] A[m]biental Rugendas, 26°19'25.6"S 49°18'26.5"W, 16-19.x.2001, Malaise, Pentead-Dias & equipe col.

*Paratypes*: 2 ♂ (#MZSP 00806, 00807), same data as holotype; 1 ♂ (#MZSP 00805) same data as holotype except 13-16.x.2001, Möricke; 1 ♂ (#MZSP 00803), BRASIL, P[a]R[aná], Morretes, Parque Est[adual] do Pau Oco, 25°34'27.5"S 48°53'33"W, 09.iv.2002, Varredura, M.T. Tavares e eq[uipe] col.; 1 ♂ (#MZSP 00804), same data except 10-13.iv.2002, Malaise.

*Comments*: original publication reported 8 types deposited at MZSP, however 2 paratypes are deposited at UFES.

***Dissomphalus amplifoveatus***  
**Redighieri & Azevedo, 2006: 326**

(<http://hol.osu.edu/spmInfo.html?id=MZSP%2000808>)

*Holotype*: ♂ (#MZSP 00808), BRASIL, P[ara]í B[a], João Pessoa, Mata do Buraquinho 07°08'25"S 34°51'38"W, arm[adilha] Malaise, 28-31.vii.2002, S.T.P. Amarante e eq[uipe] col.

*Paratypes*: 15 ♂ and 1 (?) (#MZSP 00819-00834) same data as holotype; 7 ♂ (#MZSP 00812-00818) same data as holotype except 25-28.vii.2002; 2 ♂ (#MZSP 00835, 00836), BRASIL, PE[rnambuco], Recife, Parque dos Dois Irmãos, 08°00'37.7"S 34°56'31"W, arm[adilha] Malaise, 17-23.vii.2002, S.T.P. Amarante e eq[uipe] col.; 3 ♂ (#MZSP 00809-00811), BRASIL, AL[agoas], Quebrangulo, Res[erva] Biol[ógica] Pedra Talhada, 08-11.ix.2002, Malaise, Pentead-Dias e eq[uipe] col.; 1 ♂ (#MZSP 00840), BRASIL, SE[rgipe], S[ant]ta Luzia do Itahy, Crasto, 11°22'37.4"S 37°24'50.3"W, 01-04.viii.2001, Malaise, M.T. Tavares e eq[uipe] col.; 3 ♂ (#MZSP 00837-00829), BRASIL, R[io] de J[aneiro], Nova Iguaçu, Res[erva] Biol[ógica] do Tinguá, 22°34'32"S 43°26'05"W, 05-11.iii.2002, S.T.P. Amarante e eq[uipe] col.; 1 ♂ (#MZSP 00841), BRASIL, S[ão] P[aulo], Ribeirão Grande P[ar]q[ue] Est[adual] Intervales, 24°18'16"S 48°21'53"W, 13-16.xii.2000, Malaise, M.T. Tavares e eq[uipe] col.

*Comments*: original publication reported 50 types deposited at MZSP, however 16 paratypes are deposited at UFES.

***Dissomphalus amplus***  
**Redighieri & Azevedo, 2006: 331**

(<http://hol.osu.edu/spmInfo.html?id=MZSP%2000842>)

*Holotype*: ♂ (#MZSP 00842), BRASIL, E[spírito] S[anto], S[an]ta Teresa, Res[erva] Biol[ógica] S[an]ta Lúcia, 755 m, 19°58'18.7"S 40°32'11.9"W, arm[adilha] Möricke, Trilha 7, 09-12.iv.2001, C.O. Azevedo e eq[uipe] col.

*Paratypes*: 2 ♂ (#MZSP 00844, 00846) same data as holotype except 19°58'21.1"S 40°32'05.5", 07.iv.2001, Varredura; 1 ♂ (#MZSP 00845), same data as holotype except 19°58'25.2"S 40°31'44.6"W, 07.iv.2001, Varredura; 1 ♂ (#MZSP 00842), BRASIL, E[spírito] S[anto], Linhares, Res[erva] Biol[ógica] Sooretama, 19°00'11.5"S 40°31'44.6"W, 24-27.iii.2002, Möricke, C.O. Azevedo e eq[uipe] col.; 1 ♂ (#MZSP 00847), BRASIL, R[io] de J[aneiro], Nova

Iguaçu, Res[erva] Biol[ógica] do Tinguá, 22°34'28"S 43°26'09"W, 08-11.iii.2002, Malaise, S.T.P. Amarante e eq[uipe] col.; 1 ♂ (#MZSP 00848), BRASIL, S[anta] C[atarina], São Bento do Sul, C[entro] de E[studo] de P[esquisa] A[mbiental] Rugendas, 26°19'25.6"S 49°18'26.5"W, 13-16.x.2001, Möricke, A.M. Pentead-Dias e eq[uipe] col.

*Comments*: original publication reported 10 types deposited at MZSP, however 3 paratypes are deposited at UFES.

***Dissomphalus bahiensis***  
**Redighieri & Azevedo, 2006: 329**

(<http://hol.osu.edu/spmInfo.html?id=MZSP%2000858>)

*Holotype*: ♂ (#MZSP 00858), BRASIL, BA[hia], Porto Seguro, Est[ação] Ecol[ógica] Pau Brasil, 16°23'17.6"S 39°10'55"W, 17.v.2002, Malaise, C.O. Azevedo e eq[uipe] col.

*Paratype*: 1 ♂ (#MZSP 00859), same data as holotype except 20.v.2002.

*Comments*: original publication reported 3 types deposited at MZSP, however 1 paratype is deposited at UFES.

***Dissomphalus cervoides* Azevedo, 2003: 30**

*Paratypes*: 2 ♂ (#MZSP 00924, 00925), BRASIL, AM[azônia], Estirão do Equador, ix.1979, Alvarenga.

***Dissomphalus claviger* Evans, 1964: 59**

*Paratypes*: 3 ♀ (#MZSP 00926-00928), BRASIL, [Rio Grande do Sul], Erechim, 27°35'S 52°15'W, 750 m, vii. [19]60, Fritz Plaumann; 3 ♀ (#MZSP 00930-00932), BRAZIL, [Santa Catarina], Chapecó, 27°07'S 52°36'W, 600 m, viii. [19]60, Fritz Plaumann; 1 ♀ (#MZSP 00929), [BRASIL], S[anta] C[atarina], Chapecó, v.1957. F. Plaumann; 1 ♀ (#MZSP 00934) BRASIL, [Santa Catarina], Nova Teutonia, 27°14'S 52°23'W, 300-500 m, vii.1959, Fritz Plaumann; 1 ♀ (#MZSP 00933) same data except vi.1959; 5 ♀ (#MZSP 00935-00939), BRAZIL, Santa Catarina, Nova Teutonia, Fritz Plaumann.

***Dissomphalus connubialis* Evans, 1966: 106**

*Paratypes*: 2 ♂ (#MZSP 01021-01022), BRAZIL, [Santa Catarina], Nova Teutonia, 27°11'S 52°23'W, iii.1945, Fritz Plaumann; 1 ♂ (#MZSP 01023) same

data except iii.1952; 1 ♂ (#MZSP 01024) same data except 16.xi.1962.

***Dissomphalus crassus***

**Redighieri & Azevedo, 2006: 314**

(<http://hol.osu.edu/spmInfo.html?id=MZSP%2001122>)

*Holotype*: ♂ (#MZSP 01122), BRASIL, S[ão] P[aulo], Ubatuba, P[ar]que Est[adual] da Serra do Mar Núcleo Picinguaba, 23°21'43"S 44°49'22"W, 24-27.i.2002, Malaise, N.W. Perioto e equipe col.

*Paratypes*: 1 ♂ (#MZSP 01123), BRASIL, E[spírito] S[anto], Linhares, Res[erva] Bio[ológica] Sooretama, 19°00'11.5"S 40°07'08"W, 06.vi.2002, Varredura, C.O. Azevedo e eq[uipe] col.; 1 ♂ (#MZSP 01124), BRASIL, E[spírito] S[anto], S[an]ta Teresa, Res[erva] Bio[ológica] S[an]ta Lúcia, 867 m, 19°58'19.5"S 40°32'10.3"W, arm[adilha] Malaise, 06-09.iv.2001, C.O. Azevedo e eq[uipe] col.; 1 ♂ (#MZSP 01125), BRASIL, R[io de] J[aneiro], S[an]ta Maria Madalena, Parque Estadual de Desengano, 21°59'03"S 41°57'08"W, 19-22.iv.2002, Malaise, A.M. Pentead-Dias e eq[uipe] col.

*Comments*: original publication reported 5 types deposited at MZSP, however 1 paratype is deposited at UFES.

***Dissomphalus differens***

**Redighieri & Azevedo, 2006: 322**

(<http://hol.osu.edu/spmInfo.html?id=MZSP%2001129>)

*Holotype*: ♂ (#MZSP 01129), BRASIL, E[spírito] S[anto], S[an]ta Teresa Res[erva] Bio[ológica] S[an]ta Lúcia, 19°58'18.5"S 40°32'07.6"W, arm[adilha] Malaise, 06-12.iv.2001, C.O. Azevedo e eq[uipe] col.

*Paratypes*: 4 ♂ (#MZSP 01131, 01136, 01144, 01148), same data as holotype; 8 ♂ (#MZSP 01132-01135, 01143, 01145-01147), same data as holotype except 19°58'16.7"S 40°32'06.9"W; 3 ♂ (#MZSP 01136, 01137, 01139), same data as holotype except 19°58'21.1"S 40°32'05.5"W, Varredura; 7 ♂ (#MZSP 01140-01142, 01150, 01152-01154), same data as holotype except 19°58'25.2"S 40°32'06.9"W, Varredura; 1 ♂ (#MZSP 01149), same data as holotype except 19°58'36"S 40°32'06.4"W, Varredura; 1 ♂ (#MZSP 01130), same data as holotype except 19°58'37.3"S 40°32'22.5"W; 1 ♂ (#MZSP 01151), same data as holotype except 19°58'39.2"S 40°32'06.6"W, Varredura; 3 ♂ (#MZSP 01155-01157), BRASIL, R[io de] J[aneiro], Nova Iguaçu, Res[erva] Biol[ógica] do Tinguá,

22°34'37"S 43°26'05"W, 05-11.iii.2002, Malaise, S.T.P. Amarante e eq[uipe] col.; 1 ♂ (#MZSP 01158), BRASIL, R[io de] J[aneiro], S[an]ta Maria Madalena, Parque Estadual do Desengano, 21°59'03"S 41°57'08"W, 16-19.iv.2002, Malaise, A.M. Pentead-Dias e eq[uipe] col.; 1 ♂ (#MZSP 01159), BRASIL, S[ão] P[aulo], Peruíbe, E[stação] E[cológica] Juréia-Itatins, 24°31'06"S 47°12'06"W, 30.iv.2002, Varredura, N.W. Perioto e eq[uipe] col.; 1 ♂ (#MZSP 01160), same data except 03.v.2002, Malaise; 5 ♂ (#MZSP 01161-01165), BRASIL, S[ão] P[aulo], Salesópolis, Est[ação] Biol[ógica] de Boracéia, 23°39'06.5"S 45°53'48"W, 30.iii-05.iv.2001, Malaise, S.T.P. Amarante e eq[uipe] col.; 1 ♂ (#MZSP ?), same data except 30.iii-02.iv.2001; 3 ♂ (#MZSP 01167-01169), BRASIL, S[ão] P[aulo], Ubatuba P[ar]que Est[adual] da Serra do Mar Núcleo Picinguaba, 23°21'43"S 44°49'22"W, 24-27.i.2002, Malaise, N.W. Perioto e eq[uipe] col.; 1 ♂ (#MZSP 01166) same data except 21.i.2001, Varredura.

*Comments*: original publication reported 62 types deposited at MZSP, however 20 paratypes are deposited at UFES.

***Dissomphalus distans***

**Redighieri & Azevedo, 2006: 314**

(<http://hol.osu.edu/spmInfo.html?id=MZSP%2001170>)

*Holotype*: ♂ (#MZSP 01170), BRASIL, S[ao] P[aulo], Salesópolis, Est[ação] Biol[ógica] de Boracéia, 23°39'06.5"S 45°53'48"W, 30.iii-02.iv.2001

*Paratypes*: 8 ♂ (#MZSP 01173-01180), same data as holotype; 5 ♂ (#MZSP 01181-01185), same data as holotype except 01.iv.2001, Varredura; 1 ♂ (#MZSP 01172), BRASIL, S[ão] P[aulo], Ribeirão Grande, P[ar]q[ue] Est[adual] Intervalles, 24°17'34"S 48°22'03"W, 12.xii.2000, Varredura, M.T. Tavares e eq[uipe] col.; 1 ♂ (#MZSP 01171), BRASIL, S[anta] C[atarina], São Bento do Sul, C[entro de] E[studo de] P[esquisa] A[mbiental], 26°19'25.6"S 49°18'26.5"W, 16-19.x.2001, Malaise, Pentead-Dias e eq[uipe] col.

*Comments*: original publication reported 24 types deposited at MZSP, however 8 paratypes are deposited at UFES.

***Dissomphalus divisus***

**Redighieri & Azevedo, 2006: 312**

(<http://hol.osu.edu/spmInfo.html?id=MZSP%2001186>)

*Holotype*: ♂ (#MZSP 01186), BRASIL, P[ar]a[na]í, Morretes, Parque Est[adual] do Pau Oco, 25°34'27.5"S

48°53'33"W, 10-13.iv.2002, Malaise, M.T. Tavares e eq[uipe] col.

*Paratype*: 1 ♂ (#MZSP 01187), same data as holotype.

***Dissomphalus elegans***

**Redighieri & Azevedo, 2006: 330**

(<http://hol.osu.edu/spmInfo.html?id=MZSP%2001188>)

*Holotype*: ♂ (#MZSP 01188), BRASIL, SE[rgipe], S[an]ta Luzia do Itanhy, Crasto, 11°22'37.4"S 37°24'50.3"W, 01-04.viii.2002, Malaise, M.T. Tavares e eq[uipe] col.

*Paratypes*: 2 ♂ (#MZSP 01201, 01202), same data as holotype except 29.vii-01.vii.2001; 1 ♂ (#MZSP 01200), BRASIL, PE[rnambuco], Recife, Parque dos Dois Irmãos, 08°00'37.7"S 34°56'31"W, 17-20.vii.2002, Malaise, S.T.P. Amarante e eq[uipe] col.; 5 ♂ (#MZSP 01195-01199), BRASIL, P[ara]íB[a], João Pessoa, Mata do Buraquinho, 07°08'25"S 34°51'38"W, 25-31.vii.2002, Malaise, S.T.P. Amarante e eq[uipe] col.; 2 ♂ (#MZSP 01192, 01193) BA[hia], Sapiroanga, Reserva de Sapiroanga, 12°33'36.4"S 38°02'57.2"W, arm[adilha] Malaise, 19-22.vii.2001, M.T. Tavares e eq[uipe] col.; 2 ♂ (#MZSP 01194, 01191), same data except 12°33'37.2"S 38°02'55.3"W, 19-25.vii.2001; 1 ♂ (#MZSP 01190) same data except 12°33'40.1"S 38°02'53.5"W; 1 ♂ (#MZSP 01189) same data except 12°32'08.9"S 38°03'17.0"W, Varredura, 24.vii.2001.

*Comments*: original publication reported 24 types deposited at MZSP, however 9 paratypes are deposited at UFES.

***Dissomphalus excellens***

**Redighieri & Azevedo, 2006: 327**

(<http://hol.osu.edu/spmInfo.html?id=MZSP%2001203>)

*Holotype*: ♂ (#MZSP 01203), BRASIL, S[ão] P[aulo], Salesópolis, Est[ação] Biol[ógica] de Boracéia, 23°39'06.5"S 45°53'48"W, 02-05.iv.2001, Malaise, S.T.P. Amarante e eq[uipe] col.

*Paratypes*: 1 ♂ (#MZSP 01208), same data as holotype; 3 ♂ (#MZSP 01205-01207), same data as holotype except 30.iii-02.iv.2001; 1 ♂ (#MZSP 01204), BRASIL, R[io] de J[aneiro], S[an]ta Maria Madalena, Parque Estadual de Desengano, 21°59'03"S 41°57'08"W, 19-22.iv.2002, Malaise, A.M. Pentead-Dias e eq[uipe] col.; 1 ♂ (#MZSP ?), BRASIL, E[spírito] S[anto], S[an]

ta Teresa, Res[erva] Biol[ógica] S[an]ta Lúcia, 867 m, 19°58'37.3"S 40°32'22.5"W, arm[adilha] Malaise, 09-12.iv.2001, C.O. Azevedo e eq[uipe] col.

*Comments*: original publication reported 9 types deposited at MZSP, however 2 paratypes are deposited at UFES.

***Dissomphalus filiformis***

**Redighieri & Azevedo, 2006: 315**

(<http://hol.osu.edu/spmInfo.html?id=MZSP%2001255>)

*Holotype*: ♂ (#MZSP 01255), BRASIL, S[ão] P[aulo], Salesópolis, Est[ação] Biol[ógica] de Boracéia, 23°39'06.5"S 45°53'48"W, 30.iii-02.iv.2001, Malaise, S.T.P. Amarante e eq[uipe] col.

*Paratype*: 1 ♂ (#MZSP 01256), BRASIL, R[io] de J[aneiro], Nova Iguaçu, Res[erva] Biol[ógica] do Tinguá, 22°34'40"S 43°26'07"W, 09-12.iii.2002, S.T.P. Amarante e eq[uipe] col.

*Comments*: original publication reported 3 types deposited at MZSP, however 1 paratype is deposited at UFES.

***Dissomphalus fimbriatus***

**Redighieri & Azevedo, 2006: 324**

(<http://hol.osu.edu/spmInfo.html?id=MZSP%2001255>)

*Holotype*: ♂ (#MZSP 01257), BRASIL, E[spírito] S[anto], S[an]ta Teresa, Res[erva] Biol[ógica] S[an]ta Lúcia, 840 m, 19°58'16.7"S 40°32'06.9"W, arm[adilha] Malaise, 06-09.iv.2001, C.O. Azevedo e eq[uipe] col.

*Paratypes*: 1 ♂ (#MZSP 01258), same data as holotype; 5 ♂ (#MZSP 01260-01262, 01264, 01265), same data as holotype except 19°58'25.2"S 40°31'44.6"W, 06-11.iv.2001, Varredura; 1 ♂ (#MZSP 01263), same data as holotype except 19°58'36"S 40°32'06.4"W, 10.iv.2001, Varredura; 1 ♂ (#MZSP 01259), same data as holotype except 19°58'19.5"S 40°32'10.3"W, 06-09.iv.2001; 1 ♂ (#MZSP 01266) BRASIL, S[ão] P[aulo], Salesópolis, Est[ação] Biol[ógica] de Boracéia, 23°39'06.5"S 45°53'48"W, 30.iii-05.iv.2001, Malaise, S.T.P. Amarante e eq[uipe] col.

*Comments*: original publication reported 15 types deposited at MZSP, however 5 paratypes are deposited at UFES.

***Dissomphalus firmus*****Redighieri & Azevedo, 2006: 318**

(http://hol.osu.edu/spmInfo.html?id=MZSP%2001267)

*Holotype*: ♂ (#MZSP 01267), BRASIL, S[ão] P[aulo], Ribeirão Grande P[ar]q[ue] Est[adual] Intervalles 24°18'16"S 48°21'53"W, 13-16.xii.2000, Malaise, M.T. Tavares e eq[uipe] col.

*Paratypes*: 5 ♂ (#MZSP 01277-01281), same data as holotype, 1 ♂ (#MZSP 01282), same data as holotype, except 24°17'34"S 48°22'03"W, 12.xii.2000, Varredura; 1 ♂ (#MZSP 01283), same data as holotype, except 13-16.xii.2000; 7 ♂ (#MZSP 01270-01276), BRASIL, S[anta] C[atarina], São Bento do Sul, C[entro de] E[studo de] P[esquisa] A[m]biental] Rugendas, 26°19'25.6"S 49°18'26.5"W, 13-19.x.2001, Malaise, Penteadó-Dias e eq[uipe] col.; 1 ♂ (#MZSP 01269), BRASIL, P[a]R[aná], Morretes, Parque Est[adual] do Pau Oco, 25°34'27.5"S 48°53'33"W, 10-13.iv.2002, Malaise, M.T. Tavares e eq[uipe] col.; 1 ♂ (#MZSP 01268), BRASIL, E[spírito] S[anto], Santa Teresa, Res[erva] Biol[ógica] S[an]ta Lúcia, 638 m, 19°58'25.2"S 40°32'44.6"W, Varredura, 07.iv.2001, C.O. Azevedo e eq[uipe] col.

*Comments*: original publication reported 25 types deposited at MZSP, however 8 paratypes are deposited at UFES.

***Dissomphalus gigantus* Azevedo, 1999: 341**

*Paratype*: 1 ♂ (#MZSP 01284), BRASIL, Amapá, Serra do Navio, ix.1957, J. Lane leg.

***Dissomphalus gordus* Azevedo, 2003: 46**

*Paratypes*: 2 ♂ (#MZSP 01327, 01328), BRASIL, S[ão] P[aulo], Salesópolis, E[stação] B[iológica] B[oracéia], 05.vii-06.ix.1997, Malaise, Laboratório, C.I. Yamamoto col.

***Dissomphalus inclínatus*****Redighieri & Azevedo, 2006: 311**

(http://hol.osu.edu/spmInfo.html?id=MZSP%2001399)

*Holotype*: ♂ (#MZSP 01399), BRASIL, E[spírito] S[anto], S[an]ta Teresa, Res[erva] Biol[ógica] S[an]ta Lúcia, 867 m, 19°58'37.3"S 40°32'22.5"W, arm[adilha] Malaise, 06-09.iv.2001, C.O. Azevedo e eq[uipe] col.

*Paratypes*: 1 ♂ (#MZSP 01400), same data as holotype except 19°58'19.5"S 40°32'10.3"W; 1 ♂ (#MZSP

01401), BRASIL, P[a]R[aná], Morretes, Parque Est[adual] do Pau Oco, 25°34'27.5"S 48°53'33"W, 07-10.iv.2002, Malaise, M.T. Tavares e eq[uipe] col.; 1 ♂ (#MZSP 01402), BRASIL, S[anta] C[atarina], São Bento do Sul, C[entro de] E[studo de] P[esquisa] A[m]biental] Rugendas, 26°19'25.6"S 49°18'26.5"W, 16-19.x.2001, Malaise, Penteadó-Dias e eq[uipe] col.; 2 ♂ (#MZSP 01403, 01404), BRASIL, S[ão] P[aulo], Peruíbe, E[stação] E[cológica] Juréia-Itatins, 24°31'06"S 47°12'06"W, 03-06.v.2002, Malaise, N.W. Perito e eq[uipe] col.

*Comments*: original publication reported 8 types deposited at MZSP, however 2 paratypes are deposited at UFES.

***Dissomphalus inflexus*****Redighieri & Azevedo, 2006: 316**

(http://hol.osu.edu/spmInfo.html?id=MZSP%2001410)

*Holotype*: ♂ (#MZSP 01410), BRASIL, R[io] de J[aneiro], Nova Iguaçu, Res[erva] Biol[ógica] do Tinguá, 22°34'32"S 43°26'07.5"W, 07.iii.2002, Varredura, S.T.P. Amarante e eq[uipe] col.

*Paratypes*: 3 ♂ (#MZSP 01411, 01413), same data as holotype; 2 ♂ (#MZSP 01414, 01415), same data as holotype except, 22°34'35"S 43°26'10"W, 08.iii.2002.

*Comments*: original publication reported 8 types deposited at MZSP, however 2 paratypes are deposited at UFES.

***Dissomphalus lamellatus*****Redighieri & Azevedo, 2006: 323**

(http://hol.osu.edu/spmInfo.html?id=MZSP%2001441)

*Holotype*: ♂ (#MZSP 01441), BRASIL, P[ara] B[a], João Pessoa, Mata do Buraquinho 07°08'25"S 34°51'38"W, arm[adilha] Malaise, 28-31.vii.2002, S.T.P. Amarante e eq[uipe] col.

*Paratypes*: 25 ♂ (#MZSP 01444-01467, #MZSP ?), same data as holotype; 30 ♂ (#MZSP 01468-01497), same data as holotype except 28-31.vii.2002; 2 ♂ (#MZSP 01442, 01443), BRASIL, AL [agoas], Quebrangulo, Res[erva] Biol[ógica] da Pedra Talhada, 11-14.ix.2002, Penteadó-Dias & eq[uipe] col.; 1 ♂ (#MZSP 01498), BRASIL, PE[rnambuco], Recife, Parque dos Dois Irmãos, 08°00'37.7"S 34°56'31"W, arm[adilha] Malaise, 20-23.vii.2002, S.T.P. Amarante e eq[uipe] col.



*Comments:* original publication reported 88 types deposited at MZSP, however 29 paratypes are deposited at UFES.

***Dissomphalus luscus* Evans, 1964: 55**

*Paratype:* 1 ♀ (#MZSP 01555), BRASIL, Santa Catarina, Nova Teutônia, Fritz Plaumann.

***Dissomphalus magnus*,  
Redighieri & Azevedo, 2006: 324**

(<http://hol.osu.edu/spmInfo.html?id=MZSP%2001557>)

*Holotype:* ♂ (#MZSP 01557), BRASIL, P[ara]í B[a], João Pessoa, Mata do Buraquinho 07°08'25"S 34°51'38"W, arm[adilha] Malaise, 25-28.vii.2002, S.T.P. Amarante e eq[uipe] col.

*Paratypes:* 6 ♂ (#MZSP 01558-01563) same data as holotype, 4 ♂ (#MZSP 01564-01567) same data as holotype except 28-31.vii.2002.

*Comments:* original publication reported 16 types deposited at MZSP, however 5 paratypes are deposited at UFES.

***Dissomphalus osseus* Alencar & Azevedo, 2008: 12**

(<http://hol.osu.edu/spmInfo.html?id=MZSP%2001600>)

*Holotype:* ♂ (#MZSP 01600), BRASIL, AL [agoas] Quebrangulo, Res[erva] Biol[ógica] da Pedra Talhada, 11-14.ix.2002, Malaise, Pentead-Dias & eq[uipe] col.

*Paratype:* 1 ♂ (#MZSP 01601) same data as holotype.

***Dissomphalus peculiaris*  
Redighieri & Azevedo, 2006: 328**

(<http://hol.osu.edu/spmInfo.html?id=MZSP%2001602>)

*Holotype:* ♂ (#MZSP 01602), BRASIL, E[spírito] S[anto], S[an]ta Teresa, Res[erva] Biol[ógica] S[an]ta Lúcia, 867 m, 19°58'37.3"S 40°32'22.5"W, arm[adilha] Malaise, 09-12.iv.2001, C.O. Azevedo e eq[uipe] col.

*Paratypes:* 1 ♂ (#MZSP 01603), BRASIL, B[ahi] A, Ilhéus, Mata Esperança, 14°46'S 59°04'W, 15-18.v.2002, Malaise, Pentead-Dias e eq[uipe] col.; 1 ♂ (#MZSP 01606), BRASIL, R[io] de J[aneiro], Nova Iguaçu, Res[erva] Biol[ógica] do Tinguá, 22°34'28"S 43°26'09"W, 05-08.iii.2002, Malaise, S.T.P. Amarante e eq[uipe] col.; 2 ♂ (#MZSP 01604,

01605), same data except 22°34'37"S 43°26'05"W; 1 ♂ (#MZSP 01607) BRASIL, S[ão] P[aulo], Ribeirão Grande P[ar]q[ue] Est[adual] Intervalles, 10-13.xii.2000, Malaise, M.T. Tavares e eq[uipe] col.

*Comments:* original publication reported 9 types deposited at MZSP, however 3 paratypes are deposited at UFES.

***Dissomphalus perparvus*  
Alencar & Azevedo, 2008: 15**

(<http://hol.osu.edu/spmInfo.html?id=MZSP%2001608>)

*Holotype:* ♂ (#MZSP 01608), BRASIL, S[ergip] E, S[an]ta Luzia do Itahy, Crasto, 11°22'37.4"S 37°24'50.3"W, 29.vii-01.viii.2001, Malaise, M.T. Tavares e eq[uipe] col.

*Paratypes:* 5 ♂ (#MZSP 01610-01614), same data as holotype; 1 ♂ (#MZSP 01615), same data as holotype except 01-04.viii.2001; 1 ♂ (#MZSP 01609), BRASIL, B[ahi]A, Ilhéus, Mata Esperança, 14°46'S 59°04'W, 15-18.v.2002, Malaise, Pentead-Dias e eq[uipe] col.

*Comments:* original publication reported 12 types deposited at MZSP, however 4 paratypes are deposited at UFES.

***Dissomphalus personatus* Redighieri & Azevedo, 2006: 327**

(<http://hol.osu.edu/spmInfo.html?id=MZSP%2001616>)

*Holotype:* ♂ (#MZSP 01616), BRASIL, P[a] R[aná], Morretes, Parque Est[adual] do Pau Oco, 25°34'27.5"S 48°53'33"W, 10-13.iv.2002, Malaise, M.T. Tavares e eq[uipe] col.

*Paratypes:* 2 ♂ (#MZSP 01617, 01618), same data as holotype; 2 ♂ (#MZSP 01619, 01620), BRASIL, S[ao] P[aulo], Ubatuba, P[ar]que Est[adual] da Serra do Mar Núcleo Picinguaba, 23°21'43"S 44°49'22"W, 24-27.i.2002, Malaise, N.W. Periotto e equipe col.

*Comments:* original publication reported 7 types deposited at MZSP, however 2 paratypes are deposited at UFES.

***Dissomphalus perturbatus*  
Alencar & Azevedo, 2008: 17**

*Paratypes:* 2 ♂ (#MZSP 01622, 01623), BRASIL, E[spírito] S[anto], S[an]ta Teresa, Res[erva] Bio[ológica]

S[an]ta Lúcia, 867 m, 19°58'19.5"S 40°32'10.3"W, arm[adilha] Malaise, 06-09.iv.2001, C.O. Azevedo e eq[uipe] col.; 1 ♂ (#MZSP 01621), same data as holotype except 19°58'37.3"S 40°32'22.5"W.

***Dissomphalus polidentatus* Azevedo, 1999: 321**

*Paratypes*: 2 ♂ (#MZSP 01823, 01824), BRASIL, A[ma]P[á], Serra do Navio, ix.1957, J. Lane Leg.

***Dissomphalus refertus***

**Alencar & Azevedo, 2008: 22**

(<http://hol.osu.edu/spmInfo.html?id=MZSP%2002147>)

*Holotype*: ♂ (#MZSP 02147), BRASIL, R[io] de J[aneiro], Nova Iguaçu, Res[erva] Biol[ógica] do Tin-guá, 22°34'30"S 43°26'08.4"W, 05-08.iii.2002, Malaise, S.T.P. Amarante e eq[uipe] col.

***Dissomphalus scrupus* Evans, 1964: 61**

*Paratypes*: 1 ♀ (#MZSP 02167), BRASIL, [Santa Catarina], Nova Teutonia, 27°14'S 52°23'W, 300-500 m, vii.1959, Fritz Plaumann; 1 ♀ (#MZSP 02168), same data except xii.1964; 1 ♀ (#MZSP 02166), same data except i.1957; 1 ♀ (#MZSP 02165), same data except vi.1957; 1 ♀ (#MZSP 02163), BRASIL, [Rio Grande do Sul], Erechim, viii.1956, Fritz Plaumann; 1 ♀ (#MZSP 02164) same data except 27°35'S 52°15'W, 750 m, vii.[19]60, Fritz Plaumann; 1 ♀ (#MZSP 02169), BRAZIL [Santa Catarina], Ibicare, 27°09'S 51°18'W, 600 m, ix.[19]60, Fritz Plaumann.

***Dissomphalus setosus***

**Redighieri & Azevedo, 2006: 319**

(<http://hol.osu.edu/spmInfo.html?id=MZSP%2002170>)

*Holotype*: ♂ (#MZSP 02170), BRASIL, E[spírito] S[anto], S[an]ta Teresa, Res[erva] Biol[ógica] S[an]ta Lúcia, 19°58'S 40°32'W, arm[adilha] Malaise, 06-09.iv.2001, C.O. Azevedo e eq[uipe] col.

*Paratypes*: 28 ♂ (#MZSP 02172-02199), same data as holotype; 60 ♂ (#MZSP 02200-02257, 02343, #MZSP ?) same data as holotype except 07.iv.2001, Varredura; 20 ♂ (#MZSP 02258-02277) same data as holotype except 08.iv.2001, Varredura; 20 ♂ (#MZSP 02278-02295, 02344, MZSP ?) same data as holotype except 09-12.iv.2001, Varredura; 1 ♂ (#MZSP 02296) same data as holotype except 10.iv.2001, Varredura; 46 ♂ (#MZSP 02297-02342) same data as holotype except 11.iv.2001, Varredura; 1 ♂ (#MZSP 02345), BRASIL, P[ara]í[B]a, João Pessoa, Mata

do Buraquinho, 07°08'25"S 34°51'38"W, 28-31.vii.2002, arm[adilha] Malaise, S.T.P. Amarante e eq[uipe] col.; 1 ♂ (#MZSP 02346), BRASIL, S[anta] C[atarina], São Bento do Sul, C[entro de] E[studo de] P[esquisa] A[m]biental Rugendas, 26°19'25.6"S 49°18'26.5"W, 16-19.x.2001, Malaise, Pentead-Dias & equipe col.; 3 ♂ (#MZSP 02347-02349), BRASIL, S[ergip]E, S[an]ta Luzia do Itahy, Crasto, 11°22'37.4"S 37°24'50.3"W, 01-04.viii.2001, Malaise, M.T. Tavares e eq[uipe] col.; 3 ♂ (#MZSP 02350-02351), BRASIL, S[ão] P[aulo], Salesópolis, Est[ação] Biol[ógica] de Boracéia, 23°39'06.5"S 45°53'48"W, 30.iii-02.iv.2001, Malaise, S.T.P. Amarante e eq[uipe] col.; 1 ♂ (#MZSP 02171), BRASIL, AL[agoas], Quebrangulo, Res[erva] Biol[ógica] Pedra Talhada, 08-11.ix.2002, Malaise, Pentead-Dias e eq[uipe] col.

*Comments*: original publication reported 276 types deposited at MZSP, however 92 paratypes are deposited at UFES.

***Dissomphalus spissus***

**Redighieri & Azevedo, 2006: 316**

(<http://hol.osu.edu/spmInfo.html?id=MZSP%2002353>)

*Holotype*: ♂ (#MZSP 02353), BRASIL, E[spírito] S[anto], S[an]ta Teresa, Res[erva] Biol[ógica] S[an]ta Lúcia, 19°58'S 40°32'W, arm[adilha] Malaise, 09-12.iv.2001, C.O. Azevedo e eq[uipe] col.

*Paratypes*: 1 ♂ (#MZSP ?) same data as holotype except varredura; 2 ♂ (#MZSP 02354, 02355), same data as holotype, except 06-09.iv.2001; 14 ♂ (#MZSP 02356-02369), same data as holotype, except 07.iv.2001, Varredura; 11 ♂ (#MZSP 02370-02380), same data as holotype, except 08.iv.2001, Varredura; 6 ♂ (#MZSP 02381-02385, 02283), same data as holotype, except 09-12.iv.2001; 12 ♂ (#MZSP 02386-02397), same data as holotype, except 11.iv.2001; 3 ♂ (#MZSP 02398-02400), BRASIL, P[a]R[aná], Morretes, Parque Est[adual] do Pau Oco, 25°34'27.5"S 48°53'33"W, 10-13.iv.2002, Malaise, M.T. Tavares e eq[uipe] col.; 3 ♂ (#MZSP 02401-02403) BRASIL, S[anta] C[atarina], São Bento do Sul, C[entro de] E[studo de] P[esquisa] A[m]biental Rugendas, 26°19'25.6"S 49°18'26.5"W, 16-19.x.2001, Malaise, Pentead-Dias & equipe col.; 6 ♂ (#MZSP 02404-02409), BRASIL, S[ão] P[aulo], Salesópolis, Est[ação] Biol[ógica] de Boracéia, 23°39'06.5"S 45°53'48"W, 02-05.iv.2001, Malaise, S.T.P. Amarante e eq[uipe] col.

*Comments:* original publication reported 87 types deposited at MZSP; however 28 paratypes are deposited at UFES.

***Dissomphalus subdeformis* Azevedo, 1999: 360**

*Paratype:* 1 ♂ (#MZSP 02413), [NICARAGUA], El Recreo, Zelaya, x.1984, J.M. Maes col.

***Dissomphalus trilobatus***

**Redighieri & Azevedo, 2006: 326**

(<http://hol.osu.edu/spmInfo.html?id=MZSP%2002414>)

*Holotype:* ♂ (#MZSP 02414), BRASIL, E[spírito] S[anto], S[an]ta Teresa, Res[erva] Biol[ógica] S[an]ta Lúcia, 867 m, 19°58'37.3"S 40°32'22.5"W, arm[adilha] Malaise, 06-09.iv.2001, C.O. Azevedo e eq[uipe] col.

*Paratypes:* 1 ♂ (#MZSP 02417), same data as holotype except 09-12.iv.2001; 1 ♂ (#MZSP 02418), same data as holotype except 19°58'19.5"S 40°32'10.3"W, 09-12.iv.2001; 1 ♂ (#MZSP 02419), same data as holotype except 19°58'25.2"S 40°31'44.6"W, 01-04.viii.2001, Varredura; 2 ♂ (#MZSP 02415, 02416), BRASIL, B[ahi]A, Ilhéus, Mata Esperança, 14°46'S 59°04'W, 15-18.v.2002, Malaise, Penteadodias e eq[uipe] col.; 1 ♂ (#MZSP 02420), P[araí] B[a], João Pessoa, Mata do Buraquinho, 07°08'25"S 34°51'38"W, 28-31.vii.2002, arm[adilha] Malaise, S.T.P. Amarante e eq[uipe] col.; 2 ♂ (#MZSP 02421, 02422), BRASIL, PE[rnambuco], Recife, Parque dos Dois Irmãos, 08°00'37.7"S 34°56'31"W, arm[adilha] Malaise, 17-20.vii.2002, S.T.P. Amarante e eq[uipe] col.; 2 ♂ (#MZSP 02423, 02424), BRASIL, S[ergip] E, S[an]ta Luzia do Itahy, Crasto, 11°22'37.4"S 37°24'50.3"W, 29.vii-04.viii.2001, Malaise, M.T. Tavares e eq[uipe] col.; 11 ♂ (#MZSP 02425-02435), Ribeirão Grande P[ar]q[eu] Est[adual] Intervalles, 10-16.xii.2000, Malaise, M.T. Tavares e eq[uipe] col.

*Comments:* original publication reported 30 types deposited at MZSP; however 10 paratypes are deposited at UFES.

***Dissomphalus tubulatus***

**Redighieri & Azevedo, 2006: 320**

(<http://hol.osu.edu/spmInfo.html?id=MZSP%2002436>)

*Holotype:* ♂ (#MZSP 02436), BRASIL, P[araí] B[a], João Pessoa, Mata do Buraquinho 07°08'25"S 34°51'38"W, arm[adilha] Malaise, 28-31.vii.2002, S.T.P. Amarante e eq[uipe] col.

*Paratypes:* 3 ♂ (#MZSP 02443-02445), same data as holotype; 6 ♂ (#MZSP 02437-02442), same data as holotype except 25-28.vii.2002.

*Comments:* original publication reported 15 types deposited at MZSP; however 5 paratypes are deposited at UFES.

***Pseudisobrachium* Kieffer, 1904**

***Pseudisobrachium acrum***

**Gobbi & Azevedo, 2010: 182**

(<http://hol.osu.edu/spmInfo.html?id=MZSP%2002540>)

*Holotype:* ♂ (#MZSP 02540), BRASIL, S[ão] P[aulo], Salesópolis, Est[ação] Biol[ógica] de Boracéia, 23°39'06.5"S 45°53'48"W, 30.iii-02.iv.2001, Malaise, S.T.P. Amarante e eq[uipe] col.

*Paratypes:* 2 ♂ (#MZSP 02541-02542), same data as holotype; 1 ♂ (#MZSP 02543), same data as holotype except 01-03.iv.2001, Möericke.

*Comments:* original publication reported 6 types deposited at MZSP; however 2 paratypes are deposited at UFES.

***Pseudisobrachium belum***

**Gobbi & Azevedo, 2010: 185**

(<http://hol.osu.edu/spmInfo.html?id=MZSP%2002633>)

*Holotype:* ♂ (#MZSP 02633), BRASIL, SE[rgipe], S[ant]ta Luzia do Itahy, Crasto, 11°22'37.4"S 37°24'50.3"W, 01-04.viii.2001, Malaise, M.T. Tavares e eq[uipe] col.

*Paratypes:* 1 ♂ (#MZSP 02634), BRASIL, B[ahi] A, Sapiranga, Reserva de Sapiranga 12°33'41.1"S 38°02'51"W, arm[adilha] Malaise, 22-25.vii.2001, M.T. Tavares e eq[uipe] col.; 1 ♂ (#MZSP 02635), same data as holotype except 29.vii-01.viii.2001.

*Comments:* original publication reported 4 types deposited at MZSP; however 1 paratype is deposited at UFES.

***Pseudisobrachium bifum***

**Gobbi & Azevedo, 2010: 185**

(<http://hol.osu.edu/spmInfo.html?id=MZSP%2002636>)

*Holotype:* ♂ (#MZSP 02636), BRASIL, P[araí] B[a], João Pessoa, Mata do Buraquinho 07°08'25"S 34°51'38"W, arm[adilha] Malaise, 25-28.vii.2002, S.T.P. Amarante e eq[uipe] col.

*Paratypes*: 3 ♂ (#MZSP 02637-02639), same data as holotype; 1 ♂ (#MZSP 02640), same data as holotype except 27.vii.2002; 6 ♂ (#MZSP 02641-02646), same data as holotype except 28-31.vii.2002; 1 ♂ (#MZSP 02647), same data as holotype except 30.vii.2002, Varredura.

*Comments*: original publication reported 18 types deposited at MZSP, however 6 paratypes are deposited at UFES.

***Pseudisobrachium celum***

**Gobbi & Azevedo, 2010: 187**

(<http://hol.osu.edu/spmInfo.html?id=MZSP%2002652>)

*Holotype*: ♂ (#MZSP 02652), BRASIL, E[spírito] S[anto], S[an]ta Teresa, Res[erva] Biol[ógica] S[an]ta Lúcia, 840 m, 19°58'16.7"S 40°32'06.9"W, arm[adilha] Malaise, 06-09.iv.2001, C.O. Azevedo e eq[uipe] col.

*Paratypes*: 1 ♂ (#MZSP 02654), same data as holotype; 2 ♂ (#MZSP 02653, 02655), same data as holotype except 638 m, 19°58'18.5"S 40°32'07.6"W, 06-09.iv.2001; 4 ♂ (#MZSP 02656, 02657, 02659, 02660), same data as holotype as holotype except 638 m, 19°58'18.5"S 40°32'07.6"W, 09-12.iv.2001; 1 ♂ (#MZSP 02658), same data as holotype as holotype except 09-12.iv.2001.

*Comments*: original publication reported 13 types deposited at MZSP, however 4 paratypes are deposited at UFES.

***Pseudisobrachium danum***

**Gobbi & Azevedo, 2010: 190**

(<http://hol.osu.edu/spmInfo.html?id=MZSP%2002748>)

*Holotype*: ♂ (#MZSP 02748), BRASIL, E[spírito] S[anto], S[an]ta Teresa, Res[erva] Biol[ógica] S[an]ta Lúcia, 638 m, 19°58'18.5"S 40°32'07.6"W, 06-09.iv.2001, arm[adilha] Malaise, C.O. Azevedo e eq[uipe] col.

*Paratypes*: 1 ♂ (#MZSP 02749), same data as holotype; 2 ♂ (#MZSP 02750, 02751), BRASIL, R[io de] J[aneiro], Nova Iguaçu, Res[erva] Biol[ógica] do Tinguá, 22°34'S 43°26'W, 05-11.iii.2002, Malaise, S.T.P. Amarante e eq[uipe] col.

*Comments*: original publication reported 6 types deposited at MZSP, however 2 paratypes are deposited at UFES.

***Pseudisobrachium digum***

**Gobbi & Azevedo, 2010: 192**

(<http://hol.osu.edu/spmInfo.html?id=MZSP%2002752>)

*Holotype*: ♂ (#MZSP 02752), BRASIL, S[ao] P[aulo], Salesópolis, Est[ação] Biol[ógica] de Boracéia, 23°39'06.5"S 45°53'48"W, 30.iii-02.iv.2001, Malaise, S.T.P. Amarante e eq[uipe] col.

*Paratypes*: 7 ♂ (#MZSP 02753-02759), same data as holotype; 4 ♂ (#MZSP 02760-02763), same data as holotype except 02-05.iv.2001.

*Comments*: original publication reported 18 types deposited at MZSP, however 6 paratypes are deposited at UFES.

***Pseudisobrachium elium***

**Gobbi & Azevedo, 2010: 192**

(<http://hol.osu.edu/spmInfo.html?id=MZSP%2002764>)

*Holotype*: ♂ (#MZSP 02764), BRASIL, SE[rgipe], S[an]ta Luzia do Itanhy, Crasto, 11°22'37.4"S 37°24'50.3"W, 01.viii.2002, Varredura, M.T. Tavares e eq[uipe] col.

*Paratypes*: 2 ♂ (#MZSP 02765, 02766), same data as holotype except 29.vii-01.viii.2001, Malaise, 1 ♂ (#MZSP 02767), same data as holotype except 31.vii.2001.

*Comments*: original publication reported 5 types deposited at MZSP, however 1 paratype is deposited at UFES.

***Pseudisobrachium ferum***

**Gobbi & Azevedo, 2010: 195**

(<http://hol.osu.edu/spmInfo.html?id=MZSP%2002768>)

*Holotype*: ♂ (#MZSP 02768), BRASIL, E[spírito] S[anto], Santa Teresa, Res[erva] Biol[ógica] S[an]ta Lúcia, 638 m, 19°58'25.2"S 40°32'44.6"W, Varredura, 07.iv.2001, C.O. Azevedo e equipe col.

*Paratypes*: 2 ♂ (#MZSP 02769, 02770), same data as holotype; 1 ♂ (#MZSP 02771), same data as holotype except 755 m, 19°58'21.1"S 40°32'05.5"W, 07.iv.2001; 9 ♂ (#MZSP 02773-02780, 02783) same data as holotype except 08.iv.2001; 1 ♂ (#MZSP 02772), same data as holotype except 755 m, 19°58'21.1"S 40°32'05.5"W, 08.iv.2001; 2 ♂ (#MZSP 02781, 02782), same data as holotype except 642 m 19°58'29.4"S 40°32'44.5"W, 08.iv.2001; 1 ♂ (#MZSP 02784), same data as holotype except

10.iv.2001; 4 ♂ (#MZSP 02785-02788) same data as holotype except 11.iv.2001.

***Pseudisobranchium gabrum***

**Gobbi & Azevedo, 2010: 198**

(<http://hol.osu.edu/spmInfo.html?id=MZSP%2002884>)

*Holotype*: ♂ (#MZSP 02884), BRASIL, E[spírito] S[anto], Santa Teresa, Est[ação] Biol[ógica] S[an]ta Lúcia, 867 m, 19°58'10.5"S 40°32'10.3"W, arm[adilha] Malaise, 09-12.iv.2001, C.O. Azevedo e equipe col.

*Paratypes*: 1 ♂ (#MZSP 02885), same data as holotype except 755 m, 19°58'21.1"S 40°32'05.5"W, Varredura, 08.iv.2001; 1 ♂ (#MZSP 02886), same data as holotype except 19°58'18.5"S 40°32'07.6"W, 09-12.iv.2001; 1 ♂ (#MZSP 02887), same data as holotype except 19°58'16.7"S 40°32'06.9"W.

*Comments*: original publication reported 6 types deposited at MZSP; however 2 paratypes are deposited at UFES.

***Pseudisobranchium genum***

**Gobbi & Azevedo, 2010: 200**

*Paratypes*: 1 ♂ (#MZSP 02888), BRASIL, E[spírito] S[anto], S[an]ta Teresa, Res[erva] Biol[ógica] S[an]ta Lúcia, 867 m, 19°58'19.5"S 40°32'10.3"W, arm[adilha] Malaise, 06-09.iv.2001, C.O. Azevedo e eq[uipe] col.; 1 ♂ (#MZSP 02889), BRASIL, P[a] R[aná], Morretes, Parque Est[adual] do Pau Oco, 25°34'27.5"S 48°53'33"W, 10-13.iv.2002, Malaise, M.T. Tavares e eq[uipe] col.; 1 ♂ (#MZSP 02890), BRASIL, S[anta] C[atarina], S[ão] Francisco do Sul, C[entro de] E[studo de] P[esquisa] A[mbiental] Vila da Glória, 26°13'40"S 48°40'49.1"W, 17.x.2001, Varredura, Pentead-Dias e eq[uipe] col.; 2 ♂ (#MZSP 02891, 02892), BRASIL, S[ao] P[aulo], Ubatuba, P[ar]que Est[adual] da Serra do Mar Núcleo Picinguaba, 23°21'43"S 44°49'22"W, 24-27.i.2002, Malaise, N.W. Periotto e equipe col.

*Comments*: original publication reported 7 types deposited at MZSP; however 2 paratypes are deposited at UFES.

***Pseudisobranchium gobum***

**Gobbi & Azevedo, 2010: 202**

(<http://hol.osu.edu/spmInfo.html?id=MZSP%2002893>)

*Holotype*: ♂ (#MZSP 02893), BRASIL, AL[agoas], Quebrangulo, Res[erva] Biol[ógica] Pedra Talhada, 08-11.ix.2002, Malaise, Pentead-Dias e eq[uipe] col.

*Paratype*: 1 ♂ (#MZSP 02894), same data as holotype.

*Comments*: original publication reported 3 types deposited at MZSP; however 1 paratype is deposited at UFES.

***Pseudisobranchium holum***

**Gobbi & Azevedo, 2010: 202**

(<http://hol.osu.edu/spmInfo.html?id=MZSP%2002895>)

*Holotype*: ♂ (#MZSP 02895), BRASIL, P[araí] B[a], João Pessoa, Mata do Buraquinho 07°08'25"S 34°51'38"W, arm[adilha] Malaise, 25-28.vii.2002, S.T.P. Amarante e eq[uipe] col.

*Paratypes*: 1 ♂ (#MZSP 02896), same data as holotype; 2 ♂ (#MZSP 02897, 02898) BRASIL, S[ergip] E, S[an]ta Luzia do Itahy, Crasto, 11°22'37.4"S 37°24'50.3"W, 29.vii-01.viii.2001, Malaise, M.T. Tavares e eq[uipe] col.

*Comments*: original publication reported 6 types deposited at MZSP; however 2 paratypes are deposited at UFES.

***Pseudisobranchium itamum***

**Gobbi & Azevedo, 2010: 204**

(<http://hol.osu.edu/spmInfo.html?id=MZSP%2002907>)

*Holotype*: ♂ (#MZSP 02907), BRASIL, S[ão] P[aulo], Peruíbe, E[stação] E[cológica] Juréia-Itatins, 24°31'06"S 47°12'06"W, 30.iv.2002, Varredura, N.W. Periotto e eq[uipe] col.

*Paratypes*: 2 ♂ (#MZSP 02910, 02911), same data as holotype; 1 ♂ (#MZSP 02912), same data as holotype except 03.v.2002; 5 ♂ (#MZSP 02913, 02917), same data as holotype except 05.v.2002; 1 ♂ (#MZSP 02918), same data as holotype except 06.v.2002; 1 ♂ (#MZSP 02919), BRASIL, S[ao] P[aulo], Ubatuba, P[ar]que Est[adual] da Serra do Mar Núcleo Picinguaba, 23°21'43"S 44°49'22"W, 21-24.i.2002, Malaise, N.W. Periotto e equipe col.; 1 ♂ (#MZSP 02908), BRASIL, P[a]R[aná], Morretes, Parque Est[adual] do Pau Oco, 25°34'27.5"S 48°53'33"W, 07-10.iv.2002, Malaise, M.T. Tavares e eq[uipe] col.; 1 ♂ (#MZSP 02909), BRASIL, R[io] de J[aneiro], Nova Iguaçu, Res[erva] Biol[ógica] do Tinguá, 22°34'37"S 43°26'06.6"W, 05-08.iii.2002, Malaise, S.T.P. Amarante e eq[uipe] col.

*Comments*: original publication reported 19 types deposited at MZSP; however 6 paratypes are deposited at UFES.

*Pseudisobrachium ivaum***Gobbi & Azevedo, 2010: 206**

(http://hol.osu.edu/spmInfo.html?id=MZSP%2002920)

*Holotype*: ♂ (#MZSP 02920), BRASIL, S[ergip] E, S[an]ta Luzia do Itahy, Crasto, 11°22'37.4"S 37°24'50.3"W, 29.vii-01.viii.2001, Malaise, M.T. Tavares e eq[uipe] col.

*Paratypes*: 10 ♂ (#MZSP 02921-02830) same data as holotype; 1 ♂ (#MZSP 02931) same data as holotype except 01-04.viii.2001.

*Comments*: original publication reported 18 types deposited at MZSP, however 6 paratypes are deposited at UFES.

*Pseudisobrachium jethum***Gobbi & Azevedo, 2010: 206**

(http://hol.osu.edu/spmInfo.html?id=MZSP%2002932)

*Holotype*: ♂ (#MZSP 02932), BRASIL, S[ao] P[aulo], Salesópolis, Est[ação] Biol[ógica] de Boracéia, 23°39'06.5"S 45°53'48"W, 30.iii-02.iv.2001, Malaise, S.T.P. Amarante e eq[uipe] col.

*Paratypes*: 1 ♂ (#MZSP 02935), same type as holotype; 1 ♂ (#MZSP 02936), same type as holotype except 01.iv.2001; 1 ♂ (#MZSP 02937), same type as holotype except 01-03.iv.2001, Møerick; 1 ♂ (#MZSP 02933), BRASIL, S[anta] C[atarina], São Bento do Sul, C[entro] de E[studo] de P[esquisa] A[mbiental] Rungendas, 26°19'25.6"S 49°18'26.5"W, 16-19.x.2001, Malaise, Pentead-Dias e eq[uipe] col.; 1 ♂ (#MZSP 02934), BRASIL, S[ão] P[aulo], Peruíbe, E[stação] E[cológica] Juréia-Itatins, 24°31'06"S 47°12'06"W, 05.v.2002, Malaise, N.W. Periotto e eq[uipe] col.

*Comments*: original publication reported 8 types deposited at MZSP, however 2 paratypes are deposited at UFES.

*Pseudisobrachium laisum***Gobbi & Azevedo, 2010: 207**

(http://hol.osu.edu/spmInfo.html?id=MZSP%2002938)

*Holotype*: ♂ (#MZSP 02938), BRASIL, PE[rnambuco], Recife, Parque dos Dois Irmãos, 08°00'37.7"S 34°56'31"W, arm[adilha] Malaise, 20-23.vii.2002, S.T.P. Amarante e eq[uipe] col.

*Paratypes*: 1 ♂ (#MZSP 02940) same data as holotype except 17-20.vii.2002; 1 ♂ (#MZSP 02939), BRASIL, B[ahi]A, Sapiranga, Reserva de Sapiranga

12°33'37.4"S 38°02'46.8"W, arm[adilha] Malaise, 22-25.vii.2001, M.T. Tavares e eq[uipe] col.

*Comments*: original publication reported 4 types deposited at MZSP, however 1 paratype is deposited at UFES.

*Pseudisobrachium lidum***Gobbi & Azevedo, 2010: 210**

(http://hol.osu.edu/spmInfo.html?id=MZSP%2002956)

*Holotype*: ♂ (#MZSP 02956), BRASIL, E[spírito] S[anto], S[an]ta Teresa, Res[erva] Biol[ógica] S[an]ta Lúcia, 638 m, 19°58'18.5"S 40°32'07.6"W, 06-09.iv.2001, arm[adilha] Malaise, C.O. Azevedo e eq[uipe] col.

*Paratype*: 1 ♂ (#MZSP 02957), same data as holotype except 09-12.iv.2001.

*Comments*: original publication reported 3 types deposited at MZSP, however 1 paratype is deposited at UFES.

*Pseudisobrachium lurdum***Gobbi & Azevedo, 2010: 211**

(http://hol.osu.edu/spmInfo.html?id=MZSP%2002958)

*Holotype*: ♂ (#MZSP 02958), BRASIL, E[spírito] S[anto] Res[erva] Biol[ógica] Sooretama, 19°00'11.5"S 40°07'08"W, 24-27.iii.2002, Malaise, C.O. Azevedo e eq[uipe] col.

*Paratype*: 1 ♂ (#MZSP 02959), BRASIL, B[ahi]A, Ilhéus, Mata Esperança, 14°46'S 59°04'W, 18-21.v.2002, Malaise, Pentead-Dias e eq[uipe] col.

*Comments*: original publication reported 3 types deposited at MZSP, however 1 paratype is deposited at UFES.

*Pseudisobrachium marum***Gobbi & Azevedo, 2010: 212**

(http://hol.osu.edu/spmInfo.html?id=MZSP%2002982)

*Holotype*: ♂ (#MZSP 02982), BRASIL, P[ara] B[a], João Pessoa, Mata do Buraquinho 07°08'25"S 34°51'38"W, arm[adilha] Malaise, 28-31.vii.2002, S.T.P. Amarante e eq[uipe] col.

*Paratypes*: 5 ♂ (#MZSP 03013-03017), same data as holotype; 30 ♂ (#MZSP 02983-03012), same data as holotype except 25-28.vii.2002; 2 ♂ (#MZSP 03018-03019), BRASIL, PE[rnambuco], Recife, Parque dos Dois Irmãos, 08°00'37.7"S 34°56'31"W, arm[adilha] Malaise, 17-20.vii.2002, S.T.P. Ama-

rante e eq[uipe] col.; 2 ♂ (#MZSP 03020-03021), BRASIL, R[io] de J[aneiro], Nova Iguaçu, Res[erva] Biol[ógica] do Tinguá, 22°34'32"S 43°26'05"W, 07-11.iii.2002, S.T.P. Amarante e eq[uipe] col.; 1 ♂ (#MZSP 03022) BRASIL, R[io] de J[aneiro], S[an]ta Maria Madalena, Parque Estadual do Desengano, 21°59'03"S 41°57'08"W, 16-19.iv.2002, Malaise, A.M. Pentead-Dias e eq[uipe] col.; 2 ♂ (#MZSP 03023, 03024), BRASIL, S[ergip]E, S[an]ta Luzia do Itahy, Crasto, 11°22'37.4"S 37°24'50.3"W, 29.vii-01.viii.2001, Malaise, M.T. Tavares e eq[uipe] col.; 1 ♂ (#MZSP 03025,) same data as #MZSP 03023 except 01-04.viii.2001; 2 ♂ (#MZSP 03026-03027), same data as #MZSP 03023 except 02-05.viii.2001, Möericke; 1 ♂ (#MZSP 03028), BRASIL, S[ão] P[aulo], Peruíbe, E[tação] E[cológica] Juréia-Itatins, 24°31'06"S 47°12'06"W, 03.v.2002, Malaise, N.W. Perioto e eq[uipe] col.; 1 ♂ (#MZSP 03029) BRASIL, S[ao] P[aulo], Ubatuba, P[ar]que Est[adual] da Serra do Mar Núcleo Picinguaba, 26-29.i.2002, Möericke, N.W. Perioto e equipe col.

*Comments:* original publication reported 72 types deposited at MZSP, however 24 paratypes are deposited at UFES.

### *Pseudisobranchium nibum*

**Gobbi & Azevedo, 2010: 213**

(<http://hol.osu.edu/spmInfo.html?id=MZSP%2003030>)

*Holotype:* ♂ (#MZSP 03030), BRASIL, S[ão] P[aulo], Salesópolis, Est[ação] Biol[ógica] de Boracéia, 23°39'06.5"S 45°53'48"W, 30.iii-02.iv.2001, Malaise, S.T.P. Amarante e eq[uipe] col.

*Paratype:* 1 ♂ (#MZSP 03031), same data as holotype except 02-05.iv.2001.

*Comments:* original publication reported 3 types deposited at MZSP, however 1 paratype is deposited at UFES.

### *Pseudisobranchium otum*

**Gobbi & Azevedo, 2010: 214**

(<http://hol.osu.edu/spmInfo.html?id=MZSP%2003041>)

*Holotype:* ♂ (#MZSP 03041), BRASIL, R[io] de J[aneiro], S[an]ta Maria Madalena, Parque Estadual de Desengano, 21°59'03"S 41°57'08"W, 19-22.iv.2002, Malaise, A.M. Pentead-Dias e eq[uipe] col.

*Paratypes:* 1 ♂ (#MZSP 03043), same data as holotype; 1 ♂ (#MZSP 03042) BRASIL, R[io] de J[aneiro], Nova Iguaçu, Res[erva] Biol[ógica] do Tin-

guá, 22°34'30"S 43°26'08.4"W, 05-11.iii.2002, Malaise, S.T.P. Amarante e eq[uipe] col.; 1 ♂ (#MZSP 03044) BRASIL, S[ão] P[aulo], Salesópolis, Est[ação] Biol[ógica] de Boracéia, 23°39'06.5"S 45°53'48"W, 01.iv.2001, Varredura, S.T.P. Amarante e eq[uipe] col.

*Comments:* original publication reported 4 types deposited at MZSP, however 1 paratype is deposited at UFES.

### *Pseudisobranchium tidum*

**Gobbi & Azevedo, 2010: 219**

*Paratype:* 1 ♂ (#MZSP 03128), BRASIL, E[spírito] S[anto] Res[erva] Biol[ógica] Sooretama, 19°00'11.5"S 40°07'08"W, 24-27.iii.2002, Malaise, C.O. Azevedo e eq[uipe] col.

### *Pseudisobranchium urum*

**Gobbi & Azevedo, 2010: 220**

(<http://hol.osu.edu/spmInfo.html?id=MZSP%2003149>)

*Holotype:* ♂ (#MZSP 03149), BRASIL, E[spírito] S[anto], Santa Teresa, Res[erva] Biol[ógica] S[an]ta Lúcia, 638 m, 19°58'25.2"S 40°32'44.6"W, Varredura, 08.iv.2001, C.O. Azevedo e equipe col.

*Paratypes:* 1 ♂ (#MZSP 03155), same data as holotype except 11.vi.2001; 1 ♂ (#MZSP 03154), same data as holotype except 867 m, 19°58'39.2"S 40°32'06.6"W, 08.iv.2001; 2 ♂ (#MZSP 03152, 03153), BRASIL, E[spírito] S[anto], Linhares, Res[erva] Biol[ógica] Sooretama, 19°00'11.5"S 40°07'08"W, 24-27.iii.2002, Möericke, M.C.O. Azevedo & eq[uipe] col. 1 ♂ (#MZSP 03150), BRASIL, AL[agoas] Quebrangulo, Res[erva] Biol[ógica] da Pedra Talhada, 11-14.ix.2002, Möricke, Pentead-Dias & eq[uipe] col.; 1 ♂ (#MZSP 03151), BRASIL, B[ahi]A, Porto Seguro, Est[ação] Ecol[ógica] Pau Brasil, 16°23'17.6"S 39°10'55"W, 17.v.2002. Möricke, C.O. Azevedo & eq[uipe] col.; 3 ♂ (#MZSP 03156-03158), BRASIL, P[a]R[aná], Morretes, Parque Est[adual] do Pau Oco, 25°34'27.5"S 48°53'33"W, 08-11.iv.2002, Malaise, M.T. Tavares e eq[uipe] col.; 8 ♂ (#MZSP 03159-03166), BRASIL, S[ao] P[aulo], Salesópolis, Est[ação] Biol[ógica] de Boracéia, 23°39'06.5"S 45°53'48"W, 01-03.iv.2001, Möricke S.T.P. Amarante e eq[uipe] col.; 1 ♂ (#MZSP 03167) same data as #MZSP 03159 except 02-05.iv.2001; 7 ♂ (#MZSP 03168-03174) same data except 03-06.iv.2001.

*Comments:* original publication reported 39 types deposited at MZSP, however 13 paratypes are deposited at UFES.

***Pseudisobrachium zandum*****Gobbi & Azevedo, 2010: 223**

*Paratypes*: 1 ♂ (#MZSP 03203), BRASIL, BA[hia], Ilhéus, Mata Esperança, 14°46'S 59°04'W, 15-18.v.2002, Malaise, Pentead-Dias e eq[uipe] col.; 1 ♂ (#MZSP 03204), BRASIL, R[io de] J[aneiro], S[an]ta Maria Madalena, Parque Estadual de Desengano, 21°59'03"S 41°57'08"W, 16-19.iv.2002, Malaise, A.M. Pentead-Dias e eq[uipe] col.

*Comments*: original publication reported 3 types deposited at MZSP; however 1 paratype is deposited at UFES.

**Chrysididae****Amiseginae*****Amisega* Cameron, 1888*****Amisega mocsaryi* var *cyaniceps* Ducke, 1911: 93**

(http://hol.osu.edu/spmInfo.html?id=MZSP%2004304)

*Syntype*: 1 ♀ (#MZSP 04304), BRASIL, Estado do Amazonas, Tefé [Tefé], 06.ix.1904, Ducke.

**Chrysidinae*****Caenochrysis* Kimsey & Bohart, 1981*****Caenochrysis crotonis* (Ducke, 1906): 10**

(http://hol.osu.edu/spmInfo.html?id=MZSP%2004312)

*Syntypes*: 1 ♂ (#MZSP 04312), BRAZIL, Pará, Óbidos, 19.i.1904, Ducke; 1 ♀ (#MZSP 04313), BRAZIL, Pará, Óbidos, 20.xii.1904, Ducke.

*Original name*: *Chrysis crotonis* Ducke, 1906: 10.

***Elampus* Spinola, 1806*****Elampus macuxi* Lucena & Gomes, 2016: 560**

(http://hol.osu.edu/spmInfo.html?id=MZSP%2004675)

*Holotype*: ♂ (#MZSP 04675), [BRAZIL], Roraima, ix.1966, M. Alvarenga & F.M. Oliveira col.

*Paratypes*: 3 ♂ (#MZSP 04560, 04678-04679), same data as holotype.

***Holopyga* Dahlbom, 1845*****Holopyga piliventris* Ducke, 1908a: 95**

(http://hol.osu.edu/spmInfo.html?id=MZSP%2004578)

*Syntype*: 1 ♂ (#MZSP 04578), BRAZIL, Maranhão, Codó, 22.vi.1907, Ducke.

***Ipsiura* Linsenmaier, 1959*****Ipsiura lata* Bohart, 1985: 716**

(http://hol.osu.edu/spmInfo.html?id=MZSP%2004396)

*Holotype*: ♀ (#MZSP 04396), BRAZIL, AM[azonas], 07.ii. [19]76, R.M. Bohart.

***Ipsiura longiventris* (Ducke, 1907): 17**

(http://hol.osu.edu/spmInfo.html?id=MZSP%2004471)

*Lectotype*: ♀ (#MZSP 04471), BRAZIL, Estado do Pará, Óbidos, 11.i.1905, Ducke.

*Original name*: *Chrysis longiventris* Ducke, 1907: 17. Lectotype designed by Bohart in Kimsey & Bohart, 1991: 510.

***Ipsiura brevispina* (Ducke, 1911): 102**

(http://hol.osu.edu/spmInfo.html?id=MZSP%2004400)

*Holotype*: ♂ (#MZSP 04400), BRAZIL, Estado do Pará, 02.i.1907, Ducke.

*Original name*: *Chrysis brevispina* Ducke, 1911: 102.

***Neochrysis* Linsenmaier, 1959*****Neochrysis paraensis* (Ducke, 1903): 227**

(http://hol.osu.edu/spmInfo.html?id=MZSP%2004483)

*Lectotype*: ♂ (#MZSP 04483), BRASIL, Pará, 06.vi.1902, Ducke.

*Original name*: *Chrysis paraensis* Ducke, 1903: 227. Lectotype designed by Bohart in Kimsey & Bohart, 1990: 516.

*Paralectotype*: 1 ♂ (#MZSP 04484), same data except 22.iv.1902.

*Comments*: Bohart in Kimsey & Bohart, 1991 does not clearly define in the publication the Lectotype. Both specimens bears determination labels from Bohart, however the specimen #MZSP 04483 bears a red syntype label also from Bohart which indicates that this specimen is the Lectotype. There is one male specimen from Pará (06.v.1902), labelled 'type' at Natural History Museum, Bern (Obrecht & Huber, 1993) and one 'syntype' from Pará (26.ix.1901) at Museu Paraense Emilio Goeldi (Nascimento, 1979) which are part of the paralectotype series.



***Pleurochrysis* Bohart, 1966*****Pleurochrysis ypirangensis* (Buysson, 1904): 265**

(http://hol.osu.edu/spmInfo.html?id=MZSP%2004384)

*Holotype*: ♀ (#MZSP 04384), [BRAZIL, São Paulo], Ypiranga [Ipiranga], [R.V. Ihering col].*Original name*: *Chrysis ypirangensis* Buysson, 1904: 265.**Cleptinae*****Cleptidea* Mocsary, 1904*****Cleptidea aurora robustior* (Ducke, 1913): 13**

(http://hol.osu.edu/spmInfo.html?id=MZSP%2004582)

*Syntype*: 1 ♂ (#MZSP 04582), BRAZIL, Estado Pará, Faro, 08.ii.1910, Ducke.*Original name*: *Clepts aurora robustior* Ducke, 1913: 13**Dryinidae****Dryininae*****Megadryinus* Richards, 1953*****Megadryinus cacaonis* Olmi & Virla, 2014: 323**

(http://hol.osu.edu/spmInfo.html?id=MZSP%2000199)

*Holotype*: ♀ (#MZSP 00199), BRASIL, S[ão] P[aulo], Ubatuba, Praia da Fortaleza, 01.i.1993, R.V.S. Paiva col. Obtido de casulo em fruto de cacau.**Gonatopodinae*****Gonatopus* Ljungh, 1810*****Gonatopus amapaensis* Olmi, 1991: 350**

(http://hol.osu.edu/spmInfo.html?id=MZSP%2004762)

*Holotype*: ♀ (#MZSP 04762), BRASIL [Amapá, Macapá], Porto Platon, ix.1957, J. Lane leg.***Gonatopus brasiliensis* (Olmi, 1991): 322**

(http://hol.osu.edu/spmInfo.html?id=MZSP%2004753)

*Holotype*: ♀ (#MZSP 04753), [BRAZIL], M[ato] G[rosso], Mun[icípio de] Três Lagoas, Faz[enda] Floresta, 13-20.ix.1964, Exp.[edition of the] Dep[artment of] Zool[ogy, of the University of São Paulo].*Original name*: *Apterodryinus brasiliensis* Olmi, 1991: 322.***Gonatopus drifti* (Olmi, 1991): 317**

(http://hol.osu.edu/spmInfo.html?id=MZSP%2004776)

*Holotype*: ♀ (#MZSP 04776), SURINAM[E] Pocroc [Poeroe] man kemisa, ix.1959, I.V.D. Drift leg.*Original name*: *Pseudogonatopus drifti* Olmi, 1991: 317.***Gonatopus goiasensis* (Olmi, 1991): 336**

(http://hol.osu.edu/spmInfo.html?id=MZSP%2004778)

*Holotype*: 1 ♀ (#MZSP 04778), BRASIL, Goiás, Jatai, Faz[enda] Aceiro, 29.x.1962, Exp.[edition of the] Dep[artment of] Zool[ogy, of the University of São Paulo].*Original name*: *Trichogonatopus goiasensis* Olmi, 1991.*Paratype*: 1 ♀ (#MZSP 04779), BRASIL, Mato Grosso, B[a]rra do Tapirapé, 01-13.i.1963, B. Malkin col.***Gonatopus malkini* (Olmi, 1991): 321**

(http://hol.osu.edu/spmInfo.html?id=MZSP%2004761)

*Holotype*: ♀ (#MZSP 04761), PERU, Machu-Picchu (sobre ruínas, 2,600-2,800 m), 01-02.vii.1964, B. Malkin.*Original name*: *Donisthorpina malkini* Olmi, 1991: 321.***Gonatopus matoensis* Olmi, 1991: 349**

(http://hol.osu.edu/spmInfo.html?id=MZSP%2004769)

*Holotype*: ♀ (#MZSP 04769), BRASIL, Mato Grosso, B[a]rra do Tapirapé, 25-27.i.1964, B. Malkin col.***Gonatopus pecki* (Olmi, 1986): 83***Paratype*: 1 ♀ (#MZSP 04777), ECUADOR, Morona, Santiago [de] los Tayos, 03.viii.1976, Tjitte de Vries col.*Original name*: *Pseudogonatopus pecki* Olmi, 1991: 349.**Embolemidae*****Embolemus* Westwood, 1833*****Embolemus brandaoi*****Azevedo & Amarante, 2006: 126**

(http://hol.osu.edu/spmInfo.html?id=MZSP%2000200)

*Holotype*: ♀ (#MZSP 00200), BRASIL, S[ão] P[aulo], Nazaré Paulista, 26.i.2001, serrapilheira, Winkler [trap], B.H. Dietz col.

*Embolemus boraceia*

Amarante, Brandão &amp; Carpenter, 1999: 3

(http://hol.osu.edu/spmInfo.html?id=MZSP%2006645)

*Holotype*: ♂ (#MZSP 06645), BRASIL, S[ão] P[aulo], Salesópolis, E[stação] B[iológica] B[oracéia], 05.vii-06.ix.1997, Malaise, laboratório, C.I. Yamamoto col.

*Paratypes*: 1 ♂ (#MZSP 06646), same data as holotype; 1 ♂ (#MZSP 06647), same data as holotype except 17.vi-05.vii.1997.

## RESUMO

O presente catálogo lista espécimens tipo de Chrysididae depositados no Museu de Zoologia da Universidade de São Paulo. A coleção inclui 75 holótipos, 791 parátipos, 2 lectótipos, 1 paralectótipo e 5 síntipos de 97 espécies nominais. Toda informação contida nas etiquetas foi compilada e é apresentada junto com informações adicionais retiradas de fontes originais, registros do museu e outras fontes. São ainda apresentados links para fotografias em alta resolução dos holótipos, lectótipos e síntipos hospedadas no Specimage, banco de imagens da Ohio State University.

PALAVRAS-CHAVE: Brasil; Insecta; Taxonomia; MZSP; Lista de tipos.

## ACKNOWLEDGMENTS

ADS thanks Conselho Nacional de Desenvolvimento Científico e Tecnológico – CNPq (Proc. 134124/2016-2) for a Master degree grant. HCO thanks FAPESP (Fundação de Amparo à Pesquisa do Estado de São Paulo) and CNPq for post-doctoral grants (Proc. 2012/15875-0 and 150713/2010-0). This work was supported by grants from FAPESP Proc. 2010/16063-3 to CRFB. CRFB was a Research Fellow of CNPq and received grants from PROTAX (Programa de Capacitação em Taxonomia – Process CNPq 440574/2015-3 and FAPESP 2016/50378-8). We would like to thank to the two anonymous reviewers for making important suggestions and subject editor K.S. Ramos for editing and reviewing the manuscript. We are grateful to Dr. Norman F. Johnson for helping with the upload of photos to Hymenoptera Online. We are also grateful to Msc. André L. Martins, Dr. Celso O. Azevedo, Msc. Daercio A.A. Lucena and Msc. Wesley D. Colombo for helping with literature and taxonomic explanations.

## REFERENCES

- ALENCAR, I.D.C.C. & AZEVEDO, C.O. 2008. A new species-group of *Dissomphalus* (Hymenoptera: Bethyilidae), with description of thirteen new species. *Zootaxa*, 1851:1-28.
- AMARANTE, S.T.; BRANDÃO, C.R.F. & CARPENTER, J.M. 1999. A new species of *Embolemus* Westwood from the Mata Atlântica of Brazil (Hymenoptera: Embolemidae). *American Museum Novitates*, 3266:1-7.
- AZEVEDO, C.O. 1994. Descriptions of two new species and notes on the genus *Bakeriella* Kieffer from Brazil and Ecuador (Hymenoptera, Bethyilidae). *Journal of Hymenoptera Research*, 3(1):145-150.
- AZEVEDO, C.O. 1999. Revision of the Neotropical *Dissomphalus* Ashmead, 1893 (Hymenoptera, Bethyilidae) with median tergal processes. *Arquivos de Zoologia*, 35(4):301-394.
- AZEVEDO, C.O. 2003. Synopsis of the Neotropical *Dissomphalus* (Hymenoptera, Bethyilidae). *Zootaxa*, 338:1-74.
- AZEVEDO, C.O. & AMARANTE, S.T.P. 2006. New species of *Embolemus* (Hymenoptera, Embolemidae) from Eastern Brazil. *Studies on Neotropical Fauna and Environment*, 41(2):123-129.
- BOHART, R.M. 1985. New *Ipsiura* and a key to known species of the genus (Hymenoptera: Chrysididae). *Journal of the Kansas Entomological Society*, 58(4):708-720.
- BRANDÃO, C.R.F. 1991. Adendos ao catálogo abreviado das formigas da região Neotropical (Hymenoptera: Formicidae). *Revista Brasileira de Entomologia*, 35:319-412.
- BRANDÃO, C.R.F.; ESTEVES, F.A. & PRADO, L.P. 2010. A catalogue of the Pseudomyrmecinae ants type specimens (Hymenoptera, Formicidae) deposited in the Museu de Zoologia da Universidade de São Paulo, Brazil. *Papéis Avulsos de Zoologia*, 50:693-699.
- BUYSSON, R.D. 1904. Contribution aux Chrysidides du globe. *Revue d'Entomologie*, 23:75-253.
- CORRÊA, M.S. & AZEVEDO, C.O. 2006. O gênero *Apenesia* (Hymenoptera, Bethyilidae) na Mata Atlântica: notas e descrição de sete espécies novas. *Revista Brasileira de Entomologia*, 50(4):439-449.
- DUCKE, A. 1903. Neue südamerikanische Chrysididen. *Zeitschrift für systematische Hymenopterologie und Dipterologie*, 3:226-232.
- DUCKE, A. 1906. Alla revisione dei Chrysididi dello stato Brasiliano del Pará. (Second suppl.). *Bollettino della Società entomologica italiana*, 38:3-19, 1907.
- DUCKE, A. 1907. Contribution à la connaissance de la faune hyménoptérologique du nord-est du Brésil. *Revue d'Entomologie*, 26:73-96, 1908a.
- DUCKE, A. 1911. Alla revisione dei chrysididi dello stato Brasiliano del Pará (third suppl.). *Bollettino della Società entomologica italiana*, 41:89-115.
- DUCKE, A. 1913. As Chrysididas do Brazil. Catálogos da Fauna Brasileira, *Museu Paulista*, 4:1-31.
- ESTEVES, F.A.; BRANDÃO, C.R.F. & PRADO, L.P. 2011. The type specimens of "Dorylomorph" ants (Hymenoptera, Formicidae: Aenictinae, Ecitoninae, Cerapachyinae, Leptanilloidinae) deposited in the Museu de Zoologia da Universidade de São Paulo, Brazil. *Papéis Avulsos de Zoologia*, 51:341-357.
- EVANS, H.E. 1964. A synopsis of the American Bethyilidae (Hymenoptera, Aculeata). *Bulletin of the Museum of Comparative Zoology*, 132:1-222.
- EVANS, H.E. 1965. A revision of the genus *Rhabdepyris* in the Americas (Hymenoptera, Bethyilidae). *Bulletin of the Museum of Comparative Zoology*, 133(2):67-150.
- EVANS, H.E. 1966. Further studies on Neotropical Pristocerinae (Hymenoptera, Bethyilidae). *Acta Hymenopterologica*, 2(3):9-117.

- EVANS, H.E. 1968. The genus *Scleroderma* in South America (Hymenoptera, Bethyilidae). *Papéis Avulsos de Zoologia*, 22:103-106.
- GOBBI, F.T. & AZEVEDO, C.O. 2010. Taxonomia de *Pseudisobranchium* (Hymenoptera, Bethyilidae) da Mata Atlântica Brasileira. *Revista Brasileira de Entomologia*, 54(2):173-224.
- INTERNATIONAL COMMISSION ON ZOOLOGICAL NOMENCLATURE – ICZN. 1999. *International Code of Zoological Nomenclature*. 4ª ed., London. Available at: [www.iczn.org/iczn/index.jsp](http://www.iczn.org/iczn/index.jsp).
- KIEFFER, J.J. 1910. Description de nouveaux microhyménoptères du Brésil. *Annales de la Société Entomologique de France*, 78:287-348.
- KIMSEY, L.S. & BOHART, R.M. 1990. The chrysidid wasps of the world. *Oxford University Press*, pp. 652, 1991.
- KLINGENBERG, C. & BRANDÃO, C.R.F. 2005. The type specimens of fungus growing ants, Attini (Hymenoptera, Formicidae, Myrmicinae) deposited in the Museu de Zoologia da Universidade de São Paulo, Brazil. *Papéis Avulsos de Zoologia*, 45:41-50.
- LANDIM, M.I. 2011. Museu de Zoologia da Universidade de São Paulo: adaptação aos novos tempos. *Estudos Avançados*, 25(73):205-216.
- LUCENA, D.A.A. & GOMES, R.S. 2016. New species of *Elampus* Spinola, 1806 (Hymenoptera: Chrysididae), with a key to the Neotropical species of the genus. *Zootaxa*, 4117(4):555-566.
- MELO, G.A.R. & EVANS, H.E. 1993. Two new *Microstigmus* species (Hymenoptera, Sphecidae), with the description of their parasite, *Goniozus microstigma* sp. n. (Hymenoptera, Bethyilidae). *Proceedings of the Entomological Society of Washington*, 95(2):258-263.
- NASCIMENTO, P.T.R. 1979. Catálogo de tipos entomológicos do Museu Goeldi. Hymenoptera. *Boletim do Museu Paraense Emílio Goeldi. Nova série zoologia*, 98:1-18.
- OBRECHT, E. & HUBER, C. 1993. Ducke type specimens and other Brazilian insect types in the Emil A. Goeldi collection in the Natural History Museum Bern (Switzerland). An annotated catalogue. *Jahrbuch des Naturhistorischen Museums Bern*, 11:163-184.
- OLMI, M. 1984-1985. New Species and genera of Dryinidae (Hymenoptera: Chrysididae). *Frustula Entomologica Nuova Serie*, 7-8(20-21):63-105, 1986.
- OLMI, M. 1989. Supplement to the revision of the world Dryinidae (Hymenoptera Chrysididae). *Frustula Entomologica Nuova Serie*, 12(25):109-395, 1991.
- OLMI, M. & VÍRLA, E.G. 2014. Dryinidae of the Neotropical region (Hymenoptera: Chrysididae). *Zootaxa*, 3792(1):1-534.
- ONODY, H.C.; KAWADA, R. & BRANDÃO, C.R.F. 2014. Type specimens of Hymenoptera deposited in the Museu de Zoologia da Universidade de São Paulo, Brazil (excluding Aculeata). *Papéis Avulsos de Zoologia*, 54:391-402.
- PRADO, L.P. & BRANDÃO, C.R.F. 2013. A catalogue of Cephalotini ant types specimens (Hymenoptera: Formicidae: Myrmicinae) deposited in the Museu de Zoologia da Universidade de São Paulo, Brazil. *Papéis Avulsos de Zoologia*, 53:285-293.
- RAMOS, K.S.; KAWADA, R. & BRANDÃO, C.R.F. 2015. Type specimens of bees (Hymenoptera, Apidae) deposited in the Museu de Zoologia da Universidade de São Paulo, Brazil. *Papéis Avulsos de Zoologia*, 55(24):335-361.
- REDIGHIERI, E.S. & AZEVEDO, C.O. 2006. Fauna de *Dissomphalus* Ashmead (Hymenoptera, Bethyilidae) da Mata Atlântica brasileira, com descrição de 23 espécies novas. *Revista Brasileira de Entomologia*, 50(3):297-334.
- ROSMANN, W.L. & AZEVEDO, C.O. 2005. Dez espécies novas e notas sobre *Rhabdepyris* Kieffer (Hymenoptera, Bethyilidae) da Mata Atlântica. *Revista Brasileira de Entomologia*, 43:397-408.
- SANTOS, H.S. & AZEVEDO, C.O. 2000. Sistemática das espécies de *Anisepyrus* Kieffer, 1905 (Hymenoptera, Bethyilidae) do Brasil. *Revista Brasileira de Entomologia*, 44(3/4):129-165.
- SANTOS, L.M. & AZEVEDO, C.O. 2008. Taxonomia de *Anisepyrus* Kieffer (Hymenoptera, Bethyilidae) da Mata Atlântica Brasileira. *Revista Brasileira de Entomologia*, 52(3):328-339.
- ULYSSEÁ, M.A. & BRANDÃO, C.R.F. 2013. Catalogue of Dacetini and Solenopsidini ant type specimens (Hymenoptera, Formicidae, Myrmicinae) deposited in the Museu de Zoologia da Universidade de São Paulo, Brazil. *Papéis Avulsos de Zoologia*, 53:187-209.
- ULYSSEÁ, M.A.; PRADO, L.P. & BRANDÃO, C.R.F. 2015. Type specimens of the traditional Myrmicinae (Hymenoptera: Formicidae) ant tribes deposited in the Museu de Zoologia da Universidade de São Paulo, Brazil: Adelomyrmecini, Basicerotini, Blepharidattini, Crematogastrini, Formicoxenini, Lenomyrmecini, Myrmicini, Phalacromyrmecini, Pheidolini, Stegomyrmecini, Stenammini and Tetramoriini. *Papéis Avulsos de Zoologia*, 55(12):175-204.

Aceito em: 26/04/2017

Publicado em: 13/06/2017

Editor Responsável: Kelli dos Santos Ramos