United States Military Academy USMA Digital Commons

West Point Research Papers

1-2019

Rapid Terrain Generation for GeoVisualization, Simulation, Mission Rehearsal, & Operations

Christopher Oxendine *United States Military Academy*, christopher.oxendine@westpoint.edu

Matt O'Banion United States Military Academy, matthew.obanion@westpoint.edu

William Wright United States Military Academy, william.wright@westpoint.edu

Ian Irmischer United States Air Force Academy, ian.irmischer@usafa.edu

Steven Fleming University of Southern California, stevendf@usc.edu

Follow this and additional works at: https://digitalcommons.usmalibrary.org/ usma_research_papers Part of the <u>Geographic Information Sciences Commons</u>, <u>Remote Sensing Commons</u>, and the Spatial Science Commons

Recommended Citation

Oxendine, Christopher; O'Banion, Matt; Wright, William; Irmischer, Ian; and Fleming, Steven, "Rapid Terrain Generation for GeoVisualization, Simulation, Mission Rehearsal, & Operations" (2019). *West Point Research Papers*. 151. https://digitalcommons.usmalibrary.org/usma_research_papers/151

This Article is brought to you for free and open access by USMA Digital Commons. It has been accepted for inclusion in West Point Research Papers by an authorized administrator of USMA Digital Commons. For more information, please contact nicholas.olijnyk@usma.edu.

Forces. RU appears to be shaping postconflict negotiations over Syria in line with RU geopolitical goals. The Institute for the Study of War (ISW) researchers observe "these condition-setting activities would allow Putin to escalate militarily to challenge U.S. interests in multiple theaters simultaneously if he so chose."⁹

Implications and Recommendations

In summary, RU understands the competitive nature of GEOINT. However, this research also showed the importance of understanding the GEOINT capabilities of competitors. This essential element of comparative advantage must be incorporated in the U.S. GEOINT educational community's body of knowledge. Without it, the U.S. educational community is limiting its effectiveness. The U.S. GEOINT educational community needs to adopt a view embodying the philosophy of knowing your opponent while knowing yourself.

U.S. academic institutions awarding GEOINT certificates through the United States Geospatial Intelligence Foundation (USGIF) use USGIF's GEOINT Essential Body of Knowledge (EBK) to guide teaching and learning.¹⁰ The current EBK does not explicitly address the competencies where a student would learn and practice the skills of analyzing the GEOINT capabilities of a competitor or foe in another country. Without this, students in the U.S. are open to falling into the intelligence trap of assuming that the people being analyzed think like they do. This is not to suggest that some or most of the USGIF-accredited programs do not teach about understanding an opponent. This is to suggest that the way the EBK is structured and was implemented does not emphasize understanding an opponent. Specifically, the EBK has seven core competenciesfour technical and three cross-functional knowledge areas. The technical competencies were implemented first, and the cross-functional GEOINT knowledge, skills, and abilities, which generally reflect the human aspects of the discipline, are just now being realized. This fosters an impression that GEOINT values technology over the human cognitive thought process.

Based on this research, the U.S. GEOINT educational community should use the comparative approach to give equal balance of the human geographic aspect of GEOINT with that of the technologic aspects of the discipline. The following recommendations are made to achieve the balance:

- Represent and teach GEOINT as a discipline focused on rendering advantage over an environmental or human opponent.
- Develop and share with the community a method of teaching comparative GEOINT that instills the philosophy of

knowing your opponent while knowing yourself.

 Balance the learning of GEOINT's technical and non-technical knowledge, skills, and tradecraft by emphasizing how the technical tools are explicitly applied to examine and understand the interrelationships among people, place, and environments.

Conclusion

Success in GEOINT is to combine the utilitarian aspects of technology with a sophisticated understanding of ourselves and our rival. Knowing these things, we can develop and apply GEOINT based on knowledge and skill rather than on speculation and blind action. Since comparative studies are neither common in U.S. GEOINT curriculum nor is there a specific competency pertaining to the skill of knowing an opponent, the community cannot be certain the advancing student has the skills to understand their opponent. Without the depth and agility of this comparative thinking, the U.S. GEOINT Community is opening itself to failure. Not knowing how to examine an opponent, the analyst cannot penetrate their "geospatial mind;" the analyst cannot anticipate how the opponent might attempt to stymie their progress. Until we formalize the competency of analyzing how others think and/or act geospatially, GEOINT education in the U.S. is incomplete.

Separation Repeation For Geovisualization, Simulation, Mission Rehearsal, and Operations

By Steven D. Fleming, Ph.D., and Ryan McAlinden, the University of Southern California; Matt S. O'Banion, Ph.D., Christopher Oxendine, Ph.D., and William Wright, Ph.D., the United States Military Academy at West Point; and Ian Irmischer, Ph.D., the United States Air Force Academy

Geospecific 3D terrain representation (aka reality modeling) is revolutionizing geovisualization, simulation, and engineering practices around the world. In tandem with the rapid growth in unmanned aerial systems (UAS) and small satellites, reality modeling advancements now allow geospatial intelligence

(GEOINT) practitioners to generate three-dimensional models from a decentralized collection of digital images to meet mission needs in both urban and rural environments. Scalable mesh models deliver enhanced, real-world visualization for engineers, geospatial teams, combatant, and combat support organizations. In this, reality modeling provides a detailed understanding of the physical environment, and models allow installation engineers and GEOINT practitioners to quickly generate updated, high-precision 3D reality meshes to provide real-world digital context for the decision-making process.

9. Catherine Harris, Jack Ulses, and Mason Clark. Russia in Review: August 28 – September 13, 2018. Institute for the Study of War. 2018. http://iswresearch.blogspot.com/search?q=russia+in+review 10. United States Geospatial Intelligence Foundation (USGIF). "GEOINT Essential Body of Knowledge." 2015. http://usgif.org/system/uploads/3858/original/EBK.pdf. Accessed on July 20, 2018.

On the facilities engineering front, projects can be planned, designed, and completed more quickly and easily with lower costs. These models integrate with existing CAD tools to save time and money in facility design. Facility operations and maintenance, construction site inspection, asset management, environmental management, and management of military training ranges all benefit from this technology. In deployed environments, ground commanders, military planners, engineers, and practitioners can use 3D models for mission planning and rehearsal, terrain generation, route mapping and clearance, base layout and design, infrastructure planning, IEDmodeling and post-blast assessment, cover/concealment, and more. For postattack recovery efforts, practitioners can guickly send drones to capture existing conditions, then model the damage and map unexploded ordnance to assess the situation and develop a recovery planwhile minimizing exposure to deployed troops. Operational units such as infantry and special operators can produce models to map the battlespace and to enhance defensive preparation efforts or model assault objectives. Units can now guickly determine mission conditions and answer questions such as: Can our vehicles fit in that alleyway? Can we land a helicopter on that roof? What is my line of site at this location?

Modeling and Simulation Possibilities

The use of non-traditional, decentralized data collection sources supports nextgeneration digital Earth representation and the desires to achieve unique 3D visualization and terrain development for many U.S. government modeling and simulation (M&S) communities, including the Department of Defense (DoD) and the Intelligence Community (IC). Work is being done for U.S. Joint Staff-funded projects designed to assist the DoD in creating the realistic, temporarily accurate, precise, and informative representations of the physical and non-physical landscape. In addition, and as a part of the Army Synthetic Training Environment (STE) Cross Functional Team (CFT), reality modeling is helping to establish a nextgeneration government/industry terrain standard for M&S hardware and software for use in training and operational applications. To this end, the following goals are being advanced:

- Construction of a single, authoritative, updated 3D geospatial database for use in next-generation simulations and virtual environments.
- Utilization of commercial cloud-front solutions for storing and serving geospatial data.
- Protocols for procedurally recreating 3D terrain using drones and other collection equipment/sensors.
- Reduction of cost and time for creating geospecific datasets for M&S.
- Utilization of non-traditional, open, and market sources of geospatial data.

There are anticipated impacts of potential applications enabled by this work. The One World Terrain (OWT) effort is principally centered around understanding and planning for the next-generation of M&S technology. More specifically, OWT relates to the feasibility of turning collected terrain data into simulation-usable terrain features that can be employed in real-time by simulation platforms. This work hopes to demonstrate how rapid terrain generation and user-driven social media data may be incorporated in real- or near-real-time into a virtual or constructive environment for geovisualization and simulation applications.

Data Challenges

As more and more data saturates the digital landscape, we have become increasingly reliant on technologies to help sift, sort, analyze, and visualize. One example is the way one collects, processes, and uses geospatial data. The field has evolved rapidly from paper maps with acetate overlays, to the digital 2D maps of the 1990s and 2000s, to the 3D immersive representations we see today. This data continues to grow in abundance and requires a new breed of cross-disciplinary collaboration and research to ensure its utility is maximized.

Identifying and developing ways for users to exploit and better understand the 3D world through automation is becoming increasingly popular and relevant. Virtual and augmented reality continue to proliferate and are now mainstays in society. Map-based data are used in many of the most popular applications on common devices, from consumer review apps (like Yelp), to ride sharing, to games. However, the ability to produce and visualize 3D geospatial content for these devices remains elusive. The process for generating such content is existentially a human-intensive process, and, as a result, time-consuming, inefficient, and inconsistent. Spatial scientists are attempting to ease the burden of creating and using 3D terrain content in electronic devices as quickly and cost-effectively as possible. Ultimately, the research goal is to achieve complete automation of how one creates the digital world around us, removing the human from the loop.

Cutting-Edge Processes

In order to understand the challenges with 3D geospatial terrain, the problem is best decomposed into its constituent parts: collection; creation (processing); storage and distribution; and application. More precisely, the questions often asked when assessing 3D terrain include: How is source terrain data collected? How is that data processed into a form digestible by an application? Where is it stored and how is it distributed? And how is it used by consumers?

Research has been conducted on the challenges presented by 3D terrain data for several decades, harkening back to the days of the Topographic Engineering Center (TEC). In the DoD, tremendous efforts have focused on building the Army's suite of next-generation interactive simulation and training platforms. Years ago, terrain was often considered the "Achilles' Heel" of simulators. Its generation is time-consuming, expensive, manpower-intensive, and fraught with vagaries that result in unrealistic, unsatisfying, and often uncompelling synthetic experiences. Simulation environments are often created with entities floating above the terrain because

of correlation issues, or virtual characters passing through walls because the models were not attributed correctly. And until recently, creating the virtual terrain in applications was purely a manual activity, with artists, modelers, and programmers spending significant time and money to create one-off terrain datasets that were rarely able to be repurposed in other rendering environments. Limitations in processing and artificial intelligence (AI) and poor-quality source data compounded the problem for decades, stalling attempts to fundamentally change the way terrain is created for virtual applications.

However, over the past 5 to 7 years, the introduction of cloud computing, better and cheaper processors and graphics processing units, and new sources of high-resolution terrain data (unmanned systems, airborne and terrestrial LiDAR, small satellites, crowdsourcing, photogrammetry, and commercial industry mapping resources such as Bing or Google Maps) have provided new procedures for terrain generation. The opportunity has arisen to reduce the time and cost for creating "digital dirt" by automating what were previously manual efforts. Automated functions include procedurally-generated textures and polygons, the correlation and linking of datasets, and adding applicationspecific attribution to models that allows the simulation to reason with colliders, navigation meshes, and other entities. Leveraging these advancements and combining them with specific research areas has allowed the M&S community to exponentially grow its capabilities and output.

Unlike traditional geospatial research (which often falls to academic geography departments), this line of research incorporates the disciplines of geomatics (e.g., remote sensing, surveying, navigation, and positioning) and computer science (e.g., AI, computer vision, image processing, and computer graphics). The ability to automate from "source to runtime" requires algorithmic approaches that can add, manipulate, and preserve data attributes and qualities that allow the data to be rendered and simulated in 3D. This collaboration is crucial as disciplines seek to exploit data, computational resources, and knowledge. Collaboratively, much of the current work is focused on automating the workflow from collection to application. Specifically, the steps to this end include:

Collection:

How can one organically collect and fuse their own 3D geospatial data, use existing open and market-based sources, and leverage previously-collected data? To accomplish this, one relies on automatic geo-referencing and correlation of the data using traditional GIS techniques such as ground-sampling distance as well as newer techniques for 3D terrain data collection such as automated photogrammetric reconstruction.

Creation (Processing):

This dynamic work with the data entails manipulating source GIS data into a form that a runtime application can not only display but reason against. Techniques rely heavily on machine learning as well as more traditional AI techniques to analyze and segment the data into its constituent parts (elevation, vegetation, roads, buildings, etc.).

Storage & Distribution:

3D terrain data can be very large, on the order of several petabytes to cover the Earth's surface at one-meter resolution. Storing all of the data in the cloud is cost-prohibitive, and storing it locally is impractical for bandwidth and throughput reasons. Researching strategies and techniques for storing and serving the data is central to addressing these challenges. Basic research centers on identifying intelligent storage means (dynamic load balancing and cloud instancing; hot versus cold storage) that allow for a cost-effective, yet efficient 3D storage and distribution mechanism.

Application (Rendering & Simulating):

Displaying terrain data is where the most fundamental research challenges remain. Adding semantic labels and metadata to the underlying data is critical so the engine can differentiate how the data is to be used at runtime (e.g., whether something will drive on it, shoot through it, move through it, hide behind it, etc.). This is where some of the most manually intensive activities continue to be centered, such as adding colliders around buildings, navigation meshes, lighting properties, and higher-order metadata for Al agent reasoning. Moreover, much of the investment for automating the terrain workflow has been in processing, with rendering and simulation often relegated to the sidelines because they are viewed as production activities.

Advanced Applications and Future Use

This research need stretches across the workflow from collection to application. Early efforts have led to many outcomes, including the purchase of tactical decision kits for the U.S. Marine Corps that allow small units to organically manage their own geospatial holdings. Unit operators now regularly collect image data and provide it to others in the force, as well as researchers for additional classification and segmentation experiments. Agriculture, architecture, and law enforcement professionals have also applied these techniques. Work is also being done in mapping the commercial infrastructure (sports venues. college campuses, and many other urban locations) to assist these and other communities with specific challenges such as infrastructure protection, flood analysis, site surveys, structural integrity, and historical/anthropologic research activities. Ultimately, researchers hope to revolutionize the way the world collects, processes, and serves 3D geospatial data with long-term goals being to obviate the need for human intervention, and to use automation to more quickly and cost-effectively deliver terrain data to the point-of-need. In aggregate, focused research hopes to continue and evolve with outcomes including:

- Machine learning for additional classification and segmentation of meshes and point clouds.
- Alternative sources of data collection and fusion.
- Algorithmically adding attribution to 3D data for use in runtime applications.

Conclusively, 3D geospatial data will continue to increase in abundance and quality. Therefore, its use and the research to ensure its utility, integrity, and production are critical so the GEOINT Community can produce more accurate and reflective digital representations of the physical world. These representations service the reality modeling community as a conduit to revolutionizing geovisualization, simulation, and engineering practices around the globe.

Economic Competition and the Role of GEOINT

By David Gauthier, NGA; Mark Phillips, The MITRE Corporation; and Steven Truitt, Descartes Labs

Headlines concerning the use of national levers of power are increasingly focused on economics, relationships, and nuance. While diplomatic, information, and military levers of power are often showcased for obvious effect, it is frequently the unheralded lever of national powereconomic power-that has a profound global effect and is now taking its place at the forefront of national debates. With nations flexing their strength, it is vitally important for decision-makers to be fully informed of the challenges, uncertainty, opportunities, and risks inherent in this complex, interrelated world. Our leaders "must come to grips with the reality that the geopolitical landscape is populated with countries content to use the modern tools of economics and finance without regard"1 for the societal norms we take for granted. After all, the use of these national levers of power can precipitate worldwide successes or calamities.

Likewise, in the boardrooms of the corporate world and the dorm rooms of the start-up world, the focus on the interconnectedness of the economy is proliferating. Discussions about microshifts in the economy, incentive hacking, and massive scaling of applications are common in the commercial world. This new focus is a direct parallel of what plays out among nation-states, and increasingly the commercial and governmental economic moves converge. However, while disruptive capabilities in the commercial world often spell financial success, disruptive events among nation-states can rapidly devolve into more overt threats to national security. And the lack of economic stability in one region can have detrimental effects to U.S. national security.

Therefore, framing the question: How does the U.S. use geospatial intelligence (GEOINT) to understand the world economic stage, predict behavior, and broaden the trade space associated with national security for U.S. and partner decision-makers?

The role of GEOINT has been applied infrequently to economic analysis, especially on a global scale. Secure and masked supply chains, secretive business relationships, and illicit demand for goods further complicate the challenges facing GEOINT analysis. Maps and charts are not yet being made to reflect these global economic forces and the context that accompanies them; GEOINT services do not currently publish and update maps with detailed economic data placed in context for improved decision-making. This is a severe limitation to geospatial analysis and global understanding. However, geospatial technology is a powerful tool to assess context, monitor activity, and provide understanding-the fundamental components needed for decision-makers. Understanding impact and forecasting responses through geospatially integrated data provides a common operating picture of economic actions and effects.

GEOINT may be the new key element to enable nations and companies alike to understand the world economic stage, predict outcomes, and broaden the trade space for more diverse actions. The increased availability of GEOINT provides insights that support the integration of information and decision-making across diplomatic, information, military, and economic levers of power.

The Effects of GEOINT

The drivers of competitive advantage are becoming everywhere and nowhere at the same time. Whether the competition is in the boardroom or the war room, it is increasingly important to uncover this information in time to act and seize an advantage. Data is the leverage point and the greatest weapon in our arsenal. Whomever controls the right dataand knows how to use it-will have an unmatched advantage. Organizations have picked up on this trend and are learning to exhaustively mine data sources for insights. But when data is being created at a rate far beyond our comprehension, it is difficult to know how to mine the most value out of our vast data resources.

In the economic arena, our nation's mission is to understand where to put leverage, or how to execute policies, actions, and deals for the best macro position possible. We need to discover and understand long-term financial trends hidden below the noise in the global economy. To make these discoveries a single information domain—nor a single analytic formula—is not sufficient as the complexity is too great and our natural human comprehension too lacking.

GEOINT is not simply the analysis of any particular medium such as imagery, but today refers to any data which is or can be geo-referenced. Most data, within all domains, can be both temporally and geospatially referenced, giving that data unique exploitable features and enabling it with greater context. Time scales are a significant factor since unlike the immediacy of military actions, economic actions may take years for true impact to be identified. If we apply the techniques of GEOINT collection and analysis, the

1. Robert D. Blackwill and Jennifer M. Harris. War by Other Means: Geoeconomics and Statecraft. Cambridge, MA: The Belknap Press of Harvard University Press; 2016, p 13.