

National Quail Symposium Proceedings

Volume 4 Article 36

2000

Habitat Use by Reintroduced Mountain Quail

Michael Pope Oregon State University

John A. Crawford Oregon State University

Follow this and additional works at: http://trace.tennessee.edu/nqsp

Recommended Citation

Pope, Michael and Crawford, John A. (2000) "Habitat Use by Reintroduced Mountain Quail," *National Quail Symposium Proceedings*: Vol. 4, Article 36.

Available at: http://trace.tennessee.edu/nqsp/vol4/iss1/36

This Genetics, Survival, Reproduction, and Population Restoration is brought to you for free and open access by Trace: Tennessee Research and Creative Exchange. It has been accepted for inclusion in National Quail Symposium Proceedings by an authorized editor of Trace: Tennessee Research and Creative Exchange. For more information, please contact trace@utk.edu.

HABITAT USE BY REINTRODUCED MOUNTAIN QUAIL

Michael Pope

Game Bird Research Program, Oregon State University, Corvallis, OR 97331-3803

John A. Crawford

Game Bird Research Program, Oregon State University, Corvallis, OR 97331-3803

ABSTRACT

Mountain quail (*Oreortyx pictus*) have declined in much of the Intermountain Region of the western United States. Many areas that once supported these birds now seemingly lack necessary food and cover, especially in critical riparian zones. Additionally, mountain quail appear to need periodic disturbance (fire, moderate grazing, etc.) to provide adequate forage and nesting areas. If mountain quail do not readily occupy suitable habitats, either because of restricted movements or because of habitat discontinuities, it may be necessary to stock birds in order to restore populations. In September 1995, we began a restoration program with the objective of reintroducing mountain quail into former ranges in eastern Oregon and Washington. In the winter of 1996–1997, we released 17 radio-marked birds into a drainage in Hell's Canyon as a pilot study to determine habitat use, survival estimates, and movement patterns. An additional 40 radio-marked birds were released during spring 1998 to determine habitat use, nesting success, and brood survival.

Citation: Pope, M., and J.A. Crawford. 2000. Habitat use by reintroduced mountain quail. Page 137 in L.A. Brennan, W.E. Palmer, L.W. Burger, Jr., and T.L. Pruden (eds.). Quail IV: Proceedings of the Fourth National Quail Symposium. Tall Timbers Research Station, Tallahassee, FL.