



The New Nordic Diet as a prototype for regional sustainable diets

Bügel, Susanne Gjedsted; Hertwig, Jostein; Kahl, Johannes; Lairon, Denis; Paoletti, Flavio; Strassner, Carola

Published in:
Sustainable Value Chains for Sustainable Food Systems

Publication date:
2016

Document version
Publisher's PDF, also known as Version of record

Document license:
[Unspecified](#)

Citation for published version (APA):
Bügel, S. G., Hertwig, J., Kahl, J., Lairon, D., Paoletti, F., & Strassner, C. (2016). The New Nordic Diet as a prototype for regional sustainable diets. In A. Meybeck, & S. Redfern (Eds.), *Sustainable Value Chains for Sustainable Food Systems: A Workshop of the FAO/UNEP Programme on Sustainable Food Systems. Rome, 8-9 June 2016* (pp. 109-116). Rome: Food and Agriculture Organization of the United Nations.



Food and Agriculture
Organization of the
United Nations

Sustainable value chains for sustainable food systems

A workshop of the FAO/UNEP
Programme on Sustainable Food Systems



Sustainable value chains for sustainable food systems

A workshop of the FAO/UNEP
Programme on Sustainable Food Systems
Rome, 8–9 June 2016

Edited by

**Alexandre Meybeck
and
Suzanne Redfern**

Photo credits from left to right clockwise: Giulio Napolitano; Vasily Maksimov; Simon Maina; Benjamin Rasmussen.

The designations employed and the presentation of material in this information product do not imply the expression of any opinion whatsoever on the part of the Food and Agriculture Organization of the United Nations (FAO) concerning the legal or development status of any country, territory, city or area or of its authorities, or concerning the delimitation of its frontiers or boundaries. The mention of specific companies or products of manufacturers, whether or not these have been patented, does not imply that these have been endorsed or recommended by FAO in preference to others of a similar nature that are not mentioned.

The views expressed in this information product are those of the author(s) and do not necessarily reflect the views or policies of FAO.

ISBN 978-92-5-109532-4

© FAO, 2016

FAO encourages the use, reproduction and dissemination of material in this information product. Except where otherwise indicated, material may be copied, downloaded and printed for private study, research and teaching purposes, or for use in non-commercial products or services, provided that appropriate acknowledgement of FAO as the source and copyright holder is given and that FAO's endorsement of users' views, products or services is not implied in any way.

All requests for translation and adaptation rights, and for resale and other commercial use rights should be made via www.fao.org/contact-us/licence-request or addressed to copyright@fao.org.

FAO information products are available on the FAO website (www.fao.org/publications) and can be purchased through publications-sales@fao.org.

Contents

Acknowledgements	vii
Agenda	1
Summary report and main conclusions	5
Opening remarks (FAO) <i>Ren Wang</i>	9
Opening remarks (FOAG) <i>Adrian Aebi</i>	11
PAPERS PRESENTED	
Case study methodology to find the causes of food loss and develop solutions <i>Bin Liu</i>	13
Food loss and waste across the milk value chain in Pakistan <i>Anne Roulin and H�el�ene Lanctuit</i>	25
Towards zero waste and sustainable food production using human-inedible agroproducts and food loss and waste as animal feed <i>Harinder P.S. Makkar</i>	29
The LEAP principles for the assessment of livestock impacts on biodiversity <i>F�elix Teillard, Camillo De Camillis, Aimable Uwizeye and Carolyn Opiro</i>	39
Biodiversity in standards and labels for the food industry <i>Patrick Tr�otschler, Marion Hammer, Kerstin Fr�obl and Stefan H�ormann</i>	47
Mountain Partnership Products Initiative <i>Alessia Vita, Giorgio Grussu, Rosalaura Romeo and Sara Manuelli</i>	57
Food diversity for diverse food systems <i>Ludovico Roccatello</i>	63
Food self-provisioning – the role of non-market exchanges in sustainable food supply <i>B�alint Bal�azs</i>	73

Food innovation labs: from farm to fork	79
<i>Frank Mechielsen, Bill Vorley and Felia Boerwinkel</i>	
Innovative markets for sustainable agriculture: exploring how innovations in market institutions encourage sustainable agriculture in developing countries	87
<i>Allison Loconto, Anne Sophie Poisot, Pilar Santacoloma and Marcello Vicovaro</i>	
Territorial food value chain for sustainable food systems: initiative from the French National Food Programme	99
<i>Vincent Gitz</i>	
The new Nordic diet as a prototype for regional sustainable diets	109
<i>Susanne Bügel, Jostein Hertwig, Johannes Kahl, Denis Lairon, Flavio Paoletti and Carola Strassner</i>	
FAO's approach to gender-sensitive and sustainable food value chains	117
<i>Anna Lentink, Angelica Senders, Alejandra Saha, Valentina Franchi, Sofie Lambert and Regina Laub</i>	
Building sustainable and inclusive smallholder farming food value chains in Cameroon: case of the North West Farmers' Organisation	129
<i>Stephen Ngenchi</i>	
The economic impacts of geographical indications: evidence from case studies	143
<i>Emilie Vandecandelaere and Catherine Teyssier</i>	
Smallholder farmer participation in the modernizing dairy value chain in Zambia	151
<i>David Neven, Thomas Reardon, Ricardo Hernandez and Gelson Tembo</i>	
The Rural Competitiveness Project: facilitating market access for small rural producers	157
<i>Ruth Xiomara Cubas Cantarero</i>	
The World Banana Forum: a multistakeholder platform to develop practical guidance for sustainable banana value chains	163
<i>Victor Prada and Nelson Castro</i>	
What might an "agroecological" food system look like?	179
<i>Allison Loconto, Alejandra Jimenez, Emilie Vandecandelaere and Florence Tartanac</i>	
What types of markets support agroecology? Reflections from the FAO agroecology symposia	193
<i>Maryam Rahmanian, Jimena Gomez, Lorenzo Bannò and Alexandre Meybeck</i>	

Campagna Amica farmers' markets network: economic and social sustainability – is the community back on the market (places)?	213
<i>Fondazione Campagna Amica</i>	
Approximation to short food value chains in developing world: a case from Mexico City	225
<i>Pilar Santacoloma</i>	
The African Union continental strategy on geographical indications	233
<i>Diana Ogwal Akullo, Catherine Teysier, Emilie Vandecandelaere and Florence Tartanac</i>	
The role of sustainable HORECA for sustainable lifestyles – identification of challenges and future work	245
<i>Carola Strassner, Susanne Gjedsted Bügel, Jostein Hertwig, Johannes Kahl, Jaakko Nuutila and Flavio Paoletti</i>	
The catering sector as a sustainable value chains	263
<i>Natascha Kooiman</i>	
Institutional food procurement programmes: key aspects for programming and policy design	279
<i>Siobhan Kelly, Luana F. J. Swensson, Florence Tartanac and Israel Klug</i>	
Preliminary assessment of a methodology for determining food waste in primary school canteens	287
<i>Matteo Boschini, Luca Falasconi, Claudia Giordano and Alexandre Meybeck</i>	
Learning from the organic food system as a model for sustainable food systems – the Organic Food System Program	295
<i>Johannes Kahl, Carola Strassner, Jostein Hertwig, David Gould, Susanne Bügel, Flavio Paoletti and Denis Lairon</i>	
Voluntary certification system on good agricultural practices for fresh consumption products	303
<i>Roberto Azofeifa</i>	
Ireland's Origin Green programme: taking a national approach to food sustainability	309
<i>Clíodhnaigh Conlon and Joseph Price</i>	
Consumer communication of product level sustainability information	327
<i>Jim Bracken and Stephan Schaller</i>	
The Sustainability Consortium: theory of change and first results	333
<i>Koen Boone</i>	
Concluding remarks: sustainability in food value chains: how to get there?	337
<i>Alexandre Meybeck</i>	

The new Nordic diet as a prototype for regional sustainable diets

Susanne Bügel,¹ Jostein Hertwig,² Johannes Kahl,¹ Denis Lairon,³ Flavio Paoletti⁴ and Carola Strassner⁵

¹ Department of Nutrition, Exercise and Sports, Copenhagen

² BERAS International Foundation, Järna

³ Nutrition, Obesity and Thrombotic Risk (NORT), Marseille

⁴ Council for Agricultural Research and Economics (CREA), Rome

⁵ Münster University of Applied Sciences, Münster

ABSTRACT

A main challenge in sustainable food systems is to link sustainable production to sustainable diets and consumption patterns. The new Nordic diet (NND) builds on and shares the Mediterranean diet (MD) thinking, but utilizes the ingredients and flavours of a northern climate. In both diets, variation in produce, organic, local production and seasonality are essential, all of which contribute to the preservation of the local landscape and sea, as well as to the health of the consumers. The agricultural biodiversity plays a huge role and provides a variety of plant and animal food products from both wild and domesticated sources. Both diets have been associated with health benefits. The NND is a prototype regional diet taking health, food culture, palatability and the environment into account. Thus, the principles and guidelines could be applied in any region of the world. There are currently activities for initiating, modeling and assessing these transformation processes.

INTRODUCTION

The Western dietary pattern has been shown to be unsustainable in terms of both health and environmental impact (Tilman and Clark, 2014). The prevalence of life-style related diseases has increased dramatically over the last 60 years (Bendixen *et al.*, 2004; Pearson *et al.*, 2005). Obesity alone has doubled since the 1980, and, in 2014, 39 percent of all adults above 18 years were affected by overweight or obesity (WHO, 2016).

Obesity increases the risk of a wide range of serious medical complications, including cardiovascular disease, insulin resistance, type 2 diabetes, gallbladder disease, osteoarthritis, asthma and several cancers (Haslam and James, 2005). Promoting a healthy diet is therefore an important aspect of public health policies in many countries, and the recommendations for healthy eating are very similar across countries (Brug and Oenema, 2006). Overconsumption and waste are also associated with unsustainable environmental impact, such as expansion of agricultural land and emission of greenhouse gases (Wheeler and von Braun, 2013; WHO, 2012; UNEP, 2012). Several authors have identified sustainable diets as an important

future challenge for a healthier, more sustainable and environmentally friendly future (Springmann *et al.*, 2016; FAO/Bioversity, 2010; Macdiarmid *et al.*, 2012; Burlingame and Dernini, 2011).

MEDITERRANEAN DIET AND NEW NORDIC DIET

The traditional Mediterranean diet (MD) has been highlighted as an example of a healthy, culturally embedded and sustainable diet and was recognized as an Intangible Cultural Heritage of Humanity by UNESCO in 2010 (UNESCO, undated). However, the MD seems to be culturally far from the Nordic culture and probably also from the culture of many other countries and regions. Recent studies showing the adherence to the MD in many European countries from 1960 to 2000 show that among the countries least likely to follow the MD dietary pattern are Finland, Norway, Iceland, Sweden and Denmark (Trichopoulou *et al.*, 2005).

In 2003, the New Nordic Cuisine Manifesto was formulated by a group of Nordic chefs at a meeting in Copenhagen (Välimäki *et al.*, 2014) and two years later it was adopted by the Nordic Council of Ministers as the ideology of the New Nordic Food Programme (Nordic Council of Ministers, 2005). The aim was to establish a Nordic cuisine as part of the gourmet world map. Since then restaurants and chefs, focusing on Nordic food, have been rated among the best in the world (Bocuse D'Or, 2015), showing that foods from the Nordic region clearly have great gastronomic potential. Furthermore, a number of scientific studies have been performed that have demonstrated that the new Nordic diet (NND) also has health beneficial effects that seem to be in line with the beneficial health effects of the MD (Adamsson *et al.*, 2011, 2014; Lankinen *et al.*, 2016; Poulsen *et al.*, 2014; Uusitupa *et al.*, 2013). This is not very surprising as the NND and the MD share many similarities; they both call for: more vegetables, fruit, whole grains, fish and non-animal protein; moderate consumption of

low-fat dairy, less meat and sweets; and avoidance of processed food. So the NND shares the Mediterranean thinking, but utilizes ingredients and flavours from a Northern climate (Mithril *et al.*, 2012).

Key principles for the NND are that the food is of Nordic identity, sustainable, of high gastronomic quality and healthy (Figure 1). The dietary guidelines following these four key principles are given in Table 1. The idea is that the food should be produced locally and be from organic production. More calories should be from plant food and less from animal food. Food of



Figure 1. FAO sustainability frameworks and approaches
Source: FAO (2014).

Table 1: The new Nordic diet – general guidelines

1. More fruits and vegetables (a lot more berries, cabbage, root vegetables, pulses, potatoes and fresh herbs)
2. More food from the wild landscapes
3. More whole grains – especially oats, rye and barley
4. More food from the oceans and lakes
5. Meat of a higher quality, but less
6. Choose organic whenever you can
7. More meals closer to nature
8. Throw less away

Source: Mithril *et al.* (2012).

high quality, which exists in abundance in the wild and with high biodiversity, should be included in higher amounts.

HEALTH BENEFICIAL EFFECTS OF NEW NORDIC DIET

As the Nordic countries are different also in relation to local food, these guidelines can be translated into national guidelines and for Denmark, specific guidelines have been identified. Several scientific studies have demonstrated that the NND displays some health benefits on some of the health risk markers, in line with the MD, among these are the Sysdiet, Nordiet, Sydimet and OPUS studies (Adamsson *et al.*, 2011; Poulsen *et al.*, 2014; Uusitupa *et al.*, 2013; de Mello *et al.*, 2011).

The Sysdiet study was a randomized controlled multicentre study performed in six centres in four countries (Finland, Sweden, Iceland and Denmark) comparing the effect of a healthy Nordic diet and an isocaloric control diet (18–24 weeks) on insulin sensitivity, lipid profile, blood pressure and inflammatory markers. The study participants had features of metabolic syndrome (approx. 90 percent) (166 completers, mean age 55 years, BMI 32 kg m², 67 percent women). The study observed decreases in non- high-density lipoprotein (HDL) cholesterol, low-density lipoprotein (LDL)-C/HDL-C ratio, apolipoprotein (apo) B/apo A1 ratio and IL-1 Ra¹ in subjects consuming the healthy Nordic diet compared to subjects consuming the control diet (Uusitupa *et al.*, 2013).

The Sydimet study was a randomized controlled study performed in Finland comparing the effects of a healthy Nordic diet (high in fatty fish, bilberries and whole grains); a whole-grain-enriched diet and a control diet on plasma inflammatory markers in volunteers with impaired glucose metabolism and features of metabolic syndrome (104 completers, mean age 59 years, BMI 31 kg m²; 51 percent women). The study observed decreases in plasma E-selectin in the healthy diet group only and decrease in high sensitivity C- reactive protein (hsCRP) in the healthy diet group and the whole-grain-enriched diet group in individuals not receiving statins (de Mello *et al.*, 2011).

The Nordiet study was a randomized controlled study performed in Sweden comparing the effects of a healthy Nordic diet (rich in plant foods, fruits, berries, vegetables, whole grains, rapeseed oil, nuts, fish and low-fat milk products, but low in salt, added sugars and saturated fats) with a control diet (usual Swedish diet) (six weeks) on LDL-cholesterol, blood pressure

1 IL-1 Ra – member of the interleukin 1 cytokine family.

and insulin sensitivity in mildly hypercholesterolemic subjects (86 completers, mean age 53 years, BMI 26 kg m², 63 percent women). The study observed decreases in total, LDL and HDL cholesterol, in LDL-C/HDL-C ratio and in apo B/apo A1 ratio as well as in systolic blood pressure in the healthy Nordic diet group compared with the control diet group. Furthermore, despite an ad libitum diet, the healthy Nordic diet group also decreased their bodyweight. After adjustment for bodyweight, the significant differences between groups remained for blood lipids, but not for insulin sensitivity and blood pressure (Adamsson *et al.*, 2011).

In the OPUS study the health effects of the NND were compared with the average Danish diet in a free-living but highly-controlled setting in adult subjects with increased risk of metabolic syndrome (147 completers, mean age 42 years, BMI 30 kg m², women 71 percent). The aim of the study was to test whether the NND could be a healthy and attractive alternative to the MD or the DASH (dietary approaches to stop hypertension) diet and easily adopted. The study observed a high compliance to the diet, as well as significant weight reduction and reduction in both systolic and diastolic blood pressure in the subjects receiving the NND compared with the subjects receiving the average Danish diet (Poulsen *et al.*, 2014).

In conclusion, the health potential of the NND is considerable and the diet is well accepted by the participants, which supports the potential of the NND as an alternative to other regional diets, such as the MD.

ENVIRONMENTAL IMPACTS OF NEW NORDIC DIET

The environmental impacts of the NND and of the average Danish diet (ADD) were analysed and compared based on 16 impact categories (Saxe, 2014). When both diet and transport were taken into account, the NND reduced the environmental impact relative to ADD measured by all 16 impact categories. When the content of organic produce was also taken into account, the NND reduced the environmental impact compared with the ADD measures by only 10 of the 16 impact categories, whereas six were increased. So reducing the intake of meat to 35 percent less meat, increasing whole grain products, nuts, fruit and vegetables and excluding most long-distance imports, substantially lowered the environmental impact compared with ADD. Inclusion of organic products into the NND was more advantageous for the environment than the ADD, but less advantageous than the non-organic NND. In some instances organic produce is environmentally inferior to conventional produce and in some cases it is superior. Saxe (2014) concluded that one of the benefits of choosing organic is the long-term effects of excluding pesticides and chemical fertilizers and preserving soil structure, while a disadvantage of choosing organic products, in a Danish context, is the smaller yields and thereby potential for increased land use. These results therefore seem valid in short-term perspectives and for industrialized countries. In developing countries, organic agriculture can improve the present yield and in the long-term perspective it may be the only alternative to a more sustainable approach.

DIET FOR A CLEAN BALTIC

In parallel to the NND the “diet for a clean Baltic” (BERAS Implementation, 2016) has been developed in the Baltic Sea region coming from the special focus on regenerative

agriculture, to reduce the eutrophication of the Baltic Sea (Granstedt *et al.*, 2008). This dietary concept focuses more on the link between food consumption and farming practices rather than on health impact and calculates the global warming potential of the diet. Positive effects on sustainability issues have been documented (Larsson, Granstedt and Thomsson, 2012). The principles of the diet for a clean Baltic have also been tested out in cities in Poland, Lithuania and Spain (EU URBACT, undated). The concept is thus prepared to be spread to other regions in the world.

NEW NORDIC DIET AND THE LOWLAND DIET

Recently, NND recommendations have been transferred to a region in the Netherlands (van Dooren and Aiking, 2014). The authors calculated sustainability and health impact by self-developed scores. Each score consists of different indicators: the health score consists of ten nutritional characteristics, the sustainability score of greenhouse gas emissions and land use. The impact of NND recommended and quantified grams of product per day (Mithril *et al.*, 2012) were compared with those from the average Dutch diet and the MD, as well as a historical lowland and an optimized lowland diet (LLD). The optimization was done by linear programming but for the historical LLD only. Consequently the optimized LLD showed markedly less impact on greenhouse gas emissions and land use compared with NND. Nevertheless, NND showed the highest score for the health impact, when all different diets were compared. Further approaches, transferring the NND concept to other regions in the world, may therefore focus on transferring principles and guidelines and adopt them to the traditional local diets, when recommendations will be set up in terms of grams or percent energy intake per day. Furthermore, the identification of criteria plays a crucial role in evaluation, monitoring and benchmarking these transformation processes (Auestad and Fulgoni, 2015).

POLITICAL SUPPORT

The NND has gained strong political support by the Nordic Council of Ministers. In 2005, the chefs behind the New Nordic Cuisine Manifesto passed the baton to the Nordic Council of Ministers, which put new Nordic food on the political agenda. The Nordic Council of Ministers for Fisheries and Aquaculture, Agriculture, Food and Forestry adopted a venture that aimed at developing the concept of new Nordic food into a lifestyle that will be better for nature, for people and for the Nordic society as a whole. This was developed through the two programmes New Nordic Food 1 + 2, and will now be carried on into New Nordic Food 3 (Nordic Council of Ministers, 2012).

So far the programme initiated by the Nordic Council of Ministers seems to be successful and overall the NND has been shown to be healthier than average Nordic diets and can be used to promote the Nordic region as a green and clean region, which may also attract sustainable food tourism.

CONCLUSIONS

Westernization of our diets is linked to most life-style diseases; therefore scientists have recommended translation of dietary recommendations into more healthy and sustainable diets (Bere and Brug, 2009). In the Mediterranean area, the erosion of the traditional

MD pattern in all countries around the Sea has made a group of scientists elaborate new recommendations (including a pyramid) for implementing the MD for today's people accounting both for cultural traits, healthy nutrition and environmental aspects (Sáez-Almendros *et al.*, 2013). Attempts to put this recommendation into practical application in some regions are on going. In the Nordic region, chefs, scientists, politicians and public movements have, together and in parallel, been successful in defining a NND, not by introducing new food items, but by reintroducing and redefining food items already growing or living in the Nordic region.

The NND is a prototype regional diet taking health, food culture, palatability and the environment into account. It has been successfully tested in some regions in Northern Europe and firstly transferred to a region in the Netherlands. There is a great potential in transferring NND to any region in the world by applying its principles and guidelines to transformation of local, traditional dietary patterns to be more healthy and sustainable.

REFERENCES

- Adamsson, V., Reumark, A., Fredriksson, I.B., Hammarström, E., Vessby, B., Johansson, G. & Risérus, U. 2011. Effects of a healthy Nordic diet on cardiovascular risk factors in hypercholesterolaemic subjects: a randomized controlled trial (NORDIET). *J. Intern. Med.*, 269(2): 150–159. doi:10.1111/j.1365-2796.2010.02290.x.
- Adamsson, V., Cederholm, T., Vessby, B. & Risérus, U. 2014. Influence of a healthy Nordic diet on serum fatty acid composition and associations with blood lipoproteins – results from the NORDIET study. *Food Nutr. Res.*, 58. doi:10.3402/fnr.v58.24114.
- Auestad, N. & Fulgoni, V.L. 2015. What current literature tells us about sustainable diets: emerging research linking dietary patterns, environmental sustainability, and economics. *Adv. Nutr.*, 6(1): 19–36. doi:10.3945/an.114.005694.
- Bendixen, H., Holst, C., Sørensen, T.I.A., Raben, A., Bartels, E.M. & Astrup, A. 2004. Major increase in prevalence of overweight and obesity between 1987 and 2001 among Danish adults. *Obes. Res.*, 12(9): 1464–1472. doi:10.1038/oby.2004.183.
- BERAS Implementation. Undated. *BERAS Implementation* (available at <http://beras.eu/>).
- Bere, E. & Brug, J. 2009. Towards health-promoting and environmentally friendly regional diets – a Nordic example. *Public Health Nutr.*, 12(1): 91–96. doi:10.1017/S1368980008001985.
- Bocuse D'Or. 2015. *The Bocuse D'Or winner academy 2015* (available at <http://www.bocusedor.com/bocuse-d-or-finale-2015-1>).
- Brug, J. & Oenema, A. 2006. Healthful nutrition promotion in Europe: goals, target populations, and strategies. *Patient Educ. Couns.*, 63(1–2): 255–257.
- Burlingame, B. & Dernini, S. 2011. Sustainable diets: the Mediterranean diet as an example. *Public Health Nutr.*, 14(12A): 2285–2287. doi:10.1017/S1368980011002527.
- de Mello, V.D., Schwab, U., Kolehmainen, M., Koenig, W., Siloaho, M., Poutanen, K., Mykkänen, H. & Uusitupa, M. 2011. A diet high in fatty fish, bilberries and wholegrain products improves markers of endothelial function and inflammation in individuals with impaired glucose metabolism in a randomised controlled trial: the Sysdimet study. *Diabetologia*, 54(11): 2755–2767. doi:10.1007/s00125-011-2285-3.

- EU URBACT. Undated. *EU URBACT project (2014-2015)* (available at <http://urbact.eu/diet-green-planet-0>).
- FAO/Bioversity. 2010. *Sustainable diets and biodiversity. Directions and solutions for policy, research and action*. B. Burlingame & S. Dernini, eds. Rome, FAO.
- Granstedt, A., Schneider, T., Seuri, P. & Thomsson, O. 2008. Ecological recycling agriculture to reduce nutrient pollution to the Baltic Sea. *Biol. Agric. Hort.*, 26: 279–307.
- Haslam, D.W. & James, W.P.T. 2005. Obesity. *Lancet*, 366(9492): 1197–1209. doi:10.1016/S0140-6736(05)67483-1.
- Macdiarmid, J.I., Kyle, J., Horgan, G.W., Loe, J., Fyfe, C., Johnstone, A. & McNeill, G. 2012. Sustainable diets for the future: can we contribute to reducing greenhouse gas emissions by eating a healthy diet? *Am. J. Clin. Nutr.*, 96(3): 632–639. doi:10.3945/ajcn.112.038729.
- Mithril, C., Dragsted, L.O., Meyer, C., Blauert, E., Holt, M.K., & Astrup, A. 2012. Guidelines for the new Nordic diet. *Public Health Nutr.*, 15(10): 1941–1947. doi:10.1017/S136898001100351X.
- Nordic Council of Ministers. 2005. *Århus-deklarationen om ny nordisk mad* (available at <http://www.norden.org/da/nordisk-ministerraad/ministerraad/nordisk-ministerraad-for-fiskeri-havbrug-jordbrug-levnedsmidler-og-skovbrug-mr-fjls/arrangementer/moede-i-ministerraadet-for-fiskeri-havbrug-jordbrug-levnedsmidler-og-skovbrug-30.-juni-2005-aarhus-i-danmark/aarhus-deklarationen-om-ny-nordisk-mad>).
- Nordic Council of Ministers. 2012. *New Nordic food* (available at <http://www.norden.org/en/theme/nordic-nutrition-recommendation/new-nordic-food>).
- Lankinen, M., Schwab, U., Kolehmainen, M., Paananen, J., Nygren, H., Seppänen-Laakso, T., Poutanen, K., Hyötyläinen, T., Risérus, U., Savolainen, M.J., Hukkanen, J., Brader, L., Marklund, M., Rosqvist, F., Hermansen, K., Cloetens, L., Önning, G., Thorsdottir, I., Gunnarsdottir, I., Åkesson, B., Dragsted, L.O., Uusitupa, M. & Orešič, M. 2016. A healthy Nordic diet alters the plasma lipidomic profile in adults with features of metabolic syndrome in a multicenter randomized dietary intervention 1–3. *J. Nutr.*, 146: 662–672. doi:10.3945/jn.115.220459.
- Larsson, M., Granstedt, A. & Thomsson, O. 2012. Sustainable food system – targeting production methods, distribution or food basket content? In M. Reed, ed., *Organic food and agriculture - new trends and developments in the social sciences*, pp. 197–216. InTech.
- Pearson, S., Olsen, L.W., Hansen, B. & Sørensen, T.I.A. 2005. [Increase in overweight and obesity amongst Copenhagen schoolchildren, 1947–2003]. *Ugeskr Laeger*, 167(2): 158–162.
- Poulsen, S.K., Due, A., Jordy, A.B., Kiens, B., Stark, K.D., Stender, S., Holst, C., Astrup, A. & Larsen, T.M. 2014. Health effect of the new Nordic diet in adults with increased waist circumference: a 6-mo randomized controlled trial. *Am. J. Clin. Nutr.*, 99(1): 35–45. doi:10.3945/ajcn.113.069393.
- Sáez-Almendros, S., Obrador, B., Bach-Faig, A. & Serra-Majem, L. 2013. Environmental footprints of Mediterranean versus Western dietary patterns: beyond the health benefits of the Mediterranean diet. *Environ. Health*, 12: 118.
- Saxe, H. 2014. The new Nordic diet is an effective tool in environmental protection: it reduces the associated socioeconomic cost of diets. *Am. J. Clin. Nutr.*, 99(5): 1117–1125. doi:10.3945/ajcn.113.066746.

- Springmann, M., Mason-D'Croz, D., Robinson, S., Garnett, T. Godfray, H.C.J., Gollin, D., Rayner, M., Ballon, P. & Scarborough, P. 2016. Global and regional health effects of future food production under climate change: a modelling study. *Lancet*, 387(10031): 1937–1946. doi:10.1016/S0140-6736(15)01156-3.
- Tilman, D. & Clark, M. 2014. Global diets link environmental sustainability and human health. *Nature*, 515(7528): 518–522. doi:10.1038/nature13959.
- Trichopoulou, A., Orfanos, P., Norat, T., Bueno-de-Mesquita, B., Ocké, M.C., Peeters, P.H.M., van der Schouw, Y.T., Boeing, H., Hoffmann, K., Boffetta, P., Nagel, G., Masala, G., Krogh, V., Panico, S., Tumino, R., Vineis, P., Bamia, C., Naska, A., Benetou, V., Ferrari, P., Slimani, N., Pera, G., Martinez-Garcia, C., Navarro, C., Rodriguez-Barranco, M., Dorransoro, M., Spencer, E.A., Key, T.J., Bingham, S., Khaw, K-T., Kesse, E., Clavel-Chapelon, F., Boutron-Ruault, M-C., Berglund, G., Wirfalt, E., Hallmans, G., Johansson, I., Tjonneland, A., Olsen, A., Overvad, K., Hundborg, H.H., Riboli, E. & Trichopoulos, D. 2005. Modified Mediterranean diet and survival: EPIC-elderly prospective cohort study. *BMJ*, 330(7498): 991. doi:10.1136/bmj.38415.644155.8F.
- UNEP (United Nations Environment Programme). 2012. *Avoiding future famine: strengthening the ecological foundation of food security through sustainable food systems*. A UNEP Synthesis Report. Nairobi.
- UNESCO (United Nations Educational, Scientific and Cultural Organization). Undated. *Representative list of the Intangible Cultural Heritage of Humanity* (available at <http://www.unesco.org/culture/ich/en/search-00795?q=mediterranean+diet>).
- Uusitupa, M., Hermansen, K., Savolainen, M.J., Schwab, U., Kolehmainen, M., Brader, L., Mortensen, L.S., Cloetens, L., Johansson-Persson, A., Onning, G., Landin-Olsson, M., Herzig, K.H., Hukkanen, J., Rosqvist, F., Iggman, D., Paananen, J., Pulkki, K.J., Siloaho, M., Dragsted, L., Barri, T., Overvad, K., Bach Knudsen, K.E., Hedemann, M.S., Arner, P., Dahlman, I., Borge, G.I., Baardseth, P., Ulven, S.M., Gunnarsdottir, I., Jónsdóttir, S., Thorsdottir, I., Orešič, M., Poutanen, K.S., Riserus, U. & Akesson, B. 2013. Effects of an isocaloric healthy Nordic diet on insulin sensitivity, lipid profile and inflammation markers in metabolic syndrome - a randomized study (SYSDIET). *J. Intern. Med.*, 274(1): 52–66. doi:10.1111/joim.12044.
- Välimäki, H., Sørensen, L., Dahlgren, M., Malmin, R., Redzevi, R., Collin, R., Lauterbach, E., Hellström, E., Sigurdsson, F., Fossdal, G. & Örvvarsson, H.B.M. 2014 *Manifesto for the New Nordic Cuisine* (available at <http://www.nfd.nynordiskmad.org/index.php?id=507>).
- van Dooren, C. & Aiking, H. 2014. Defining a nutritionally healthy, environmentally friendly, and culturally acceptable low lands diet. In R. Schenck & D. Huizenga, eds. *Proceedings of the 9th International Conference on Life Cycle Assessment in the Agri-Food Sector*, pp. 1427–1438. San Francisco, USA, ACLCA.
- Wheeler, T. & von Braun, J. 2013. Climate change impacts on global food security. *Science*, 341(6145): 508–513.
- WHO (World Health Organization). 2012. *Health indicators of sustainable agriculture, food and nutrition security in the context of the Rio+20 UN Conference on Sustainable Development*. Initial findings from a WHO Expert, Consultation: 17–18 May.
- WHO. 2016. *Obesity and overweight* (available at <http://www.who.int/mediacentre/factsheets/fs311/en/>).