

#### Association between antimicrobial prescriptions, production and biosecurity in sows using Additive Bayesian Networks

Lopes, Ricardo; Kruse, Amanda Brinch; Nielsen, Liza Rosenbaum; Nunes, Telmo Pina; Alban, Lis

Publication date: 2017

Document version Peer reviewed version


Document license:

Other

Citation for published version (APA):
Lopes, R., Kruse, A. B., Nielsen, L. R., Nunes, T. P., & Alban, L. (2017). Association between antimicrobial prescriptions, production and biosecurity in sows using Additive Bayesian Networks. Poster session presented at SVEPM2017: The Annual Meeting of the Society for Veterinary Epidemiology and Preventive Medicine, Inverness, United Kingdom.

Download date: 08. Apr. 2020









# Association between antimicrobial prescriptions, production and biosecurity in sows using Additive Bayesian Networks

Ricardo Lopes <sup>(1)</sup>, Amanda Brinch Kruse <sup>(2)</sup>, Liza Rosenbaum Nielsen <sup>(2)</sup>, Telmo Pina Nunes <sup>(1)</sup>, Lis Alban <sup>(3)</sup>

#### 1-Motivation

With the threat of antimicrobial (AM) resistance, there is a need to cut down AM usage. However, farmers need reasonable alternatives

(1) – Faculty of Veterinary Medicine, University of Lisbon, Portugal

(2) - Faculty of Health and Medical Sciences,
 University of Copenhagen, Denmark
 (3) - Danish Agriculture & Food
 Council, Denmark

#### 2-Objectives

To assess possible associations between biosecurity, AM use and productivity to identify best practices for low AM use and high productivity

#### 3-Materials and Methods

Data came from 157 Danish sows herds.

To better understand interdependencies between investigated factors, Additive Bayesian Network (ABN) modelling was used: a technique that produces a directed acyclic graph, allowing easy analysis of the network of interdependencies

#### 4-Discussion and Conclusion


Contrary to results by Postma *et al.* 2016, our model showed no association between AM consumption and productivity, nor with biosecurity.

This is probably due to a very low AM consumption in Danish sow herds and high biosecurity, because of a fine tuned system and strict regulations in place

### Results:

#### LEGEND:

Variable name
Median (95% confidence interval)



Herd size variable



SPF biosecurity system

Biocheck score

## Variables with no association: • AM prescription for sows

AM prescription for weaners

- Internal Biosecurity score
- Stillborn piglets per litter
- Feed use for sows
- SPF class Red/Blue

Mortality in sows

 Piglets per litter
 Mortality until weaning

 15.7 (14.6 – 16.9)
 13.2% (8.8 – 17.1%)

Weaned pigs/litter 13.6 (12.5 – 14.7)

Farrowing percentage 88% (78.3 – 92%)

Non-successful insemin. 5% (2-12%)

Litters/sow/year 2.28 (2.13 – 2.38) Belongs/Does not belong to SPF system

External biosecurity 87 (72 – 93)

The results were confirmed by a Random Forest Analysis and a Discriminant Analysis

Reference: Postma et al. Porc. Health Man. (2016) 2:9

9.5% (1 - 16%)

SVEPM 2017 – Inverness, Scotland

Number of sows 600 (200 – 1194)

Special thanks to the SVEPM for the SVEPM bursary award