

W&M ScholarWorks

CCB Technical Reports

Center for Conservation Biology (CCB)

1991

Osprey Population Studies

M. A. Byrd The Center for Conservation Biology

K Terwilliger The Center for Conservation Biology

D Bradshaw The Center for Conservation Biology

Follow this and additional works at: https://scholarworks.wm.edu/ccb_reports

Recommended Citation

Byrd, M. A.; Terwilliger, K; and Bradshaw, D, "Osprey Population Studies" (1991). *CCB Technical Reports*. 488.

https://scholarworks.wm.edu/ccb_reports/488

This Report is brought to you for free and open access by the Center for Conservation Biology (CCB) at W&M ScholarWorks. It has been accepted for inclusion in CCB Technical Reports by an authorized administrator of W&M ScholarWorks. For more information, please contact scholarworks@wm.edu.

PERFORMANCE REPORT

STATE: VIRGINIA

PROJECT TITLE:	NONGAME & ENDANGERED SPECIES INVESTIGATIONS	PROJECT NO:	EW-2-3
STUDY TITLE:	OSPREY INVESTIGATIONS	STUDY NO:	VII
JOB TITLE:	OSPREY SURVEY & PRODUCTIVITY	JOB NO:	A-D
DURATION:	JULY 1, 1990 - JUNE 30 1	991	

SUMMARY:

Nesting surveys were conducted on selected river systems by boat. Detailed reproductive data were obtained from a sample of 341 nests from the west side of Chesapeake Bay. Production for this sample was 1.02 young per active nest. Young ospreys were transferred to West Virginia for hacking.

JOB VII-A OBJECTIVE: To make a complete aerial and ground survey of active osprey nests in Virginia to determine total breeding population size.

RESULTS:

Nest surveys for ospreys were conducted in 1991 only by boat and only to determine the number of active pairs observable from the water in the primary study areas. These numbers, hence, are not complete and do not reflect the state population numbers.

An active nest was defined as one in which there was a bird in incubation position. Nests were located and plotted on 7 1/2 minute topographic sheets. Total number of breeding pairs in this restricted survey by area are presented in Table 1. Table 1. Breeding pairs of ospreys in Virginia by river system or area as determined by boat survey, 1991

Area	Number of Breeding Pairs
York River Drainage	94
Mobjack Bay	142
Rappahannock River	190
Potomac River	212
Fleets Bay	76
James River	42

TOTALS 756

The 756 nests are comparable to the 862 nests located by both aerial and boat survey in 1990.

JOB VII-B OBJECTIVE: To measure hatching and fledging success of a sample of osprey nests representative of all of the major estuaries as well as the Eastern Shore of Virginia.

RESULTS:

The productivity of ospreys in Virginia has been followed for the past 20 years. In 1991, nests were monitored only on the York River, Rappahannock River, and Potomac River. All known nests in these areas were not monitored for productivity. Data on nests monitored are shown in Table 2.

The productivity of ospreys from a sample of three study areas revealed an average of 1.02 young per active nest. Production for a larger sample of nests for the past four years has ranged from 0.77 to 1.16 fledglings per active nest. Production rates of 1.50 per active nest as observed in the late 1970's no longer seem to occur under existing food regimes.

Table 2. Productivity Bay for selected years,	duct ted y	ivity years	of os , 1985	spreys -1991	Productivity of ospreys from a sample of nests on lected years, 1985-1991, from three study areas.	a sam n thre	ple o e stu	lf nes dy ar	eas.	the	the western side of Chesapeake
Study Area	NO	. of i	No. of Active Nests			NO	. of Yo Fledged	No. of Young Fledged			No. of Young Fledged per Active Nest
	1985	1986	1989	1990	1991	1985	1986	1986 1989 1990 1991	1990	1991	1985 1986 1989 1990 1991
York River	50	50	65	62	83	52	92	65	79	06	1.48 1.84 1.00 1.00 1.08
Rappahannock River	98	109	152	136	142	106	107	121	144	147	1.08 0.98 0.80 1.06 1.04
Potomac River	84	77	65	103	116	87	100	55	71	110	1.04 1.29 0.84 0.69 0.95
Totals	389	377	432	487	341	380	438	334	460	347	0.98 1.16 0.77 0.94 1.02

-64-

JOB VII-C OBJECTIVE: To coordinate all transfer of young ospreys from Virginia to other states involved in reintroduction programs for this species.

RESULTS:

Ten young ranging in age from 5-6 weeks of age were collected from the York River in late June and transferred to West Virginia for hacking purposes.

JOB VII-D OBJECTIVE: To make detailed studies of nests in areas of high pre-fledgling mortality to determine causes of differential rate of survival.

RESULTS:

No activity in this job during the current reporting period.

PREPARED BY:

Mitchell Byrd Karen Terwilliger Dana Bradshaw

TARGET DATE FOR COMPLETION:

STATUS OF PROGRESS:

On schedule

None

Continuing

SIGNIFICANT DEVIATIONS:

RECOMMENDATIONS:

COST_THIS SEGMENT:

APPROVED BY:

Continue study

\$ 9,175 total
\$ 6,881 federal
\$ 2,294 state

Bob Duncan Wildlife Div. Chief

Jerry Sims PR Coordinator