designed to produce more fuel than they consume by converting large amounts of Uranium 238 into plutonium while generating electricity at the same time.

⁴On 27 August 1974, the Minister of Industry "considered illegal the risk linked to the exposure of many critical components to the maximum permissible doses" and that he modified the established limits of the quantity of waste. "Such regulation, the validitiy of which was in a first moment limited to 18 months, has been successively lengthened" (Pretura di Sessa Aurunca, 1981).

⁵At Garigliano they calculated that the occupational doses of an immediate decommissioning will raise the level of 3,000 to 4,000 man-rem.

⁶The report by Goddaret et al. "Activation of Steel Components," says that: "... the dose at the centre of the vessel is due largely to the presence of the termal shield which even after 200 years of shut-down produces and intensity of about 15 millirem per hour; if the thermal shield is removed the dose intensity would be sustained by the stainless steel cladding adjacent to the core. An intensity of about 15 millirem per hour will exist 90 years after shut-down. The vessel alone would generate a comparable intensity after 45 years-the curve of dose intensity relative to the vessel

alone shows a different form from the other components. This is due mainly to the low percentage of europium present in the vessel steel based on the analyses which were carried out. For the linear and thermal shield the dose intensity is due almost entirely to Cobalt 60 in the first 50 years; do to Europium 152 from 50 to 120 years and finally to Niobium 94 and Ag-108m. For the vessel, however, there is a rapid transition from a period dominated by Cobalt 60 to when Niobium 94 and Ag-108m become important."

References

- Amarena D., L. Contoli, and M. Cristaldi. "Coenotic Structure, Skull Asymmetries and other Morphological Anomalies in Small Mammals Near an Electronuclear Power Plant." *Hystrix* 5 (1994).
- Brondi, A., et al. Influenza dei fattori geomorfologici sulla distribuzione dei radionuclidi. Roma: National Organization of Alternative and Nuclear Energies (ENEA), 1983.
- Cavelli, C. M. Il veleno nella coda: il problema dello smantellamento delle centrali nucleari. Roma: Quaderni WWF, 1987.
- Commissione VIA del Comune di Sessa Aurunca. Nota della Commissione VIA, preparata a seguito della

Conferenza dei servizi tenuta a Roma, presso il Ministero dell'Ambiente, in data 31.10.1991.

- Easlea, B. Fathering the Unthinkable: Masculinity, Scientists, and the Nuclear Arms Race. London: Pluto Press, 1983.
- Goddardet, A. J. M., et al. "Activation of Steel Components," Decommissioning of Nuclear Power Plants. Eds. Graham and Trotman. London: EUR 9474, 1984.
- Italian Electricity Generating Board (ENEL). "Valutazione d'impatto ambientale della centrale a ciclo combinato del Gariglian." Roma: ENEL, 1994.
- Norman, C. "A Long-Term Problem for Nuclear Industry." *Science* 2.15 (Jan. 1982).
- Petteruti, A. "La Nostra Nucleare." Indagine Sulla Centrale del Garigliano. Gaeta: 1981.
- Pollock, C. *Decommissioning: Nuclear Power's Missing Link*. Worldwatch Paper No. 69 Washinghton: April 1986.
- Pretura di Sessa Aurunca. *Relazione di Perizia. Ordinanza 28 Aprile 1981.* pp. 32-34, 198.
- Tibaldi, C. M. L'inquinamento da ridionuclidi nelle acque del Lazio Meridionale. Stabilimenti Poligrafici di Cassiono. 1985.

C. F. COACH

Observation in a Park

- A husband's hands say so much trailing lank and useless from summer wrists
- walking well behind his wife and her mother
- who are looking over the blooming rose bushes.
- He is waiting for his turn.

C. F. Coach lives in British Columbia.

JOANNA M. WESTON

Mirror, Mirror

This old woman peers at me some mornings asking "Who did you used to be?"

Joanna M. Weston lives beside a lake with her three sons, husband, and tortoiseshell cat.