

Simple Approximations of the SIR Meta Distribution in General Cellular Networks

Sanket Sanjay Kalamkar, Martin Haenggi

► **To cite this version:**

Sanket Sanjay Kalamkar, Martin Haenggi. Simple Approximations of the SIR Meta Distribution in General Cellular Networks. IEEE Transactions on Communications, Institute of Electrical and Electronics Engineers, 2019, 67 (6), pp.4393-4406. 10.1109/TCOMM.2019.2900676 . hal-02417353

HAL Id: hal-02417353

<https://hal.archives-ouvertes.fr/hal-02417353>

Submitted on 18 Dec 2019

HAL is a multi-disciplinary open access archive for the deposit and dissemination of scientific research documents, whether they are published or not. The documents may come from teaching and research institutions in France or abroad, or from public or private research centers.

L'archive ouverte pluridisciplinaire **HAL**, est destinée au dépôt et à la diffusion de documents scientifiques de niveau recherche, publiés ou non, émanant des établissements d'enseignement et de recherche français ou étrangers, des laboratoires publics ou privés.

Simple Approximations of the SIR Meta Distribution in General Cellular Networks

Sanket S. Kalamkar, *Member, IEEE*, and Martin Haenggi, *Fellow, IEEE*

Abstract—Compared to the standard success (coverage) probability, the meta distribution of the signal-to-interference ratio (SIR) provides much more fine-grained information about the network performance. We consider general heterogeneous cellular networks (HCNs) with base station tiers modeled by arbitrary stationary and ergodic non-Poisson point processes. The exact analysis of non-Poisson network models is notoriously difficult, even in terms of the standard success probability, let alone the meta distribution. Hence we propose a simple approach to approximate the SIR meta distribution for non-Poisson networks based on the ASAPPP (“approximate SIR analysis based on the Poisson point process”) method. We prove that the asymptotic horizontal gap G_0 between its standard success probability and that for the Poisson point process exactly characterizes the gap between the b th moment of the conditional success probability, as the SIR threshold goes to 0. The gap G_0 allows two simple approximations of the meta distribution for general HCNs: 1) the *per-tier* approximation by applying the shift G_0 to each tier and 2) the *effective gain* approximation by directly shifting the meta distribution for the homogeneous independent Poisson network. Given the generality of the model considered and the fine-grained nature of the meta distribution, these approximations work surprisingly well.

Index Terms—Interference, heterogeneous cellular networks, meta distribution, Poisson point process, signal-to-interference ratio, stochastic geometry

I. INTRODUCTION

A. Motivation and Objective

The accurate modeling of base station (BS) locations is important to characterize the performance of cellular networks and obtain useful design insights. Traditionally, in a cellular network, the BS locations were modeled in a deterministic (regular) manner using either triangular or square lattices. The lattice model has been extensively studied using simulations since it is usually analytically intractable. However, to meet an exponential growth in mobile traffic and improve the spatial reuse, the deployment of cellular networks has become more irregular and heterogeneous. For example, in a geographical region, macro, pico, and femto BSs can coexist. The network tiers possess different characteristics such as different BS densities, different path loss exponents, and different deployment structures (*e.g.*, clustered or repulsive deployments).

S. S. Kalamkar is with INRIA, Paris, France. M. Haenggi is with the Department of Electrical Engineering, University of Notre Dame, Notre Dame, IN, 46556 USA. (e-mail: {skalamka, mhaenggi}@nd.edu).

This work was done when S. S. Kalamkar was with the University of Notre Dame, IN, USA.

This work is supported by the US National Science Foundation (grant CCF 1525904).

Part of this work was presented at the 2018 IEEE International Conference on Communications (ICC’18) [1].

The Poisson point process (PPP) may be used to model irregular and real-world BS deployments [2]. The modeling of BS locations by the PPP has become popular due to its analytical tractability, which leads to crisp insights about the network performance. However, in an actual cellular network, the BS deployment is neither completely random (as the PPP) nor completely regular (as the triangular and square lattices)—it lies somewhere in between. The BS deployment depends heavily on the topology and the type of the geographical region (urban or rural). As a result, a single point process model may not be applicable in all scenarios. For example, using actual data from the UK, it is shown in [2] that there exists repulsion among BSs, which can be modeled using hard-core point processes [3, Chapter 3]. On the other hand, in [4], the Poisson cluster process [3, Chapter 3] is shown to accurately model the BS deployment in many cities. Especially, at a larger geographical scale, the BSs appear to form a cluster point process due to the high density in urban regions and low density in rural regions. Hence it is important to investigate the performance of non-Poisson cellular networks.

The main impediment to the study of non-Poisson cellular networks is that, compared to the PPP, their analysis is much harder due to the dependence between the BS locations. Thus it would be convenient if the performance of non-Poisson cellular networks could be related (approximately) to that of Poisson cellular networks.

Recently, in [5], a new fundamental performance metric called the *meta distribution* of the signal-to-interference ratio (SIR) is introduced for cellular networks. The meta distribution, defined as the distribution of the conditional success probability given the point process, is an important performance metric as it answers a key question: “How are the individual link success (or coverage) probabilities¹ distributed in a realization of the cellular network?” The answer directly leads to the performance of the “5% user,” which corresponds to the performance of the top 95% of users and is an important design criterion for cellular operators. The meta distribution provides much more fine-grained information about the network than the standard success (coverage) probability; the latter provides just the average of individual link success probabilities in each realization of the network and thus yields limited information about the network. In contrast, the meta distribution provides the distribution of the link success probability conditioned on the point process and thus allows the analysis of the network at a finer level.

¹The success probability of a link is the probability that the SIR at the receiver of that link is greater than the target SIR threshold θ .

The goal of this paper is to study the meta distribution in heterogeneous non-Poisson cellular networks, where the cellular networks consist of multiple tiers and the BSs in each tier may form an arbitrary stationary and ergodic point process. To achieve this goal, we have to overcome two main difficulties:

- 1) The direct calculation of the meta distribution seems infeasible even for the Poisson cellular network [5]—one has to calculate the moments of the conditional success probability and then use the Gil-Pelaez theorem [6] to calculate the meta distribution.
- 2) The analysis for non-Poisson cellular networks is significantly more difficult than that for Poisson cellular networks. In fact, obtaining an analytical expression of the (standard) success probability is extremely difficult in non-Poisson networks. Even for the arguably second-simplest model, the Ginibre point process, it can only be given in the form of an expression in which 3 integrals, an infinite product, and an infinite sum are nested [7, Theorem 2].

Consequently, analyzing the meta distribution in non-Poisson networks is very challenging. This problem becomes even worse in the case of heterogeneous cellular networks, where one needs to consider the intra-tier as well as the inter-tier interference. In this paper, we propose two simple and indirect approaches to approximately calculate the meta distribution for general heterogeneous cellular networks (HCNs) by comparing it to that for a homogeneous independent PPP (HIP) model where the BSs in each tier are modeled by an independent and homogeneous PPP.

B. Related Work

The works in [8]–[10] obtained analytically tractable results for the HIP model. For HCNs with non-Poisson deployments, it is often the case that it is hard to perform an exact mathematical analysis of key performance metrics such as the SIR distribution (sometimes called the coverage probability). Even if an exact expression of the SIR distribution exists, it is available in a complex form that does not help gain insights about the performance of the network for different network parameters [11]–[15].

Fortunately, [2] observed that the SIR distribution for the downlink of cellular networks modeled by different non-Poisson point processes can be closely approximated by simply applying a horizontal shift to the SIR distribution curve for the PPP model. The approximation becomes asymptotically exact as the SIR threshold $\theta \rightarrow 0$ [16]. The horizontal shift is termed the deployment gain in [16] since the shift is because of the deployment. This method of approximating the SIR distribution for a non-Poisson point process model by that for the PPP model is called “Approximate SIR analysis based on the PPP” (ASAPPP) in [17]. [18] showed that the deployment gain as $\theta \rightarrow 0$ can be expressed as the ratio of the mean interference-to-signal ratio (MISR) of the two different point processes under consideration. Further, [19] proved that the deployment gain as $\theta \rightarrow \infty$ is determined by the expected fading-to-interference ratio (EFIR). A key

observation from [19] is that the deployment gain as $\theta \rightarrow 0$, denoted by G_0 , provides an excellent approximation to the entire SIR distribution. In [20], a formula is derived to approximately calculate G_0 analytically for (stationary) non-Poisson point process models whenever the second moment of the contact distance is available. [21] showed that the ASAPPP approximation works very well for HCNs with non-Poisson deployment of BSs. First, [21] proposed the per-tier ASAPPP-based approximation for general HCNs, where the ASAPPP approximation was used to approximate the SIR distribution corresponding to each non-Poisson tier using the MISR-based deployment gain G_0 . Second, when the path loss of each tier was the same, [21] showed that the SIR distribution for general HCNs could be directly obtained from that for the HIP model by scaling the SIR threshold by the effective gain.

The meta distribution of the SIR for cellular networks was proposed in [5], where the focus was on the downlink of the Poisson cellular network. Furthermore, the meta distribution of the SIR was calculated for both the downlink and the uplink of the Poisson cellular network with power control in [22], for the downlink Poisson cellular network underlaid with a device-to-device (D2D) network in [23], for the non-orthogonal multiple access (NOMA) network in [24], and with base station cooperation in [25]. For general cellular networks with a multi-slope path loss model, [26] gave a scaling law involving the parameters of BS and user point processes (*e.g.*, the density of the point process) that keeps the meta distribution of the SIR the same. For the HIP-based K -tier HCN, [27] calculated the SIR meta distribution with cell range expansion.

Overall, for general HCNs with non-Poisson deployment of BSs, the focus has been only on the SIR distribution, and the SIR meta distribution is calculated only for Poisson cellular networks. In this paper, we determine the fine-grained network performance of general HCNs through the SIR meta distribution. Since the model for cellular networks considered is quite general, we cannot expect to obtain exact analytical expressions for the SIR meta distribution. Hence we propose simple approximations that enable a quick calculation of the SIR meta distribution for general HCNs. Note that, until now, the ideas of the SIR meta distribution and the ASAPPP have been explored and applied separately. Applying the shift to the SIR distribution (which is just the mean of the SIR meta distribution) does not imply that the shifting approach also works for the entire SIR meta distribution. That said, combining these ideas is of significant importance because “mean to distribution” and “Poisson to non-Poisson” are highly non-trivial extensions.

C. Contributions

This paper makes the following contributions:

- 1) For cellular networks, we apply the idea of ASAPPP to the meta distribution and propose a simple and novel method, called AMAPPP which stands for “Approximate meta distribution analysis using the PPP,” to obtain the meta distribution for an arbitrary stationary and ergodic point process from the meta distribution for the PPP.

TABLE I
NOTATION AND ABBREVIATION

Notation	Definition/Meaning
Φ_k	Point process of BSs of k th tier
Φ_k^{PPP}	Approximation of the point process of BSs of k th tier by a PPP of the same density as Φ_k
λ_k	Density of BSs of k th tier
P_k	Transmit power of BSs of k th tier
$[K]$	$\{1, 2, \dots, K\}$
SIR	Signal-to-interference ratio
θ	SIR threshold
α_k	Path loss exponent of k th tier
δ_k	$2/\alpha_k$
G_0	Asymptotic SIR gain as $\theta \rightarrow 0$
G_k	G_0 for k th tier, $k \in [K]$
G_{eff}	Effective gain for HCNs
$p_s(\theta)$	Standard success (coverage) probability
$P_s(\theta)$	Conditional link success probability
$M_b(\theta)$	b th moment of the conditional link success probability
$\bar{F}(\theta, x)$	SIR meta distribution for the target reliability of x
MISR	Mean interference-to-signal ratio
EFIR	Expected fading-to-interference ratio
R_{pert}	Perturbation radius for the perturbed triangular lattice
p, u	Probability of one-point cluster and the distance between two points in a two-point cluster for the Gauss-Poisson point process
λ_p, \bar{c}, r_c	Density of parent point process, the mean number of points in a cluster, and the radius of the cluster for the Matérn cluster process

- 2) We prove that, as $\theta \rightarrow 0$, the b th moment of the conditional success probability for a stationary and ergodic point process model can be obtained exactly by shifting that for the PPP model by the asymptotic deployment gain G_0 .
- 3) For Rayleigh fading and an unbounded path loss model, we confirm by simulations that applying the horizontal shift by the gain G_0 to the meta distribution for the PPP closely approximates the meta distribution for the stationary triangular lattice, the perturbed triangular lattice, the Gauss-Poisson point process, and the Matérn cluster process (two regular and two cluster point processes).
- 4) We extend the AMAPPP approach to general HCNs, which approximates the b th moment of the conditional success probability corresponding to each tier using the MISR-based gain G_0 . This *per-tier* approach is further used to approximately calculate the meta distribution for general HCNs.
- 5) When the path loss exponents in all tiers are the same, we obtain an *effective gain* using the MISR-based gain G_0 corresponding to each tier, which can be simply applied to shift the meta distribution for the HIP cellular network to approximately obtain the meta distribution for general HCNs.

D. Organization of the Paper

The rest of the paper is organized as follows. In Sec. II, we provide the network model, describe the point process models considered in this paper, and briefly review the SIR meta distribution and the ASAPPP method. In Sec. III, we propose the AMAPPP approach for single-tier non-Poisson cellular networks, which is extended to general HCNs in Sec. IV. We provide conclusions in Sec. V.

II. SYSTEM MODEL

A. Network Model

We consider a general K -tier HCN where the locations of BSs of the k th tier are modeled by arbitrary stationary, ergodic, and independent point processes $\Phi_k \subset \mathbb{R}^2$, $k = 1, 2, \dots, K$. The density of Φ_k is λ_k . All BSs are always active. A base station belonging to Φ_k transmits at power P_k . Due to the stationarity of the point processes, we focus on the cellular user situated at the origin $o = (0, 0)$, henceforth called the typical user. We focus on the downlink with the (on average) strongest-BS association, where the typical user connects to the BS with the strongest received power on average. The other BS transmissions from the same tier as that of the serving BS and those from different tiers cause interference at the typical user. The signal propagation experiences fading as well as path loss. We assume independent and identically distributed (i.i.d.) Rayleigh fading where the channel power gains are exponentially distributed with mean 1. The path loss function corresponding to the tier Φ_k is given by $\ell(x) = \|x\|^{-\alpha_k}$, where $\alpha_k > 2$ is the path loss exponent.

We focus on an interference-limited network where the received SIR determines the network performance. Let $x_0 \triangleq \arg \max\{x \in \Phi_k, k \in [K]: P_k \|x\|^{-\alpha_k}\}$ be the serving BS of the typical user, where $[K] \triangleq \{1, 2, \dots, K\}$. Also let $\Phi_k^!$ and $[K]^!$ denote $\Phi_k \setminus \{x_0\}$ and $[K] \setminus \{k\}$, respectively. When the typical user connects to a BS of Φ_k , the SIR at the typical user is given by

$$\begin{aligned} \text{SIR} &\triangleq \frac{S}{I_{\text{Intra}} + I_{\text{Inter}}} \\ &= \frac{P_k h_{x_0} \|x_0\|^{-\alpha_k}}{\sum_{x \in \Phi_k^!} P_k h_x \|x\|^{-\alpha_k} + \sum_{i \in [K]^!} \sum_{y \in \Phi_i} P_i h_y \|y\|^{-\alpha_i}}, \quad (1) \end{aligned}$$

where h_x represents the exponential random variable corresponding to the channel power gain between the BS at x and the typical user, $S \triangleq P_k h_{x_0} \|x_0\|^{-\alpha_k}$ is the received signal power at the typical user, $I_{\text{Intra}} \triangleq \sum_{x \in \Phi_k^!} P_k h_x \|x\|^{-\alpha_k}$ and $I_{\text{Inter}} \triangleq \sum_{i \in [K]^!} \sum_{y \in \Phi_i} P_i h_y \|y\|^{-\alpha_i}$ denote the interference power received by the typical user from the intra- and inter-tier BS transmissions, respectively.

The standard success probability is given as

$$p_s(\theta) \triangleq \mathbb{P}(\text{SIR} > \theta) = \sum_{k \in [K]} \mathbb{P}(\text{SIR} > \theta, x_0 \in \Phi_k), \quad (2)$$

where θ is the SIR threshold.

B. Point Process Models

In this subsection, we describe four stationary and ergodic point processes, two regular (repulsive) and two cluster point processes, that may be used to model BS locations. These four point processes are used as illustrative examples of stationary and ergodic point processes.

1) *Stationary Triangular Lattice (TL)*: The triangular lattice is the most regular point process. The stationary triangular lattice is obtained by randomly translating the non-stationary triangular lattice $\mathbb{L} \subset \mathbb{R}^2$ given by

$$\mathbb{L} \triangleq \{v \in \mathbb{Z}^2 : \mathbf{G}v\}, \quad (3)$$

where $\mathbf{G} = \eta \begin{bmatrix} 1 & 1/2 \\ 0 & \sqrt{3}/2 \end{bmatrix}$ is the generator matrix and η is the distance between any two neighboring points of \mathbb{L} . The density of the triangular lattice is $2/(\sqrt{3}\eta^2)$. We translate \mathbb{L} by a random vector X distributed uniformly over the Voronoi cell of the origin to obtain the stationary triangular lattice Φ as²

$$\Phi \triangleq \{v \in \mathbb{Z}^2 : \mathbf{G}v + X\}. \quad (4)$$

In the rest of the paper, by the ‘‘triangular lattice,’’ we mean the ‘‘stationary triangular lattice.’’

2) *Perturbed Triangular Lattice (PTL)*: The second regular point process that we consider is the perturbed triangular lattice (PTL) [3, Chapter 2]. The PTL is obtained by perturbing the stationary triangular lattice, *i.e.*,

$$\Phi \triangleq \{v \in \mathbb{Z}^2 : \mathbf{G}v + X + Y_v\}, \quad (5)$$

where $(Y_v)_{v \in \mathbb{Z}^2}$ is a family of i.i.d. random variables. In this paper, we assume that (Y_v) are uniformly distributed on the disk $b(o, R_{\text{pert}})$ centered at the origin with radius R_{pert} .

3) *Gauss-Poisson Point Process (GaPPP)*: The GaPPP is a Poisson cluster process where each cluster contains either one or two points with probabilities p and $1 - p$, respectively [28]. For a one-point cluster, the point is at the parent point location, while for a two-point cluster, one of the points is at the parent point location and the other is located at a deterministic distance u from the parent point in a random direction, *i.e.*, the

second point lies uniformly at random on the circle of radius u centered at the parent point location.

For a Poisson parent point process Φ_p with density λ_p , let Φ_x with $x \in \Phi_p$ be the clusters of the GaPPP, which are denoted by

$$\Phi_x = \begin{cases} \{x\} & \text{with probability } p \\ \{x, x + u_x\} & \text{with probability } 1 - p, \end{cases} \quad (6)$$

where $u_x = (u \sin \phi_x, u \cos \phi_x)$ with ϕ_x uniformly distributed in $[0, 2\pi]$. The density of the GaPPP is $\lambda_p(2 - p)$.

4) *Matérn Cluster Process (MCP)*: The MCP is a doubly Poisson cluster process, where the parent point process Φ_p is a PPP with density λ_p and the daughter points are uniformly distributed within a ball of radius r_c with each parent point $x_p \in \Phi_p$ as its center [3, Chapter 3]. The density of the daughter point process of parent x_p is given by

$$\lambda_d(x) = \frac{\bar{c}}{\pi r_c^2} \mathbf{1}_{B(x_p, r_c)}(x), \quad (7)$$

where $B(x_p, r_c)(x) \triangleq \{x \in \mathbb{R}^2 : \|x - x_p\| \leq r_c\}$, \bar{c} is the average number of daughter points in a cluster, and $\mathbf{1}(\cdot)$ is the indicator function. The density of the MCP is $\lambda = \lambda_p \bar{c}$.

C. The SIR Meta Distribution

For an SIR threshold θ and a reliability threshold x , the meta distribution of the SIR is given by

$$\bar{F}(\theta, x) = \bar{F}_{P_s}(\theta, x) \triangleq \mathbb{P}(P_s(\theta) > x), \quad \theta \in \mathbb{R}^+, x \in [0, 1], \quad (8)$$

where $P_s(\theta)$ is a random variable that represents the link success probability conditioned on the point process Φ , given by

$$P_s(\theta) \triangleq \mathbb{P}(\text{SIR} > \theta \mid \Phi). \quad (9)$$

Here the probability is taken with respect to the fading. The SIR is calculated at the receiver of the link under consideration. The meta distribution is the complementary cumulative distribution function (ccdf) of the conditional link success probability $P_s(\theta)$. Interpreted differently, for a stationary and ergodic point process, the SIR meta distribution yields the fraction of cellular users that achieve an SIR of θ with reliability at least x . Also, note that the meta distribution of the rate R can be obtained from the meta distribution of the SIR using the relation $R = W \log_2(1 + \text{SIR})$ with W denoting the bandwidth [29].

The standard success (coverage) probability $p_s(\theta)$ (the SIR distribution) can be obtained from the SIR meta distribution as the mean of the conditional link success probability $P_s(\theta)$, *i.e.*,

$$p_s(\theta) \triangleq \mathbb{P}(\text{SIR} > \theta) = \mathbb{E}(P_s(\theta)) = \int_0^1 \bar{F}(\theta, x) dx. \quad (10)$$

Clearly, the distribution of $P_s(\theta)$ provides much more fine-grained information than merely its average $p_s(\theta)$.

²An (easier) alternative to generate the stationary triangular lattice is to generate the stationary square lattice, which has square Voronoi cells, and then multiply its points by the generator matrix \mathbf{G} .

1) *Exact Calculation of the Meta Distribution*: Finding the exact meta distribution directly seems infeasible, but if we can calculate the moments of the conditional link success probability $P_s(\theta)$

$$M_b(\theta) \triangleq \mathbb{E}(P_s(\theta)^b), \quad b \in \mathbb{C}, \quad (11)$$

as has been done in [5] for Poisson cellular networks, we can calculate the exact meta distribution in (8) using the Gil-Pelaez theorem [6] as

$$\bar{F}(\theta, x) = \frac{1}{2} + \frac{1}{\pi} \int_0^\infty \frac{\Im(e^{-jt \log x} M_{jt})}{t} dt, \quad (12)$$

where $\Im(u)$ is the imaginary part of $u \in \mathbb{C}$. Even though the expression of the meta distribution in (12) is exact, its complexity makes it hard to gain direct insights, and it is not very convenient to evaluate numerically.³

With the nearest-BS association and the path loss exponent α , for the downlink of a single-tier Poisson cellular network and K -tier HIP model, the b th moment $M_b^{\text{PPP}}(\theta)$ of the conditional link success probability is simply given by [5]

$$M_b^{\text{PPP}}(\theta) = \frac{1}{{}_2F_1(b, -\delta; 1 - \delta; -\theta)}, \quad b \in \mathbb{C}, \quad (13)$$

where ${}_2F_1(\cdot, \cdot; \cdot; \cdot)$ denotes the Gauss hypergeometric function and $\delta \triangleq 2/\alpha$. On the other hand, in a non-Poisson cellular network, the calculation of $M_b(\theta)$ —let alone the meta distribution—is quite difficult. Hence it would be extremely useful to have a simple approximation to obtain $M_b(\theta)$ and the meta distribution in a non-Poisson cellular network. We propose to do so by combining the meta distribution with the ASAPPP approach, discussed in the next subsection.

2) *Approximate Calculation of the Meta Distribution*:

For different network settings, the meta distribution can be accurately approximated by the beta distribution by matching the first and the second moments of the conditional link success probability [5], [22], [23], [25], [27].

D. Approximate SIR Analysis based on the PPP (ASAPPP)

1) *Single-tier Network*: ASAPPP is the method that provides an approximation of the SIR distributions in non-Poisson networks by that in the Poisson network by applying a horizontal shift to the latter. This method asserts that if the network model under consideration and the Poisson model only differ in the type of the underlying point process, then the SIR cdf for the network model under consideration can be closely approximated using the SIR cdf for the PPP by scaling the SIR threshold θ by a certain factor G_0 [19], *i.e.*,

$$p_s(\theta) \approx p_s^{\text{PPP}}(\theta/G_0), \quad (14)$$

which corresponds to a horizontal shift by G_0 (in dB) if θ is plotted in dB. The subscript in G_0 corresponds to $\theta \rightarrow 0$, *i.e.*, the shift is calculated for $\theta \rightarrow 0$. This asymptotic shift G_0 can also be interpreted as an SIR gain, similar to the notion of the coding gain in coding theory [31]. As shown in [19], the

gain G_0 provides an excellent approximation to the entire SIR distribution. This approximation becomes exact as $\theta \rightarrow 0$, *i.e.*,

$$p_s(\theta) \sim p_s^{\text{PPP}}(\theta/G_0), \quad \theta \rightarrow 0. \quad (15)$$

Moreover, the gain G_0 shows little sensitivity to the path loss exponent or the fading model [19]; it is a robust constant that captures the difference in the network topologies due to the underlying point process models. The gain G_0 can be expressed using the mean interference-to-signal ratios (MISRs) of the point process Φ under consideration and the PPP as [18]

$$G_0 = \frac{\text{MISR}_{\text{PPP}}}{\text{MISR}}, \quad (16)$$

$$= \frac{2}{\alpha - 2} \frac{1}{\text{MISR}}, \quad (17)$$

where α is the path loss exponent for a single-tier network, and

$$\begin{aligned} \text{MISR} &\triangleq \mathbb{E} \left(\frac{\sum_{x \in \Phi \setminus \{x_0\}} h_x \|x\|^{-\alpha}}{\|x_0\|^{-\alpha}} \right) \\ &= \mathbb{E} \left(\frac{\sum_{x \in \Phi \setminus \{x_0\}} \|x\|^{-\alpha}}{\|x_0\|^{-\alpha}} \right) \end{aligned} \quad (18)$$

and $\text{MISR}_{\text{PPP}} = 2/(\alpha - 2)$ are the MISRs of the network model under consideration and the PPP, respectively. The numerical calculation of G_0 is quite easy since it just depends on the network geometry.⁴ This motivates us to investigate whether a horizontal shift of G_0 to the meta distribution for the Poisson cellular network approximates the meta distribution for a non-Poisson cellular network. We show that this is indeed the case. We call this approach ‘‘Approximate meta distribution analysis using the PPP’’ (AMAPPP).

2) *K-tier General Heterogeneous Network*: In a general HCN, as given by (2), the overall standard success probability is the sum of the probabilities of the joint events that $\text{SIR} > \theta$ and that the typical user is served by the k th tier where $k \in [K]$.

When the typical user connects to a tier modeled by a stationary non-Poisson point process, the tier is treated as a PPP while shifting the SIR threshold θ to θ/G_0 in the SIR distribution. Also, the interference from other tiers modeled by stationary non-Poisson point processes is approximated by that from a PPP. Such an approximation is called the ‘‘per-tier ASAPPP’’ in [21] since each tier is treated ‘‘as a PPP’’ and is shown to be quite accurate for the entire SIR distribution. We extend the per-tier ASAPPP approach to the meta distribution, which we call the ‘‘per-tier AMAPPP’’ approach. It is discussed in Sec. IV-A.

III. AMAPPP APPROACH FOR SINGLE-TIER NETWORKS

In this section, we focus on single-tier cellular networks, where the BS deployment follows a stationary and ergodic non-Poisson point process.

³To numerically evaluate the integral in (12), one needs to carefully select the appropriate numerical integration range and the step size [30].

⁴For a stationary non-Poisson point process, an analytical expression of the MISR (and hence that of the gain G_0) is currently unavailable. An approximate formula for G_0 is obtained in a very recent paper [20].




Fig. 1. Approximation of $M_b(\theta)$ for four stationary and ergodic non-Poisson point processes by $M_b^{\text{PPP}}(\theta/G_0)$. The path loss exponent α is 4.

A. Main Result

The goal here is to show that an approximation of the form

$$\bar{F}(\theta, x) \approx \bar{F}^{\text{PPP}}(\theta/G_0, x) \quad (19)$$

is accurate, where $\bar{F}(\theta, x)$ and $\bar{F}^{\text{PPP}}(\theta/G_0, x)$ denote the meta distributions for a stationary and ergodic point process model and a PPP model, respectively.

We know that the shift of the SIR threshold θ by G_0 works quite well for the 1st moment of the conditional link success probability, *i.e.*, the standard success probability $p_s(\theta)$, and the meta distribution can be exactly calculated using the moments $M_b(\theta)$ as shown in (12). These results give rise to an interesting question how the b th moments $M_b(\theta)$ for an arbitrary stationary and ergodic point process model and $M_b^{\text{PPP}}(\theta)$ are related to each other, as $\theta \rightarrow 0$. The following theorem answers it.

Theorem 1. *For any stationary and ergodic point process and $b \in \mathbb{C}$,*

$$M_b(\theta) \sim M_b^{\text{PPP}}(\theta/G_0), \quad \theta \rightarrow 0. \quad (20)$$

Proof: From [5, (22)], for any stationary and ergodic point process model, we have

$$M_b(\theta) = \mathbb{E} \prod_{x \in \Phi \setminus \{x_0\}} \frac{1}{(1 + \theta(\|x_0\|/\|x\|)^\alpha)^b}, \quad b \in \mathbb{C} \quad (21)$$

$$\stackrel{(a)}{\sim} \mathbb{E} \prod_{y \in \mathcal{R}} (1 - b\theta y^\alpha), \quad \theta \rightarrow 0 \quad (22)$$

$$\sim 1 - b\theta \left(\mathbb{E} \sum_{y \in \mathcal{R}} y^\alpha \right), \quad \theta \rightarrow 0 \quad (23)$$

$$\stackrel{(b)}{=} 1 - b\theta \text{MISR}, \quad (24)$$

where $\mathcal{R} \triangleq \{x \in \Phi \setminus \{x_0\} : \|x_0\|/\|x\|\}$ is the relative distance process (RDP) [19, Def. 2], (a) follows by letting $y = \|x_0\|/\|x\|$ and using Taylor series expansion, and (b) follows from the definition of the MISR for the RDP [19]. Using (16) and (24), we obtain the desired result. ■

Note that even though all moments are shifted by the same amount G_0 asymptotically, this does not imply that the meta distribution is also shifted by that amount. However, we can




Fig. 2. The SIR gains $G_1(\theta)$, $G_2(\theta)$, and $G_3(\theta)$ corresponding to the moments $M_1(\theta)$, $M_2(\theta)$, and $M_3(\theta)$, respectively, for the path loss exponent $\alpha = 4$. The asymptotic gain G_0 is 3.6099 dB for the TL, 1.8343 dB for the PTL, -1.3768 dB for the GaPPP, and -5.1702 dB for the MCP.

expect the shifted meta distribution for the PPP to provide a good approximation. Next, we explore by simulation whether this is the case.

B. Simulation Results

In this subsection, for a single-tier cellular network, using simulations, we verify the accuracy of approximating the meta distribution for stationary and ergodic point processes by shifting the meta distribution for the PPP by G_0 .

Simulation setup: We perform simulations over a square region $[-500, 500]^2$. Unless otherwise mentioned, we assume the following simulation parameters pertaining to specific point processes:

- *PTL:* The perturbation R_{pert} is 0.5η .
- *GaPPP:* The probability p that a cluster contains one point is 0.5. Hence the probability that a cluster contains two points is $1 - p = 0.5$. The density of the parent point process is $1/15$. In a two-point cluster, the distance between those two points is $u = 1$.
- *MCP:* The density of the parent point process λ_p is 0.01. The mean number of points \bar{c} in a cluster is 10. The radius of the disk r_c around a parent point over which the associated cluster points are distributed is 4.

We average over 5×10^5 realizations of the point process.

Fig. 1 shows that the b th moment of the conditional link success probability for a stationary and ergodic non-Poisson point process model can be approximately obtained by shifting that for the PPP model by the asymptotic SIR gain G_0 for the path loss exponent $\alpha = 4$. The approximation becomes extremely accurate as the SIR threshold θ becomes small, as expected from Thm. 1.

Given that the ASAPPP method aims at approximating the first moment $M_1(\theta)$ of the conditional link success probability $P_s(\theta)$ and the meta distribution can be obtained using the




Fig. 3. The meta distribution $\bar{F}(\theta, x)$ for the PPP, the TL, the PTL, the GaPPP, and the MCP against the SIR threshold θ for the path loss exponent $\alpha = 4$ and the reliability threshold $x = 0.95$. The asymptotic gain G_0 is 3.6099 dB for the TL, 1.8343 dB for the PTL, -1.3768 dB for the GaPPP, and -5.1702 dB for the MCP.




Fig. 4. The meta distribution $\bar{F}(\theta, x)$ for the GaPPP against the SIR threshold θ for different values of the path loss exponent and the reliability threshold $x = 0.95$. We have $G_0 = -1.3768$ dB for $\alpha = 4$, $G_0 = -1.3423$ dB for $\alpha = 3.5$, $G_0 = -1.2558$ dB for $\alpha = 3$, and $G_0 = -0.8661$ dB for $\alpha = 2.5$.

moments (see (12)), we numerically calculate the deployment gain $G_b(\theta)$ with respect to the b th moment $M_b(\theta)$ for an arbitrary θ . The gain $G_b(\theta)$ is the ratio (gap if measured in dB) θ'/θ , where θ' is given by $M_b(\theta') = M_b^{\text{PPP}}(\theta)$. The moment $M_b^{\text{PPP}}(\theta)$ is given by (13). For different values of θ , Fig. 2 plots the gains $G_1(\theta)$, $G_2(\theta)$, and $G_3(\theta)$ with $\alpha = 4$. Recall that the asymptotic deployment gain $G_0 = \lim_{\theta \rightarrow 0} G_1(\theta)$ corresponds to $M_1(\theta)$ as $\theta \rightarrow 0$. We observe from Fig. 2 that the asymptotic gain G_0 is a good approximation of $G_1(\theta)$, $G_2(\theta)$, and $G_3(\theta)$ for all values of θ and that the asymptotic value is essentially reached at $\theta = -15$ dB in all cases.




Fig. 5. The meta distribution $\bar{F}(\theta, x)$ for the PTL against the SIR threshold θ for different values of the reliability threshold x and the path loss exponent $\alpha = 4$. The asymptotic gain G_0 for the PTL is 1.8343 dB. The curves are for $x = 0.6, 0.7, 0.8, 0.9, 0.95$ (from top to bottom).

For a single-tier cellular network, Fig. 3 plots the meta distribution values for $x = 0.95$ against different SIR thresholds θ for the PPP, the TL, the PTL, the GaPPP, and the MCP at $\alpha = 4$. We observe that the meta distribution for the TL, the PTL, the GaPPP, and the MCP can be obtained approximately by simply applying a horizontal shift of G_0 (in dB) to the meta distribution for the PPP, *i.e.*, the AMAPPP can indeed be used to approximately calculate the meta distribution for a non-Poisson network. Especially, for the values of practical interest where a high fraction of users meet the target reliability (*e.g.*, the 5% user performance), the approximation is quite accurate. This is quite remarkable given that we use the asymptotic SIR gain G_0 as $\theta \rightarrow 0$ corresponding to the mean of the distribution to approximate the distribution itself.

Figs. 4 and 5 confirm the effectiveness of the AMAPPP method for different values of the path loss exponents α and the reliability thresholds x , respectively.

In Fig. 6, to check the accuracy of the AMAPPP method for the entire meta distribution, we take a closer look at the regime where the SIR threshold θ is small. For the GaPPP, the approximation is extremely accurate even for small values of θ , which confirms that the AMAPPP method is accurate for the entire meta distribution for the GaPPP. For the MCP, there is a gap between the simulation and the approximation (the shifted PPP) because the asymptotics *kick in* slowly compared to that for the GaPPP. This can be confirmed from Fig. 2, which shows that, for the MCP, the gains $G_1(\theta)$, $G_2(\theta)$, and $G_3(\theta)$ corresponding to $M_1(\theta)$, $M_2(\theta)$, and $M_3(\theta)$, respectively, converge to G_0 more slowly than those for the GaPPP as θ becomes small.

For the stationary triangular lattice, Fig. 6 highlights an interesting case; at $\theta = -16.68$ dB, the value of $1 - \bar{F}(\theta, x)$ drops to zero because all users achieve the target reliability $x = 0.95$ for $\theta < -16.68$ dB. For all x , such a threshold can be calculated by shifting the lattice such that the typical




Fig. 6. The meta distribution $1 - \bar{F}(\theta, x)$ against the SIR threshold θ for the path loss exponent $\alpha = 4$ and the reliability threshold $x = 0.95$. The asymptotic gain G_0 is 3.6099 dB for the TL, 1.8343 dB for the PTL, -1.3768 dB for the GaPPP, and -5.1702 dB for the MCP. For small θ , the AMAPPP approximation is optimistic for the MCP in that the shifted curve of the PPP is below that of the simulation curve, while the approximation is pessimistic for the regular point processes.




Fig. 7. The critical SIR threshold θ_c against the reliability threshold x for the triangular lattice.

user sits at a Voronoi vertex for the triangular lattice, which is the worst-case scenario for the triangular lattice since there are 3 nearest base stations to the user. For all lattices, there exists such a vertical asymptote, and thus the approximation by shifting G_0 breaks down as θ approaches that threshold. However, for values of θ for which the 5% user achieves 95% reliability, the approximation is tight. Such a worst-case scenario could also occur in the case of the perturbed triangular lattice if the perturbation radius R_{pert} is small enough. In this case, the critical θ is smaller compared to that for the stationary triangular lattice. For example, at $R_{\text{pert}} = 0.5\eta$, the

approximation starts to break down at a smaller value of θ compared to that for the stationary triangular lattice.

Fig. 7 shows that the critical θ , denoted by $\theta_c(x)$, depends on the target reliability x —it decreases with an increase in x because, to meet a higher target reliability, the SIR threshold θ at the worst-case user needs to be lowered. Such a dependency of $\theta_c(x)$ on the target reliability illustrates the rate-reliability trade-off.⁵ Fig. 7 also provides insight into the support of the probability density function (pdf) of the conditional link success probability $P_s(\theta)$. For each $x > 0$, there is a $\theta_c(x)$ such that the support is reduced to $[x, 1]$ at $\theta = \theta_c(x)$. For $\theta < \theta_c(x)$, the support gradually reduces to $\{1\}$.

IV. HETEROGENEOUS CELLULAR NETWORKS

A. Per-tier AMAPPP Approximation

We consider a K -tier general cellular network where the i th tier is modeled by a stationary and ergodic point process Φ_i of density λ_i and each tier is independent of the other tiers. For this setup, the following theorem provides an approximation of $M_b(\theta)$ for general HCNs.

Theorem 2. *Let*

$$\hat{M}_b(\theta) = \sum_{k \in [K]} \int_0^\infty \exp\left(-sF(b, \delta_k, \theta/G_k) - \sum_{i \in [K]^l} \rho_{ik} s^{\frac{\alpha_k}{\alpha_i}} F(b, \delta_i, \theta)\right) ds, \quad (25)$$

where $F(b, \delta, \theta) \triangleq {}_2F_1(b, -\delta; 1-\delta; -\theta)$, $\delta_i \triangleq 2/\alpha_i$, G_k is the asymptotic SIR gain corresponding to the point process that models the BS deployment in the k th tier, and $\rho_{ik} = \frac{\lambda_i \pi P_{ik}^{\delta_i}}{(\lambda_k \pi)^{\alpha_k / \alpha_i}}$ with $P_{ik} \triangleq P_i/P_k$.

For K -tier general HCNs where the typical cellular user is connected to the BS that results in the strongest average received power, the b th moment $M_b(\theta)$ of the conditional link success probability is approximated as

$$M_b(\theta) \approx \hat{M}_b(\theta). \quad (26)$$

Proof: See Appendix A. ■

In this approach, the b th moment of the conditional link success probability corresponding to each tier modeled by a non-Poisson point process is approximated by that of the PPP by shifting the SIR threshold by the MISR-based gain G_k , which can be further used to calculate the approximate meta distribution using the Gil-Pelaez (GP) theorem or the beta distribution approximation. Hence we call this approach the “per-tier AMAPPP” approach.

In the calculation of the meta distribution using the beta distribution approximation, there are two approximations involved:

- 1) The approximate calculation of the first and second moments based on the MISR gain as shown in Thm. 2,
- 2) The inherent approximation resulting from matching only the first and the second moments.

⁵The rate is a function of the SIR threshold.

Hence we call the combination of the beta distribution approximation with the per-tier AMAPPP approach the “approximate beta approximation” (ABA).

When all tiers have the same path loss exponent, (25) reduces to the expression given in the following corollary.

Corollary 1. *If $\alpha_1 = \alpha_2 = \dots = \alpha_K = \alpha$, we have*

$$\hat{M}_b(\theta) = \sum_{k \in [K]} \frac{1}{F(b, \delta, \theta/G_k) + \sum_{i \in [K]^l} \frac{\lambda_i}{\lambda_k} \left(\frac{P_i}{P_k}\right)^\delta F(b, \delta, \theta)}. \quad (27)$$

For a K -tier HIP cellular network, we have $G_k = 1$. Then when all tiers have the same path loss exponent, (27) simplifies to

$$\hat{M}_b(\theta) = 1/F(b, \delta, \theta), \quad (28)$$

as stated in [27, Cor. 1]. Note that (28) is the exact expression of the b th moment of the conditional link success probability for the HIP model, i.e., $M_b^{\text{HIP}}(\theta) = \hat{M}_b(\theta)$.

B. Effective Gain Approximation

In the per-tier AMAPPP method, a non-Poisson tier is approximated by the PPP using the MISR-based gain. In this subsection, we provide an approximation where we directly shift the meta distribution for the K -tier HIP model by the *effective gain* to approximate the meta distribution for the general K -tier cellular network. This effective gain was introduced in [21] for the standard success probability. The following theorem calculates the effective gain corresponding to M_b .

Theorem 3. *When $\alpha_1 = \alpha_2 = \dots = \alpha_K = \alpha$, for any $b > 0$, the approximate b th moment $\hat{M}_b(\theta)$ for a general K -tier cellular network is related to the b th moment M_b^{HIP} for the HIP model as*

$$\hat{M}_b(\theta) \leq M_b^{\text{HIP}}\left(\frac{\theta}{G_{\text{eff}}}\right),$$

where

$$\begin{aligned} G_{\text{eff}} &\triangleq \sum_{k \in [K]} w_k (w_k G_k + (1 - w_k)) \\ &= 1 + \sum_{k \in [K]} w_k^2 (G_k - 1), \end{aligned} \quad (29)$$

with $w_k \triangleq \frac{\lambda_k P_k^\delta}{\sum_{i \in [K]} \lambda_i P_i^\delta}$. For $b < 0$, we need to replace ‘ \leq ’ by ‘ \geq ’.

Proof: See Appendix B. ■

Using Thm. 3, we obtain another approximation of $M_b(\theta)$ for a stationary and ergodic point process as

$$M_b(\theta) \approx M_b^{\text{HIP}}\left(\frac{\theta}{G_{\text{eff}}}\right). \quad (30)$$

The effective gain G_{eff} corresponds to the overall SIR gain of HCNs which can be obtained from the MISR-based gains of the individual tiers of the HCNs. Hence, similar to approximating the meta distribution for a stationary and ergodic




Fig. 8. The per-tier AMAPPP approximation and the effective-gain approximation of $M_b(\theta)$ for a “Non-Poisson/PPP” deployment (a two-tier general HCN). The path loss exponent is $\alpha = 4$.

non-Poisson tier by shifting that for the PPP by the MISR-based gain, the meta distribution for general HCNs can be approximated by directly shifting that for the HIP model by the overall SIR gain, *i.e.*,

$$\bar{F}(\theta, x) \approx \bar{F}^{\text{HIP}}(\theta/G_{\text{eff}}, x). \quad (31)$$

We call the approximation in (31) the “effective gain approximation.”

C. Results


The simulation parameters are the same as those for a single-tier cellular network. Unless otherwise mentioned, each tier has a BS density of 0.1. We assume $\alpha_1 = \alpha_2 = \dots = \alpha_K = \alpha$.

For a 2-tier HCN denoted by *first tier/second tier*, Fig. 8 shows that the per-tier AMAPPP approximation and the effective gain approximation closely approximate the b th moment $M_b(\theta)$ of the conditional link success probability. As proved in Thm. 3, the effective gain approximation provides an upper bound on the per-tier approximation. Fig. 8 also shows that the gap between the simulation and the per-tier AMAPPP


approximation is larger for the TL compared to that for the PTL since the former is more regular than the latter, and thus the approximation of the interference by that of the PPP is less accurate. Similarly, the gap between the simulation and the per-tier AMAPPP approximation is smaller for the GaPPP compared to that for the MCP because the latter is more clustered than the former.

For the path loss exponents of $\alpha = 3, 4$, Fig. 9 shows the meta distribution for a 2-tier HCN. The BSs of the first tier form a stationary and ergodic non-Poisson point process and those of the second tier a PPP. The effective gain approximation and the per-tier approximation both work quite well over a wide range of θ . Especially, the approximate beta approximation (ABA) method is remarkably accurate given that it involves two approximations. Fig. 10 shows the accuracy of the AMAPPP approximation when each tier of a multi-tier cellular network is modeled by a stationary and ergodic point process of different densities. Fig. 11 verifies the accuracy of both approximations for a 3-tier general HCN.


Figs. 12 and 13 show the contour plots for 2-tier HCNs. These contour plots illustrate the trade-off between the SIR threshold θ and the reliability threshold x . The contours




(a) TL/PPP, $G_{\text{eff}} = 1.1951$ dB for $\alpha = 3$, $G_{\text{eff}} = 1.2190$ dB for $\alpha = 4$.



(b) PTL/PPP, $G_{\text{eff}} = 0.5491$ dB for $\alpha = 3$, $G_{\text{eff}} = 0.5361$ dB for $\alpha = 4$.



(c) GaPPP/PPP, $G_{\text{eff}} = -0.2819$ dB for $\alpha = 3$, $G_{\text{eff}} = -0.3064$ dB for $\alpha = 4$.



(d) MCP/PPP, $G_{\text{eff}} = -0.8511$ dB for $\alpha = 3$, $G_{\text{eff}} = -0.8301$ dB for $\alpha = 4$.

Fig. 9. The effective-gain approximation, the per-tier AMAPPP approximation (GP theorem), the approximate beta approximation (ABA) of the meta distribution $\bar{F}(\theta, x)$ of a “Non-Poisson/PPP” deployment (a two-tier general HCN) against θ .

provide the possible pairs (θ, x) that a fraction v of users achieves. For example, in Fig. 12, the curve corresponding to $v = 0.95$ shows that 95% users achieve an SIR of -10 dB with probability 0.69 and an SIR of -5 dB with probability 0.34. Furthermore, Figs. 12 and 13 show that the effective gain approximation and the per-tier AMAPPP method (using both the GP theorem and ABA) work quite well for different values of the fraction v of users, the reliability threshold x , and the SIR threshold θ .

V. CONCLUSIONS

In this paper, we have proposed AMAPPP, a simple and novel approach to approximately obtain the meta distribution for an arbitrary stationary and ergodic point process as well as general HCNs from that for the PPP and the HIP model, respectively. For the b th moment $M_b(\theta)$ of the conditional success probability for any stationary and ergodic point process model, we proved that $M_b(\theta) \sim 1 - b\theta \text{MISR}$, as $\theta \rightarrow 0$. Through detailed simulations for the triangular lattice, the perturbed triangular lattice, the Gauss-Poisson point process,

and the Matérn cluster process, we have shown that the asymptotic deployment gain G_0 of the standard success (coverage) probability can be used to relate the meta distribution to that for the PPP. The approximation of the meta distribution for the triangular lattice by that for the PPP becomes pessimistic in the worst-case scenario, *i.e.*, when the typical cellular user is located such that it has three nearest base stations. For K -tier HCNs, the per-tier approach closely approximates the b th moment of the conditional link success probability, which can be further used to calculate the approximate meta distribution. The other approach directly calculates the approximate meta distribution for general HCNs from that for the HIP model by simply applying a shift by the effective gain. Overall, given the generality of the model and the fine-grained nature of the meta distribution, the AMAPPP approach works surprisingly well.

There are interesting future directions to our work. It is important to obtain PPP-based approximations for the SIR meta distribution for uplink and general fading models. But one has to be careful in the uplink case since there could be




Fig. 10. The meta distribution $\bar{F}(\theta, x)$ for a 2-tier cellular network GaPPP/PPP against the SIR threshold θ for the reliability threshold $x = 0.95$ and the path loss exponent $\alpha = 4$. The density of the GaPPP is 0.2, while the density of the PPP is 0.1. For $\alpha = 3$, $G_{\text{eff}} = -0.2226$ dB and for $\alpha = 4$, $G_{\text{eff}} = -0.2287$ dB.




Fig. 11. The meta distribution $\bar{F}(\theta, x)$ for a 3-tier cellular network GaPPP/MCP/PPP against the SIR threshold θ for the reliability threshold $x = 0.95$ and the path loss exponent $\alpha = 4$. For $\alpha = 3$, $G_{\text{eff}} = -0.4910$ dB and for $\alpha = 4$, $G_{\text{eff}} = -0.4959$ dB.

an interferer arbitrarily close to a receiver, which makes the up-link problem intricate. Also there is no work on the SIR meta distribution with general fading models even for the PPP-based models. Hence it is naturally more appropriate to first analyze the SIR meta distribution for the PPP with general fading and then investigate whether the shifting approach works for general cellular networks with general fading models. Another interesting line of research is to consider the association with a base station that offers the maximum instantaneous SIR, instead of the nearest-base station association.




Fig. 12. Contour plot of the meta distribution $\bar{F}(\theta, x)$ for the GaPPP/PPP cellular network for the path loss exponent $\alpha = 4$. The effective gain is $G_{\text{eff}} = -0.3064$ dB. The values at the curves are $\bar{F}(\theta, x) = v = 0.95, 0.9, 0.8, 0.7, 0.6$, and 0.5 (from bottom to top).




Fig. 13. Contour plot of the meta distribution $\bar{F}(\theta, x)$ for the PTL/PPP cellular network for the path loss exponent $\alpha = 4$. The effective gain is $G_{\text{eff}} = 0.5361$ dB. The values at the curves are $\bar{F}(\theta, x) = v = 0.95, 0.9, 0.8, 0.7, 0.6$, and 0.5 (from bottom to top).

APPENDIX A PROOF OF THM. 2

When the typical user x_0 connects to a BS in the k th tier, the conditional link success probability for the typical user is given as

$$\begin{aligned} P_s^{(k)}(\theta) &= \mathbb{P}\left(\frac{P_k h_0 \ell_k(x_0)}{I} > \theta, x_0 \in \Phi_k \mid \Phi_1, \dots, \Phi_K\right) \\ &= \mathbb{E}\left[\exp\left(-\theta \frac{I}{P_k \ell_k(x_0)}\right) \mathbf{1}_{x_0 \in \Phi_k} \mid \Phi_1, \dots, \Phi_K\right], \end{aligned} \quad (32)$$

where P_k is the transmit power of a BS associated with the k th tier, $[K] = \{1, 2, \dots, K\}$, $[K]^! = [K] \setminus \{k\}$, and $I = \sum_{x \in \Phi_k^!} P_k h_x \ell_k(x) + \sum_{i \in [K]^!} \sum_{y \in \Phi_i} P_i h_y \ell_i(y)$. $\mathbf{1}$ denotes the indicator function.

Averaging over the fading, it follows that

$$P_s^{(k)}(\theta) = \prod_{x \in \Phi_k^!} \frac{1}{1 + \frac{\theta \ell_k(x)}{\ell_k(x_0)}} \prod_{i \in [K]^!} \prod_{y \in \Phi_i} \frac{1}{1 + \frac{\theta P_{ik} \ell_i(y)}{\ell_k(x_0)}} \mathbf{1}_{x_0 \in \Phi_k}, \quad (33)$$

where $P_{ik} = P_i/P_k$. The b th moment of $P_s^{(k)}$ follows as

$$\begin{aligned} & M_b^{(k)}(\theta) \\ &= \mathbb{E} \left[\prod_{x \in \Phi_k^!} \frac{1}{\left(1 + \frac{\theta \ell_k(x)}{\ell_k(x_0)}\right)^b} \prod_{i \in [K]^!} \prod_{y \in \Phi_i} \frac{1}{\left(1 + \frac{\theta P_{ik} \ell_i(y)}{\ell_k(x_0)}\right)^b} \mathbf{1}_{x_0 \in \Phi_k} \right] \\ &\stackrel{(a)}{\approx} \mathbb{E} \left[\prod_{x \in \Phi_k^{\text{PPP}}} \frac{1}{\left(1 + \frac{\theta \ell_k(x)}{G_k \ell_k(x_0)}\right)^b} \right. \\ &\quad \times \left. \prod_{i \in [K]^!} \prod_{y \in \Phi_i} \frac{1}{\left(1 + \frac{\theta P_{ik} \ell_i(y)}{\ell_k(x_0)}\right)^b} \mathbf{1}_{x_0 \in \Phi_k^{\text{PPP}}} \right] \\ &\stackrel{(b)}{\approx} \mathbb{E} \left[\prod_{x \in \Phi_k^{\text{PPP}}} \frac{1}{\left(1 + \frac{\theta \ell_k(x)}{G_k \ell_k(x_0)}\right)^b} \right. \\ &\quad \times \left. \prod_{i \in [K]^!} \prod_{y \in \Phi_i^{\text{PPP}}} \frac{1}{\left(1 + \frac{\theta P_{ik} \ell_i(y)}{\ell_k(x_0)}\right)^b} \mathbf{1}_{x_0 \in \Phi_k^{\text{PPP}}} \right] \\ &\stackrel{(c)}{=} \int_0^\infty f_k(r) \exp\left(-2\pi\lambda_k \int_r^\infty \left(1 - \frac{1}{\left(1 + \frac{\theta}{G_k} \left(\frac{r}{t}\right)^{\alpha_k}\right)^b}\right) t dt\right) \\ &\quad \times \prod_{i \in [K]^!} \left[e^{-\lambda_i \pi (P_{ik})^{\delta_i} r^{\alpha_k \delta_i}} \right. \\ &\quad \times \left. \exp\left(-2\pi\lambda_i \int_r^\infty \frac{\alpha_k}{r^{\alpha_i} (P_{ik})^{\frac{1}{\alpha_i}}} \left(1 - \frac{1}{\left(1 + \frac{\theta P_{ik} r^{\alpha_k}}{t^{\alpha_i}}\right)^b}\right) t dt\right) \right] dr \\ &= \int_0^\infty 2\pi\lambda_k r \exp\left[-\lambda_k \pi r^2\right. \\ &\quad \left.- 2\pi\lambda_k \int_r^\infty \left(1 - \frac{1}{\left(1 + \frac{\theta}{G_k} \left(\frac{r}{t}\right)^{\alpha_k}\right)^b}\right) t dt\right. \\ &\quad \left.- \sum_{i \in [K]^!} \lambda_i \pi (P_{ik})^{\delta_i} r^{\alpha_k \delta_i}\right. \\ &\quad \left.- 2\pi\lambda_i \int_r^\infty \frac{\alpha_k}{r^{\alpha_i} (P_{ik})^{\frac{1}{\alpha_i}}} \left(1 - \frac{1}{\left(1 + \frac{\theta P_{ik} r^{\alpha_k}}{t^{\alpha_i}}\right)^b}\right) t dt\right] dr \\ &\stackrel{(d)}{=} \int_0^\infty 2\pi\lambda_k r \exp\left(-\lambda_k \pi r^2 F(b, \delta_k, \theta/G_k)\right. \\ &\quad \left.- \sum_{i \in [K]^!} \lambda_i \pi P_{ik}^{\delta_i} r^{\alpha_k \delta_i} F(b, \delta_i, \theta)\right) dr \\ &\stackrel{(e)}{=} \int_0^\infty \exp\left(-s F(b, \delta_k, \theta/G_k) - \sum_{i \in [K]^!} \rho_{ik} s^{\frac{\alpha_k}{\alpha_i}} F(b, \delta_i, \theta)\right) ds, \quad (34) \end{aligned}$$

where $f_k(r) = 2\pi\lambda_k r e^{-\lambda_k \pi r^2}$ is the distribution of the distance of the typical user to the nearest BS that belongs to the k th tier, $\rho_{ik} \triangleq \frac{\lambda_i \pi P_{ik}^{\delta_i}}{(\lambda_k \pi)^{\alpha_k / \alpha_i}}$, and $F(b, \delta, \theta) \triangleq {}_2F_1(b, -\delta; 1 - \delta; -\theta)$. (a) follows from the asymptotically exact AMAPPP approximation of Φ_k where the SIR threshold θ is shifted to θ/G_k and the point process Φ_k is replaced by a PPP denoted by Φ_k^{PPP} . (b) follows from the approximation of Φ_i by a PPP Φ_i^{PPP} . (c) follows from the probability generating functional (PGFL) of the PPP and averaging over the distance $\|x_0\|$ of the typical user to the nearest BS belonging to Φ_k^{PPP} . (d) uses

$$\int_1^\infty \left(1 - \frac{1}{(1 + \theta t^{-1/\delta})^b}\right) dt \equiv {}_2F_1(b, -\delta; 1 - \delta, -\theta) - 1. \quad (35)$$

(e) uses the substitution $s = \lambda_k \pi r^2$. Finally, by summing over $[K]$, we obtain the result.

APPENDIX B PROOF OF THM. 3

Let $w_k \triangleq \frac{\lambda_k P_k^{\delta_k}}{\sum_{i \in [K]} \lambda_i P_i^{\delta_i}}$. We can then write $\hat{M}_b(\theta)$ in (27) as

$$\hat{M}_b(\theta) = \sum_{k \in [K]} \frac{w_k}{w_k F(b, \delta, \theta/G_k) + (1 - w_k) F(b, \delta, \theta)}. \quad (36)$$

Noticing that for $b > 0$, $F(b, \delta, \theta/G)$ is convex in $G \in (0, \infty)$, we have

$$\hat{M}_b(\theta) \leq \sum_{k \in [K]} \frac{w_k}{F\left(b, \delta, \frac{\theta}{w_k G_k + (1 - w_k)}\right)} \quad (37)$$

$$\stackrel{(a)}{\leq} \frac{1}{F\left(b, \delta, \frac{\theta}{\sum_{k \in [K]} w_k (w_k G_k + (1 - w_k))}\right)} \quad (38)$$

$$= M_b^{\text{HIP}}\left(\frac{\theta}{\sum_{k \in [K]} w_k (w_k G_k + (1 - w_k))}\right), \quad (39)$$

where (a) is due to $\sum_{k \in [K]} w_k = 1$ and $1/F(b, \delta, \theta/G)$ being concave in G .

From the definition of the MISR-based gain, (39) can be viewed as

$$\hat{M}_b(\theta) \leq M_b^{\text{HIP}}(\theta/G_{\text{eff}}), \quad (40)$$

where

$$G_{\text{eff}} \triangleq \sum_{k \in [K]} w_k (w_k G_k + (1 - w_k)) \quad (41)$$

is termed the *effective gain* for K -tier HCNs.

For $b < 0$, we just need to reverse the inequality, *i.e.*, replace ‘ \leq ’ by ‘ \geq ’.

REFERENCES

- [1] S. S. Kalamkar and M. Haenggi, “A simple approximation of the meta distribution for non-Poisson cellular networks,” in *Proc. IEEE International Conference on Communications (ICC’18)*, (Kansas City, MO), May 2018.
- [2] A. Guo and M. Haenggi, “Spatial stochastic models and metrics for the structure of base stations in cellular networks,” *IEEE Transactions on Wireless Communications*, vol. 12, pp. 5800–5812, November 2013.
- [3] M. Haenggi, *Stochastic Geometry for Wireless Networks*. Cambridge, U.K.: Cambridge University Press, 2012.

- [4] C.-H. Lee, C.-Y. Shih, and Y.-S. Chen, "Stochastic geometry based models for modeling cellular networks in urban areas," *Wireless Networks*, vol. 19, pp. 1063–1072, August 2013.
- [5] M. Haenggi, "The meta distribution of the SIR in Poisson bipolar and cellular networks," *IEEE Transactions on Wireless Communications*, vol. 15, pp. 2577–2589, April 2016.
- [6] J. Gil-Pelaez, "Note on the inversion theorem," *Biometrika*, vol. 38, pp. 481–482, December 1951.
- [7] N. Deng, W. Zhou, and M. Haenggi, "The Ginibre point process as a model for wireless networks with repulsion," *IEEE Transactions on Wireless Communications*, vol. 14, pp. 107–121, January 2015.
- [8] H. S. Dhillon, R. K. Ganti, F. Baccelli, and J. G. Andrews, "Modeling and analysis of K -tier downlink heterogeneous cellular networks," *IEEE Journal on Selected Areas in Communications*, vol. 30, pp. 550–560, April 2012.
- [9] S. Mukherjee, "Distribution of downlink SINR in heterogeneous cellular networks," *IEEE Journal on Selected Areas in Communications*, vol. 30, pp. 575–585, April 2012.
- [10] G. Nigam, P. Minero, and M. Haenggi, "Coordinated multipoint joint transmission in heterogeneous networks," *IEEE Transactions on Communications*, vol. 62, pp. 4134–4146, November 2014.
- [11] I. Nakata and N. Miyoshi, "Spatial stochastic models for analysis of heterogeneous cellular networks with repulsively deployed base stations," *Performance Evaluation*, vol. 78, pp. 7–17, 2014.
- [12] N. Deng, W. Zhou, and M. Haenggi, "Heterogeneous cellular network models with dependence," *IEEE Journal on Selected Areas in Communications*, vol. 33, pp. 2167–2181, October 2015.
- [13] V. Suryaprakash, J. Møller, and G. Fettweis, "On the modeling and analysis of heterogeneous radio access networks using a Poisson cluster process," *IEEE Transactions on Wireless Communications*, vol. 14, pp. 1035–1047, February 2015.
- [14] I. Flint, H. B. Kong, N. Privault, P. Wang, and D. Niyato, "Analysis of heterogeneous wireless networks using Poisson hard-core hole process," *IEEE Transactions on Wireless Communications*, vol. 16, pp. 7152–7167, November 2017.
- [15] C. Saha, M. Afshang, and H. S. Dhillon, "3GPP-inspired HetNet model using Poisson cluster process: Sum-product functionals and downlink coverage," *IEEE Transactions on Communications*, vol. 66, pp. 2219–2234, May 2018.
- [16] A. Guo and M. Haenggi, "Asymptotic deployment gain: A simple approach to characterize the SINR distribution in general cellular networks," *IEEE Transactions on Communications*, vol. 63, pp. 962–976, March 2015.
- [17] M. Haenggi, "ASAPPP: A simple approximate analysis framework for heterogeneous cellular networks," December 2014. Keynote presentation at the 2014 Workshop on Heterogeneous and Small Cell Networks (HetsNets'14). Available at <https://www3.nd.edu/~mhaenggi/talks/hetsnets14.pdf>.
- [18] M. Haenggi, "The mean interference-to-signal ratio and its key role in cellular and amorphous networks," *IEEE Wireless Communications Letters*, vol. 3, pp. 597–600, December 2014.
- [19] R. K. Ganti and M. Haenggi, "Asymptotics and approximation of the SIR distribution in general cellular networks," *IEEE Transactions on Wireless Communications*, vol. 15, pp. 2130–2143, March 2016.
- [20] Y. Takahashi, Y. Chen, T. Kobayashi, and N. Miyoshi, "Simple and fast PPP-based approximation of SIR distributions in downlink cellular networks," *IEEE Wireless Communications Letters*, vol. 7, pp. 898–901, December 2018.
- [21] H. Wei, N. Deng, W. Zhou, and M. Haenggi, "Approximate SIR analysis in general heterogeneous cellular networks," *IEEE Transactions on Communications*, vol. 64, pp. 1259–1273, March 2016.
- [22] Y. Wang, M. Haenggi, and Z. Tan, "The meta distribution of the SIR for cellular networks with power control," *IEEE Transactions on Communications*, vol. 66, pp. 1745–1757, April 2018.
- [23] M. Salehi, A. Mohammadi, and M. Haenggi, "Analysis of D2D underlaid cellular networks: SIR meta distribution and mean local delay," *IEEE Transactions on Communications*, vol. 65, pp. 2904–2916, July 2017.
- [24] M. Salehi, H. Tabassum, and E. Hossain, "Meta distribution of the SIR in large-scale uplink and downlink NOMA networks," *IEEE Transactions on Communications*. Accepted.
- [25] Q. Cui, X. Yu, Y. Wang, and M. Haenggi, "The SIR meta distribution in Poisson cellular networks with base station cooperation," *IEEE Transactions on Communications*, vol. 66, pp. 1234–1249, March 2018.
- [26] M. Afshang, C. Saha, and H. S. Dhillon, "Equi-coverage contours in cellular networks," *IEEE Wireless Communications Letters*, vol. 7, pp. 700–703, October 2018.
- [27] Y. Wang, M. Haenggi, and Z. Tan, "SIR meta distribution of K -tier downlink heterogeneous cellular networks with cell range expansion," *IEEE Transactions on Communications*. Accepted.
- [28] A. Guo, Y. Zhong, W. Zhang, and M. Haenggi, "The Gauss-Poisson process for wireless networks and the benefits of cooperation," *IEEE Transactions on Communications*, vol. 64, pp. 1916–1929, May 2016.
- [29] N. Deng and M. Haenggi, "The energy and rate meta distributions in wirelessly powered D2D networks," *IEEE Journal on Selected Areas in Communications*, vol. 37, pp. 269–282, February 2019.
- [30] M. Haenggi, "Efficient calculation of meta distributions and the performance of user percentiles," *IEEE Wireless Communications Letters*, vol. 7, pp. 982–985, December 2018.
- [31] S. Lin and D. J. Costello, *Error Control Coding*. Englewood Cliffs, NJ: Prentice-Hall, 2nd ed., 2004.



Sanket S. Kalamkar (S'12-M'17) received the B.Tech. degree from the College of Engineering Pune, India, and the Ph.D. degree in electrical engineering from the Indian Institute of Technology Kanpur, India. Currently he is a researcher at INRIA, Paris, France. Before that he was a Simons postdoctoral fellow at the University of Texas at Austin, Texas, USA and a postdoctoral research associate at the University of Notre Dame, Indiana, USA. His research interests include wireless communications, spectrum sharing, vehicular networks, and green communications. He received the Tata Consultancy Services (TCS) research fellowship and the Dhirubhai Ambani scholarship.



Martin Haenggi (S'95-M'99-SM'04-F'14) received the Dipl.-Ing. (M.Sc.) and Dr.sc.techn. (Ph.D.) degrees in electrical engineering from the Swiss Federal Institute of Technology in Zurich (ETH) in 1995 and 1999, respectively. Currently he is the Freimann Professor of Electrical Engineering and a Concurrent Professor of Applied and Computational Mathematics and Statistics at the University of Notre Dame, Indiana, USA. In 2007-2008, he was a visiting professor at the University of California at San Diego, and in 2014-2015 he was an Invited Professor at EPFL, Switzerland. He is a co-author of the monographs "Interference in Large Wireless Networks" (NOW Publishers, 2009) and "Stochastic Geometry Analysis of Cellular Networks" (Cambridge University Press, 2018) and the author of the textbook "Stochastic Geometry for Wireless Networks" (Cambridge, 2012), and he published 15 single-author journal articles. His scientific interests lie in networking and wireless communications, with an emphasis on cellular, amorphous, ad hoc (including D2D and M2M), cognitive, and vehicular networks. He served as an Associate Editor of the Elsevier Journal of Ad Hoc Networks, the IEEE Transactions on Mobile Computing (TMC), the ACM Transactions on Sensor Networks, as a Guest Editor for the IEEE Journal on Selected Areas in Communications, the IEEE Transactions on Vehicular Technology, and the EURASIP Journal on Wireless Communications and Networking, as a Steering Committee member of the TMC, and as the Chair of the Executive Editorial Committee of the IEEE Transactions on Wireless Communications (TWC). From 2017 to 2018, he was the Editor-in-Chief of the TWC. He also served as a Distinguished Lecturer for the IEEE Circuits and Systems Society, as a TPC Co-chair of the Communication Theory Symposium of the 2012 IEEE International Conference on Communications (ICC'12), of the 2014 International Conference on Wireless Communications and Signal Processing (WCSP14), and the 2016 International Symposium on Wireless Personal Multimedia Communications (WPMC16). For both his M.Sc. and Ph.D. theses, he was awarded the ETH medal. He also received a CAREER award from the U.S. National Science Foundation in 2005 and three awards from the IEEE Communications Society, the 2010 Best Tutorial Paper award, the 2017 Stephen O. Rice Prize paper award, and the 2017 Best Survey paper award, and he is a 2017 and 2018 Clarivate Analytics Highly Cited Researcher.