

PROCEEDING ICoSET 2017

**International Conference on Science Engineering
and Technology (ICoSET) and International
Conference on Social Economic Education and
Humaniora (ICoSEEH)
08 - 10 November 2017
Pekanbaru, Indonesia**

ICoSET 2017 Partner and Support

Organizer :



Co-Organizers :



ORGANIZING COMMITTEE

Conference Chair:

Dr. Evizal Abdul Kadir, ST., M.Eng

Conference Co-Chair Science:

Dr. Dedikarni, ST., M.Sc

Conference Co-Chair Social:

Dr. Sri Yuliani, M.Pd

Technical Program Chair:

Prof. Dr. Ku Ruhana Ku Mahamud

Assoc. Prof. Dr. Tole Sutikno

Technical Program Committees:

Prof. Dr. Detri Karya, SE., MA
(Islamic University of Riau, Indonesia)

Prof. Dr. Tengku Dahril, M.Sc
(Islamic University of Riau, Indonesia)

Prof. Dr. Sugeng Wiyono, MMT (Islamic
University of Riau, Indonesia)

Prof. Zainal A. Hasibuan, MLS., Ph.D
(University of Indonesia, Indonesia)

Prof. Dr. Usama Fauzi Juniansyah
(University of Tokyo, Japan)

Prof. Dr. Zailuddin Arifin
(Universiti Teknologi MARA, Malaysia)

Prof. Ahmed A. Al Absi
(Kyungdong University Korea)

Prof. Kazuhiko Nagatomo
(Dayeh University)

Assoc. Prof. Dr. Shahrul Kamal Abdul
Rahim
(Universiti Teknologi Malaysia)

Ahn, Young Mee, Ph.D
(Inha University, Korea)

Hitoshi Irie, Ph.D
(Chiba University, Japan)

Julie Yu-Chih Liu, Ph.D
(Yuan Ze University, Taiwan)

Chia-Yu Hsu, Ph.D
(Yuan Ze University, Taiwan)

Prof. Dr. Hasan Basri Jumin, M.Sc
(Islamic University of Riau, Indonesia)

Prof. Dr. Syafrinaldi, SH., M.CL (Islamic
University of Riau, Indonesia)

Prof. Dr. Seno Himala Putra,
M.Pd (Islamic University of Riau,
Indonesia)

Prof. Josaphat Tetuko Sri Sumantyo, Ph.D
(Chiba University, Japan)

Prof. Dr. Eko Supriyanto
(Universiti Teknologi Malaysia)

Prof. Jhon Lee, B.Sc, M.Sc., Ph.D
(Kyungdong University Korea)

Prof. Wisup Bae, Ph.D
(Sejong University, Korea)

Assoc. Prof. Dr. Azhan Hashim Ismail
(Universiti Teknologi MARA, Malaysia)

Dr. Inkyo Cheong
(Inha University, Korea)

Dr. Montira Leelakriangsak
(Prince of Songkla University, Thailand)

Kuen-Song Lin, Ph.D
(Yuan Ze University, Taiwan)

Liang Chih Yu, Ph. D
(Yuan Ze University, Taiwan)

Dr. Tulyapong Tulyapitak
(Prince of Songkla University, Thailand)

Dr. Wahyudi Sutopo
(Solo State University, Indonesia)

Dr. Zulfatman
(University of Muhammadiyah Malang,
Indonesia)

Dr. Anas Puri, ST., MT
(Islamic University of Riau)

Dr. Eng. Muslim, ST., MT
(Islamic University of Riau)

Dr. Eng. Husnul Kausarian, B.Sc (Hons).,
M.Sc
(Islamic University of Riau)

Dr. Shukor Sanim Mohd Fauzi (Universiti
Teknologi MARA, Malaysia)

Organizing Committee:

Faizan Dalilla, ST., M.Si
Augusta Adha, ST., MT

Secretary:

Dr. Zetriuslita, S.Pd., M.Si
Heriyanto, SP., M.Si
Reni Anggraini Putri, SE

Treasurer:

Bismi Annisa, ST., MT

Information Technology (IT):

Abdul Syukur, S.Kom., M.Kom
Hendra Gunawan, ST., M.Eng

FOREWORD FROM CHAIR OF ICOSET & ICOSEEH

UNIVERSITAS ISLAM RIAU

In the name of Allah, Most Gracious, Most Merciful

Assalamualaikum Wr. Wb,

Welcome to the International Conference on Science Engineering and Technology (ICoSET) and International Conference on Social Economic Education and Humaniora (ICoSEEH).

ICoSET & ICoSEEH 2017 has a theme “Sustainability Development in Developing Country”. This forum provides researchers, academicians, professionals, and disciplinary working or interested in the field of Science Electrical Technology and Social Education Economy and Humaniora to show their works and findings to the world.

I would like to express my hearty gratitude to all participants for coming, sharing and presenting your experiences in this vast conference. There are more than 150 papers submitted to ICoSET & ICoSEEH UIR 2017. However only high quality selected papers are accepted to be presented in this event, so we are also thankful to all the international reviewers and steering committee for their valuable work. I would like to give a compliment to all partners in publications and sponsor ships for their valuable supports.

Organizing such a prestigious conference was incredibly challenge and would have been impossible without our outstanding committee, So, I would like to extend my sincere appreciation to all committees and volunteers from Chiba University, Saga University, Universiti Teknologi Mara, Universiti Utara Malaysia, Dayen University, Kyungdong University for providing me with much needed support, advice, and assistance on all aspects of the conference. We do hope that this event will encourage the collaboration among us now and in the future.

We wish you all find opportunity to get rewarding technical programs, intellectual inspiration, renew friendships and forge innovation and that everyone enjoys some of what in Pekanbaru-Riau special.

Pekanbaru, 8th November 2017

Dr. Evizal Abdul Kadir, M.Eng

Chair of ICoSET & ICoSEEH 2017

**FOREWORD FROM RECTOR
UNIVERSITAS ISLAM RIAU**

It is our great pleasure to join and to welcome all participants of the International Conference on Science Engineering and Technology (ICoSET) and International Conference on Social Economic Education and Humaniora (ICoSEEH) 2017 in Pekanbaru. I am happy to see this great work as part of collaborations among Chiba University, Saga University, Universiti Teknologi Mara, Universiti Utara Malaysia, Dayen University, Kyungdong University. In this occasion, I would like to congratulate all participants for their scientific involvement and willingness to share their findings and experiences in this conference.

I believe that this conference can play an important role to encourage and embrace cooperative, collaborative, and interdisciplinary research among the engineers and scientists. I do expect that this kind of similar event will be held in the future as part of activities in education research and social responsibilities of universities, research institutions and industries internationally.

My heart full gratitude is dedicated to organizing committee members and the staff of Islamic University of Riau for their generous effort and contribution toward the success of the ICoSET & ICoSEEH 2017.

Pekanbaru, 8th November 2017

Prof. Dr. H. Syafrinaldi, SH., MCL

Rector of Islamic University of Riau

Pekanbaru, Indonesia

TIME SCHEDULE

International Conference on Science Engineering and Technology (ICoSET) and International Conference on Social Economic Education and Humaniora (ICoSEEH) Pekanbaru, Indonesia, 08-10 November 2017

TIME	ACTIVITIES	PERSON IN CHARGE	VENUE
November 08, 2017			
08.00-08.30	Registration	Committee	Auditorium Rectorat 4 th Floor
08.30-09.15	Opening Ceremony:	Committee	
	Quran Recitation	Committee	
	Indonesia Raya National Anthem	Committee	
	Speech of the Committee	Chairman of the committee Dr. Evizal Abdul Kadir, ST, M.Eng	
	Opening speech	Rector of Islamic Universty of Riau Prof. Dr. H. Syafrinaldi, SH., MCL	
	Performing Arts (Traditional Dance)	Committee	
09.15-09.30	Photo Session and Coffee Break	Committee	
09.30-12.00	Keynote speakers: 1. Prof. Dr. Shigeki Inaba: Professor of Agronomy. Agricutural Plant Science & Agricultural Economics. Saga University, Japan. 2. Prof. John Lee PhD, ME, MSc, BSc: President Kyungdong Global Campus Research, Kyoto University, Japan 3. Yohei Murakami, Ph.D: Center for the Promotion of Interdisciplinary Education	Moderator 1. Dr. Ujang Paman Ismail, M.Agr 2. Dr. Evizal Abdul Kadir., M.Eng 3. Arbi Haza Nst, B.IT, M.IT	
12.00-13.00	Lunch Break	Committee	
13.00-15.00	Parallel Session 1 Participants	Moderator	4 rd Floor
15.00-15.30	Coffee Break	Committee	
15.30-17.30	Parallel Session 2 Participants	Moderator	
17.30-17.45	Closing Ceremony	Committee	

TIME	ACTIVITIES	PERSON IN CHARGE	VENUE
November 09, 2017			
07.30-08.00	Re-registration	Committee	1 st Floor
08.00-17.00	Siak Tour: 1. Istana Siak 2. Klenteng Hock Siu Kiong (Bangunan Merah) 3. Masjid Syahabuddin 4. Balai Kerapatan Adat		

LIST OF PRESENTES

International Conference on Science Engineering and Technology (ICoSET)

ROOM 1

Time Slot	No	Paper ID	Author	Title
Parallel Presentation 1 (13.00-15.00)	1	1001	Evizal Abdul Kadir, Ahmed A. Al Absi, Sri Listia Rosa	Feasibility Study On Solar Power Generation In Islamic University Of Riau Pekanbaru Capacity 1 Mw
	2	1002	Arbi Haza Nasution, Yohei Murakami, Toru Ishida	Similarity Cluster of Indonesian Ethnic Languages
	3	1007	Jaraji, Agustiawan, Rezki Kurniati	Design Self Service Software Prototype For Village Office Using Unified Modeling Language
	4	1009	Yoanda Alim Syahbana, Memen Akbar	Analysis Of Frame Loss Position Influence And Type Of Video Content To Perceived Video Quality
	5	1010	Apri Siswanto, Norliza Katuk, Ku Ruhana Ku-Mahamud, Evizal Abdul Kadir	An Overview of Fingerprint Template Protection Approaches
	6	1013	Yuniarti Yuskar, Dewandra Bagus Eka Putra, Tiggi Choanji, Ziadul Faiez, Muhammad Habibi	Sandstone Reservoir Characteristic Based on Surficial Geological Data of Sihapas Formation in Bukit Suligi Area, Southwest Central Sumatra Basin
Parallel Presentation 2 (15.30-17.30)	7	1015	Raisa Baharuddin, Selvia Sutriana	Effect of Maturity Level of Compost And Shallot Varieties to Growth and Yield in Peat Soil
	9	1019	Ida Syamsu Roidah, Dona Wahyuning Laily	Improving Family Revenues Through Role of Household Mother In Rejotangan District
	10	1026	Fathra Annis Nauli1, Jumaini, Diva de Laura	Relationship Between Adolescent Characteristic and Bullying Incidents At Private Junior High School In Pekanbaru
	11	1025	Husnul Kausarian, Batara, Dewandra Bagus Eka Putra, Adi Suryadi, Evizal Abdul Kadir	Measurement of Electric Grid Transmission Lines as the Supporting of National Energy Program in West Sumatera Area, Indonesia through Geological Mapping and Assessment

ROOM 2

Time Slot	No	Paper ID	Author	Title
Parallel Presentation 1 (13.00-15.00)	1	1012	Dewandra Bagus Eka Putra, Yuniarti Yuskar, Catur Cahyaningsih, Seppia Khairani	Rock Mass Classification System Using Rock Mass Rating (Rmr) Of A Cut Slope In Riau – West Sumatra Road
	2	1016	Sisca Vaulina, Khairizal, Hajry Arief Wahyudy	Factors Affecting Production of Coconut (<i>Cocos Nucifera</i> Linn) In Gaung Anak Serka District Indragiri Hilir Regency, Riau Province
	3	1004	Nur Khamdi, Muhammad Imam Muthahhar	Determining Sliders Position by Using Pythagoras Principle of 3-DOF Linear Delta Robot
	4	1005	Desti	Morphological Characterization of Nibung (<i>Oncosperma Tigillarum</i> (Jack) Ridl.) As Riau Province Mascot Flora
	5	1006	Novrianti, Ali Musnal, Hardi, Bop Duana A, Leovaldo P	Weight On Bit Analysis In Rate Of Penetration Optimization Using Bourgoyne And Young Method
	6	1008	Idham Nugraha, Febby Asteriani, Puji Astuti, Retno Sawitri, Firdaus Agus	The Effects of Tengku Agung Sultanah Latifah Bridge Toward Physical Development in Siak Sub Districts
	7	1003	Heriyanto	Efficiency Of Rubber People Production In Kampar Regency Of Riau Province
	8	1011	Ariyon, M, Nugroho, R. S.	Production Optimization Esp-To-Gas Lift In High Gor Case Using Well Simulator
	9	1014	Anas Puri	Effect of Safety Factors on The Calculated Deflection of 1-Pile Row Full Scale Nailed-Slab Pavement System Resting on Soft Clay Due to Concentric Loadings
Parallel Presentation 2 (15.30-17.30)	10	1017	Dody Yulianto, Dedikarni, Kurnia Hastuti, Juraiz Saputra	Utilization Of Palm Oil Waste With Polypropylene Matriks (Pp) Recycling On Particle Board Composite (Particle Board)
	11	1018	Tengku Idris Nurkhairi Hidayati	Profile of Habits of Mind Student of Biology Education Program Islamic University of Riau
	12	1020	Hermaini, Sugeng Wiyono, Anas Puri	Study Of Concrete On Rigid Pavement With Addition Scanfibre
	13	1021	Muhammad Ariyon	Energy Resource Development Strategy At Indragiri Hulu Regency Riau Province
	14	1022	Rosyadi, Agusnimar, Abdul Fatah Rasidi	Giving <i>Chlorella sp</i> with Different Amount for Development <i>Moina sp</i>
	15	1023	Sri Ayu Kurniati, Welly Sampurno	Analysis Of The Competitiveness Of Farming Oil Palm People Bengkalis Regency In Mandau
	16	1027	Ernita, M. Noer, Sidik Arif Irawan	Green Beans Plant Response (<i>Vigna Radiata</i> L) On Liquid Organic Fertilizer (Lof) Nasa and NPK Compound Fertilizer
	17	1028	Darus, Hajry Arief Wahyudy	Analysis Of Human Resources Work In Production Activity Hydroponic Vegetables Commodity (Case Study: Technical implementation Unit of Agro Garden in Islamic University of Riau)

TABLE OF CONTENTS

Organizing Committee -----	i
Foreword From Chair of ICoSET & ICoSEEH Universitas Islam Riau -----	iii
Foreword From Rector Universitas Islam Riau -----	iv
Time Schedule -----	v
Table of Contents -----	vii
1001: Feasibility Study On Solar Power Generation In Islamic University Of Riau Pekanbaru Capacity 1 Mw (Evizal Abdul Kadir, Ahmed A. Al Absi, Sri Listia Rosa) -----	1
1002: Similarity Cluster of Indonesian Ethnic Languages (Arbi Haza Nasution, Yohei Murakami, Toru Ishida) -----	12
1003: Efficiency Of Rubber People Production In Kampar Regency Of Riau Province (Heriyanto) -----	28
1004: Determining Sliders Position by Using Pythagoras Principle of 3- DOF Linear Delta Robot (Nur Khamdi, Muhammad Imam Muthahhar) -----	36
1005: Morphological Characterization of Nibung (<i>Oncosperma Tigillarum</i> (Jack) Ridl.) As Riau Province Mascot Flora (Desti) -----	41
1006: Weight On Bit Analysis In Rate Of Penetration Optimization Using Bourgoyne And Young Method (Novrianti, Ali Musnal, Hardi, Bop Duana A, Leovaldo P) -----	46
1007: ---Design Self Service Software Prototype For Village Office Using Unified Modeling Language (Jaroji, Agustawan, Rezki Kurniati) -----	56
1008: The Effects of Tengku Agung Sultanah Latifah Bridge Toward Physical Development in Siak Sub Districts (Idham Nugraha, Febby Asteriani, Puji Astuti, Retno Sawitri, Firdaus Agus) -----	67
1009: Analysis Of Frame Loss Position Influence And Type Of Video Content To Perceived Video Quality (Yoanda Alim Syahbana, Memen Akbar) -----	73
1010: An Overview of Fingerprint Template Protection Approaches (Apri Siswanto, Norliza Katuk, Ku Ruhana Ku-Mahamud, and Evizal Abdul Kadir) -----	80
1011: Production Optimization Esp-To-Gas Lift In High Gor Case Using Well Simulator (Ariyon, M, Nugroho, R. S) -----	94
1012: Rock Mass Classification System Using Rock Mass Rating (Rmr) Of A Cut Slope In Riau – West Sumatra Road (Dewandra Bagus Eka Putra, Yuniarti Yuskar, Catur Cahyaningsih, Seppia Khairani1) -----	106

1013:Sandstone Reservoir Characteristic Based on Surficial Geological Data of Sihapas Formation in Bukit Suligi Area, Southwest Central Sumatra Basin (Yuniarti Yuskar, Dewandra Bagus Eka Putra, Tiggi Choanji, Ziadul Faiez, Muhammad Habibi) -----	112
1014:Effect of Safety Factors on The Calculated Deflection of 1-Pile Row Full Scale Nailed-Slab Pavement System Resting on Soft Clay Due to Concentric Loadings (Anas Puri) -----	118
1015:Effect of Maturity Level of Compost And Shallot Varieties to Growth and Yieldin Peat Soil (Raisa Baharuddin, Selvia Sutriana) -----	125
1016:Factors Affecting Production of Coconut (Cocos Nucifera Linn) In Gaung Anak Serka District Indragiri Hilir Regency, Riau Province (Sisca Vulina, Khairizal, Hajry Arief Wahyudy) -----	133
1017:Utilization Of Palm Oil Waste With Polypropylene Matriks (Pp) Recycling On Particle Board Composite (Particle Board) (Dody Yulianto, Dedikarni Kurnia Hastuti, Juraiz Saputra) -----	142
1018:Profile of Habits of Mind Student of Biology Education Program Islamic University of Riau (Tengku Idris, Nurkhairo Hidayati) -----	151
1019:Improving Family Revenues Through Role Of Household Mother In Rejotangan District (Ida Syamsu Roidah dan Dona Wahyuning Laily) -----	159
1020:Study Of Concrete On Rigid Pavement With Addition Scanfibre (Hermaini, Sugeng Wiyono, Anas Puri) -----	165
1021:Energy Resource Development Strategy At Indragiri Hulu Regency Riau Province (Muhammad Ariyon) -----	178
1022:Giving Chlorella sp with Different Amount for DevelopmenT Moina sp (Rosyadi, Agusnimar, Abdul Fatah Rasidi) -----	189
1023:Analysis Of The Competitiveness Of Farming Oil Palm People Bengkalis Regency In Mandau (Sri Ayu Kurniati, Welly Sampurno) -----	198
1024: Learning Outcome Comparison In Biology Subject Between Problem Based Learning (Pbl) Method Applied And Guided Discovery Learning (Gdl) Method Applied At Class Xi Sman Pekanbaru Academic Year 2016/2017 (Suryanti, Sepita Ferazona) -----	212
1025:Measurement of Electric Grid Transmission Lines as the Supporting of National Energy Program in West Sumatra Area, Indonesia through Geological Mapping and Assessment (Husnul Kausarian, Batara, Dewandra Bagus Eka Putra, Adi Suryadi, Evizal Abdul Kadir) -----	221
1026:Relationship Between Adolescent Characteristic and Bullying Incidents at Private Junior High School In Pekanbaru (Fathra Annis Nauli, Jumaini, Diva de Laura) -----	230

1027: Green Beans Plant Response (<i>Vigna Radiata</i> L) On Liquid Organic Fertilizer (Lof) Nasa and NPK Compound Fertilizer (Ernita, M. Noer, Sidik Arif Irawan) -----	238
1028: Analysis Of Human Resources Work In Production Activity Hydroponic Vegetables Commodity (Case Study: Technical Implementation Unit Of Agro Garden In Islamic University Of Riau) (Darus, Hajry Arief Wahyudy) -----	254

LIST OF PAPERS

International Conference on Science Engineering and Technology (ICoSET) Pekanbaru, Indonesia, 08-10 November 2017

No	ID	Author	Paper
1	1001	Evizal Abdul Kadir, Ahmed A. Al Absi, Sri Listia Rosa	Feasibility Study On Solar Power Generation In Islamic University Of Riau Pekanbaru Capacity 1 Mw
2	1002	Arbi Haza Nasution, Yohei Murakami, Toru Ishida ³	Similarity Cluster of Indonesian Ethnic Languages
3	1003	Heriyanto	Efficiency Of Rubber People Production In Kampar Regency Of Riau Province
4	1004	Nur Khamdi, Muhammad Imam Muthahhar	Determining Sliders Position by Using Pythagoras Principle of 3-DOF Linear Delta Robot
5	1005	Desti	Morphological Characterization of Nibung (<i>Oncosperma Tigillarum</i> (Jack) Ridl.) As Riau Province Mascot Flora
6	1006	Novrianti, Ali Musnal, Hardi, Bop Duana A, Leovaldo P	Weight On Bit Analysis In Rate Of Penetration Optimization Using Bourgoyne And Young Method
7	1007	Jaroji, Agustawan, Rezki Kurniati	Design Self Service Software Prototype For Village Office Using Unified Modeling Language
8	1008	Idham Nugraha, Febby Asteriani, Puji Astuti, Retno Sawitri, Firdaus Agus	The Effects of Tengku Agung Sultanah Latifah Bridge Toward Physical Development in Siak Sub Districts
9	1009	Yoanda Alim Syahbana, Memen Akbar	Analysis Of Frame Loss Position Influence And Type Of Video Content To Perceived Video Quality
10	1010	Apri Siswanto, Norliza Katuk, Ku Ruhana Ku-Mahamud, and Evizal Abdul Kadir	An Overview of Fingerprint Template Protection Approaches
11	1011	Ariyon, M, Nugroho, R. S.	Production Optimization Esp-To-Gas Lift In High Gor Case Using Well Simulator
12	1012	Dewandra Bagus Eka Putra, Yuniarti Yuskar, Catur Cahyaningsih, Seppia Khairani ¹	Rock Mass Classification System Using Rock Mass Rating (Rmr) Of A Cut Slope In Riau – West Sumatra Road
13	1013	Yuniarti Yuskar, Dewandra Bagus Eka Putra, Tiggi Choanji, Ziadul Faiez, Muhammad Habibi	Sandstone Reservoir Characteristic Based on Surficial Geological Data of Sihapas Formation in Bukit Suligi Area, Southwest Central Sumatra Basin
14	1014	Anas Puri	Effect of Safety Factors on The Calculated Deflection of 1-Pile Row Full Scale Nailed-Slab Pavement System Resting on Soft Clay Due to Concentric Loadings
15	1015	Raisa Baharuddin, Selvia Sutriana	Effect of Maturity Level of Compost And Shallot Varieties to Growth and Yieldin Peat Soil
16	1016	Sisca Vaulina, Khairizal, Hajry Arief Wahyudy	Factors Affecting Production of Coconut (<i>Cocos Nucifera</i> Linn) In Gaung Anak Serka District Indragiri Hilir Regency, Riau Province

No	ID	Author	Paper
17	1017	Dody Yulianto, Dedikarni Kurnia Hastuti, Juraiz Saputra	Utilization Of Palm Oil Waste With Polypropylene Matriks (Pp) Recycling On Particle Board Composite (Particle Board)
18	1018	Tengku Idris, Nurkhairo Hidayati	Profile of Habits of Mind Student of Biology Education Program Islamic University of Riau
19	1019	Ida Syamsu Roidah dan Dona Wahyuning Laily	Improving Family Revenues Through Role Of Household Mother In Rejotangan District
20	1020	Hermaini, Sugeng Wiyono, Anas Puri	Study Of Concrete On Rigid Pavement With Addition Scanfibre
21	1021	Muhammad Ariyon	Energy Resource Development Strategy At Indragiri Hulu Regency Riau Province
22	1022	Rosyadi, Agusnimar, Abdul Fatah Rasidi	Giving <i>Chlorella sp</i> with Different Amount for Development <i>Moina sp</i>
23	1023	Sri Ayu Kurniati, Welly Sampurno	Analysis Of The Competitiveness Of Farming Oil Palm People Bengkalis Regency In Mandau
24	1024	Suryanti, Sepita Ferazona	Learning Outcome Comparison In Biology Subject Between Problem Based Learning (Pbl) Method Applied And Guided Discovery Learning (Gdl) Method Applied At Class Xi Sman Pekanbaru Academic Year 2016/2017
25	1025	Husnul Kausarian, Batara, Dewandra Bagus Eka Putra, Adi Suryadi, Evizal Abdul Kadir	Measurement of Electric Grid Transmission Lines as the Supporting of National Energy Program in West Sumatra Area, Indonesia through Geological Mapping and Assessment
26	1026	Fathra Annis Nauli, Jumaini, Diva de Laura	Relationship Between Adolescent Characteristic and Bullying Incidents at Private Junior High School In Pekanbaru
27	1027	Ernita, M. Noer, Sidik Arif Irawan	Green Beans Plant Response (<i>Vigna Radiata L</i>) On Liquid Organic Fertilizer (Lof) Nasa and NPK Compound Fertilizer
28	1028	Darus, Hajry Arief Wahyudy	Analysis Of Human Resources Work In Production Activity Hydroponic Vegetables Commodity (Case Study: Technical implementation Unit of Agro Garden in Islamic University of Riau)

Similarity Cluster of Indonesian Ethnic Languages

Arbi Haza Nasution¹, Yohei Murakami², Toru Ishida³

^{1,3} Department of Social Informatics, Kyoto University, Japan

² Unit of Design, Kyoto University, Japan

arbi@ai.soc.i.kyoto-u.ac.jp, yohei@i.kyoto-u.ac.jp, ishida@i.kyoto-u.ac.jp

Abstract

Lexicostatistic and language similarity clusters are useful for computational linguistic researches that depends on language similarity or cognate recognition. Nevertheless, there are no published lexicostatistic/language similarity cluster of Indonesian ethnic languages available. We formulate an approach of creating language similarity clusters by utilizing ASJP database to generate the language similarity matrix, then generate the hierarchical clusters with complete linkage and mean linkage clustering, and further extract two stable clusters with high language similarities. We introduced an extended k-means clustering semi-supervised learning to evaluate the stability level of the hierarchical stable clusters being grouped together despite of changing the number of cluster. The higher the number of the trial, the more likely we can distinctly find the two hierarchical stable clusters in the generated k-clusters. However, for all five experiments, the stability level of the two hierarchical stable clusters is the highest on 5 clusters. Therefore, we take the 5 clusters as the best clusters of Indonesian ethnic languages. Finally, we plot the generated 5 clusters to a geographical map.

Keywords: lexicostatistic, language similarity, hierarchical clustering, k-means clustering

1. INTRODUCTION

Nowadays, machine-readable bilingual dictionaries are being utilized in actual services (Ishida, 2011) to support intercultural collaboration (Ishida, 2016; Nasution et al., 2017c), but low-resource languages lack such sources. In order to save low-resource languages like Indonesian ethnic languages from language endangerment, prior works tried to enrich the basic language resource, i.e., bilingual dictionary (Wushoer et al., 2015; Nasution et al., 2016; Nasution et al., 2017a; Nasution et al., 2017b). Those previous researchers requires lexicostatistic/language similarity clusters of the low-resource languages to select the target languages. However, to the best of our knowledge, there are no published lexicostatistic/language similarity clusters of Indonesian ethnic languages. To fill the void, we address this research goal:

- *Formulating an approach of creating a language similarity cluster.* We first obtain 40-item word lists from the Automated Similarity Judgment Program (ASJP), further generate the language similarity matrix, then generate the hierarchical and k-means clusters, and finally plot the generated clusters to a map.

2. INDONESIAN ENDANGERED LANGUAGES

Indonesia has a population of 221,398,286 and 707 living languages which cover 57.8% of Austronesian Family and 30.7% of languages in Asia (Lewis et al., 2015). There are 341 Indonesian ethnic languages facing various degree of language endangerment (trouble / dying) where some of the native speaker do not speak Bahasa Indonesia well since they are in remote areas. Unfortunately, there are 13 Indonesian ethnic languages which already extinct. Figure 1 shows the level of development or endangerment of Indonesian ethnic languages. (Lewis et al., 2015)




Figure 1. Indonesian Ethnic Languages Level of Development or Endangerment

Here are the definitions of each level of Development or Endangerment:

- *Institutional (EGIDS 0-4)* — The language has been developed to the point that it is used and sustained by institutions beyond the home and community.
 - Buginese (3 (Wider communication), 5,000,000), Javanese (4 (Educational), 84,300,000)
- *Developing (EGIDS 5)* — The language is in vigorous use, with literature in a standardized form being used by some though this is not yet widespread or sustainable.
 - Minangkabau (5 (Developing), 5,530,000), Bali (5 (Developing), 3,330,000)
- *Vigorous (EGIDS 6a)* — The language is unstandardized and in vigorous use among all generations.
 - Iranun (6a (Vigorous), 256,000), Batak Mandailing (6a (Vigorous), 1,100,000)
- *In trouble (EGIDS 6b-7)* — Intergenerational transmission is in the process of being broken, but the child-bearing generation can still use the language so it is possible that revitalization efforts could restore transmission of the language in the home.
 - Temuan (6b (Threatened), 22,700 (2008 JHEOA)), Tambunan Dusun (6b (Threatened), 15,600 (2000))
- *Dying (EGIDS 8a-9)* — The only fluent users (if any) are older than child-bearing age, so it is too late to restore natural intergenerational transmission through the home; a mechanism outside the home would need to be developed.
 - Nusa Laut (9 (Dormant), 2,230 (1989 SIL)), Ura (8b (Nearly extinct),
- *Extinct (EGIDS 10)* — The language has fallen completely out of use and no one retains a sense of ethnic identity associated with the language.
 - Kaniet (10 (Extinct)), Uruava (10 (Extinct))

3. AUTOMATED SIMILARITY JUDGMENT PROGRAM

Historical linguistics is the scientific study of language change over time in term of sound, analogical, lexical, morphological, syntactic, and semantic information (Campbell, 2013). Comparative linguistics is a branch of historical linguistics that is concerned with language comparison to determine historical relatedness and to construct language families (Lehmann, 2013). Many methods, techniques, and procedures have been utilized in investigating the potential distant genetic relationship of languages, including lexical comparison, sound correspondences, grammatical evidence, borrowing, semantic constraints, chance similarities, sound-meaning isomorphism, etc (Campbell, L. and Poser, W.J., 2008). The genetic relationship of languages is used to classify languages into language families. Closely-related languages are those that came from the same origin or proto-language, and belong to the same language family.

Swadesh List is a classic compilation of basic concepts for the purposes of historical-comparative linguistics. It is used in lexicostatistics (quantitative comparison of lexical cognates) and glottochronology (chronological relationship between languages). There are various version of swadesh list as shown in Table 1. To find the best size of the list, Swadesh states that "The only solution appears to be a drastic weeding out of the list, in the realization that quality is at least as important as quantity....Even the new list has defects, but they are relatively mild and few in number." (Swadesh, 1955)

Table 1. Modification of Swadesh List

Published Year	Number of Words
1950	225 (Swadesh, 1950)
1952	215 & 200 (Swadesh, 1952)
1971 & 1972	100 (Swadesh, 1971)

Table 2. Levenshtein Distance Algorithm

Step	Description
1	Set n to be the length of s. Set m to be the length of t. If n = 0, return m and exit. If m = 0, return n and exit. Construct a matrix containing 0..m rows and 0..n columns.
2	Initialize the first row to 0..n. Initialize the first column to 0..m
3	Examine each character of s (i from 1 to n).
4	Examine each character of t (j from 1 to m)
5	If s[i] equals t[j], the cost is 0. If s[i] doesn't equal t[j], the cost is 1.
6	Set cell d[i,j] of the matrix equal to the minimum of: a. The cell immediately above plus 1: d[i-1, j] + 1 b. The cell immediately to the left plus 1: d[i, j-1] + 1 c. The cell diagonally above and to the left plus the cost: d[i-1, j-1] + cost
7	After the iteration steps (3, 4, 5, 6) are complete, the distance is found in cell d[n, m]

A widely-used notion of string/lexical similarity is the edit distance or also known as Levenshtein Distance (LD): the minimum number of insertions, deletions, and substitutions required to transform one string into the other (Levenshtein, 1966). The Levenshtein Distance algorithm is shown in Table 2. For example, LD between "kitten" and "sitting" is 3 since there are three transformations needed: kitten → sitten (substitution of "s" for "k"),

sitten → sittin (substitution of "i" for "e"), and finally sittin → sitting (insertion of "g" at the end). Another example between Indonesian word is LD between “satu” and “baru” is 2 since there are only two transformations needed: satu → batu (substitution of “b” for “s”) and then batu → baru (substitution of “r” for “t”) as shown in Figure 2.




Figure 2. Example of transformations following Levenshtein Distance Algorithm

There are a lot of previous works using Levenshtein Distances such as dialect groupings of Irish Gaelic (Kessler, 1995) where they gather the data from questionnaire given to native speakers of Irish Gaelic in 86 sites. They obtain 312 different Gaelic words or phrases. Another work is about dialect pronunciation differences of 360 Dutch dialects (Heeringa, 2004) which obtain 125 words from Reeks Nederlandse Dialectatlassen. They normalize LD by dividing it by the length of the longer alignment. Tang (2015) measure linguistic similarity and intelligibility of 15 Chinese dialects and obtain 764 common syllabic units. Petroni (2008) define lexical distance between two words as the LD normalized by the number of characters of the longer of the two. Wichmann et al. (2010) extend Petroni definition as LDND and use it in Automated Similarity Judgment Program (ASJP).

The ASJP, an open source software was proposed by Holman et al. (2011) with the main goal of developing a database of Swadesh lists (Swadesh, 1955) for all of the world's languages from which lexical similarity or lexical distance matrix between languages can be obtained by comparing the word lists. The classification is based on 100-item reference list of Swadesh (Swadesh, 1971) and further reduced to 40 most stable items (Holman et al., 2008). The item stability is a degree to which words for an item are retained over time and not replaced by another lexical item from the language itself or a borrowed element. Words resistant to replacement are more stable. Stable items have a greater tendency to yield cognates (words that have a common etymological origin) within groups of closely related languages.

4. LANGUAGE SIMILARITY CLUSTERING APPROACH

We formalize an approach to create language similarity clusters by utilizing ASJP database to generate the language similarity matrix, then generate the hierarchical clusters, and further extract the stable clusters with high language similarities. The hierarchical stable clusters are

evaluated utilizing our extended k-means clustering. Finally, the obtained k-means clusters are plotted to a geographical map. The flowchart of the whole process is shown in Figure 3.




Figure 3. Flowchart of Generating Language Similarity Clusters

In this paper, we focus on Indonesian ethnic languages. We obtain words list of 119 Indonesian ethnic languages with the number of speakers at least 100,000. We further generate the similarity matrix ranked by the number of speakers as shown in Figure 4. We added a white-red color scale where white color means the two languages are totally different (0% similarity) and the reddest color means the two languages are exactly the same (100% similarity).




Figure 4. Language Similarity Matrix of 119 Indonesian Ethnic Languages

However, it is difficult to classify 119 languages and obtain a valuable information from the generated clusters, therefore, we further filtered the target languages based on the number of speaker and availability of the language information in Wikipedia. We obtain 32 target languages as shown in Table 3 from the intersection between 46 Indonesian ethnic languages

with number of speaker above 300,000 provided by Wikipedia and 119 Indonesian ethnic languages with number of speaker above 100,000 provided by ASJP.

Table 3. List of 32 Indonesian Ethnic Languages Ranked by Population

Code	Ranked by Wikipedia	Ranked by AJSP	Population based on Wikipedia	Population based on AJSP	Language
L 1	1	1	210000000	232004800	INDONESIAN
L 2	3	2	84300000	84300000	OLD OR MIDDLE JAVANESE
L 3	4	3	34000000	34000000	SUNDANESE
L 4	2	4	210000000	15848500	MALAY
L 5	7	5	3900000	15848500	PALEMBANG MALAY
L 6	5	6	13600000	6770900	MADURESE
L 7	6	7	5500000	5530000	MINANGKABAU
L 8	8	8	3500000	5000000	BUGINESE
L 9	12	9	2700000	5000000	BETAWI
L 10	9	10	3500000	3502300	BANJARESE MALAY
L 11	10	11	3500000	3500032	ACEH
L 12	11	12	3300000	3330000	BALI
L 13	16	13	1600000	2130000	MAKASAR
L 14	13	14	2700000	2100000	SASAK
L 15	14	15	2000000	2000000	TOBA BATAK
L 16	17	16	1100000	1100000	BATAK MANDAILING
L 17	18	17	1000000	1000000	GORONTALO
L 18	19	18	900000	1000000	JAMBI MALAY
L 19	27	19	500000	900000	MANGGARAI
L 20	21	20	800000	770000	NIAS NORTHERN
L 21	22	21	700000	750000	BATAK ANGKOLA
L 22	24	22	600000	700000	UAB METO
L 23	23	23	600000	600000	KARO BATAK
L 24	25	24	500000	500000	BIMA
L 25	26	25	500000	470000	KOMERING
L 26	28	26	400000	350000	REJANG
L 27	32	27	300000	331000	TOLAKI
L 28	29	28	300000	300000	GAYO
L 29	30	29	300000	300000	MUNA
L 30	31	30	300000	250000	TAE
L 31	15	31	1900000	245020	AMBONESE MALAY
L 32	20	32	900000	230000	MONGONDOW

We further generate the similarity matrix of those 32 languages as shown in Table 4. We also added a white-red color scale where white color means the two languages are totally different (0% similarity) and the reddest color means the two languages are exactly the same (100% similarity). For a better clarity and to avoid redundancy, we only show the bottom-left part of the table. The headers follow the language code in Table 3.

Hierarchical clustering is an approach which builds a hierarchy from the bottom-up, and does not require us to specify the number of clusters beforehand. The algorithm works as follows:

- Put each data point in its own cluster
- Identify the closest two clusters and combine them into one cluster
- Repeat the above step until all the data points are in a single cluster

Once this is done, it is usually represented by a dendrogram like structure. There are a few ways to determine how close two clusters are:

- ✓ Complete linkage clustering: Find the maximum possible distance between points belonging to two different clusters.
- ✓ Single linkage clustering: Find the minimum possible distance between points belonging to two different clusters.
- ✓ Mean/Average linkage clustering: Find all possible pairwise distances for points belonging to two different clusters and then calculate the average.
- ✓ Centroid linkage clustering: Find the centroid of each cluster and calculate the distance between centroids of two clusters.

Complete linkage and mean (average) linkage clustering are the ones used most often. We generate the distance matrix from the similarity matrix shown in Table 4 and further generate the hierarchical clusters with `hclust` function with a complete linkage clustering method as shown in Figure 5 and a mean linkage clustering method as shown in Figure 6 using R¹, a free software environment for statistical computing and graphics.

From those two hierarchical clusters in Figure 5 and Figure 6, we select two stable clusters that always grouped together despite of changing the linkage clustering method. The first cluster consists of TOBA_BATAK, BATAK_MANDAILING, and BATAK_ANGKOLA, while the second cluster consists of MINANGKABAU, BETAWI, AMBONESE_MALAY, BANJARESE_MALAY, PALEMBANG_MALAY, JAMBI_MALAY, MALAY, and Indonesia. Since the two stable clusters have language similarities above 50% between the languages, they are good clusters to be referred when selecting target languages for computational linguistic researches that depends on language similarity or cognate recognition for inducing bilingual lexicons from the target languages (Mann, G.S., and Yarowsky, D., 2001; Wushouer et al., 2015; Nasution et al., 2016; Nasution et al., 2017a). The two clusters are actually enough for selecting the target languages for those researches. However, we still need to evaluate the stability of those clusters and we also need to identify the low language similarities clusters in order to grasp the whole picture of Indonesian ethnic languages. Thus, we utilize the alternative clustering approach which is a k-means clustering.

¹ <https://www.r-project.org/>




Figure 5. Hierarchical Clusters Dendrogram of 32 Indonesian Ethnic Languages – method: complete




Figure 6. Hierarchical Clusters Dendrogram of 32 Indonesian Ethnic Languages – method: average

K-means clustering is an unsupervised learning algorithm that tries to cluster data based on their similarity. Unsupervised learning means that there is no outcome to be predicted, and the algorithm just tries to find patterns in the data. In k-means clustering, we have to specify the number of clusters we want the data to be grouped into. The algorithm works as follows:

- The algorithm randomly assigns each observation to a cluster, and finds the centroid of each cluster.
- Then, the algorithm iterates through two steps:
 - Reassign data points to the cluster whose centroid is closest.
 - Calculate new centroid of each cluster.

These two steps are repeated until the within cluster variation cannot be reduced any further. The within cluster variation is calculated as the sum of the euclidean distance between the data points and their respective cluster centroids.

It is well known that standard agglomerative hierarchical clustering techniques are not tolerant to noise (Nagy, 1968; Narasimhan et al., 2006). There are many previous works on finding clusters which robust to noise (Guha et al., 1999; Langfelder, P., & Horvath, S., 2012; Balcan et al., 2014). However, to evaluate the stability of the hierarchical stable clusters, we introduced a simple approach of calculating their stability level of being grouped together despite of changing the number of k-means clusters. We extend the k-means clustering unsupervised learning to a k-means clustering semi-supervised learning by labeling the two hierarchical stable clusters beforehand.

ALGORITHM 1: Cluster Stability Evaluator

Input: *similarity_matrix*, *stable_clusters*, *minimum_k*, *maximum_trial*

Output: *stability_level*

trial ← 1

current_k ← *minimum_k*

maximum_k ← *length(similarity_matrix)*

scale2D ← *cmdscale(similarity_matrix)* //multidimensional to 2D scaling

while *current_k* ≤ *maximum_k*, **do**

successful_trial ← 0 // initialized for each *current_k*

while *trial* ≤ *maximum_trial*, **do**

k-clusters ← *kmeans(scale2D, current_k)*

if *stable_clusters* distinctly found in *k-clusters*, **then**

successful_trial++

trial++ // try again with the same number of cluster (*current_k*)

end

stability_level[*current_k*] = *successful_trial* / *maximum_trial*

current_k++ // increase the number of clusters

trial = 1 // reset the number of trial

end

return *stability_level*

Initially, we manually conduct several trials to estimate the minimum and maximum number of k -means cluster to obtain clusters which consist of the stable clusters distinctly. Based on the initial trials, we estimate the *minimum* $k = 4$ and *maximum* $k = 21$. Then, we calculate the stability level of the two hierarchical stable clusters where the number of clusters ranging from *minimum* $k = 4$ to *maximum* $k = 21$ following Algorithm 1. We have five sets of experiments with the *maximum_trial* equals 50, 500, 5,000, 50,000, and 500,000. In each experiment, a stability level of the two hierarchical stable clusters is measured for each number of k -means clusters by calculating the success rate of obtaining the two hierarchical stable clusters in the generated k -clusters as shown in Figure 7 to 11.




Figure 7. Obtaining Stable Clusters in 50 Trials




Figure 8. Obtaining Stable Clusters in 500 Trials

The higher the number of the trial, the more likely we can distinctly find the two hierarchical stable clusters in the generated k -clusters with a big number of clusters. For example, within 50 trials, we can not find the two hierarchical stable clusters distinctly in the generated k -clusters for big number of clusters ($k > 14$). However, within 50,000 and 500,000 trials, we can find the two hierarchical stable clusters distinctly in the generated k -clusters for all number of clusters between the *minimum* $k = 4$ and the *maximum* $k = 21$, even though the success rate is getting lower as the number of clusters increases. For all five experiments, the stability level of the two hierarchical stable clusters is the highest (0.78) on 5 clusters.




Figure 9. Obtaining Stable Clusters in 5,000 Trials




Figure 10. Obtaining Stable Clusters in 50,000 Trials




Figure 11. Obtaining Stable Clusters in 500,000 Trials

Therefore, we take the 5 clusters as shown in Figure 12 as the best clusters of Indonesian ethnic languages to be referred when selecting target languages for computational linguistic researches that depends on language similarity or cognate recognition. We further plot the 5 clusters to a geographical map as shown in Figure 13.




Figure 12. K-means Clusters of 32 Indonesian Ethnic Languages – 5 Clusters



Figure 13. Similarity Clusters Map of 32 Indonesian Ethnic Languages – 5 Clusters

4. CONCLUSION

We utilized ASJP database to generate the language similarity matrix, then generate the hierarchical clusters with complete linkage and mean linkage clustering, and further extract two stable clusters with the highest language similarities. We apply our extended k-means clustering semi-supervised learning to evaluate the stability level of the hierarchical stable clusters being grouped together despite of changing the number of clusters. The higher the number of the trial, the more likely we can distinctly find the two hierarchical stable clusters in the generated *k-clusters*. However, for all five experiments, the stability level of the two

hierarchical stable clusters is the highest (0.78) on 5 clusters. Therefore, we take the 5 clusters as the best clusters of Indonesian ethnic languages to be referred to select target languages for computational linguistic researches that depends on language similarity or cognate recognition. Finally, we plot the generated 5 clusters to a geographical map. Our algorithm can be used to find and evaluate other stable clusters of Indonesian ethnic languages or other language sets.

ACKNOWLEDGMENT

This research was partially supported by a Grant-in-Aid for Scientific Research (A) (17H00759, 2017-2020) and a Grant-in-Aid for Young Scientists (A) (17H04706, 2017-2020) from Japan Society for the Promotion of Science (JSPS). The first author was supported by Indonesia Endowment Fund for Education (LPDP).

BIBLIOGRAPHY

- Balcan, M. F., Liang, Y., & Gupta, P. (2014). Robust hierarchical clustering. *The Journal of Machine Learning Research*, 15(1), 3831-3871.
- Campbell, L. (2013). *Historical Linguistics*. Edinburgh University Press.
- Campbell, L. and Poser, W.J. (2008). *Language classification. History and method*. Cambridge.
- Guha, S., Rastogi, R., & Shim, K. (1999, March). ROCK: A robust clustering algorithm for categorical attributes. In *Data Engineering, 1999. Proceedings., 15th International Conference on* (pp. 512-521). IEEE.
- Holman, E.W., Brown, C.H., Wichmann, S., Müller, A., Velupillai, V., Hammarström, H., Sauppe, S., Jung, H., Bakker, D., Brown, P., and others. (2011). Automated dating of the world's language families based on lexical similarity. *Current Anthropology* 52, 6 (2011), 841–875.
- Holman, E. W., Wichmann, S., Brown, C. H., Velupillai, V., Müller, A., & Bakker, D. (2008). Explorations in automated language classification. *Folia Linguistica*, 42(3-4), 331-354.
- Ishida, T. editor. (2011). *The Language Grid: Service- Oriented Collective Intelligence for Language Resource Interoperability*. Springer Publishing Company, Incorporated.
- Ishida, T. (2016). Intercultural collaboration and support systems: A brief history. In *International Conference on Principles and Practice of Multi-Agent Systems (PRIMA 2016)*, pages 3–19. Springer.
- Langfelder, P., & Horvath, S. (2012). Fast R functions for robust correlations and hierarchical clustering. *Journal of statistical software*, 46(11).
- Lehmann, W.P. (2013). *Historical linguistics: an introduction*. Routledge.
- Levenshtein, V. I. (1966). Binary codes capable of correcting deletions, insertions, and reversals. In *Soviet physics doklady* (Vol. 10, No. 8, pp. 707-710).
- Lewis, M. Paul, Gary F. Simons, and Charles D. Fennig (eds.) (2015). *Ethnologue: Languages of the World, Eighteenth edition*. Dallas, Texas: SIL International. Online version: <http://www.ethnologue.com>
- Mann, G.S., and Yarowsky, D. (2001). Multipath translation lexicon induction via bridge languages. In *Proceedings of the second meeting of the North American Chapter of the Association for Computational Linguistics on Language technologies*. Association for Computational Linguistics, 1–8.
- Nagy, G. (1968). State of the art in pattern recognition. *Proceedings of the IEEE*.

- Narasimhan, M., Jojic N., and Bilmes, J. (2006). Q-clustering. *Advances in Neural Information Processing Systems*.
- Nasution, A. H., Murakami, Y., and Ishida, T. (2016). Constraint-based bilingual lexicon induction for closely related languages. In *Proceedings of the Tenth International Conference on Language Resources and Evaluation (LREC 2016)*, pages 3291–3298, Paris, France, May.
- Nasution, A. H., Murakami, Y., and Ishida, T. (2017a). A generalized constraint approach to bilingual dictionary induction for low-resource language families. *ACM Trans. Asian Low-Resour. Lang. Inf. Process.*, 17(1):1–29, September.
- Nasution, A. H., Murakami, Y., and Ishida, T. (2017b). Plan optimization for creating bilingual dictionaries of low-resource languages. In *2017 International Conference on Culture and Computing (Culture Computing)*, Sep.
- Nasution, A. H., Syafitri, N., Setiawan, P. R., and Suryani, D. (2017c). Pivot-based hybrid machine translation to support multilingual communication. In *2017 International Conference on Culture and Computing (Culture Computing)*, Sep.
- Swadesh, Morris. (1950). Salish Internal Relationships. *International Journal of American Linguistics*, Vol. 16, 157–167
- Swadesh, Morris. (1952). Lexicostatistic Dating of Prehistoric Ethnic Contacts. *Proceedings of the American Philosophical Society*, Vol. 96, 452–463.
- Swadesh, Morris. (1955). Towards Greater Accuracy in Lexicostatistic Dating. *International Journal of American Linguistics*, Vol. 21, 121–137.
- Swadesh, Morris. (1971). *The Origin and Diversification of Language*. Ed. post mortem by Joel Sherzer. Chicago: Aldine, p. 283.
- Tang, C., & van Heuven, V. J. (2015). Predicting mutual intelligibility of Chinese dialects from multiple objective linguistic distance measures. *Linguistics*, 53(2), 285-312.
- Wichmann, S., Holman, E. W., Bakker, D., & Brown, C. H. (2010). Evaluating linguistic distance measures. *Physica A: Statistical Mechanics and its Applications*, 389(17), 3632-3639.
- Wushouer, M., Lin, D., Ishida, T., and Hirayama, K. (2015). A constraint approach to pivot-based bilingual dictionary induction. *ACM Trans. Asian Low-Resour. Lang. Inf. Process.*, 15(1):4:1–4:26, November.