



Yasir Hussain

PREDICTING CUSTOMER SATISFACTION WITH PRODUCT REVIEWS

A comparative study of some machine learning approaches

Faculty of Information Technology and Communication Sciences

M. Sc. Thesis

Dec 2019

ABSTRACT

Yasir Hussain: Predicting customer satisfaction with product reviews: A comparative study of some machine learning approaches

M.Sc. Thesis, 49 pages, 0 appendices pages

Tampere University

Master's Degree Programme in Computational Big Data Analytics

Dec 2019

In past two decades e-commerce platform developed exponentially, and with this advent, there came several challenges due to a vast amount of information. Customers not only buy products online but also get valuable information about a product they intend to buy through an online platform. Customers share their experiences by providing feedback which creates a pool of textual information and this process continuously generates data every day. The information provided by customers contains both subjective and objective text that contains a rich information regarding behaviour, liking and disliking towards a product and sentiments of customers. Moreover, this information can be helpful for the customers who are yet to buy or who are yet in decision making process. This thesis studies comparison of four supervised machine learning approaches to predict customer satisfaction. These approaches are: Naïve Bayes, Support Vector Machines (SVM), Logistic Regression (LR), and Decision Tree (DT). The models use term frequency inverse document frequency (TF-IDF) vectorization for training and testing sets of data. The models are applied after basic pre-processing of text data that includes the lower casing, lemmatization, the stop words removal, smileys removal, and digits removal. We compare the performance of models using accuracy, precision, recall, and F1-scores. Support Vector Machines (SVM) outperforms the rest of the models with the accuracy rate 83% while Naïve Bayes, Logistic Regression (LR) and Decision Tree (DT) have accuracy rate 82%, 78%, and 76%, respectively. Moreover, we evaluate the performance of classifiers using confusion matrix.

Key words and terms: Customer Satisfaction, NLP, Review Mining, Machine Learning, Supervised Learning, Classification.

The originality of this thesis has been checked using the Turnitin OriginalityCheck service.

PREFACE

The research work presented in this thesis has been conducted at Faculty of Information Technology and Communication Sciences (ITC), University of Tampere, Finland. With the acceptance of this thesis, I complete my Masters' in Computational Big Data Analytics. The thesis would have been difficult without support of my friends who played their vital role.

I sincerely express my gratitude towards my supervisors Kati Iltanen and Tapio Nummi for their advice, support and guidance throughout this thesis. I also thank my teachers and other faculty members who were always supporting.

Finally, I am truly blessed to have a supportive family, and I thank from the core of my heart for your care, and love. You guys are a reason of my motivation.

Tampere, 12/12/2019

Yasir Hussain

Contents

1	INTRODUCTION	1
1.1.	PROBLEM STATEMENT.....	2
1.2.	OBJECTIVES OF THE STUDY	3
2	RELATED WORK	4
2.1	PRODUCT REVIEWS	4
2.2	REVIEW MINING	6
2.3	CUSTOMER SATISFACTION.....	8
2.4	MACHINE LEARNING APPROACHES	12
2.5	CLASSIFICATION TECHNIQUES.....	14
3	METHODOLOGY	18
3.1	DATA PRE-PROCESSING.....	18
3.1.1	<i>Lower casing</i>	19
3.1.2	<i>Lemmatization</i>	19
3.1.3	<i>Stop Word Removal</i>	20
3.1.4	<i>HTML tag removal</i>	21
3.1.5	<i>Smileys Removal</i>	21
3.1.6	<i>Tokenization</i>	22
3.2	BAG OF WORDS	22
3.2.1	<i>TF-IDF Vectorizer</i>	23
3.3	MACHINE LEARNING FOR TEXT CLASSIFICATION	23
3.3.1	<i>Supervised Machine Learning techniques for text data</i>	24
3.3.1.1	Text Classification.....	24
3.3.1.1.1	Naïve Bayes Classifier.....	25
3.3.1.1.2	Support Vector Machine classifier.....	26
3.3.1.1.3	Logistic Regression Classifier.....	27
3.3.1.1.4	Decision Tree Classifier.....	28
3.3.1.2	Evaluation of Classifiers.....	29
4	DATA	32
4.1	AMAZON DATASET: INSIGHTS	32
5	RESULTS AND DISCUSSION	38
6	CONCLUSION	42
7	REFERENCES	44

List of Figures

Figure 1. Word Cloud of Amazon reviews [Engler et al., 2015].	9
Figure 2. Opinion mining techniques.	13
Figure 3. An approach to convert non-grammatical words or phrases [Mushtaq 2017].	14
Figure 4. The pre-processing of text data.	18
Figure 5. Lemmatization Process.	19
Figure 6. List of stop words.	20
Figure 7. List of smileys.	21
Figure 8. Classification process.	25
Figure 9. Support Vector Machine partition.	27
Figure 10. Sigmoid Function.	28
Figure 11. Confusion matrix.	31
Figure 12. Amazon dataset format.	32
Figure 13. Distribution of overall rating for Amazon products. The x-axis contains ratings and y-axis contains counts.	33
Figure 14. Distribution of average rating of product.	34
Figure 15. Average rating by customer.	34
Figure 16. Distribution of cases in labels '0' and '1'.	35
Figure 17. <i>Word Cloud</i> of features appearing with label 1.	36
Figure 18. <i>Word Cloud</i> of features appearing with label '0'.	36
Figure 19. Word counts in the review.	37
Figure 20. Confusion matrix of Naive Bayes (NB) classifier.	39
Figure 21. Confusion matrix of Support Vector Machines (SVM) classifier.	40
Figure 22. Confusion matrix of Logistic Regression (LR) classifier.	40
Figure 23. Confusion matrix of Decision Tree (DT) classifier.	41

List of Tables

Table 1. Bag of Words (BoW).	23
Table 2. Summary of ratings.	33
Table 3. Summary of the results of all the classification techniques.	38
Table 4. Actual and predicted values by the models trained on dataset for some test cases.	38

List of Abbreviations

AWS	Amazon Web Service
BoW	Bag of words
CS	Customer Ssatisfaction
DT	Decision tree
FN	False Negative
FP	False Positive
IDF	Inverse document frequency
kNN	k-Nearest Neighbours
LR	Logistic Regression
NB	Naïve Bayes
NLP	Natural language Processing
NLTK	Natural Language Toolkit
NN	Neural Network
SVM	Support Vector Machines
TF	Term frequency
TF-IDF	Term frequency-Inverse docusment frequency
TN	True Negative
TP	True Positive

1 Introduction

In the past two decades, e-commerce developed exponentially around the globe. Consumers not only buy products online but also look for valuable information shared by other buyers about a product they intend to buy through an e-commerce platform. E-commerce is bringing a huge change in people's lifestyle, consumer behaviour, the business model and the way how an organization works. In a very short span of time, e-commerce developed itself from the mechanism for online selling and buying to something like a system that is developing ease of doing business, consumers' trust, and providing comfort to consumers by providing them desired products at their doorstep.

Companies operating around the globe are now collecting different type of information that is coming from different sources. The most common information is the collection of product reviews by enabling customers to review a product and share their experience. Online customer reviews are useful to the customers as well as the producers. In customer point of view, the customer can have access to the information provided by the customers who have already experienced that product. Moreover, the customers can read some more not only about the product, but also about features of a product. Such a huge information satisfies consumers' need for information. In producer point of view, they are using this information not only for enhancement of businesses but also for decision making. The decision making that revolves around sales management, marketing management, customer relationship management, new product designing and supply chain management.

The collection of reviews is possible in several ways but in general the customer gets space to rate the product and shares his experience. The structured data is the data that a company collects and save it into a formatted repository. It goes into the database and the company use it when needed. For example, it can be sales data, or account information, ledgers, invoices, etc. The unstructured data is a type of information that a company collects on an undefined model or it doesn't follow a predefined model. Whereas, the semi-structured data is a type of structured data that doesn't follow any pre-defined model, but somehow it contains the information that can be dealt as structured data. An example of semi-structured data is the reviews: data that a company collects after provision of good or services. The reviews data can be mixed data where the customers give not only ratings but also their opinion if they liked the product or not, or which feature of the product is appealing. Moreover, it also contains some customer information about his age, location, the number of times he bought a product or service.

In e-business there is no direct communication between a customer and buyer, but the products are provided by the hosts where there are different brands providing their products. The reviews give benefits not only the hosts but also the company whose product is being sold online. So, in the process not only the host can improve its system but also the brand can improve the products and satisfy the customer needs and wants.

The famous saying, “customer is the boss of the market” indicates that all what an e-commerce does is for the customer and customer satisfaction is the prior goal to get the customer, to maintain the customer by fulfilling their needs and wants. The satisfaction of a customer is the result the customer experience when a seller does all that it is necessary to meet the expectation of a customer in a timely, and on consistent basis. The satisfaction is ultimately something that can be conceived from the customer.

There are giants in the market doing businesses through e-commerce platforms. The list is huge but prominent e-commerce firms are: Amazon, Ali Express, Zolando, Shopify, and Walmart, etc. These firms are providing in a huge number of countries around the globe. Amazon is leading these giants with net worth of US\$10.073 billion¹ providing its virtual store around the globe.

Amazon provides a facility to the customer where they can share their experiences through feedback and there are billions of product reviews available on amazon website for research purposes.

Analysis of customer feedback using text data focuses more on models of prediction. Not only the sentiments, but there are also some other aspects hidden in the text data provided by the customer in the form of feedback. Customers are asked to provide the ranking based on their liking or disliking also provided meaningful insight about a product and on behalf of that ranking the potential customer can decide if the product is appealing or not. The potential customer can also access the detail why it is ranked some number.

1.1. Problem statement

Analysis of customer feedback using text data focuses more on models of prediction. The text information contains not only the customers’ sentiments, but also other important aspects of information.

The focus on most of the researches is whether the text is subjective or objective, and if it is objective then it is positive or negative. Where there was work mainly focusing on sentiment analysis, the researchers opted the subjective approach to deal with the analysis and model building and predictions. However, there are still challenges to deal with the text data.

¹ [https://en.wikipedia.org/wiki/Amazon_\(company\)](https://en.wikipedia.org/wiki/Amazon_(company))

Our focus is on both subjective and objective text analysis [Yassine & Hajj, 2010; Wilson *et al.*, 2004] where we are training models, testing and predicting on behalf of mixed information (objective and subjective).

1.2. Objectives of the study

The objective of the study are as follows.

- To explore the customers' insights from the data provided by Amazon, including features from text analysis.
- Classifying the customers according to their level of satisfaction (satisfied, dissatisfied).
- Comparing some supervised machine learning techniques by analysing their performances on mixed text information through different approaches.

2 Related Work

A considerable amount of research has been conducted so far, and it is still going on in the field of Natural Language Processing (NLP). Text subjectivity analysis and sentiment analysis is performed in year 1990 by the Computational Linguistic Community² [Mäntylä *et al.*, 2018]. Textual analysis can be carried out by choosing one or mix of approaches such as vocabulary based, machine learning and rule based. In the following sections, we explain the old approaches used for the purpose of measurement of customer satisfaction and to deal with opinion mining.

2.1 Product reviews

The growth of e-commerce has generated mass information that is crucial to be dealt for meaningful purposes and decision making. There is no proper reputation system in the digitally mediated markets, consumers are not familiar with products, features, and the quality of a product and there are trust issues due to virtual connectivity. The compensation of trust issues and lack of expected quality in digitally managed markets, several retailers provide rating system for consumers where they can rate a product according to the level of expectation it meets. Consumer can give his views and explain how it fulfilled the expectation or not. The information sharing among consumers has potential to decrease uncertainty about quality of a product [Dellarocas 2003]. Reviews can play a vital role in purchase decision of a customer as it makes him able to read about specification of a product that he is willing to buy. Researchers declared customer reviews an un-investigated issue that makes it helpful for other customers in the process of decision making [Mudambi 2010].

An important question for the firm is to realize that why customers will believe on the information provided by strangers and how trust can be formed in consumers themselves. Credibility is an important aspect of information sharing, and it plays a vital role in sales of products as it involves reliability and consumers trust. The Amazon provides such a balanced platform for product reviews where a consumer not only posts reviews, but also, he can vote the reviews if it is helpful or not. The voting is giving a clear direction if consumers agree with the opinion that is made by a reviewer and the counts give a clear direction and settles a pathway for decision making. The voting of helpfulness is an indication of the quality of reviews to other consumers [Dhanasobhon *et al.*, 2007]. Moreover, reviews having helpful votes have a strong impact on the decision making of a customer

² <https://compling.livejournal.com/>

and the reviews have a stronger impact on less popular products as compare to more popular products and helpfulness of reviews has an ability to incorporate an addition in the sale [Chen *et al.*, 2006].

The ratings are usually displayed to the users of a product as an average of all the ratings assigned by other consumers. These ratings are usually displayed on top of the page where a consumer can assess the quality of the products and products are usually given a polarized opinion of the product which is misleading [Hu, Pavlo, and Zhandg 2006]. Because the average rating doesn't exactly show how many consumers have given low and high ratings. The average rating may not play a positive role in decision making as humans' way of decision making may vary from what it is being explained by an average.

Online ratings are much more than that of numbers and they are playing their role as a strong data of opinion. The ratings are good enough to give a strong insight about the customer, the product and the market. The information leads to a useful information that can be a strong reason why a product fails or successes in the market [Chevalier and Mayzlin 2006]. Online product ratings have been researched covering various topics. The important category of research is the examination of influence of the product rating on decision making of consumers. Numerous studies found a significant positive influence of the rating on decision making of customers that led to the purchase of a product [Lin *et al.*, 2011; Mauri and Minazzi, 2013]. The text in the reviews also contains a lot of information that gives pertinent insights of customers' behaviour, sentiments and satisfaction.

Consumers can give their opinion about the product and its associated segments³ and the length of product review is depending on the consumers' sentiments. According to a report [Woolf 2017], the statistics shows that there are the greatest number of reviews containing 100-150 words, and it is followed by the reviews that have 150-200 words. The report also shows that the average amount of characters in a review is 582.

Customers are usually motivated by several reasons to participate in giving online reviews and feedback for a product that they purchase. The few reasons have been mentioned above. However, customers post reviews with this motive to help future customers for the purpose of better decision making [Yoo and Gretzel, 2011]. Another reason of posting online reviews is the fulfilment of the psychological needs of customers. Consumers can give their opinion and they can show positive or negative sentiments, depending upon the experience they had. Another reason to post online reviews is to obtain a positive reputation by getting votes for the helpfulness of the reviews that one posts

³ Associated segments are the connected elements with the product such as packaging, delivery etc.

[Kwok and Xie, 2016]. One more important reason of posting online reviews is showing his relevance or making relevance in the community and in this way, people even post fake reviews without even experiencing the product or service. The final reason is related to the economic proliferation of reviewer. They may get some incentive for giving reviews and it may depend on the quality of reviews or the quantity of reviews [Hennig-Thurau *et al.*, 2004].

2.2 Review mining

Data collection is an important part of any research to be conducted. Researchers have used multiple ways to collect reviews from the databases or the link provided by the firm. Generally, in an automated system the data is collected by a system web crawler. Hu & Liu [2004] collected the data through a customized web crawler and stored the collected set of reviews in a local database. Miao [2014] used the crawler by dividing the large-scale job into several small jobs and then ran functions in parallel.

Amazon reviews doesn't have a complete information of a product with its features, but it has a code assigned to the product and a short description is also the data. It doesn't give a valid information, so it is difficult to mine product features through reviews. Reviews usually have technical details about the product, but it is not necessary that the consumer can understand. Apart from language analysis and sentiments, it is important to extract the aspect of product that are attracting customers to buy the product. The reviews are either saying something about the product or it can contain the features that a reviewer is discussing about. The features of products are usually in the form of nouns or phrases. The feature that is being extracted, it should have either a subject, an attribute of the subject, or the attribute of part of the subject [Yi and Niblack 2005]. Sometimes the product features are explicitly⁴ mentioned in the review and sometimes implicitly⁵ [Chen 2018]. Explicit features can be extracted by using a manual or automatic extraction process. The features can be extracted manually by setting up the features' vocabulary that is related to a product feature and then extract those features from reviews. In this regard several classes are to be assigned to the data and then extraction is made. Kobayashi *et al.* [2005] developed a semi-automatic system for the purpose to collect the reviews and the opinion of consumers. They collected the features, products name, and the opinion or sentiments of consumers. However, it is quite unaffordable to use semi-automatic or manual ways to extract features from data when the information is coming in huge numbers. In the era of big data, it is not possible to deal manually, however, researchers are doing their best to mine the vast amount of data. Natural language processing provides

⁴ Explicit reviews are reviews where a feature of a product is mentioned e.g. camera

⁵ Implicit reviews are reviews where a product feature is being discussed passively.

methods to extract features from language. The features can be parts of speech, such as subject, adjective or nouns, and syntactic analysis. Moreover, it is possible to extract the information that is either subjective or objective.

Subjective information can be a discussion towards some topic or the opinion of consumers towards a product. Moreover, the opinion can be either negative or positive as it depends on the satisfaction of customer and utility of the product. For this purpose, both machine learning techniques such as supervised, unsupervised, hybrid or lexicon approached can be employed [Mushtaq 2017]. Hu and Liu [2004] extracted features by manually labelling the words that are appearing in the corpus. Subjectivity is the aspect of language which is used to express sentiments or opinion, evaluation and speculation of language being used in reviews. Wilson *et al.* [2004] gave a review of work in learning subjective information from the document by using natural language processing. They incorporated the study by generating subjectivity of the corpus, adjectives, and verbs etc using similarity approaches. They extracted the features by examining the overall corpus. Moreover, the authors showed the density of subjectivity effects strongly to the overall text that how likely it is to be subjective. Ghose *et al.* [2011] formulated three basic constructs for the features based on textual information that have their impact on the average level of subjectivity, the difference of subjectivity and objectivity of the corpus, the ability of the corpus to be read and the spelling errors of the corpus. They also observed that there were reviews having objective information which describes the product and its characteristics.

Pang and Lee [2004] explained a technique to identify the objective and subjective information available in the sentences. They applied the method in a set of data containing reviews and they considered the objective information the body of the text and subjective information that appears in the reviews. Ghose *et al.* [2011] considered objective information as the information that appears in the description of the product and all other is considered as subjective. Yassine and Hajj [2010] described subjective information as the information that explain some emotions towards some event and objective is something that doesn't show any emotion, but it contains all other information. Where the emotion is a state of mind that customers have after consumption of a product. Ekman [1992] labelled a list of basic emotions: happiness, anger, sadness, disgust, surprise and fear. Some researchers categorised emotions into few classes as per the requirement of their research questions and these classes are often positive or negative that describes the state of mind of the reviewer or respondent. The emotion stating positive or negative are indicating the level of strength associated with the emotions of respondent [Thelwall 2010]. Yassine and Hajj [2010] proposed a model for the unstructured language of online social networks and developed a new lexicon approach to cover expression and sentiments of

online users. Our approach is to use the unstructured information by using mixed approach where both subjective and objective information is considered.

2.3 Customer Satisfaction

Customer satisfaction is the state of customer after using a product or service which explains if the product met the expectations of a customer or not. Customer satisfaction can be viewed as a pattern of aspects and associated sentiments and this is due to the dependence of customer satisfaction on the aspect of a product or service [Farhadloo *et al.*, 2016]. Moreover, customer satisfaction is the fulfilment of needs [Oliver 1997] and the product that is meeting the expectation of the customers is the fulfilment of needs.

A customer can give his feedback not only in the form of texts but also, he can rate the product. A lower rating is usually associated with dissatisfaction and a high rating stands for satisfaction. Product rating is one of the pertinent ways to judge the satisfaction level of a customer and its influences have been studied [Banerjee and Chua, 2016]. The biggest strength of assigning ratings to a product is that it directly states the satisfaction level of a customer [Zhao *et al.*, 2019]. The product rating is an expression of satisfaction and it is not justifiable to say that it is the assessment of quality. Analysis of customer satisfaction is the central idea in marketing research which measures satisfaction of each customer on an individual basis [Yi, 1991]. Customer satisfaction is the defined function where CS is depending on the expectation of customer and performance of a product [Fornell *et al.*, 1996]. The customers expectation can be hypothesized as the probabilities of how a product will affect a customer where a positive effect stands for desired probabilities. The expectations can't be idealized as the post purchase phenomena, it is a pre-purchase phenomenon [Engler *et al.*, 2015] and the customer executes it after experiencing the product.

Engler *et al.* [2015] searched through the complete text information of Amazon online reviews to generalize that online product rating reflect customer satisfaction. For this purpose, they collected reviews from 1994 to 2014 containing 7,834,166 cases. They visualized the features of data by creating a word cloud from 10 percent randomly chosen cases. The word cloud is given in Figure 1.

have sentiments and opinion towards a product accordingly. Schuckert *et al.* [2015] asserted that different customers can have different behaviour and perception which is depending upon their background such as to which language group they belong to. Moreover, the behaviour of customers is depending on purpose why they are travelling or using the hotel services [Xu *et al.*, 2019].

Product quality is also an important factor in customers' satisfaction. The assessment of quality can simply be that if a product is fulfilling the needs of a customer or not, and if it is up to the standard that a customer wants or not. Researchers have conducted numerous studies where they investigated not only the lexicon, subjectivity and objectivity but also hidden factors such as quality. In most of the studies, the researcher assumed that the baseline of the product quality can be assessed by product ratings. However, it is found with empirical evidences that rating doesn't have an enough role in the reflection of true product quality [Koh *et al.*, 2010].

Söderlund [1998] studies the customer satisfaction and its effect of customer behaviour under two conditions: low and high level of satisfaction. They examined three different variable such as word of mouth, feedback and loyalty of customers. They concluded that not only the differences exist but also differences exist between the difference in the sense that different patterns develop for each variable that is pondered as behavioural variable.

Kang and Park [2014] studies the review-based measurement of customer satisfaction by using sentiment analysis and VIKOR approach on mobile services. VIKOR is the ranking method of multicriteria decision making approach and suggested that customer satisfaction can be measured by using sentiment analysis that simultaneously considers maximum group satisfaction and individual regret. They worked in two stages, at first stage they implemented sentiment analysis and then using sentiments scores they calculated the scores for each attribute. At second stage they applied VIKOR to measure the customer satisfaction. They concluded that the customer review-based approach saves time and effort captured the real voice of customers.

Engler *et al.* [2015] worked on understanding of online customers ratings by implementing a customer satisfaction model. They analysed the data collected from Amazon.com where the language of text was German. They argued that the customer rating is the reflection of customers' ratings. They introduced a customer satisfaction model which

features customers' expectations before purchase and actual product performance as factors of ratings. They concluded that both factors: pre purchase expectations and actual products performance have significant influence on product ratings.

Xu and Li [2016] investigated the antecedents of customer satisfaction and dissatisfaction towards various types of hotels by using latent semantic approach of text mining. They used the customer reviews and analysed the determinants that create the customers satisfaction or dissatisfaction towards the services provided by the hotels. They also provided the clues that how a hotelier can improve the services and satisfy the customers' needs.

Farhadloo *et al.* [2016] modelled customer satisfaction from unstructured data using Bayesian approach. They focused mainly on the aspects that are associated with the product and measured the overall customer satisfaction from the text that is written in free form. They converted the unstructured data into semi-structured form of data by applying the sentiment analysis based on aspects. They collected the data from TripAdvisor⁷ and the empirical approaches applied on the data gave effective results with accuracy rate 88.3 percent.

Ting *et al.* [2017] studied customer experiences posted on Yelp⁸ impact the hospitality industry. They combined the programming and data mining approaches to analyse customer review posted on Yelp. The study aimed to deconstruct the hotel guests' experiences and its association with satisfaction rating. Findings show that there are many important factors involved in customers reviews that carry different weights and find the meaningful semantic composition inside the customer reviews. Moreover, the opted approach can utilize the big data analytics to find different aspects that are not yet studied in the hospitality industry.

Zhao *et al.* [2019] predicted overall customer satisfaction by using data collected from hotel online textual reviews. Using the online data, they studied the overall satisfaction of customers using the technical attributes of the reviews and concluded that a higher level of subjectivity and longer length of reviews lead to the dissatisfaction of customers. Moreover, they concluded that the involvement of customers in the review community influences the overall satisfaction of customers.

⁷ Trip Advisor is the online marketplace where one can book a complete tour.

<https://www.tripadvisor.com/>

⁸ <https://www.yelp.com>

Sezgen *et al.* [2019] conducted study to measure the customer satisfaction by using text mining approaches. They investigated the key drivers of dissatisfaction and satisfaction of customers towards two distinct carriers: low and full service. They collected 500 passengers' reviews where 50 different airlines are reviewed. They concluded that the fundamental difference in customers' satisfaction and dissatisfaction is based on the model and cabin class. Another factor that derives satisfaction of customers is the friendliness of cabin crew whereas deficiency in hygiene factors is the major factor of dissatisfaction among customers.

Jung and Suh [2019] worked on the voice of employees by implementation of text mining approaches to identify and analyse the job satisfaction factors from online employee reviews. They collected 35,063 online employee reviews for identification of job satisfaction from Jobplanet⁹ using latent Dirichlet Allocation (LDA) and conducted a series of analyses based on factors under study. They measured the sentiment analysis of employees as well as the importance of each job satisfaction factor. They concluded that senior management is the most important factor that plays a dominant role in the satisfaction of employees.

Most of the researches are in the field of sentiment analysis where it has been analysed that how customers react after consuming a product or service. However, our focus is on the level of satisfaction of customers, which is being predicted using machine learning approaches. When considering sentiment analysis, our research is closely related to Nguyen *et al.* [2018], but we are working on customers' satisfaction.

2.4 Machine Learning Approaches

There are several methods that can be utilized for classification and predictions of opinion. Two of the most important techniques that have been used for opinion mining and prediction are machine learning and lexicon-based approach. Another technique that has been widely used is hybrid technique that combines both machine learning and lexicon-based approach, and it optimizes the solutions [Cambero 2016].

The machine learning approach depends on classification and text analysis. The purpose of text analysis is business decision making and strategic moves, and for this purpose it needs text pre-processing. Initially, it needs some data to train a model, which can later be used for the purpose of prediction on a new set of data without any labels [Mushtaq 2017]. The machine learning approach is further divided into following two methods.

1. Supervised Learning: Supervised learning reveals patterns, and relationships from a labelled training dataset.

⁹ <https://www.jobplanet.co.kr/>

2. Unsupervised Learning: Unsupervised learning is applicable to infer patterns from a dataset when the dataset is not labelled.

The tree structure of classification techniques is given below in Figure 2 and these techniques are discussed in details in section 2.5.




Figure 2. Opinion mining techniques.

Our focus is on supervised learning.

Opinion can be classified in terms of levels that how the text will be dealt. Some of them are discussed below. The classification can be carried out using sentence level classification. Using sentence level classification, the opinion of every single sentence is analysed [Turney 2002]. It assumes that there is a single opinion extracted from each sentence. Sentence level classification is needed when aim is to analyse more than one opinion in a document. Moreover, sentences are treated in a different way for classification purposes.

Another level of classification is document level classification when aim is to classify the opinion of an overall document. It considers whole document as an entity and it is not suitable when there are more than one opinion in a document [Mushtaq 2017]. The method is unrealistic because it is possible for a document to contain more than one opinion and in this scenario, it is not viable to carry out document level classification.

The classification of opinion can also be carried out using user level opinion analysis. It is not an often-used case, but the researchers carried it out to analyse the behaviour of neighbour user. Tan *et al.* [2011] worked on user-level sentiment analysis by using social media information where the main aim of the research is to conduct the measurements to find the connectedness of customers. Moreover, they also aimed to investigate that how connectedness affects opinion of users.

Another level of classification is aspect level classification. This method highlights the opinion in a sentence towards the aspects of features of a product. For example, “*The*

speaker of mobile is great”, here in this sentence, the speaker is an aspect that provides the ground for an opinion to be formed. The level can be implemented on sentence each sentence of phrase. The method works on aspect level by finding out the target and then the opinion. Previously discussed level focus on document, paragraph or sentences. The analysis can be attained by finding out the difference between polar phrases and then defining the sentiment from others [Wilson 2005]. Aspect level classification is mainly considered best when the focus is on product or service. The models built for the purpose of opinion mining and product analysis about some product or services are based on aspect level classification [Chen *et al.*, 2013].

Figure 3 shows the process of aspect level classification and identifies how aspects of reviewed product based on opinion of customers can be extracted. In the features’ selection, the models collect the features of a products reviewed by the reviewer.




Figure 3. An approach to convert non-grammatical words or phrases [Mushtaq 2017].

2.5 Classification Techniques

In opinion mining, classification techniques are of core importance and there are several researches done based on it. The main purpose of classification techniques is to differentiate between classes such as positive, negative and neutral [Pang *et al.*, 2008]. In supervised learning, initially the models are trained using classifiers to classify opinion of a document. The documents under study have some key features or topic related words.

The comparison of classification techniques is discussed below in the light of previous researches and related work.

Pang, Lee and Vaithyanathan [2002] proposed sentiment analysis classification method for the first time. They used machine learning methods on a set of movie reviews data. They analysed the data with Naïve Bayes, Max Entropy and Support Vector Machines (SVM) models to sentiment classification. Features were extracted from data using unigram and bigram. In their experiment, SVM for unigram feature extraction product best results with accuracy 82.9 %. Mullen and Collier [2004] performed classification approaches to classify consumer sentiment. They implemented classification approaches on the data coming from the purchase of jewellery, clothes and shoes. They performed hybrid SVM, Logistic Regression (LR), Decision Tree (DT), and Naïve Bayes and compared the results. In the study SVM produced the best results with 86 % accuracy rate. Lilleberg, Zhu, and Zhang [2015] performed a study based on comparison of features extraction methods i.e Word2vec and TF-IDF using SVM. They compared the classification results that are performed with stop words and without stop words. The accuracy rate 88 % appeared when SVM is performed on TF-IDF without stop words. He *et al.* [2000] conducted a comparative study on Chinese text categorization methods. Based on re-constructed People's Daily¹⁰ corpus, they evaluated k Nearest Neighbour, Support Vector Machines, and Adaptive Resonance Associative Map (ARAM). They concluded that all the methods are producing satisfactory results and ARAM is comparatively doing better with better generalization capability on relatively small and noisy training set. Balamurugan *et al.* [2007] performed a comparative study of data mining approaches for suspicious email detection. They implemented four classification approaches Neural Network (NN), SVM, Naïve Bayes and DT for the purpose of classification. They had a set of 10000 emails, and they parted emails into training and testing sets equally. They concluded that ID3 works better for the purpose of suspicious email detection where the accuracy 99.4% has been measures. Bhavitha *et al.* [2018] conducted sentiment analysis and compared the various machine learning techniques and lexicon methods. They concluded 74% accuracy for SentiWordnet method, and 86.40% for SVM method.

Aggarwal and Zhai [2012] focused on a specific amendment which is applicable for the purpose of text classification. For the purpose, they used DT, Rule based Classifier, SVM classifiers, Neural Network classifiers, Bayesian (Generative) classifiers, genetic algorithm-based classifiers, and Nearest Neighbour classifiers. They explained the feature selection methods and described the methods of text classification. In same year, Korde and Mahender introduced text classifier and compared the classifiers based on criteria like principle, performance and time complexity. Colas and Brazdil [2006] compared the

¹⁰ <http://en.people.cn/> Chinese news agency

old classification approaches and text categorization. They also found the strengths and weaknesses of algorithms. For the purpose of analysis, they chose SVM, Naïve Bayes and k-Nearest Neighbour (kNN) algorithm. The aim of research was to examine that how a number of attributes of feature space affect the performance of algorithm. They ran experiment on 20newsgroups¹¹ to find the best value of parameters. They concluded that at first Naïve Bayes and performed well and are much faster than SVM in performance. Secondly, as compare to SVM, kNN and Naïve Bayes are very simple to perform, however, SVM has more theoretical implications.

Mamoun and Ahmed [2014] highlighted the algorithms used for the purpose of classification. They performed a comparative study where they compared a different type of classification approaches to the text categorization. They compared several algorithms such as SVM, K Nearest Neighbour, Naïve Bayes, Distance-Based, J48, C5.0 and Roccio. They used these algorithms for Arabic document classification. They concluded that SVM outperforms other algorithm and give generalization accuracy 90%. Hemiedi *et al.* [2015] conducted study to automate the Arabic text categorization. They compared the five best classification algorithms for the purpose of text classification. They performed Naïve Bayes classifier, SVM, K-Nearest Neighbour, DT, and Decision Table Classifier. They collected the dataset from Diab Abu Aiadh, the Arabic Articles that are publicly available. The dataset contains 2700 document of different categories such as arts, economics, health, law, literature, politics, religion etc. Moreover, they checked the scalability and accuracy of data mining tools: Weka¹² and RapidMinor¹³. The results showed that SVM performed better as compare to other algorithm included in the study. They also recommended RapidMinor because of its scalability and effectiveness when Arabic text is being categorized.

In a study conducted in 2015 by Vala and Gandhi compared the classifier and discussed feature selection approaches. They compared kNN, Neural Network (NN), SVM, DT and Naïve Bayes and differentiated their pros and cons. They concluded that as compared to other algorithms SVM performs better in terms of accuracy, speed of learning, speed of classification etc. They also concluded that high dimensionality is a real issue on classification of text, thus they performed feature selection method for the purpose to deal with high dimensional data. Islam *et al.* [2017] conducted a study to compare different type of approaches to categorize the Bengali documents. They implemented well-known supervised learning approaches such as Naïve Bayes, SVM, and Stochastic Gradient Descent (SGD). They indicated that besides classifiers, feature extraction is also

¹¹ <https://www.kaggle.com/crawford/20-newsgroups>

¹² <https://www.cs.waikato.ac.nz/ml/weka/>

¹³ <https://rapidminer.com/>

important to deal with classification purposes. They collected text documents from various Bengali newspapers such as Prothom-alo¹⁴, BDNews¹⁵, and DailyKalerKantha¹⁶ etc. They analysed performance of classifier on predicting a document against twelve categories. They implemented Chi-square and Normalized TF-IDF methods for feature selection process. They compared the F1-scores of algorithms and concluded that SVM outperforms other algorithm when performed using normalized TF-IDF and its accuracy rate is 93%.

¹⁴ <https://prothom-alo.com>,

¹⁵ <https://bdnews24.com>

¹⁶ <https://dailykalerkantha.com>

3 Methodology

The methodology section includes the methods used in this thesis.

3.1 Data pre-processing

Pre-processing of any data is important when dealing with text analysis. It includes the choices of reviewer how he is going to use the language and what sort of characters he is going to put in the review. The actual purpose of pre-processing is to bring data in form that is predictable and able to be analysed. Steps such as removal of stop words and word stemming [Porter 1980] are applied to the document to reduce the noisy information. Most of the data is found to be in an unstructured format and it appear when the limits are not decided within which data need to be provided. The unstructured form of data often comes by emails, reviews, newspapers and social media such as YouTube reviews, Facebook comments or tweets etc. The pre-processing included various types that needs to be dealt before moving towards actual technique needed for analysis. Pre-processing of text document includes steps such as stop words removal and stemming of words [Porter, 1980]. According to the previous researches conducted to deal with textual information, pre-processing improves the retrieval of text, summarization and classification [Yang & Chute, 1994]. The pre-processing text data is shown in Figure 4.




Figure 4. The pre-processing of text data.

In the field of Natural Language Processing (NLP), the techniques that are used to normalize the text, words, and documents are numerous. Some of these techniques are explained that are important in the context of this thesis. In order to deal with pre-processing, we are going to use Natural Language Tool Kit (nltk)¹⁷. The main approaches that we will use in this thesis are explained here.

3.1.1 Lower casing

Lower casing is one of the basic methods used in text pre-processing. It is important because when dealing with the text, the environment is case sensitive, and it is difficult to appear when searched for a word or character. So, when all the text is lower-cased, it will appear on search when it is required. In the dataset one of the respondents reviewed a product as follows;

“Great Energy Level VI travel charger! Very compact and fast charging. It is the most convenient product I never seen before ! I like it. I am very happy with this seller. Order packed very well and ship fast .Great energy level VI slimmest travel charger . Courteous service !”

In above mentioned review, there are several words where there are upper cases words that can cause difficulties to remove noisy information and it is difficult to find the frequency of a word and same word will give different type of output and classifier may lose some concomitant features.

3.1.2 Lemmatization

Lemmatization is the process to bring the word to its actual form by reducing inflection where the actual form a word is the root of a word. It removed stems from a word, the stems such as ‘es’, ‘ed’, ‘er’, ‘ly’, ‘est’ etc. We remove prefix, suffix and infix or other changes that occur because of change of vowel. In a language, the degree of inflection can be lower or higher depending upon the grammatical structure. The example of lemmatization is in Figure 5.





Figure 5. Lemmatization Process.

¹⁷ <https://www.nltk.org/>

Similarly, “*Order packed very well and ship fast*” → “*order pack very well and ship fast*”. Researchers have used suffix stripping algorithm to deal with lemmatization of text data because of its wide use. However, in some cases the algorithm may not work due to low performance especially when dealing with the second and third forms of verbs such as drink, drank and drunk. It is still being used due to its implementation ease in automatic text processing [Scott and Matwin 1999]. Martin Porter introduced Porter Stemmer [Porter 1980] that is a technique to remove inflexional endings and common morphological terms in English. The algorithm is being used for normalization of text when it is retrieved from the system.

3.1.3 Stop Word Removal

Stop words is a list of words that contains no significant importance in dealing with NLP. The list contains parts of speech such as articles, helping verbs, propositions or others that don't help to find the true meaning or the context of a sentence. These words are beneficial to be removed to increase the performance of search. Removal of words that doesn't have pertinent information are beneficial to be removed and it is a common technique in pre-processing of textual information to reduce irrelevant information [Blair 1979]. There are two types of stop words: a word that is not required but has higher frequency and others are words that has no meaning, or they give no indication. These words don't indicate anything, and these are additional words, so their removal is necessary to get the desired output. There is no negative consequence to remove the stop words. The list of common stop words is in Figure 6.



a, able, about, across, after, all, almost, also, am, among, an, and, any, are, as, at, be, because, been, but, by, can, cannot, could, dear, did, do, does, either, else, ever, every, for, from, get, got, had, has, have, he, her, hers, him, his, how, however, i, if, in, into, is, it, its, just, least, let, like, likely, may, me, might, most, must, my, neither, no, nor, not, of, off, often, on, only, or, other, our, own, rather, said, say, says, she, should, since, so, some, than, that, the, their, them, then, there, the, se, they, this, tis, to, too, twas, us, wants, was, we, were, what, when, where, which, while, who, whom, why, will, with, would, yet, you, your

Figure 6. List of stop words.

Stop words help us to reduce the feature dimensionality. We use same library nltk to remove stop words by additionally adding a function of corpus with python 3.7.0.

3.1.4 HTML tag removal

Most of the data is coming from online sources and there is possibility that it might contain the html tags in the paragraph on corpus. These tags may have strong effect on the final output as it can't be decided how frequent they are in the data. In reviews data, people often discuss about some reference product. For example, somebody saw a product online and ordered it online but when received it is totally different from the one that is ordered. So, he may complain about the product and give tag as a reference. It can also be when referring a product to fellow buyers or scrappers. The example from the dataset is as follows,

*“Did not function at all. Device was receiving power (there is no power indicator LED but you could see the SPDIF port light up when the device was plugged in) but was unable to get any video output from the device at 720p or 1080p resolution inputs.

Ended up purchasing this device instead and it functions perfectly with no issues: <http://www.amazon.com/gp/product/B00BIQER0E>”.*

These tags are unnecessary, and they don't contain any vital information to be taken under consideration. To deal tags we can use *BeautifulSoup* library in python to remove theses tags.

3.1.5 Smileys Removal

People are using smileys when having discussion online to express their sentiments. The study of emoticons is on initial stages that are being in communication [Aragon 2014] and it is not even evident what is function of emoticons in multilingual analytics. The emoticons are helpful in evaluation of polarity analysis [Mushtaq 2017]. However, we will not be using emoticons to evaluate the sentiments of customers. The commonly used smileys are given in Figure 7.




Figure 7. List of smileys.

3.1.6 Tokenization

Tokenization is a procedure that breaks a sentence or sequence of words into pieces such as keywords, words, and symbols etc. Tokenization can be done for a word or a group of words. Moreover, a paragraph can be broken up into sentences or individual words. Simply, in a paragraph under study, tokenization splits strings or tokenize words. Tokenization deals acronyms and abbreviations in a bit different. For example, A.C.C is an abbreviation and tokenization will split it as A, B and C. However, Smart Tokenization can prevent this matter without losing the actual state of abbreviation or an acronym. There are several methods to deal with tokenization and some of them are as follows.

- Sentence Tokenization: By using sentence tokenization, we can split whole sentence into strings. We use *Sent_tokenize* in *nlTK* library to tokenize the sentences. Moreover, it can tokenize whole sentences or group of sentences. Here is an example of sentence tokenization. One of the reviewers reviewed a product as, “*Great price. Easy to install.*” And after tokenization it shows like this, “[*Great price. Easy to install.*]”
- Word Tokenization: Word tokenization splits the sentence into number of strings. For example, “*Great price. Easy to install.*” Is tokenized by using *word_tokenize* function of *nlTK* library in python 3.7. So, after tokenization its output is, [*Great*, *price*, *Easy*, *to*, *install.*]. The splitting can be performed by using space delimiter. The tokenization is performed in whole document to practice this exercise.

3.2 Bag of Words

Bag of words (BoW) is the extraction of words or features from a corpus to be used for modelling purposes such as machine learning and data mining algorithms. BoW explains the representation of words with the number how many times a word occurred in a document. It measures the vocabulary in a document or the presence of a words in a document. This is a very common technique to measure the occurrences of words in a document and its occurrence can be presented with counts or it can be visualized. The proper representation of words in a collection of documents can also be seen with bag of words. The implementation of BoW on tokenized documents makes it easy to understand and then implement the modelling technique. A review is taken as an example from the dataset to explain the BoW. One of the reviewers reviewed a product as, “It works as advertising”. Now converting this document in the bag of words will show a frequency in the following way. An example of BoW is in Table 1.

Table 1. Bag of Words (BoW).

Words	counts
It	1
Works	1
As	1
Advertising	1

3.2.1 TF-IDF Vectorizer

TF-IDF Vectorizer is the counting the number of times a term occurs in a document. Scenario is explained above; however, it has two techniques that researcher has used in abundance.

Term Frequency (TF): TF explain the significance of a model in a document by the number of times it appears in a document. It ignores the meaning of a words, but it focuses more on the appearance of a word in a document. Term frequency is the ratio between number of words a word occurs and total number of words in a document.

$$TF = \frac{\text{Frequency of a word in a document}}{\text{Total Number of words in a document}}. \quad (1)$$

Inverse Document Frequency (IDF): IDF explain that uniqueness of a word in a document. It calculates the scores that highlight the distinction of a term in a document.

$$DIF = \log\left(\frac{\text{Total number of documents}}{\text{Number of documents where a word exists}}\right). \quad (2)$$

TF-IDF is the multiplication of TF and IDF. It reduces values of words that commonly occur in a document. The rarity of words is explained by TF-IDF in a document i.e. higher the TF-IDF score, rare is the word. It puts higher weights on rare terms and decreases the weights of common term that occur in a document so that uniqueness of a document occurs in results [Sidorova *et al.*, 2008].

3.3 Machine Learning for text classification

The extraction of pertinent information from document or textual information for decision making with the use of statistical techniques is referred to as machine learning from text data. The methods in machine learning are used for automatically modelling the data that

is coming from different sources. Machine learning algorithms work as an engine that are turning data into different models. It finds the natural patterns in data and provides beneficial insights. Machine learning has two types supervised and unsupervised and here we will discuss the former one.

3.3.1 Supervised Machine Learning techniques for text data

Supervised machine learning techniques are the methods that can manipulate the training set of data. It learns the functions of classification or regression to compute the predictions on the set of data that is unseen or yet to come in databases. Supervised learning is normally a set of techniques where we have input data (x), output data (y) and train an algorithm to learn the relationship or mapping from input to the output data. Formally, we denote

$$y = f(x), \quad (3)$$

where f is a function used to describe the relationship between input and output.

The goal of training a model is to predict the results on behalf of unseen information. The model trains and tests the model and make predictions for the predefined classes on behalf of the labels assigned to the classes.

3.3.1.1 Text Classification

Classification is the technique used to determine, understand and differentiate the ideas. The vital reason why it is called supervised machine learning is predefined labels of classes in which data exists. Classification works of those classes that are defined for specific objectives. The classification of text involves short documents as well as long documents. Classification allocates the text or word to predefined class based on its learning. It can be defined as the automatic categorization of document into predefined classes on behalf of their subject. The classification technique has been widely used to solve problems related to databases, information retrieval, machine learning and data mining. The classification of a text document can be defined as follows. We have a set of data $D(x_1, x_2, \dots, x_n)$ and we divide the set of data into training and test data. We have training set of data (x_1, x_2, \dots, x_k) such that each class such that each case is labelled with a value assigned to a class drawn from p different values. These values are p are indexed as $(1, 2, \dots, p)$. The training of classification data is based on the training data. The model relates the extracted features to one of the class labels. For the test data, the training model predicts the class label for the features.

The assignment of labels to the classes is assumed to be categorical, however the labels can be assigned as continuous values. The count of a word also plays an important role in the process of classification. If a word is rare in a document, and it belongs to class p where p has label l , then in prediction the word will directly predict the class.

The classification is based on training of classifiers and then it leads to testing on unseen data. We are using different classifier to perform the prediction that are as follows. The classification process can be seen in Figure 8.




Figure 8. Classification process.

3.3.1.1.1 Naïve Bayes Classifier

Naïve Bayes is an algorithm that is frequently being employed for text classification. It is used for classification purposes because of its efficiency and simplicity. Naïve Bayes uses two mode: Bernoulli model the binary classification when there are two classes and Multinomial mode when there is problem related to more than two classes. A specific distribution defines the words that are in a class. Based on the distribution of a document, it computes the posterior probabilities for each class in a document. It ignores the actual meaning and position of a term and computes the probabilities based on TF-IDF. The parameters of each mixture need to be estimated to maximize the likelihood of the training features that are being generated by the document. These probabilities are then used for the estimation of test features that belong to a class.

The Naïve Bayes has the following model:

$$p(d) = \sum_{k=1}^{|W|} p(w_j)p(d/w_j) \quad (4)$$

where w_j are the words extracted from BoW belong to a certain class, $|w|$ is the positive number of feature a class contains, d is the class which contains features, and $P(w_j)$ are the calculated prior probabilities. The model can be transformed to get the posterior probabilities that there is w_j behind the calculation of d .

$$p(w_j/d) = \frac{p(w_j)p(d/w_j)}{p(d)} \quad (5)$$

Then, the classifier selects the class having maximum posterior probability for classification where $p(d)$ is a constant.

$$w(d) = \operatorname{argmax} p(w)p(d/w_j) \quad (6)$$

The estimation of prior probabilities from training set are possible due to the frequency of training set in each class w_j .

3.3.1.1.2 Support Vector Machine classifier

Support vector machines is considered as state-of-the-art techniques in mining textual information. SVM and Naïve Bayes classifier are efficient and scalable when there is huge textual data [Chen 2018]. The regularizer of support vector machine has special interpretation that has been defined as *margin – based separation* separation as it separates the data point belonging to binary classes. It creates hyperplanes to split the points belong to two different classes and these hyperplanes are symmetric. It assumes that topics related to training set and topic related to test sets are linearly separable. The topic separation between two classes can be performed by linear equation (7)

$$d^t w + b = 0. \quad (7)$$

Where w is the feature vector extracted from the corpus based on information, d is weigh vector and b exists in equation as a bias. The equation (7) can be rewritten as follows:

$$\begin{aligned} d^t w_i + b &\geq 0 && \text{for } p_i = 1, \\ d^t w_i + b &< 0 && \text{for } p_i = 0, \end{aligned} \quad (8)$$

where p_i is the class.

The equation separates the hyperplanes and Ω indicates the closest points to the hyperplanes. The decision function is as follows:

$$f(x) = d^t w = \sum_{k=1}^n d_k w_k, \quad (9)$$

where n is the dimension.

Support vector machines can be applied to any kind of vector based on encoded data. It can be applied once the data is transformed into vectors. SVM decides where to draw the hyperplane that divided the spaces into two different group according to the classes. The SVM partition can be seen in Figure 9.




Figure 9. Support Vector Machine partition.

3.3.1.1.3 Logistic Regression Classifier

Logistic regression is a classification approach in machine learning that predict the probabilities of a dependent variable that has dichotomous outcomes. It lies in segment of probabilistic models described as discriminative models. These models assume that the observed value of dependent variable is coming from probabilistic distribution that is defined by a function of the variable containing features. Logistic regression is one of the popular methods that perform the task to fit models when there are binary response variables. The probabilistic interpretations of logistic regression can be considered as it forms predictions of a test case both deterministically as well as in the sense of probabilistic [Aggarwal 2018]. When there are more than two classes in training data, the logistic regression can be applied in the form of multinomial logistic regression to predict the labels.

Let's say we have set of data $D(x_1, x_2, \dots, x_n)$ and the division in data makes (x_1, x_2, \dots, x_k) and we train the logistic regression classifier where y represents labelled classes where $y \in \{0, 1\}$. The train cases consists of TFIDF Vectorizer where the features

represent the vectorizers with their occurrences. In logistic regression we can model the function not in the form of linear regression function such as y as a function of x , instead it can be functions as $P(y = 0|x)$ where 0 represents the class whose labels are being predicted. Thus, the logistic model becomes;

$$p(y = 0|x) = \frac{e^{\beta_0 + \beta_1 x}}{1 + e^{\beta_0 + \beta_1 x}}. \quad (10)$$

The right side is called the *Sigmoid function* of $P(\beta_0 + \beta_1 x)$ which gives a S-shaped curve and probabilities ranging from 0 to 1. Logistic regression is often represented as:

$$\log\left(\frac{p(y = 0|x)}{1 - p(y = 0|x)}\right) = (\beta_0 + \beta_1 x), \quad (11)$$

where the left-hand side is so called *logit function*. Equation (11) is an inverse function of equation (10). The classification model is first trained with the logistic regression and then tested to predict the labels.

The plot showing $g(z)$ to the *sigmoid function* and indicates that $g(z)$ tends towards 1 as $z \rightarrow \infty$. The sigmoid is plotted in Figure 10.




Figure 10. Sigmoid Function.

3.3.1.1.4 Decision Tree Classifier

A decision tree is a predictive model and it can be used for representation of both regression model and classifier. Decision tree is referred to a hierarchical model in operation research. The decision maker implements decision tree to identify the strategy to reach

her goal [Rokach *et al.*, 2008]. When decision tree is used for the purpose of classification, then it is more appropriate to call it a classification tree.

In data mining, the use of decision tree is wide and clear and that is why it is often used. Moreover, it is widely use because of its simplicity and transparency. Classification tree is usually represented graphically with a hierarchy that shows the relationship between the features. A decision tree is a classifier articulated as a partition of the feature space D . The decision tree with nodes forms rooted tree that is the indication that the tree is directed. Every node has an edge and if there is no edge then the node is called “test” node. Other nodes are called “leaves”. Each internal node splits the feature space into two or more subspaces. The features are denoted with $w_1, w_2, w_3, \dots w_t$. The feature space is partitioned according to the value of attribute. The classes have leaves where each class represents the target value.

In our scenario, a training set of cases are assigned to the decision tree and the goal is to formulate an explanation that can be used to predict the classes of features in test cases. The training set is also called a bag instance. A bag instance contains tuples and each tuple is describes as a consist of attribute values. Rokach *et al.*, [2008] described bag schema as $B(D U y)$ where D connotes to a set of features extracted in feature space i.e $D = \{w_1, w_2, w_3, \dots w_t\}$ and y denotes the target attribute. It is often assumed that tuples in training set are assumed randomly and independently and according to some joint probability that is unknown.

3.3.1.2 Evaluation of Classifiers

After implementation of classification techniques, the evaluation of classifier is pertinent to check the performance of a classifier. Classifier is a function that maps whole feature space into a label space [Stapor 2017]. The evaluation of classification is whole process that provides the measurement tools to measure the performance of classifier. Different techniques measure different characteristics of the classifier. However, some of evaluation techniques are discussed below.

- Accuracy: Accuracy is a metric that evaluates the classification algorithm. In the classifier evaluation process, accuracy is used as the score by majority of published researches [Stapor 2017]. Accuracy can be defined as follows:

$$Accuracy = \frac{Frequency\ of\ Correct\ Predictions}{Total\ Frequency\ of\ Predictions}. \quad (12)$$

In case if binary classification, accuracy can be calculated in terms of true positives (TP) and true negatives (TN) such as follows:

$$Accuracy = \frac{TP + TN}{TN + TN + FP + FN}, \quad (13)$$

where FP is false positive, and FN is false negative.

- Recall: It is the fraction of the number of relevant features that are extracted, or it is used to measure the positive features that are correctly classified. It can be calculated as follows:

$$Recall = \frac{TP}{TP + FN}. \quad (14)$$

Recall measures how well the classifier performs at correctly classifying features [Nguyen *et al.*, 2018].

- Precision: Precision is defined as the measurement that correctly classifies the features belonging to a label predicted from the total features in a positive class or belonging to that label. Precision can be calculated as follows:

$$Precision = \frac{TP}{TP + FP}. \quad (15)$$

- F-Measure: It provides the harmonic mean of precision and it is also known as F-score. The score can be calculated as follows;

$$F = 2 \times \frac{Precision \times Recall}{Precision + Recall}. \quad (16)$$

- Confusion Matrix (CM): CM is often used to describe the performance of classification model or a classifier. It is calculated on a set of test data that is used for the prediction of true labels of a class. The CM can also be used to optimize the classification model or classifier when used on training set of data. An example of CM is in Figure 11 where rows represent the actual classes, while the columns represent the predicted classes. In the matrix, TP and TN denoted the total number of features that are correctly classified, whereas, FP and FN represent the number of features that are misclassified.

Actual Classes	Negative	FP	TN
	Positive	TP	FN
		Positive	Negative
		Predicted Classes	

Figure 11. Confusion matrix.

4 Data

This chapter includes the source of data, and its descriptions.

4.1 Amazon dataset: Insights

The dataset is downloaded from an open source provided by Amazon. There are several sets consisting of different products such as sports, toys, electronics, books, movies etc. We are dealing with the dataset based on reviews of electronic products. We collected 10,000 cases whereas the potential cases are around more than 1 million reviews. The dataset consists of the different variables with the nature of data that they contain is shown in Figure 12.

```
CREATE EXTERNAL TABLE amazon_reviews_parquet(  
  marketplace string,  
  customer_id string,  
  review_id string,  
  product_id string,  
  product_parent string,  
  product_title string,  
  star_rating int,  
  helpful_votes int,  
  total_votes int,  
  vine string,  
  verified_purchase string,  
  review_headline string,  
  review_body string,  
  review_date bigint,  
  year int)
```

Figure 12. Amazon dataset format.

The data is collected from US marketplace and each customer and each product have a unique ID. *Star_rating* is from 1 to 5 where 1 is the lowest and 5 is the highest rated product. The *review_body* contains the actual information that contains the knowledge provided by the customers how they reviewed the product.

The frequency histogram of rating can be seen in Figure 13. The x-axis is the *star rating* given by a customer to products and y-axis contains the total frequency of each rating.




Figure 13. Distribution of overall rating for Amazon products. The x-axis contains ratings and y-axis contains counts.

There are 1169 reviews where products have been rated 1 and 6200 where products have been rated 5. Further, a descriptive statistic can be seen in the Table 2 where rating skewed towards 5.

Table 2. Summary of ratings.

Descriptive	Count
Count	10000
Mean	4.09
Std	1.39
Min	1
Max	5
Lower quartile	4.00
Upper quartile	5.00

The *star rating* is further analysed in relation with the *product_id* that helps us to decide the satisfaction level of customers towards products where higher rating stands for higher level of satisfaction. The average rating of each product is computed, and the distribution is shown in Figure 14. The x-axis contains the average rating of products and y-axis contains the counts.




Figure 14. Distribution of average rating of product.

The average rating of each customer is computed and the satisfaction level of each customer towards different products can be seen in Figure 15. The average rating of each customer is calculated from ratings a customer assigned to each purchase.




Figure 15. Average rating by customer.

The dataset is divided into two classes and the classes are labelled as '0' and '1'. The label '0' contains all the cases where the rating is '1 star', '2 star', or '3 star' and label '1' contains all the cases where the rating is '4 star', or '5 star'. The '0' class is the negative

class and '1' is positive class. Cases where star rating is 3 are also considered in negative class because there is no differentiation that could be recognized for 3-star ratings, moreover, when firm collects the data, they usually consider neutral reviews as negative [Nguyen *et al.*, 2018].

There are 7652 cases having rating 4 star or 5 star and 2348 cases having star rating 1, 2, and 3 stars. The distribution of labels '0' and '1' can be seen in Figure 16.




Figure 16. Distribution of cases in labels '0' and '1'.

After pre-processing of *review_body*, the word clouds are generated for the features associated with both label '0' and '1'. *Word Cloud* consists of the features used to highlights the features appearing in the data. The appearance is depending upon the frequency of each feature. The more a feature appears in the text or corpus, the bigger it appears in the *Word Cloud*. Figure 17. shows the word cloud of features associated with label '1'.




Figure 19. Word counts in the review.

5 Results and Discussion

Chapter 5 includes the results of all four techniques that we have used to analyse the Amazon dataset to classify the customer’s state of satisfaction with the product. Table 3 shows our calculations.

Table 3. Summary of the results of all the classification techniques.

Model	Dataset	Accuracy	Classes	Preci- sion	Recall	F1- Score
Naïve Bayes	Amazon	0.82	Satisfied	0.81	0.97	0.88
			Dissatisfied	0.86	0.35	0.50
			Avg./Total	0.82	0.82	0.79
Support Vector Machines	Amazon	0.83	Satisfied	0.84	0.95	0.89
			Dissatisfied	0.79	0.49	0.61
			Avg./Total	0.83	0.83	0.82
Logistic Regres- sion	Amazon	0.78	Satisfied	0.85	0.85	0.85
			Dissatisfied	0.58	0.58	0.58
			Avg./Total	0.78	0.78	0.78
Decision Tree	Amazon	0.76	Satisfied	0.83	0.85	0.84
			Dissatisfied	0.55	0.54	0.55
			Avg./Total	0.76	0.76	0.76

Every classifier predicts the labels exactly in the same form in which they are assigned. Table 4 shows the actual and predicted labels “1” for “satisfied” and “0” for “unsatisfied” for each classifier for some test cases.

Table 4. Actual and predicted values by the models trained on dataset for some test cases.

Actual	NB	SVM	LR	DT
1	1	1	1	1
1	1	1	1	1
1	1	1	1	1
1	1	0	0	1
0	1	1	1	1
1	0	0	0	1
1	1	1	1	1
1	1	1	1	1
0	1	1	1	1
1	1	1	1	1
0	0	0	0	0

Confusion matrices obtained from classification models explaining the satisfied (“1”) and unsatisfied (“0”) predictions. We formed four confusion matrices and plotted them to show the prediction in the form TP, FN, TN, and FP. Figure 20 shows the classifications of Naïve Bayes classifier where TP, FN, TN, and FP have values 1581, 34, 202, and 370 consecutively.




Figure 20. Confusion matrix of Naive Bayes (NB) classifier.

Figure 21 shows the predicted labels that are correctly classified or vice versa into the classes “satisfied” and “unsatisfied” using Support Vector Machines. The TP, FN, TN, and FP have values 1540, 75, 282, and 290 consecutively. The decrement in TP and increment in TN can be seen. It can also be seen that FN increases and FP decreases as compare to Naïve Bayes.




Figure 21. Confusion matrix of Support Vector Machines (SVM) classifier.

The confusion matrix of logistic regression is shown in Figure 22 where values of TP, FN, TN, and FP are 1378, 237, 334, and 238 consecutively. The value of TP and TN decreased as compared to NB and SVM whereas values of FN increased significantly.




Figure 22. Confusion matrix of Logistic Regression (LR) classifier.

The decision tree classifier classifies classes into TP, FN, TN, and FP in Figure 23 where their values are 1365, 250, 308 and 264 consecutively. TP decreases as compared to NB, SVM and LR. TN improved as compared to NB and SVM.




Figure 23. Confusion matrix of Decision Tree (DT) classifier.

6 Conclusion

Analysis of unstructured information is a difficult task because it includes natural language processing and customer provide his feedback or opinion without any pattern as they are provided with an open ground to express their experiences. This study provides a description of Amazon customer reviews dataset and applies supervised machine learning approaches to predict the level of customer satisfaction. The customer satisfaction is divided into two classes: satisfied and dissatisfied and these classes are labelled as "1" and "0", respectively.

We analyzed customer reviews data to compute some useful insights to the data, customers, and products. We compared four classification techniques to analyze the level of satisfaction of customers. These techniques are: Naïve Bayes, Support Vector Machines (SVM), Logistic Regression (LR) and Decision Tree (DT). We implemented text data pre-processing techniques such as lower casing, stop words removal, lemmatization, smileys removal, number removal, and tokenization to prepare data for implementation of classification approaches. We extracted features and calculated term frequency-inverse document frequency (TF-IDF) vectorization. The implemented supervised machine learning approaches studied accuracy, recall, precision and F1 scores. Our implemented models performed better for overall computation of precision. However, Support Vector Machine (SVM) outperformed other models with higher percentage of precision. We also compared the actual and predicted values of the models trained on dataset for some test cases. The comparison was also made with confusion matrix to assess TP, TN, FP, and FN. It is analyzed that all algorithms are performing better when it comes to classify satisfied customers and doesn't perform well to classify dissatisfied customers. The imbalance in classification of classes is due to unequal number of cases assigned to the classes. The imbalance can also occur due to the poor performance of dictionary implemented for correction of words as system doesn't work properly due to the shortage of memory when applied dictionary or stemmer on a huge corpus.

Some directions for future work are following:

- Equal number of cases can be sampled for each rating and analysis can be made to classify customer satisfaction.
- Implementation of multinomial techniques to classify customer satisfaction by expanding classes.
- Some objective terms are express enough about customer behavior when assessed with the emoticons.

- Analyze the difference when features are extracted using TD-IDF, CountVectorizers and Chi-square. Moreover, it can be implemented with multinomial classification approaches.
- Some unsupervised machine learning approaches to cluster features of each class and compare techniques.

7 References

- Aggarwal, C. C., & Zhai, C. 2012. A survey of text classification algorithms. In *Mining text data*, 163-222. Springer, Boston, MA.
- Aggarwal, C. C. 2018. Neural networks and deep learning. *Cham: Springer International Publishing*.
- alias Balamurugan, S. A., Rajaram, D. R., Athiappan, G., & Muthupandian, M. 2007. Data mining techniques for suspicious email detection: A comparative study. In *IADIS European Conference Data Mining*.
- Aragon, C. R., Chen, N. C., Kroll, J. F., & Feldman, L. B. 2014. Emoticon and text production in first and second languages in informal text communication. In *International Conference on Social Computing, Behavioral-Cultural Modeling, and Prediction*. 223-228. Springer, Cham.
- Banerjee, S., & Chua, A. Y. 2016. In search of patterns among travellers' hotel ratings in TripAdvisor. *Tourism Management*, 53, 125-131.
- Bhavitha, B. K., Rodrigues, A. P., & Chiplunkar, N. N. 2017. Comparative study of machine learning techniques in sentimental analysis. In *proceedings of International Conference on Inventive Communication and Computational Technologies (ICICCT)*, 216-221. IEEE.
- Blair, D. C. 1979. *Information retrieval, 2nd ed. C.J. van rijksbergen. london: Butterworths; 1979: 208 pp. price: \$32.50*. Washington, D.C: Wiley Subscription Services, Inc., A Wiley Company.
- Camero, A. 2016. *A Comparative Study of Twitter Sentiment Analysis Methods for Live Applications*. M.Sc. Thesis Dissertation, Department of Computer Science, Rochester Institute of Technology.
- Chen, P. Y., Dhanasobhon, S., & Smith, M. D. 2006. All reviews are not created equal. *Available at SSRN 918083*.
- Chen, Z., Mukherjee, A., Liu, B., Hsu, M., Castellanos, M., & Ghosh, R. 2013. Exploiting domain knowledge in aspect extraction. In *Proceedings of the 2013 Conference on Empirical Methods in Natural Language Processing*, 1655-1667. Seattle, Washington, USA
- Chen, R. 2018. *Automatic Keyphrase Extraction on Amazon Reviews*, M.Sc. Thesis, School of Information Sciences, University of Tampere.
- Chevalier, J. A., & Mayzlin, D. 2006. The effect of word of mouth on sales: Online book reviews. *Journal of Marketing Research*, 43(3), 345-354.
- Colas, F., & Brazdil, P. 2006. Comparison of SVM and some older classification algorithms in text classification tasks. In *IFIP International Conference on Artificial Intelligence in Theory and Practice*, 169-178. Springer, Boston, MA.

Dellarocas, C. 2003. The digitization of word of mouth: Promise and challenges of online feedback mechanisms. *Management science*, 49(10), 1407-1424.

Dhanasobhon, S., Chen, P. Y., Smith, M., & Chen, P. Y. 2007. An analysis of the differential impact of reviews and reviewers at Amazon. com. *Proceedings of 29th International Conference on Information System 2007*, pp. 94. Montreal, Canada.

Ekman, P. 1992. An argument for basic emotions. *Cognition & emotion*, 6(3-4), 169-200.

Engler, T. H., Winter, P., & Schulz, M. 2015. Understanding online product ratings: A customer satisfaction model. *Journal of Retailing and Consumer Services*, 27, 113-120.

Farhadloo, M., Patterson, R. A., & Rolland, E. 2016. Modelling customer satisfaction from unstructured data using a Bayesian approach. *Decision Support Systems*, 90, 1-11.

Fornell, C., Johnson, M. D., Anderson, E. W., Cha, J., & Bryant, B. E. 1996. The American customer satisfaction index: nature, purpose, and findings. *Journal of marketing*, 60(4), 7-18.

Geetha, M., Singha, P., & Sinha, S. 2017. Relationship between customer sentiment and online customer ratings for hotels-An empirical analysis. *Tourism Management*, 61, 43-54.

Ghose, A., & Ipeirotis, P. G. 2010. Estimating the helpfulness and economic impact of product reviews: Mining text and reviewer characteristics. *IEEE Transactions on Knowledge and Data Engineering*, 23(10), 1498-1512.

He, J., Tan, A. H., & Tan, C. L. 2000. A Comparative Study on Chinese Text Categorization Methods. In *proceedings of The Pacific Rim International Conference on Artificial Intelligence workshop on text and web mining*, Vol. 35.

Hennig-Thurau, T., Gwinner, K. P., Walsh, G., & Gremler, D. D. 2004. Electronic word-of-mouth via consumer-opinion platforms: what motivates consumers to articulate themselves on the internet?. *Journal of interactive marketing*, 18(1), 38-52.

Hmeidi, I., Al-Ayyoub, M., Abdulla, N. A., Almodawar, A. A., Abooraig, R., & Mahyoub, N. A. 2015. Automatic Arabic text categorization: A comprehensive comparative study. *Journal of Information Science*, 41(1), 114-124.

Hu, M. and Liu, B. 2004. Mining and summarizing customer reviews. *Proceedings of the tenth ACM SIGKDD International Conference on Knowledge Discovery and Data Mining*, 168-177.

Hu, N., Pavlou, P., & Zhang, J. 2006. Can online reviews reveal a product's true quality?: Empirical findings and analytical modeling of online word-of-mouth communication. In *Proceedings of the 7th ACM conference on Electronic commerce*, 324-330.

Islam, M., Jubayer, F. E. M., & Ahmed, S. I. 2017. A comparative study on different types of approaches to Bengali document categorization. In *Proceedings of the International Conference on Engineering Research, Innovation and Education*. arXiv preprint arXiv:1701.08694

- Jung, Y., & Suh, Y. 2019. Mining the voice of employees: A text mining approach to identifying and analyzing job satisfaction factors from online employee reviews. *Decision Support Systems*, 113074.
- Koh, N. S., Hu, N., & Clemons, E. K. 2010. Do online reviews reflect a product's true perceived quality? An investigation of online movie reviews across cultures. *Electronic Commerce Research and Applications*, 9(5), 374-385.
- Kang, D., & Park, Y. 2014. Review-based measurement of customer satisfaction in mobile service: Sentiment analysis and VIKOR approach. *Expert Systems with Applications*, 41(4), 1041-1050.
- Kobayashi, N., Iida, R., Inui, K., & Matsumoto, Y. 2005. Opinion mining as extraction of attribute-value relations. In *Annual Conference of the Japanese Society for Artificial Intelligence*. 470-481. Springer, Berlin, Heidelberg.
- Korde, V., & Mahender, C. N. 2012. Text classification and classifiers: A survey. *International Journal of Artificial Intelligence & Applications*, 3(2), 85.
- Kwok, L., & Xie, K. L. 2016. Factors contributing to the helpfulness of online hotel reviews: does manager response play a role?. *International Journal of Contemporary Hospitality Management*, 28(10), 2156-2177.
- Lilleberg, J., Zhu, Y., & Zhang, Y. 2015. Support vector machines and word2vec for text classification with semantic features. In *2015 IEEE 14th International Conference on Cognitive Informatics & Cognitive Computing (ICCI* CC)*, 136-140.
- Lin, C. L., Lee, S. H., & Horng, D. J. 2011. The effects of online reviews on purchasing intention: The moderating role of need for cognition. *Social Behavior and Personality: an international journal*, 39(1), 71-81.
- Mamoun, R., & Ahmed, M. A. 2014. A Comparative Study on Different Types of Approaches to the Arabic text classification. In *Proceedings of the 1st International Conference of Recent Trends in Information and Technology*, Vol. 2, No. 3. Universiti Teknologi Malaysia, Johor, Malaysia.
- Mäntylä, M. V., Graziotin, D., & Kuuttila, M. 2018. The evolution of sentiment analysis—A review of research topics, venues, and top cited papers. *Computer Science Review*, 27,16-32.
- Mauri, A. G., & Minazzi, R. 2013. Web reviews influence on expectations and purchasing intentions of hotel potential customers. *International Journal of Hospitality Management*, 34, 99-107.
- Miao, C. 2011. Web data mining based on cloud computing. *Computer Science*, 38(10 A), 146-149.
- Mudambi, S. M., & Schuff, D. 2010. What makes a helpful review? A study of customer reviews on Amazon. com. *Management Information Systems quarterly*, 34(1),185-200.

- Mullen, T., & Collier, N. 2004. Sentiment analysis using support vector machines with diverse information sources. In *Proceedings of the 2004 conference on empirical methods in natural language processing*, 412-418.
- Mushtaq M. Adnan. 2017. *Multilingual sentiments analysis as product reputation insights*. M.Sc. Thesis, Faculty Natural Sciences, University of Tampere.
- Nguyen, H., Veluchamy, A., Diop, M., & Iqbal, R. 2018. Comparative Study of Sentiment Analysis with Product Reviews Using Machine Learning and Lexicon-Based Approaches. *SMU Data Science Review*, 1(4), 7.
- Oliver, S. 1997. A model for the future of electronic commerce. *Information Management & Computer Security*, 5(5), 166-169.
- Pang, B., Lee, L., & Vaithyanathan, S. 2002. Thumbs up?: sentiment classification using machine learning techniques. In *Proceedings of the ACL-02 conference on Empirical methods in natural language processing-Volume 10*, 79-86. Stroudsburg, PA, USA.
- Pang, B., & Lee, L. 2004. A sentimental education: Sentiment analysis using subjectivity summarization based on minimum cuts. In *Proceedings of the 42nd annual meeting on Association for Computational Linguistics*, 271. Association for Computational Linguistics.
- Pang, B., & Lee, L. 2008. Opinion mining and sentiment analysis. *Foundations and Trends® in Information Retrieval*, 2(1-2), 1-135.
- Porter, M. F. 1980. An algorithm for suffix stripping. *program*, 14(3), 130-137.
- Rokach, L., & Maimon, O. Z. 2008. *Data mining with decision trees: theory and applications* (Vol. 69). World scientific.
- Schuckert, M., Liu, X., & Law, R. 2015. A segmentation of online reviews by language groups: How English and non-English speakers rate hotels differently. *International Journal of Hospitality Management*, 48, 143-149.
- Scott, S., & Matwin, S. 1999. Feature engineering for text classification. In *Proceedings of ICML-99, 16th international conference on machine learning*, 379-388. Bled, Slovenia.
- Sezgen, E., Mason, K. J., & Mayer, R. 2019. Voice of airline passenger: A text mining approach to understand customer satisfaction. *Journal of Air Transport Management*, 77, 65-74.
- Sidorova, A., Evangelopoulos, N., Valacich, J. S., & Ramakrishnan, T. 2008. Uncovering the intellectual core of the information systems discipline. *Management Information Systems*, 32(3), 467-482.

Söderlund, M. 1998. Customer satisfaction and its consequences on customer behaviour revisited: The impact of different levels of satisfaction on word-of-mouth, feedback to the supplier and loyalty. *International journal of service industry management*, 9(2), 169-188.

Stapor, K. 2017. Evaluating and comparing classifiers: review, some recommendations and limitations. In *proceedings of International Conference on Computer Recognition Systems*, 12-21. Springer, Cham.

Tan, C., Lee, L., Tang, J., Jiang, L., Zhou, M., & Li, P. 2011. User-level sentiment analysis incorporating social networks. In *Proceedings of the 17th ACM SIGKDD international conference on Knowledge discovery and data mining*, 1397-1405.

Thelwall, M., Wilkinson, D., & Uppal, S. 2010. Data mining emotion in social network communication: Gender differences in MySpace. *Journal of the American Society for Information Science and Technology*, 61(1), 190-199.

Ting, P. L., Chen, S., Chen, H., & Fang, W. 2017. Using big data and text analytics to understand how customer experiences posted on yelp.com impact the hospitality industry. *Contemporary Management Research*, 13(2), 107-130.

Turney, P. D. 2002. Thumbs up or thumbs down?: semantic orientation applied to unsupervised classification of reviews. In *Proceedings of the 40th annual meeting on association for computational linguistics*, 417-424. Association for Computational Linguistics. Stroudsburg, PA, USA.

Vala, M., & Gandhi, J. 2015. Survey of Text Classification Technique and Compare Classifier. *International Journal of Innovative Research in Computer and Communication Engineering*, 3(11), 10809-10813.

Wilson, T., Wiebe, J., & Hwa, R. 2004. Just how mad are you? Finding strong and weak opinion clauses. In *Proceedings of AAAI-04, 21st Conference of the American Association for Artificial Intelligence*, 761-769. San Jose, US.

Wilson, T., Wiebe, J., & Hoffmann, P. 2005. Recognizing contextual polarity in phrase-level sentiment analysis. In *Proceedings of Human Language Technology Conference and Conference on Empirical Methods in Natural Language Processing*, 347-354.

Woolf, M. 2014. A Statistical Analysis of 1.2 Million Amazon Reviews unpublished manuscript, June 17, 2014. Available at <https://minimaxir.com/2014/06/reviewing-reviews>.

Xu, X., Li, Y., & Lu, A. C. C. 2019. A comparative study of the determinants of business and leisure travellers' satisfaction and dissatisfaction. *International Journal of Services and Operations Management*, 33(1), 87-112.

Xu, X., & Li, Y. 2016. The antecedents of customer satisfaction and dissatisfaction toward various types of hotels: A text mining approach. *International journal of hospitality management*, 55, 57-69.

Yang, Y., & Chute, C. G. 1994. An example-based mapping method for text categorization and retrieval. In *proceedings of ACM Transactions on Information Systems (TOIS)*, 12(3), 252-277. New York, USA.

Yassine, M., & Hajj, H. 2010. A framework for emotion mining from text in online social networks. In *proceedings of IEEE International Conference on Data Mining Workshops*, 1136-1142. IEEE.

Yi, Y. 1991. A Critical Review of Customer Satisfaction. In *Review of Marketing*. Valarie A. Zeithmal, ed. pp. 68-123. Chicago: American Marketing Association.

Yi, J. and Niblack, W. 2005. Sentiment mining in WebFountain. *Proceedings of the 21st International Conference on Data Engineering*, 1073-1083. IEEE.

Yoo, K., & Gretzel, U. 2011. Influence of personality on travel-related consumer-generated media creation. *Computers in Human Behavior*, 27(2), 609-621.

Zhao, Y., Xu, X., & Wang, M. 2019. Predicting overall customer satisfaction: Big data evidence from hotel online textual reviews. *International Journal of Hospitality Management*, 76, 111-121.