International Journal of Academic Pedagogical Research (IJAPR) ISSN: 2000-004X

Vol. 2 Issue 10, October – 2018, Pages: 1-4

ANN for Predicting Antibiotic Susceptibility

Ahmad Marouf

Department of Information Technology, Faculty of Engineering and Information Technology, Al-Azhar University - Gaza, Palestine

Abstract: In this research, an Artificial Neural Network (ANN) model was developed and tested to predict efficiency of antibiotics in treating various bacteria types. Attributes that were taken in account are: organism name, specimen type, and antibiotic name as input and susceptibility as an output. A model based on one input, one hidden, and one output layers concept topology was developed and trained using a data from Queensland government's website.

The evaluation shows that the ANN model is capable of correctly predicting the susceptibility of organisms to the antibiotics with 98% accuracy.

Keywords: Artificial Neural Networks, antibiotic susceptibility, ANN, Predictive Model

1. Introduction

An antibiotic is a chemical produced by living organisms to protect themselves from attacking bacteria or viruses. People made use of antibiotics in fighting infectious diseases. Many antibiotics nowadays are synthetic or semisynthetic. Bacteria respond to antibiotics in different ways, i.e. they are resistive or sensible or moderate sensible to a particular antibiotic. There are many methods to test the antibiotic susceptibility. The most famous one is the Kirby-Bauer test (or the disc diffusion test). But these methods may last from few hours to many days until they yield the results. To make things easier we seek to computerize antibiotic susceptibility test.

This study seeks to automate the measure process of antibiotic susceptibility using artificial neural network technology.

We used the JustNN (version 4.0 b) to train the ANN on the "antibiogram-2013" dataset provided by Queensland government website: www.qld.gov.au.

The objective of this study is: to make the antibiotic susceptibility test easy for physicians and scientists,

2. LITERATURE REVIEW

- a) Michael Hombach and others made a study to assess the rapid fully automated disc diffusion for rapid antibiotic susceptibility test results. They claimed: "We have evaluated a fully automated system for its potential for early reading of disc delusion diameters after 6–12h of incubation. We assessed availability of results, methodological precision, categorical agreement, and interpretation errors as compared with an 18h standard. In total, 1028 clinical strains (291 Escherichia coli, 272 Klebsiella pneumoniae, 176 Staphylococcus aureus and 289 Staphylococcus epidermidis) were included in this study. Disc delusion plates were streaked, incubated and imaged using the WASPLab automation system"[11].
- b) Kiran Desai proved that "support vector regression (SVR)" is an attractive alternative to artificial neural networks for the development of soft-sensors in bioprocesses [19].
- c) I.A Basheer et al. praised ANN technology saying: "The attractiveness of ANNs comes from their remarkable information processing characteristics pertinent mainly to nonlinearity, high parallelism, fault and noise tolerance, and learning and generalization capabilities. This paper aims to familiarize the reader with ANN-based computing (neurocomputing) and to serve as a useful companion practical guide and toolkit for the ANNs modeler along the course of ANN project development. The history of the evolution of neurocomputing and its relation to the field of neurobiology is briefly discussed. ANNs are compared to both expert systems and statistical regression and their advantages and limitations are outlined. A bird's eye review of the various types of ANNs and the related learning rules is presented, with special emphasis on backpropagation (BP) ANNs theory and design. A generalized methodology for developing successful ANNs projects from conceptualization, to design, to implementation, is described. The most common problems that BPANNs developers face during training are summarized in conjunction with possible causes and remedies. Finally, as a practical application, BPANNs were used to model the microbial growth curves of S. flexneri. The developed model was reasonably accurate in simulating both training and test time-dependent growth curves as affected by temperature and pH" [24].
- d) Guoqiang Zhang et al. present a state-of-the-art survey of ANN applications in forecasting. The purpose of the paper is to provide (1) a synthesis of published research in this area, (2) insights on ANN modeling issues, and (3) the future research directions [26].

- e) Sovan Lek et al. made a good paper to present some of the most important papers of the first workshop about ANNs in ecological modeling [28].
- M.W Gardner et al. wrote a paper to present a general introduction and discussion of recent applications of the multilayer perceptron, one type of artificial neural network, in the atmospheric sciences [30].

3. ARTIFICIAL NEURAL NETWORKS

Artificial Neural Networks (ANN) are tiling the way for life-shifting applications to be developed for use in all areas of the economy. Artificial Intelligence (AI) podiums that are built on ANN are distracting the traditional way of doing things [1-10]. From interpreting web pages into other languages to taking virtual assistant order groceries online to chatting with chatbots to resolve problems, AI podiums are simplifying transactions and making facilities reachable to all at small costs.

ANN are built similar to the human brain [12-29], with neuron nodes connected like a web. The human brain has billions of cells called neurons. Each neuron is consist of a cell body that is accountable for processing information by carrying information as inputs giving out outputs from the brain. ANN has thousands of artificial neurons called processing units, which are connected by nodes [31-54]. These processing units are consists of input and output units. The input units receive numerous forms and structures of information based on an interior weighting system and the neural network tries to learn about the information accessible in order to create one output report. As humans need rules and guidelines to produce a result, ANNs likewise use a set of learning rules called backpropagation, an abbreviation for backwards propagation of error, to faultless their output results.

An ANN firstly goes through a training stage where it learns to identify patterns in data, whether visually, aurally or textually. Throughout this supervised stage, the network matches its actual output produced with what it was meant to produce, i.e. the wanted output. The difference among both results is attuned using backpropagation. This means that the network works backwards going from the output unit to the input units to be able to amend the weight of its connections among the units till the difference among the real and wanted result yields the lowest potential error.

ANN have been practical in all areas of operations. Email service suppliers use ANN to discover and delete spam from a user's inbox; help managers to forecast the direction of a company's stock; Credit rating firms use it to enhance their credit scoring approaches; e-commerce platforms use it to personalize recommendations to their customers; chatbots are developed with ANN for natural language processing; deep learning algorithms use ANN to predict the likelihood of an incident; and the list of ANN incorporation goes on across multiple areas, businesses and countries.

4. METHODOLOGY

4.1 Search for appropriate dataset.

Antimicrobial susceptibility data extracted from the Queensland Health Pathology reporting system. The data provide information about the level of resistance certain organisms have to antimicrobial agents typically used to treat infections. The "antibiogram-2013" dataset contains 358 records with 5 attributes: "organism", "specimen type", "antibiotic", "% susceptible", and "number of isolates tested". It assigns a percentage of antibiotic-susceptibility to each organism in blood, urine, and other specimens, (e.g. the organism "Streptococcus pneumonia" that is found in "blood" specimen is 91% susceptible to the "erythromycin" antibiotic. This result was calculated after 178 isolates were tested) [web: data.qld.gov.au/dataset].

4.2 Normalize output column in the dataset.

In this step we didn't alter the attributes arrangement but we applied the normalization formula:

$$Xi = \frac{X \max - Xi}{X \max - X \min}$$
on the output attribute "% susceptible".

4.3 Train the tool on the modified dataset.

4.4 Make the conclusion.

We made the conclusion that normalization boost up training speed. The accuracy of prediction is about 98%.

Table 1: Attributes of the Dataset

No.	Attributes	Data	Chosen as		
		type			

1.	organism	Text	Input
2.	specimen type	Text	Input
3.	antibiotic	Text	Input
4.	% susceptible	Real	Output
5.	isolates tested	Integer	Excluded

5. DESIGN OF THE NEURAL NETWORK

The following figure shows the architecture of the neural network with one input layer, one hidden layer (contains eleven neurons), and one output layer.




Figure 1: Final ANN model design.

Note in the following figure the cycles it took to complete learning = 88,000 cycles and the average error is about 0.011.




Figure 2: ANN model raining and validation

6. CONCLUSION

The artificial neural network model was presented to predict the antibiotic susceptibility ratio for various microorganisms. The model was tested and the total score was about 98% accurate. Thus, the potential of our artificial neural network is sufficient and appropriate.

International Journal of Academic Pedagogical Research (IJAPR)

ISSN: 2000-004X

Vol. 2 Issue 10, October - 2018, Pages: 1-4

REFERENCES

- 1. Abu-Naser, S. S. (2012). "Predicting learners performance using artificial neural networks in linear programming intelligent tutoring system." International Journal of Artificial Intelligence & Applications 3(2): 65.
- 2. Afana, M., et al. (2018). "Artificial Neural Network for Forecasting Car Mileage per Gallon in the City." International Journal of Advanced Science and Technology 124: 51-59.
- 3. Ahmed, A., et al. (2019). "Knowledge-Based Systems Survey." International Journal of Academic Engineering Research (IJAER) 3(7): 1-22.
- 4. Alajrami, E., et al. (2019). "Blood Donation Prediction using Artificial Neural Network." Blood 3(10): 1-7.
- 5. Alghoul, A., et al. (2018). "Email Classification Using Artificial Neural Network." International Journal of Academic Engineering Research (IJAER) 2(11): 8-14.
- Alkronz, E. S., et al. (2019). "Prediction of Whether Mushroom is Edible or Poisonous Using Back-propagation Neural Network." International Journal of Academic and Applied Research (IJAAR) 3(2): 1-8.
- 7. Al-Massri, R., et al. (2018). "Classification Prediction of SBRCTs Cancers Using Artificial Neural Network." International Journal of Academic Engineering Research (IJAER) 2(11).
- 8. Al-Mubayyed, O. M., et al. (2019). "Predicting Overall Car Performance Using Artificial Neural Network." International Journal of Academic and Applied Research (IJAAR) 3(1):
- 9. Al-Shawwa, M. and S. S. Abu-Naser (2019). "Predicting Birth Weight Using Artificial Neural Network." International Journal of Academic Health and Medical Research (IJAHMR) 3(1): 9-14.
- Al-Shawwa, M. and S. S. Abu-Naser (2019). "Predicting Effect of Oxygen Consumption of Thylakoid Membranes (Chloroplasts) from Spinach after Inhibition Using Artificial Neural Network." International Journal of Academic Engineering Research (IJAER) 3(2): 15-20.
- 11. Al-Shawwa, M., et al. (2018). "Predicting Temperature and Humidity in the Surrounding Environment Using Artificial Neural Network." International Journal of Academic Pedagogical Research (IJAPR) 2(9): 1-6.
- 12. Anderson, J., et al. (2005). "Adaptation of Problem Presentation and Feedback in an Intelligent Mathematics Tutor." Information Technology Journal 5(5): 167-207.
- Ashqar, B. A. M. and S. S. Abu-Naser (2019). "Identifying Images of Invasive Hydrangea Using Pre-Trained Deep Convolutional Neural Networks." International Journal of Academic Engineering Research (IJAER) 3(3): 28-36.
- 14. Ashqar, B. A. M. and S. S. Abu-Naser (2019). "Image-Based Tomato Leaves Diseases Detection Using Deep Learning." International Journal of Academic Engineering Research (IJAER) 2(12): 10-16.
- 15. Ashqar, B. A., et al. (2019). "Plant Seedlings Classification Using Deep Learning." International Journal of Academic Information Systems Research (IJAISR) 3(1): 7-14.
- 16. Elzamly, A., et al. (2015). "Predicting Software Analysis Process Risks Using Linear Stepwise Discriminant Analysis: Statistical Methods." Int. J. Adv. Inf. Sci. Technol 38(38): 108-115.
- 17. Elzamly, A., et al. (2016). "A New Conceptual Framework Modelling for Cloud Computing Risk Management in Banking Organizations." International Journal of Grid and Distributed Computing 9(9): 137-154.
- 18. Elzamly, A., et al. (2017). "Predicting Critical Cloud Computing Security Issues using Artificial Neural Network (ANNs) Algorithms in Banking Organizations." International Journal of Information Technology and Electrical Engineering 6(2): 40-45.
- 19. Elzamly, A., et al. (2019). "Critical Cloud Computing Risks for Banking Organizations: Issues and Challenges." Religación. Revista de Ciencias Sociales y Humanidades 4(18): 673-682.
- 20. Heriz, H. H., et al. (2018). "English Alphabet Prediction Using Artificial Neural Networks." International Journal of Academic Pedagogical Research (IJAPR) 2(11): 8-14.
- 21. Jamala, M. N. and S. S. Abu-Naser (2018). "Predicting MPG for Automobile Using Artificial Neural Network Analysis." International Journal of Academic Information Systems Research (IJAISR) 2(10): 5-21.
- 22. Kashf, D. W. A., et al. (2018). "Predicting DNA Lung Cancer using Artificial Neural Network." International Journal of Academic Pedagogical Research (IJAPR) 2(10): 6-13.
- 23. Khalil, A. J., et al. (2019). "Energy Efficiency Predicting using Artificial Neural Network." International Journal of Academic Pedagogical Research (IJAPR) 3(9): 1-8.
- 24. Li, L., et al. (2011). "Hybrid Quantum-inspired genetic algorithm for extracting association rule in data mining." Information Technology Journal 12(4): 1437-1441.
- 25. Abu Naser, S. S., et al. (2016). "Design and Development of Mobile University Student Guide." Journal of Multidisciplinary Engineering Science Studies (JMESS) 2(1): 193-197.
- 26. Abu Naser, S. S., et al. (2016). "Design and Development of Mobile Blood Donor Tracker." Journal of
- 27. Marouf, A. and S. S. Abu-Naser (2018). "Predicting Antibiotic Susceptibility Using Artificial Neural Network." International Journal of Academic Pedagogical Research (IJAPR) 2(10): 1-5.
- 28. Masri, N., et al. (2019). "Survey of Rule-Based Systems." International Journal of Academic Information Systems Research (IJAISR) 3(7): 1-23.
- 29. Nasser, I. M. and S. S. Abu-Naser (2019). "Artificial Neural Network for Predicting Animals Category." International Journal of Academic and Applied Research (IJAAR) 3(2): 18-24.
- 30. Nasser, I. M. and S. S. Abu-Naser (2019). "Lung Cancer Detection Using Artificial Neural Network." International Journal of Engineering and Information Systems (IJEAIS) 3(3): 17-23.

 31. Nasser, I. M. and S. S. Abu-Naser (2019). "Predicting Books' Overall Rating Using Artificial Neural Network." International Journal of Academic Engineering Research (IJAER) 3(8): 11-17.
- 31. Nasser, I. M. and S. S. Abu-Naser (2019). Predicting Books Overan Rating Osing Artificial Neural Networks." International Journal of Academic Health and Medical Research (IJAHMR) 3(2): 1-7.

 32. Nasser, I. M. and S. S. Abu-Naser (2019). "Predicting Tumor Category Using Artificial Neural Networks." International Journal of Academic Health and Medical Research (IJAHMR) 3(2): 1-7.
- 33. Nasser, I. M., et al. (2019). "A Proposed Artificial Neural Network for Predicting Movies Rates Category." International Journal of Academic Engineering Research (IJAER) 3(2): 21-25.
- 34. Nasser, I. M., et al. (2019). "Artificial Neural Network for Diagnose Autism Spectrum Disorder." International Journal of Academic Information Systems Research (IJAISR) 3(2): 27-32.
- 35. Nasser, I. M., et al. (2019). "Developing Artificial Neural Network for Predicting Mobile Phone Price Range." International Journal of Academic Information Systems Research (IJAISR) 3(2): 1-6.
- 36. Ng, S., et al. (2010). "Ad hoc networks based on rough set distance learning method." Information Technology Journal 10(9): 239-251.
- 37. Owaied, H. H., et al. (2009). "Using rules to support case-based reasoning for harmonizing melodies." Journal of Applied Sciences 11(14): pp: 31-41.
- 38. Sadek, R. M., et al. (2019). "Parkinson's Disease Prediction Using Artificial Neural Network." International Journal of Academic Health and Medical Research (IJAHMR) 3(1): 1-8.
- 39. Salah, M., et al. (2018). "Predicting Medical Expenses Using Artificial Neural Network." International Journal of Engineering and Information Systems (IJEAIS) 2(20): 11-17.
- 40. Sulisel, O., et al. (2005). "Growth and Maturity of Intelligent Tutoring Systems." Information Technology Journal 7(7): 9-37.
- 41. Zaqout, I., et al. (2015). "Predicting Student Performance Using Artificial Neural Network: in the Faculty of Engineering and Information Technology." International Journal of Hybrid Information Technology 8(2): 221-228.
- 42. Abu-Nasser, Bassem. "Medical Expert Systems Survey." International Journal of Engineering and Information Systems (IJEAIS) 1, no. 7 (2017): 218-224.
- 43. Abu-Nasser, Bassem S., and Samy S. Abu-Naser. "Cognitive System for Helping Farmers in Diagnosing Watermelon Diseases." *International Journal of Academic Information Systems Research (IJAISR)* 2, no. 7 (2018): 1-7.
- 44. Abu-Nasser, Bassem S., and Samy S. Abu Naser. "Rule-Based System for Watermelon Diseases and Treatment." International Journal of Academic Information Systems Research (IJAISR) 2, no. 7 (2018): 1-7.
- 45. Baker, J., et al. "& Heller, R.(1996)." Information Visualization. Information Technology Journal 7(2).
- 46. Baker, J., et al. (1996). "Information Visualization." Information Technology Journal 7(2): pp: 403-404.
- 47. Baraka, M. H., et al. (2008). "A Proposed Expert System For Guiding Freshman Students In Selecting A Major In Al-Azhar University, Gaza." Journal of Theoretical & Applied Information Technology 4(9).
- 48. Barhoom, A. M., et al. (2019). "Predicting Titanic Survivors using Artificial Neural Network." International Journal of Academic Engineering Research (IJAER) 3(9): 8-12.
- 49. Chand, P. S., et al. (2008). "MADAMS: Mining and Acquisition of Data by ANT-MINER Samples." Journal of Theoretical & Applied Information Technology 4(10).
- 50. Chen, R.-S., et al. (2008). "Evaluating structural equation models with unobservable variables and measurement error." Information Technology Journal 10(2): 1055-1060.
- 51. Dalffa, M. A., et al. (2019). "Tic-Tac-Toe Learning Using Artificial Neural Networks." International Journal of Engineering and Information Systems (IJEAIS) 3(2): 9-19.

 52. El Jeriawi, N. S. and S. S. Abu-Naser (2018). "Diabetes Prediction Using Artificial Neural Network." International Journal of Advanced Science and Technology, 121: 55-6
- 52. El_Jerjawi, N. S. and S. S. Abu-Naser (2018). "Diabetes Prediction Using Artificial Neural Network." International Journal of Advanced Science and Technology 121: 55-64.
 53. El-Khatib, M. J., et al. (2019). "Glass Classification Using Artificial Neural Network." International Journal of Academic Pedagogical Research (IJAPR) 3(2): 25-31.
- 54. Elzamly, A., et al. (2015). "Classification of Software Risks with Discriminant Analysis Techniques in Software planning Development Process." International Journal of Advanced Science and Technology 81: 35-48.
- 55. Naser, S. S. A. "TOP 10 NEURAL NETWORK PAPERS: RECOMMENDED READING-ARTIFICIAL INTELLIGENCE RESEARCH."