

Purdue University
Purdue e-Pubs

Faculty Publications


Department of Computer Information
Technology

1-1-2020

Internet of Things for Sustainable Human Health

Abdul Salam
Purdue University, salama@purdue.edu

Follow this and additional works at: https://docs.lib.purdue.edu/cit_articles

 Part of the [Community Health Commons](#), [Digital Communications and Networking Commons](#), [Health and Medical Administration Commons](#), [Medical Humanities Commons](#), [Nanomedicine Commons](#), [Other Medicine and Health Sciences Commons](#), and the [Telemedicine Commons](#)

Salam, Abdul, "Internet of Things for Sustainable Human Health" (2020). *Faculty Publications*. Paper 29.
https://docs.lib.purdue.edu/cit_articles/29

This document has been made available through Purdue e-Pubs, a service of the Purdue University Libraries.
Please contact epubs@purdue.edu for additional information.

Chapter 7

Internet of Things for Sustainable Human Health



Abstract The sustainable health IoT has the strong potential to bring tremendous improvements in human health and well-being through sensing, and monitoring of health impacts across the whole spectrum of climate change. The sustainable health IoT enables development of a systems approach in the area of human health and ecosystem. It allows integration of broader health sub-areas in a bigger archetype for improving sustainability in health in the realm of social, economic, and environmental sectors. This integration provides a powerful health IoT framework for sustainable health and community goals in the wake of changing climate. In this chapter, a detailed description of climate-related health impacts on human health is provided. The sensing, communications, and monitoring technologies are discussed. The impact of key environmental and human health factors on the development of new IoT technologies also analyzed.

7.1 Introduction

The sustainable development goals (SDGs) are a set of goals established by United Nations (UN) following the millennium development goals (MDG), in 2015 by 193 UN member nations to address health, climate, and environmental issues being faced by the humanity [69]. These SDGs have laid a special focus on sustainable approach for future health and present a vital scope to foster the appropriate environment for an improved human health by the way of sustainable society. Thereof, four vital issues are identified [63].

- Necessity of systems approach for sustainable health
- Importance of health society for community's prosperity
- Assessment of climate change impacts and additional perils to sustainable health and to provide expeditious health benefits
- Development of indicators, models, and metrics to observe and project different health impacts in terms of threats and risks

To achieve SDGs objectives, a new systems paradigm is required across the various prongs of sustainable development (e.g., world, mankind, and well-being).

For this purpose, integration of sensing, communications, monitoring, and decision support systems is required for sustainable health IoT paradigm, under the guidelines of United Nations and World Health Organization.

7.1.1 Sustainable Health IoT

The sustainable health IoT enables development of a systems approach in the area of human health and ecosystem. It allows integration of broader health sub-areas in a bigger archetype for improving sustainability in health in the realm of social, economic, and environmental sectors. This integration provides a powerful health IoT framework to sustainable health and community goals in the wake of changing climate [31, 40, 87, 89]. The other climate mitigation approaches using the IoT paradigms also carry many health benefits such as health community is achieved via sensing and corresponding improvements in air quality, green urban environment, and reduction in flooding [14, 123, 146, 150]. The IoT paradigm also enables many health benefits of adaption and mitigation while providing insights climate-related health impacts [47, 86]. The climate change impact on human health is shown in Fig. 7.1 [153]. Because of this factor, either the current health problems become worse or new unparalleled health issues are generated.

The sustainable health IoT has the strong potential to bring tremendous improvements in human health and well-being through sensing, monitoring of health impacts across the whole spectrum of climate change. It is envisioned to provide health and environmental data that can be utilized to characterize the impacts of climate change on human health [47], which in turn enables identification, projection, and effective response to human health related threats. The impact of climate change on human health is discussed in the following section.

7.1.2 Climate Change and Human Health

A significant threat is being faced by the humanity in health related issues because of the climate change [15, 25]. The impact of weather and climate on human health is very significant and diverse. This exposure to climate induced health issues is impacting the community and people in different ways. There are many ways (e.g., environmental emissions, ozone exposure, water and air quality, temperature, and weather) in which human health is being impacted by the climate change [46, 50, 101, 109, 126, 160]. Particularly, the increasing concentrations of the carbon dioxide and rising temperatures, and their relation with variations in plants, flower production, and allergenic initiating time has led to increased production of the allergens [73]. The rise in emissions is also cause of rising temperatures and sea levels, variations in precipitation patterns, increase in extreme weather pattern.








	Climate Driver	Exposure	Health Outcome	Impact
 Extreme Heat	More frequent, severe, prolonged heat events	Elevated temperatures	Heat-related death and illness	Rising temperatures will lead to an increase in heat-related deaths and illnesses.
 Outdoor Air Quality	Increasing temperatures and changing precipitation patterns	Worsened air quality (ozone, particulate matter, and higher pollen counts)	Premature death, acute and chronic cardiovascular and respiratory illnesses	Rising temperatures and wildfires and decreasing precipitation will lead to increases in ozone and particulate matter, elevating the risks of cardiovascular and respiratory illnesses and death.
 Flooding	Rising sea level and more frequent or intense extreme precipitation, hurricanes, and storm surge events	Contaminated water, debris, and disruptions to essential infrastructure	Drowning, injuries, mental health consequences, gastrointestinal and other illness	Increased coastal and inland flooding exposes populations to a range of negative health impacts before, during, and after events.
 Vector-Borne Infection (Lyme Disease)	Changes in temperature extremes and seasonal weather patterns	Earlier and geographically expanded tick activity	Lyme disease	Ticks will show earlier seasonal activity and a generally northward range expansion, increasing risk of human exposure to Lyme disease-causing bacteria.
 Water-Related Infection (<i>Vibrio vulnificus</i>)	Rising sea surface temperature, changes in precipitation and runoff affecting coastal salinity	Recreational water or shellfish contaminated with <i>Vibrio vulnificus</i>	<i>Vibrio Vulnificus</i> induced diarrhea & intestinal illness, wound and blood-stream infections, death	Increases in water temperatures will alter timing and location of <i>Vibrio vulnificus</i> growth, increasing exposure and risk of water-borne illness.
 Food-Related Infection (<i>Salmonella</i>)	Increases in temperature, humidity, and season length	Increased growth of pathogens, seasonal shifts in incidence of <i>Salmonella</i> exposure	<i>Salmonella</i> infection, gastrointestinal outbreaks	Rising temperatures increase <i>Salmonella</i> prevalence in food; longer seasons and warming winters increase risk of exposure and infection.
 Mental Health and Well-Being	Climate change impacts, especially extreme weather	Level of exposure to traumatic events, like disasters	Distress, grief, behavioral health disorders, social impacts, resilience	Changes in exposure to climate- or weather-related disasters cause or exacerbate stress and mental health consequences, with greater risk for certain populations.

Fig. 7.1 The climate change impact on human health [153]

Accordingly, water bodies are contaminated, diseases are transmitted through food sources, air quality is degraded, which, consequently, bring cascading adverse effects upon human health and well-being. These problems are being exacerbated with rapid changes hence increasing exposure of the human for longer duration of time [143]. Therefore, new challenges are being faced in the area of human health [45, 100]. The climate and holistic health outcomes are shown in Fig. 7.2.




Fig. 7.2 The climate and holistic health outcome [153]

It is important to note that the magnitude of impact of climate on human health varies on spatial and temporal scale [72, 90, 119]. The children, elderly, poor, and sick are the ones most affected [10, 16, 79, 135, 140, 141]. The research has shown the high correlation between the mold and fungus related indoor air quality issues and the high and extreme temperatures, and heat waves and precipitation [48, 53, 64, 64, 75]. The moist indoor environment causes elevated prevalence of asthma and upper respiratory tract symptoms [2, 2, 39, 53, 70, 102, 128, 142, 148]. The extreme heat contributes to air pollution, and asthma, pediatric, deaths (e.g., hot cars), and increased frequency of emergency room (ER) visits, and hospitalization [7, 38, 91, 130, 159]. Similarly, the heavy precipitation also leads to severe flooding events, algal blooms, and waterborne diseases. The outdoor air quality is also affected by the wildfires which leads to respiratory issues because of smoke inhaling. The human health is also being impacted by the worsening air quality and pollution of the ozone [118]. The climate change has also led to expansion of scope of some disease vectors and other epidemiological factors, such as Ixodes ticks (Lyme disease vectors). The climate change also impacts the mental health and causes stress particularly after disasters and displacement. The summary of these climate change impacts is outlined below:

- The increased exposure to ozone [8, 15, 19, 50, 95, 125, 126, 151]
- Extreme weather events [1, 7, 52, 105, 116, 124]

- Rising allergens [108]
- Increase in frequency and intensity of wildfires [81]
- Thermal extremes [13]
- Growing harmful algal blooms (HAB) [9, 62, 114]
- Mental health stress [36, 57, 65, 66, 98, 106, 111, 145]
- Expansion of vector-borne infectious diseases [21, 83, 85, 93, 110, 117, 129, 136]
- More water- and food-borne diseases [32, 67, 88, 115]
- Food quality and security [56, 132]

7.2 Benefits of Sustainable Health IoT

The sustainable health IoT has tremendous potential to bring improvements in human health and well-being by enabling real-time sensing and monitoring of the climate induced impacts. These benefits are discussed below:

- Innovations in mobile health care
- Evolution of new sensing methods
- Novel communication techniques such as human body communications and molecular communications
- Remote diagnostic systems
- Human mobility models to predict diseases outbreak
- Support for remote telehealth and self-monitoring and tracking on diurnal basis
- Efficiency and improvements in health care settings
- Quick diagnosis of medical conditions
- Improvements in patient conditions management
- Development of novel treatment regimes

7.3 Sustainable Health IoT

The sustainable health IoT is characterized by its things which are the vital component of the paradigm for real-time sensing monitoring, medication compliance wireless communications, and imaging based decision support systems. In this section, the sustainable health IoT things are discussed.

- Patients, physician and health care providers
- Smart ingestible, implantable, and injectable medical devices
- Medicines, health, and wellness products
- Physiological, wearable, and molecular sensors
- Actuators, treatment, electronic health records
- Telehealth, precision medicine
- Insulin pumps, cochlear implants, and pacemakers
- Patient-generated and machine-generated healthcare data

7.4 Sustainable Health IoT Technology

In this section different technologies for sustainable health IoT are discussed.

7.4.1 Precision Medicine

The precision medicine is one of the emerging technologies in human healthcare [30, 96]. It deals with disease prevention and treatment approaches which are based on considering the human genetic, environmental, and other factors tailored to individual patients. The precision medicine practices are also called personalized medicine. The sustainable health IoT enables precision medicine by integrating DNA databases of clinical trials and application layer Health Level 7 (HL7) and other standards such as Fast Healthcare Interoperability Resource (FHIR) [120] to support treatments of different diseases.

7.4.2 Personalization of Diabetes Treatment

The sustainable health IoT also enables monitoring of the blood glucose levels in patients with diabetes [26]. By using sensing and wireless communications technologies, the advanced diabetes treatments can be utilized for extensive dissemination of blood sugar data to intelligent computing technologies and clinicians. There it can be evaluated for personalized treatment by generating prediction based cautions for insulin dosage and hypoglycemia updates.

7.4.3 Automated Nutrition Control

The sustainable health IoT enables automated nutrition control where based on daily calories needs, the customized food plan can be developed for patients by using the food ingredients. This enables suitable food choices based on the recommendations of the physicians. Accordingly, physicians can view the impact the food consumption on patient health for real-time decision making [61].

7.4.4 Mobile Healthcare Connectivity

The sustainable health IoT supports integration of wireless communications based interconnection of medical devices with the cloud for rapid on-line data management [144]. The Capsule Technologies Hub is a robust mobile gateway to

provide connectivity using many different wireless interfaces [35, 167]. The mobile healthcare connectivity in sustainable health IoT enables development of healthcare applications based on the wireless technologies that enables patient management and coordination and leads to higher efficiency and decreased cost of medical care.

7.4.5 Cancer Treatment

Cancer treatment approaches can greatly benefit from sustainable health IoT monitoring and communication technologies, where patients can transmit updates through symptom tracking applications to their physicians [127]. The physician's response is helpful to reduce the frequency of regular clinic visits. Moreover, the side effects of the medicines can be identified and addressed quickly. Early warning can be issued when the levels cross a threshold.

7.4.6 Glucose Monitoring

The sustainable health IoT facilitates continuous glucose monitoring (CGM) in diabetic patients. IoT enables devices can continuously monitor the blood glucose levels by providing regular readings for subsequent transmission to cloud using wireless communications and Internet with easy access through mobile devices by patients and physicians [51]. Accordingly, the automated delivery of insulin enables efficient management.

7.4.7 Smart Inhalers

The smart and connected inhalers (Bluetooth spirometer [168]) in sustainable health IoT enable asthma and other chronic obstructive pulmonary disease (COPD) [133], which includes emphysema and chronic bronchitis) patients to take control of their symptoms and treatments by using Bluetooth. These can also send reminders to patient about their medicine intake, hence, improving the disease management, attack avoidance, and symptoms reporting to physicians.

Other important applications include connected contact lenses to monitor variations in eye dimensions causing the glaucoma [6]; the coagulation testing for blood clot formations to avoid stroke, bleeding [165], assisted living [122]. Overall, the sustainable health IoT enables, through its sensing, communications, and monitoring technology, efficient health care, drug and chronic disease management, and reduction in emergency room wait times.

7.5 Sensing in Sustainable Health IoT

In this section, two types of health related sustainable health IoT sensing approaches are discussed: (1) the physiological sensing and (2) the environmental sensing for health [138].

7.5.1 *Physiological Sensing*

The physiological sensing is a vital monitoring approach in the sustainable health IoT to measure and analyze different physiological (biological) signals for medical and clinical healthcare applications [29, 164]. These data collected from these physiological sensor signals is discussed in the following:

- Heart rate (HR)
- Finger temperature (FT)
- Respiration rate (RR)
- Carbon dioxide (CO₂)
- Oxygen saturation (SpO₂)
- Patient position sensor (Accelerometer)

The sensors to detect these physiological signals are given below [11]:

- Glucometer sensor
- Body temperature sensor
- Blood pressure sensor (sphygmomanometer)
- Pulse and oxygen in blood sensor (SPO₂)
- Airflow sensor (breathing)
- Galvanic skin response sensor (GSR—sweating)
- Electrocardiogram sensor (ECG)
- Electromyography sensor (EMG)

A detailed review of these physiological sensors is given in [11].

7.5.2 *Ingestible Sensors*

These sensors are ingested in capsules or pills and have the capability to dissolve in stomach [84]. There, these are used to sense different physical parameters, which can be communicated to the external nodes through human body communications or by using wireless communications. The legal issues in ingestible sensors are discussed in [60].

7.5.3 *Wearable Sensors*

Wearable sensors are placed into wearable objects to sense different phenomena such as health conditions, environmental conditions, and physiological signals [11, 27, 54, 161, 166]. These can also be implanted in body from where they can communicate using human body or molecular communications. Some important use cases of the wearable sensors are listed below:

- Wearable devices for environmental monitoring [94] such as air quality [20, 22, 28, 42, 80, 99, 137, 157, 158]
- Wearable AI system to detect a conversation's tone [155]
- Wearable devices for physiological sensing [76]
- Wearable system to help visually impaired users navigate [156]
- Monitoring metabolic energy expenditure, health, and fitness with a breath analyzer [112]
- Wearable sensor for athletes detects potential head injuries, gathers data on hard hits [18]
- Wristbands that keep wearers thermally comfortable [112]
- Wearable tracks increased skin conductance that signals stress, helps identify dangerous seizures [104, 149]
- Wrist watch to monitor depression, and Parkinson's disease symptoms [113]

7.6 Environmental Sensing for Health and Wellness

In this section, the sensing of different environmental parameters and their impact on human health is discussed.

7.6.1 *Sanitation, Waterborne Diseases, and Human Health*

The viruses, bacteria, and protozoa are major cause of waterborne diseases also called water-related illnesses. The human-induced chemicals, toxins generated by cyanobacteria, and detrimental algae, are other sources of some of these diseases [23, 131]. The patients are also exposed to these diseases when the contaminated water is inhaled or ingested. Other recreational activities in contaminated water and eating contaminated seafood are also a cause of waterborne diseases. The water-related illness grows, spreads, and becomes viral and toxic based on different climate related factors such as hurricanes, precipitation, runoff, and storm surges [32, 88]. Moreover, the exposure to these diseases also depends on individual's capacity of adaptiveness and sensitiveness.



Fig. 7.3 Water related health issues [153]

The waterborne diseases are also major challenge in urban areas where the 6–40% of gastrointestinal illness are caused by extensive contamination of wells and surface water by various pathogens. The access to safe drinking water is also a major global issue with one billion population lacking access to safe potable water. Moreover, the increasing global temperatures are fostering production of toxic algal blooms. These organisms are serious risk to human health (see Fig. 7.3) [153].

The sustainable health IoT through its sensing of water quality, real-time monitoring and warning systems, and other treatment technologies enables effective prevention and mitigation of diseases caused by water contamination. It enables water flow and quality monitoring. The water quality sensing also informs the selection of proper disinfection technique based on pathogen sensing and molecular sensing methods for specific pathogens and their ability to cause infection.

The sustainable health IoT holds great promise in water quality improvements and sanitation in less developed and advanced countries. Some examples are presented in the following:

- The smart meters and reverse osmosis (RO) technology in IoT systems and sensor networks is being used in India for provision of clean water and for water treatment to rural areas [134].

- The IoT technology is being used in China to monitor the water flow and usage by using sensors installed at different points in the water supply system [147].
- A biosensor network is utilized in Bangladesh for water quality monitoring using arsenic sensor [41].
- In Kenya, a smart connected water hand pump is being used to address the issues related to the non-functional water pumps for timely maintenance [92]. Special accelerometer based devices were designed and installed with built-in 3G radios for water hand pump monitoring. With battery life of up to 18 months, this IoT system has reduced downtime while ensuring consistent water supply service delivery.
- For sanitation and hygiene, the water flow and motion sensors are being used in Indonesia to identify human behavior (e.g., hand washing after toilet use) and to design enhanced hygiene training [152].

7.6.2 Ultraviolet Radiation and Human Health

The exposure to ultraviolet radiation (UV) can have multiple impacts such as corneal damage, skin cancer, sunburn, immune suppression, and cataracts [12]. The detrimental effects of ultraviolet radiation include damage to plastic, wood, and other infrastructure. Overall, UV radiation presents many challenges to health and environment.

The sustainable health IoT has the potential for robust monitoring of ozone and UV radiation levels at a large scale, which can be integrated to the cloud for new insights. Accordingly, models can be developed for informed decision making. A sensor called dosimeter determines the UV exposure by measuring absorbed amount of ionizing radiation. The ionizing radiation at its peak is capable of removing an electron from an item. A urocanic acid photoreceptor is used for the induction of UV immune suppression. The UV-induced (UVB induced) immune suppression is variation in cell immunity which produces suppressor cells. Various types of ultraviolet radiations and related concepts are discussed below [71]:

- UVA. The UVA has the longest wavelengths 0.31 micrometer to 0.4 micrometer and impacts skin aging. The ability of atmospheric gases to absorb UVA radiation is low. Therefore, UAV are able to reach surface of the Earth.
- UVB. It causes skin burning and suppression of immune system with its shorter wavelength of 0.28 micrometer to 0.31 micrometer. However, most of it is absorbed by stratospheric ozone.
- UVC. The UVC is mostly absorbed by the ozone and oxygen present in the atmosphere. It has shorter wavelength of 0.1 micrometer to 0.2 micrometer. UV-C radiation is almost entirely absorbed by atmospheric oxygen and ozone.

7.6.3 *Extreme Weather and Human Health*

The thunderstorms associated increased humidity levels are known to cause cardiovascular and respiratory diseases [44]. The natural disasters also contribute to the mental health issues (e.g., post-traumatic tension disorders). Moreover, the prolonged duration of the hurricanes, tropical storms, and extreme weather events also causes short-term stress related issues with its disruptions to subsistence activities and to different modes of transportation, affecting overall health and well-being.

7.7 **Wireless, Human Body, and Molecular Communications in Sustainable Health IoT**

The applications of wireless communication technologies to human health are being used for sensing, data collection, modeling, and analysis of health information of patients using Internet and various computing technologies [55, 59, 121, 162, 163]. Wireless communications play an important role to provide connectivity to sensors and system in sustainable health IoT in different topologies and configurations. The Bluetooth (IEEE 802.15.1) and Bluetooth Low Energy (BLE) are commonly used for this purpose due to its low cost and energy requirements along with other standards such 4G, WLAN, LTE, UMTS, Wi-Fi, and WiMAX. A list of different wireless technologies for sustainable health IoT applications is given below:

- IEEE 802.11x (Wi-Fi) is the widely used wireless local area network protocol for health applications. It operates in 2.4 GHz or 5 GHz frequency bands. The latest versions of the Wi-Fi can support data rates from 54 Mb/s to 0.5 Gb/s with communication range of more than 100 m [74].
- IEEE 802.15.1 (Bluetooth) operates in 2.4 GHz frequency band with communication range of up to 10 m. and supports data rates of 722 Kb/s for the classic version (BC) and 3 Mb/s for Bluetooth Enhanced Data Rate (EDR) [17].
- Bluetooth Low Energy (BLE) is a low power variant of Bluetooth. It can cover communication distances of up to 68m with maximum data rates of 1 Mb/s. It uses physical and data access layer of Wi-Fi.
- ZigBee (IEEE 802.15.4) is a less complex, low cost and data rate, wireless personal area network (WPAN) standard for prolonged operation of devices and equipment. It supports 868 MHz frequency, 915 MHz spectrum band, and 2.4 GHz radio wireless channel with maximum data rates of more 250 kb/s, respectively, for communication range of up to 75 m [169].
- Long range wide area network (LoRaWAN) has the potential for long range communications in sustainable health IoT applications (e.g., the LoRa) It also supports 868 MHz frequency and 915 MHz spectrum operation with data rates of more than 50 kb/s [37].

- Chirp spread spectrum (CSS) based nanoLOC operates in 2.4 GHz frequency band. It covers communication distances of up to 570m depending on the environment with data rates of up to 2 Mb/s [139].

More details about wireless body area network can be found in [68].

7.7.1 Human Body Communications

The human body communications (HBC) is another important connectivity mechanism in the sustainable health IoT. Body is a highly conducting material (body tissues are lossy dielectric) because of the presence of the water and blood. Human body communications also are very energy efficient and require very low power for operation for implanted medical devices with long battery life, hence reducing the inter-surgery time significantly. Moreover, the human body communications are very secure and present resistance by preventing physical access of devices by hackers. These can be utilized to form the inter-body and body-to-body communication networks wearable sensors and devices, implanted medical devices, in-body authentication instruments in the sustainable health IoT [55, 58, 78, 107, 164].

The wearable sensors can establish connection using HBC for critical data communications to external devices. The body area network (BAN) in the IEEE 802.15 working group has developed a physical layer (PHY) for human body communications. In HBC, there are three main components: (1) the human body channel, (2) radio system, and (3) modulation and transmission schemes.

Another alternative to wireless body area network (WBAN) is electro-quasistatic human body communication (EQS-HBC) [34], which operates by broadband low frequency human body communications to achieve secure data transmission. A comparison of WBAN and electro-quasistatic is presented in Fig. 7.4.

7.7.2 Molecular Communications in Sustainable Health IoT

The molecular communications (MC) form the basis of the information transmission within basic unit of human life such as biological cells and complex organisms [4, 97]. In molecular paradigm, the data bits are modulated on molecules and communication propagation happens through the transport of these molecule and chemical reactions. The fundamental building blocks of the molecular communications are shown in Fig. 7.5 and are discussed below [4]:

- Molecules are the smallest distinguishable unit of a chemical compound and represent atoms bind together in the chemical composition of a particular substance [3].
- The chemical reactions are the manipulations and transformations resulting from the detachment and formation of molecules.




Fig. 7.4 A comparison of WBAN and electro-quasistatic human body communications [34]. EQS-HBC vs. WBAN: An Overview of the Data Privacy Space, (a) Persons wearing transmitter device (pacemaker) and an on-body hub communicating using EQS-HBC and (b) WBAN




Fig. 7.5 The fundamental building blocks of molecular communications [4]. From moving forward with molecular communication: from theory to human health applications

- The molecule transport is the process of their propagation in space and happens through flow, transport, Brownian forces such as movement in the blood runnel or intra-cells motion [3].

The components of MC system include a transmitter, molecular channel, and a receiver. The communication channels propagation depends upon various molecular transport models such as chemotaxis, gap junction, diffusion, and molecular motor. The current research focus in MC is to maximize data communication rates, and development of coding and information modulation approaches, and the design of suitable modulation and coding techniques, and novel networking topologies for optimization of molecular data communication by molecules using multiple segments simultaneously [103].

The MC enables the sensing and monitoring applications through its propagation living organisms and the biochemistry underscoring the human body and cells (e.g., the cancers caused by the malformations polarity, and growth of molecules). The MC systems are envisioned to advance human health informatics and enhanced medicine with applications in natural and synthetic systems.

The monocular communications information flow theory in natural systems can model:

- At body scale, where a system is considered as an interconnection of tissues and organs.
- The cell coordination at cellular scale.
- The information modulation into compounds for subsequent propagation through chemical reactions and molecular transport.

For synthetic applications, the MC applications for system engineering purpose are:

- At interface level: Use of synthetic biology tools to develop genetic programs
- At device level: Development of bioengineering systems, programmed to perform specific actions.
- At network level: An interconnection of bio-engineering systems human health monitoring and connectivity to cloud

These applications of natural and synthetic systems of molecular communications in sustainable health IoT are shown in Fig. 7.6.

7.8 Sustainable Health IoT Systems

In this section, various systems, tools, databases, and indices to achieve sustainability using Internet of Things.




Fig. 7.6 Applications of natural and synthetic systems of molecular communications in sustainable health IoT [4]. From moving forward with molecular communication: from theory to human health applications

7.8.1 Health Indices

The vital health indices related to the environment are discussed:

- **UV Index.** This index is used to predict the solar UV radiation. The UV index is a number, measured on a scale of 0 to 11, that reflects the diurnal threat of sunburn (over-exposure to sunlight). The value of 0 represents the minimal exposure and an index value higher than 10 indicates extreme risk to human health [154].
- **Environmental Health Hazard Index.** The US environmental health hazard exposure index provides information about harmful toxins exposure neighborhood levels [49]. These health hazards exposures are determined using linear combinations of estimates of air quality respiratory, carcinogenic, and neurological hazard with indexing census tracts.
- **AirNow:** The air quality index (AQI) is an index to monitor the air quality and pollution. Accordingly, it informs about the related impact concerning human health [5]. It is ascertained by considering four air pollutants: particle pollution, carbon monoxide, surface ozone level, and sulfur dioxide gas.

7.8.2 Environmental Public Health Tracking Network

This US tracking network contains data and information on health effects, environmental hazards and substances, and human health [24]. This is an important data source for measuring hazardous substances in environment. The main features of the environmental public health tracking network are outlined in the following:

- It provide insights about spread of these substances over spatial and temporal scale and their impact on human tissues (e.g., carbon monoxide and air pollution in the environment).
- It also hosts data about health conditions and diseases, such as asthma and birth defects.
- It also contains exposure data. It contains vital information about the exposures relationship with the health effects, which relates specific health problems to age, race, sex, and behavior and lifestyle choices.

7.8.3 Mobile Health-Care Innovations

The mobile technology is an emerging innovation in healthcare solutions. Mobile applications are being developed to address mental health, cancer, active sports therapy, and rehabilitation with capability to support large-format displays, Bluetooth pen, AI, and cameras. These mobile technology when integrated with sustainable health IoT holds massive potential to make a profound impact by providing valuable healthcare services, such as telehealth [77], virtual care, and remote patient monitoring.

7.8.4 Mobility Models and Health

The human mobility models are used to analyze the population movement which can be used to mitigate disease outbreaks (e.g., development of malaria eradication strategies) [43]. During the 2014 Ebola outbreak in Sierra Leone, Guinea, Nigeria, Liberia, and Senegal, the call detail records (CDRs) from mobile cellular wireless network were used to monitor population movements through development of epidemiological models. These mobility models were used to forecast the spread of Ebola and potential outbreak of disease through analysis of movement paths of the affected population. The privacy concerns and security related issues are some of the major challenges in implementation of this approach in sustainable health IoT [82].

7.8.5 Virtual Beach

This virtual beach is a decision support system to predict disease-causing pathogens at beached. The policy makers can utilize the statistical model for health related beach decisions. It is also to issue alerts about the concentrations of fecal indicator bacteria (FIB) concentrations observed at beaches [33].

References

1. Ahern, M., Kovats, R. S., Wilkinson, P., Few, R., & Matthies, F. (2005). Global health impacts of floods: Epidemiologic evidence. *Epidemiologic reviews*, 27(1), 36–46.
2. Akinbami, L. J., Moorman, J. E., & Liu, X. (2011). *Asthma prevalence, health care use, and mortality; United States, 2005–2009*. Natl Health Stat Report.
3. Akyildiz, I. F., Pierobon, M., & Balasubramaniam, S. (2019). An information theoretic framework to analyze molecular communication systems based on statistical mechanics. *Proceedings of the IEEE*, 107(7), 1230–1255 (2019).
4. Akyildiz, I. F., Pierobon, M., & Balasubramaniam, S. (2019). Moving forward with molecular communication: From theory to human health applications. *Proceedings of the IEEE*, 107(5), 858–865.
5. Al-Saadi, J., Szykman, J., Pierce, R. B., Kittaka, C., Neil, D., Chu, D. A., et al. (2005). Improving national air quality forecasts with satellite aerosol observations. *Bulletin of the American Meteorological Society*, 86(9), 1249–1262.
6. An, H., Chen, L., Liu, X., Zhao, B., Zhang, H., & Wu, Z. (2019). Microfluidic contact lenses for unpowered, continuous and non-invasive intraocular pressure monitoring. *Sensors and Actuators A: Physical*, 295, 177–187.
7. Anderson, G. B., & Bell, M. L. (2010). Heat waves in the United States: Mortality risk during heat waves and effect modification by heat wave characteristics in 43 US communities. *Environmental Health Perspectives*, 119(2), 210–218.
8. Anderson, G. B., Krall, J. R., Peng, R. D., & Bell, M. L. (2012). Is the relation between ozone and mortality confounded by chemical components of particulate matter? Analysis of 7 components in 57 US communities. *American Journal of Epidemiology*, 176(8), 726–732.
9. Backer, L., & Moore, S. (2010). Harmful algal blooms: Future threats in a warmer world. In Nemr, A. (ed.), *Environmental pollution and its relation to climate change* (pp. 485–512). Hauppauge: Nova Science Publishers.
10. Balbus, J. M., & Malina, C. (2009). Identifying vulnerable subpopulations for climate change health effects in the United States. *Journal of Occupational and Environmental Medicine*, 51(1), 33–37.
11. Bariya, M., Nyein, H. Y. Y., & Javey, A. (2018). Wearable sweat sensors. *Nature Electronics*, 1(3), 160.
12. Barnes, P. W., Williamson, C. E., Lucas, R. M., Robinson, S. A., Madronich, S., Paul, N. D., et al. (2019). Ozone depletion, ultraviolet radiation, climate change and prospects for a sustainable future. *Nature Sustainability*, 2, 569–579.
13. Basu, R. (2009). High ambient temperature and mortality: A review of epidemiologic studies from 2001 to 2008. *Environmental Health*, 8(1), 40.
14. Bell, M. L., Davis, D. L., Cifuentes, L. A., Krupnick, A. J., Morgenstern, R. D., & Thurston, G. D. (2008). Ancillary human health benefits of improved air quality resulting from climate change mitigation. *Environmental Health*, 7(1), 41.
15. Bell, M. L., Goldberg, R., Hogrefe, C., Kinney, P. L., Knowlton, K., Lynn, B., et al. (2007). Climate change, ambient ozone, and health in 50 US cities. *Climatic Change*, 82(1–2), 61–76.

16. Berry, H. L., Kelly, B. J., Hanigan, I. C., Coates, J. H., McMichael, A. J., Welsh, J. A., et al. (2008). Rural mental health impacts of climate change. In *Commissioned report for the Garnaut climate change review*. Canberra: The Australian National University.
17. Bluetooth. <https://www.bluetooth.com/bluetooth-technology>.
18. Boesen, P. V., Kingscott, L., & Pereira, R. (2019). *Enhanced biometric control systems for detection of emergency events system and method*. US Patent Application No. 16/144,436.
19. Booker, F., Muntifering, R., McGrath, M., Burkey, K., Decoteau, D., Fiscus, E., et al. (2009). The ozone component of global change: potential effects on agricultural and horticultural plant yield, product quality and interactions with invasive species. *Journal of Integrative Plant Biology*, 51(4), 337–351.
20. Borghi, F., Spinazzè, A., Rovelli, S., Campagnolo, D., Del Buono, L., Cattaneo, A., et al. (2017). Miniaturized monitors for assessment of exposure to air pollutants: A review. *International Journal of Environmental Research and Public Health*, 14(8), 909. <https://doi.org/10.3390/ijerph14080909>. Cited By 12.
21. Brownstein, J. S., Holford, T. R., & Fish, D. (2005). Effect of climate change on Lyme disease risk in North America. *EcoHealth*, 2(1), 38–46.
22. Butca, C., Suciu, G., Ochian, A., Fratu, O., & Halunga, S. (2015). Wearable sensors and cloud platform for monitoring environmental parameters in e-health applications. In *2014 11th International Symposium on Electronics and Telecommunications (ISETC)*. <https://doi.org/10.1109/ISETC.2014.7010756>. Cited By 12
23. Centers for Disease Control (CDC) (2013). Surveillance for waterborne disease outbreaks associated with drinking water and other nonrecreational water-United States, 2009–2010. *MMWR. Morbidity and Mortality Weekly Report*, 62(35), 714.
24. Centers for Disease Control Prevention (2014). *Environmental public health tracking network*. State emergency department visits data.
25. Chang, H. H., Zhou, J., & Fuentes, M. (2010). Impact of climate change on ambient ozone level and mortality in southeastern United States. *International Journal of Environmental Research and Public Health*, 7(7), 2866–2880.
26. Chen, M., Yang, J., Zhou, J., Hao, Y., Zhang, J., & Youn, C. H. (2018). 5g-smart diabetes: Toward personalized diabetes diagnosis with healthcare big data clouds. *IEEE Communications Magazine*, 56(4), 16–23.
27. Cheng, L., Shum, V., Kuntze, G., McPhillips, G., Wilson, A., Hailes, S., et al. (2011). A wearable and flexible bracelet computer for on-body sensing. In *2011 IEEE Consumer Communications and Networking Conference (CCNC)* (pp. 860–864). <https://doi.org/10.1109/CCNC.2011.5766629>. Cited By 10.
28. Cho, H. (2015). Design and implementation of a wearable environmental monitoring system. In *WearSys '15 Proceedings of the 2015 Workshop on Wearable Systems and Applications* (pp. 55–56). <https://doi.org/10.1145/2753509.2753521>. Cited By 2.
29. Coden, A. R., Jamjoom, H. T., Lubensky, D. M., Manweiler, J. G., Vogt, K., & Weisz, J. (2019). *Calculate physiological state and control smart environments via wearable sensing elements*. US Patent Application No.16/218,612.
30. Collins, F. S., & Varmus, H. (2015). A new initiative on precision medicine. *New England Journal of Medicine*, 372(9), 793–795.
31. Crimmins, A., Balbus, J., Gamble, J., Beard, C., Bell, J., Dodgen, D., et al. (2016). *The impacts of climate change on human health in the United States: A scientific assessment*. Washington: Global Change Research Program.
32. Curriero, F. C., Patz, J. A., Rose, J. B., & Lele, S. (2001). The association between extreme precipitation and waterborne disease outbreaks in the United States, 1948–1994. *American Journal of Public Health*, 91(8), 1194–1199.
33. Cyterski, M., Brooks, W., Galvin, M., Wolfe, K., Carvin, R., Roddick, T., et al. (2013). *Virtual beach 3: User's guide*. Washington: United States Environmental Protection Agency.
34. Das, D., Maity, S., Chatterjee, B., & Sen, S. (2019). Enabling covert body area network using electro-quasistatic human body communication. *Scientific Reports*, 9(1), 4160.

35. Das, S., Park, E. C., Awoniyi-Oteri, O. O., & Aggarwal, A. (2019). *Systems and methods for remote patient monitoring and event detection*. US Patent Application No. 15/704,646.
36. Davidson, J., & McFarlane, A. C. (2006). The extent and impact of mental health problems after disaster. *The Journal of Clinical Psychiatry*, 67(Suppl 2), 9–14.
37. de Carvalho Silva, J., Rodrigues, J. J., Alberti, A. M., Solic, P., & Aquino, A. L. (2017). LoRaWAN—A low power wan protocol for internet of things: A review and opportunities. In *2017 2nd International Multidisciplinary Conference on Computer and Energy Science (SpliTech)* (pp. 1–6). Piscataway: IEEE.
38. Delfino, R. J., Brummel, S., Wu, J., Stern, H., Ostro, B., Lipsett, M., et al. (2009). The relationship of respiratory and cardiovascular hospital admissions to the Southern California wildfires of 2003. *Occupational and Environmental Medicine*, 66(3), 189–197.
39. Dennekamp, M., & Abramson, M. J. (2011). The effects of bushfire smoke on respiratory health. *Respirology*, 16(2), 198–209.
40. Dennekamp, M., & Carey, M. (2010). Air quality and chronic disease: why action on climate change is also good for health. *New South Wales Public Health Bulletin*, 21(6), 115–121.
41. Dewan, A. M., & Yamaguchi, Y. (2009). Land use and land cover change in greater Dhaka, Bangladesh: Using remote sensing to promote sustainable urbanization. *Applied Geography*, 29(3), 390–401.
42. Dieffenderfer, J., Goodell, H., Mills, S., McKnight, M., Yao, S., Lin, F., et al. (2016). Low-power wearable systems for continuous monitoring of environment and health for chronic respiratory disease. *IEEE Journal of Biomedical and Health Informatics*, 20(5), 1251–1264. <https://doi.org/10.1109/JBHI.2016.2573286>. Cited By 56.
43. Dogan, T., & Samaranayake, S. (2018). Mobility-aware integrated urban design: Developing software tools that incorporate active transportation, pollution, and outdoor comfort models for healthy urban design. In *Center for transportation, environment, and community health final report*. https://cpb-us-w2.wpmucdn.com/sites.coecis.cornell.edu/dist/6/132/files/2019/08/CU_YR2_DOGAN-SAMARANAYAKE_FINAL_MOBILITY-AWARE.pdf
44. D'Amato, G., Cecchi, L., D'Amato, M., & Annesi-Maesano, I. (2014). Climate change and respiratory diseases. *European Respiratory Review*, 23, 161–169.
45. Ebi, K. L., Kovats, R. S., & Menne, B. (2006). An approach for assessing human health vulnerability and public health interventions to adapt to climate change. *Environmental Health Perspectives*, 114(12), 1930–1934.
46. Ebi, K. L., & McGregor, G. (2008). Climate change, tropospheric ozone and particulate matter, and health impacts. *Environmental Health Perspectives*, 116(11), 1449–1455.
47. Ebi, K. L., & Semenza, J. C. (2008). Community-based adaptation to the health impacts of climate change. *American Journal of Preventive Medicine*, 35(5), 501–507.
48. Elliott, C. T., Henderson, S. B., & Wan, V. (2013). Time series analysis of fine particulate matter and asthma reliever dispensations in populations affected by forest fires. *Environmental Health*, 12(1), 11.
49. EPA: *Environmental health hazard index*. <https://www.epa.gov/risk>
50. EPA, U. (2009). *Assessment of the impacts of global change on regional us air quality: a synthesis of climate change impacts on ground-level ozone*. Washington: USEP Agency.
51. Fernández-Caramés, T. M., Froiz-Míguez, I., Blanco-Novoa, O., & Fraga-Lamas, P. (2019). Enabling the internet of mobile crowdsourcing health things: A mobile fog computing, blockchain and IoT based continuous glucose monitoring system for diabetes mellitus research and care. *Sensors*, 19(15), 3319.
52. Fewtrell, L., & Kay, D. (2008). An attempt to quantify the health impacts of flooding in the UK using an urban case study. *Public Health*, 122(5), 446–451.
53. Fisk, W. J., Lei-Gomez, Q., & Mendell, M. J. (2007). Meta-analyses of the associations of respiratory health effects with dampness and mold in homes. *Indoor Air*, 17(4), 284–296.
54. Fortino, G., Galzarano, S., & Liotta, A. (2012). An autonomic plane for wireless body sensor networks. In *2012 International Conference on Computing, Networking and Communications (ICNC)* pp. 94–98. Piscataway: IEEE.

55. Fortino, G., Parisi, D., Pirrone, V., & Di Fatta, G. (2014). BodyCloud: A SaaS approach for community body sensor networks. *Future Generation Computer Systems*, 35, 62–79.
56. Friel, S. (2010). Climate change, food insecurity and chronic diseases: sustainable and healthy policy opportunities for Australia. *New South Wales Public Health Bulletin*, 21(6), 129–133.
57. Fritze, J. G., Blashki, G. A., Burke, S., & Wiseman, J. (2008). Hope, despair and transformation: Climate change and the promotion of mental health and wellbeing. *International Journal of Mental Health Systems*, 2(1), 13.
58. Galzarano, S., Fortino, G., & Liotta, A. (2012). Embedded self-healing layer for detecting and recovering sensor faults in body sensor networks. In *2012 IEEE International Conference on Systems, Man, and Cybernetics (SMC)* pp. 2377–2382. Piscataway: IEEE.
59. Galzarano, S., Giannantonio, R., Liotta, A., & Fortino, G. (2014). A task-oriented framework for networked wearable computing. *IEEE Transactions on Automation Science and Engineering*, 13(2), 621–638.
60. Gerke, S., Minssen, T., Yu, H., & Cohen, I.G. (2019). Ethical and legal issues of ingestible electronic sensors. *Nature Electronics*, 2, 1–6.
61. Ghasemzadeh, H., & Hezarjaribi, N. (2018). *System and methods for nutrition monitoring*. US Patent Application No. 10/078,733.
62. Glibert, P. M., Anderson, D. M., Gentien, P., Granéli, E., & Sellner, K. G. (2005). The global, complex phenomena of harmful algal blooms. *Oceanography*, 8, 136–147.
63. Goal 3: Good health and well-being. <https://www.undp.org/content/undp/en/home/sustainable-development-goals/goal-3-good-health-and-well-being.html>
64. Hajat, S., & Kosatky, T. (2010). Heat-related mortality: a review and exploration of heterogeneity. *Journal of Epidemiology & Community Health*, 64(9), 753–760.
65. Halpern, J., & Tramontin, M. (2007). *Disaster mental health: Theory and practice*. Austin: Recording for the Blind & Dyslexic.
66. Hansen, A., Bi, P., Nitschke, M., Ryan, P., Pisaniello, D., & Tucker, G. (2008). The effect of heat waves on mental health in a temperate Australian city. *Environmental Health Perspectives*, 116(10), 1369–1375.
67. Harper, S. L., Edge, V. L., Schuster-Wallace, C. J., Berke, O., & McEwen, S. A. (2011). Weather, water quality and infectious gastrointestinal illness in two Inuit communities in Nunatsiavut, Canada: potential implications for climate change. *EcoHealth*, 8(1), 93–108.
68. Hasan, K., Biswas, K., Ahmed, K., Nafi, N. S., & Islam, M. S. (2019). A comprehensive review of wireless body area network. *Journal of Network and Computer Applications*, 143, 178–198.
69. Health - United Nations sustainable development. <https://www.un.org/sustainabledevelopment/health/>.
70. Henderson, S. B., Brauer, M., MacNab, Y. C., & Kennedy, S. M. (2011). Three measures of forest fire smoke exposure and their associations with respiratory and cardiovascular health outcomes in a population-based cohort. *Environmental Health Perspectives*, 119(9), 1266–1271.
71. Herndon, J. M., Hoisington, R. D., & Whiteside, M. (2018). Deadly ultraviolet UV-C and UV-B penetration to earth's surface: Human and environmental health implications. *Journal of Geography, Environment and Earth Science International*, 14, 1–11.
72. Huang, C., Barnett, A. G., Wang, X., Vaneckova, P., FitzGerald, G., & Tong, S. (2011). Projecting future heat-related mortality under climate change scenarios: A systematic review. *Environmental Health Perspectives*, 119(12), 1681–1690.
73. Idso, S. B., & Idso, K. E. (2001). Effects of atmospheric CO₂ enrichment on plant constituents related to animal and human health. *Environmental and Experimental Botany*, 45(2), 179–199.
74. IEEE 802.11 technical standard - wireless local area networks. <http://http://www.ieee802.org/11/>
75. Institute of Medicine (États-Unis). Committee on the Effect of Climate Change on Indoor Air Quality and Public Health (2011). *Climate change, the indoor environment, and health*. Washington: National Academies Press.

76. Ingraham, K. A., Ferris, D. P., & Remy, C. D. (2019). Evaluating physiological signal salience for estimating metabolic energy cost from wearable sensors. *Journal of Applied Physiology*, 126(3), 717–729.
77. Ismail, W. N., Hassan, M. M., Alsalamah, H. A., & Fortino, G. (2018). Mining productive-periodic frequent patterns in tele-health systems. *Journal of Network and Computer Applications*, 115, 33–47.
78. Iyengar, S., Bonda, F. T., Gravina, R., Guerrieri, A., Fortino, G., & Sangiovanni-Vincentelli, A. (2008). A framework for creating healthcare monitoring applications using wireless body sensor networks. In *Proceedings of the ICST 3rd international conference on Body area networks* (p. 8). ICST (Institute for Computer Sciences, Social-Informatics and ...
79. Jenkins, J. L., Hsu, E. B., Sauer, L. M., Hsieh, Y. H., & Kirsch, T. D. (2009). Prevalence of unmet health care needs and description of health care-seeking behavior among displaced people after the 2007 California wildfires. *Disaster Medicine and Public Health Preparedness*, 3(S1), S24–S28.
80. Jin, M., Zou, H., Weekly, K., Jia, R., Bayen, A., & Spanos, C. (2014). Environmental sensing by wearable device for indoor activity and location estimation. In *IECON 2014-40th Annual Conference of the IEEE Industrial Electronics Society* pp. 5369–5375. <https://doi.org/10.1109/IECON.2014.7049320>. Cited By 19.
81. Johnston, F. H., Henderson, S. B., Chen, Y., Randerson, J. T., Marlier, M., & DeFries, R. S., et al. (2012). Estimated global mortality attributable to smoke from landscape fires. *Environmental Health Perspectives*, 120(5), 695–701.
82. Jones, K. H., Daniels, H., Heys, S., & Ford, D. V. (2019). Toward an ethically founded framework for the use of mobile phone call detail records in health research. *JMIR mHealth and uHealth*, 7(3), e11969.
83. Jury, M. R. (2008). Climate influence on dengue epidemics in Puerto Rico. *International Journal of Environmental Health Research*, 18(5), 323–334.
84. Kalantar-Zadeh, K., Berean, K. J., Ha, N., Chrimes, A. F., Xu, K., Grando, D., et al. (2018). A human pilot trial of ingestible electronic capsules capable of sensing different gases in the gut. *Nature Electronics*, 1(1), 79.
85. Keesing, F., Brunner, J., Duerr, S., Killilea, M., LoGiudice, K., Schmidt, K., et al. (2009). Hosts as ecological traps for the vector of Lyme disease. *Proceedings of the Royal Society B: Biological Sciences*, 276(1675), 3911–3919.
86. Kinney, P., Pascal, M., Vautard, R., & Laaidi, K. (2012). Winter mortality in a changing climate: Will it go down. *Bull Epidemiol Hebd*, 12(13), 149–151.
87. Kinney, P. L. (2008). Climate change, air quality, and human health. *American Journal of Preventive Medicine*, 35(5), 459–467.
88. Kistemann, T., Rechenburg, A., Höser, C., Schreiber, C., Frechen, T., Herbst, S., et al. (2012). Assessing the potential impacts of climate change on food- and waterborne diseases in Europe. In *European centre for disease prevention and control. Assessing the potential impacts of climate change on food- and waterborne diseases in Europe*. ECDC: Stockholm.
89. Kistemann, T., Rechenburg, A., Höser, C., Schreiber, C., Frechen, T., Herbst, S., et al. (2012). Assessing the potential impacts of climate change on food- and waterborne diseases in Europe.
89. Kjellstrom, T., Butler, A. J., Lucas, R. M., & Bonita, R. (2010). Public health impact of global heating due to climate change: Potential effects on chronic non-communicable diseases. *International Journal of Public Health*, 55(2), 97–103.
90. Knowlton, K., Rotkin-Ellman, M., Geballe, L., Max, W., & Solomon, G. M. (2011). Six climate change-related events in the United States accounted for about \$14 billion in lost lives and health costs. *Health Affairs*, 30(11), 2167–2176.
91. Knowlton, K., Rotkin-Ellman, M., King, G., Margolis, H. G., Smith, D., Solomon, G., et al. (2008). The 2006 California heat wave: impacts on hospitalizations and emergency department visits. *Environmental Health Perspectives*, 117(1), 61–67.
92. Koehler, J., Thomson, P., & Hope, R. (2015). Pump-priming payments for sustainable water services in rural Africa. *World Development*, 74, 397–411.

93. Kolivras, K. N. (2010). Changes in dengue risk potential in Hawaii, USA, due to climate variability and change. *Climate Research*, 42(1), 1–11.
94. Kumar, A., Kim, H., & Hancke, G. (2013). Environmental monitoring systems: A review. *IEEE Sensors Journal*, 13(4), 1329–1339. <https://doi.org/10.1109/JSEN.2012.2233469>. Cited By 69.
95. Li, F., Newman, P., Pawson, S., & Perlwitz, J. (2018). Effects of greenhouse gas increase and stratospheric ozone depletion on stratospheric mean age of air in 1960–2010. *Journal of Geophysical Research: Atmospheres*, 123(4), 2098–2110.
96. Llovet, J. M., Montal, R., Sia, D., & Finn, R. S. (2018). Molecular therapies and precision medicine for hepatocellular carcinoma. *Nature Reviews Clinical Oncology*, 15(10), 599.
97. Loscri, V., Marchal, C., Mitton, N., Fortino, G., & Vasilakos, A. V. (2014). Security and privacy in molecular communication and networking: Opportunities and challenges. *IEEE Transactions on NanoBioscience*, 13(3), 198–207.
98. Loughry, M. (2010). Climate change, human movement and the promotion of mental health: What have we learnt from earlier global stressors. In *Climate change and displacement: multidisciplinary perspectives*. Portland: Hart Publishing.
99. Maag, B., Zhou, Z., & Thiele, L. (2018). W-air: Enabling personal air pollution monitoring on wearables. *Proceedings of the ACM on Interactive, Mobile, Wearable and Ubiquitous Technologies*, 2(1), 24. Cited By 9.
100. Maibach, E. W., Nisbet, M., Baldwin, P., Akerlof, K., & Diao, G. (2010). Reframing climate change as a public health issue: an exploratory study of public reactions. *BMC Public Health*, 10(1), 299.
101. Markandya, A., Armstrong, B. G., Hales, S., Chiabai, A., Criqui, P., Mima, S., et al. (2009). Public health benefits of strategies to reduce greenhouse-gas emissions: low-carbon electricity generation. *The Lancet*, 374(9706), 2006–2015.
102. Marlier, M. E., DeFries, R. S., Voulgarakis, A., Kinney, P. L., Randerson, J. T., Shindell, D. T., et al. (2013). El niño and health risks from landscape fire emissions in Southeast Asia. *Nature Climate Change*, 3(2), 131.
103. Marzo, J. L., Jornet, J. M., & Pierobon, M. (2019). Nanonetworks in biomedical applications. *Current Drug Targets*, 20(8), 800–807.
104. Matheson, R., & Office, M. N. (2016). Wristband detects and alerts for seizures, monitors stress. <http://news.mit.edu/2016/empatica-wristband-detects-alerts-seizures-monitors-stress-0309>
105. Matthies, F., & Menne, B. (2009). Prevention and management of health hazards related to heatwaves. *International Journal of Circumpolar Health*, 68(1), 8–12.
106. McFarlane, A. C., & Van Hooff, M. (2009). Impact of childhood exposure to a natural disaster on adult mental health: 20-year longitudinal follow-up study. *The British Journal of Psychiatry*, 195(2), 142–148.
107. Mehrotra, P., Maity, S., & Sen, S. (2019). An improved update rate CDR for interference robust broadband human body communication receiver. *IEEE transactions on Biomedical Circuits and Systems*, 3, 868–879.
108. Mendell, M. J., Mirer, A. G., Cheung, K., Tong, M., & Douwes, J. (2011). Respiratory and allergic health effects of dampness, mold, and dampness-related agents: A review of the epidemiologic evidence. *Environmental Health Perspectives*, 119(6), 748–756.
109. Mills, D. M. (2009). Climate change, extreme weather events, and us health impacts: What can we say? *Journal of Occupational and Environmental Medicine*, 51(1), 26–32.
110. Mills, J. N., Gage, K. L., & Khan, A. S. (2010). Potential influence of climate change on vector-borne and zoonotic diseases: A review and proposed research plan. *Environmental Health Perspectives*, 118(11), 1507–1514.
111. Mills, M. A., Edmondson, D., & Park, C. L. (2007). Trauma and stress response among hurricane Katrina evacuees. *American Journal of Public Health*, 97(Supplement_1), S116–S123.
112. Monitoring metabolic energy expenditure, health. <http://news.mit.edu/2017/monitoring-metabolic-energy-expenditure-health-fitness-with-breath-analyzer-0727>

113. Monje, M. H., Foffani, G., Obeso, J., & Sánchez-Ferro, Á. (2019). New sensor and wearable technologies to aid in the diagnosis and treatment monitoring of Parkinson's disease. *Annual Review of Biomedical Engineering*, 21, 111–143.
114. Moore, S. K., Trainer, V. L., Mantua, N. J., Parker, M. S., Laws, E. A., Backer, L. C., et al. (2008). Impacts of climate variability and future climate change on harmful algal blooms and human health. In *Environmental health*, (Vol. 7, p. S4). London, BioMed Central.
115. Nichols, G., Lane, C., Asgari, N., Verlander, N. Q., & Charlett, A. (2008). Rainfall and outbreaks of drinking water related disease and in England and Wales. *Journal of Water and Health*, 7(1), 1–8.
116. Nitschke, M., Tucker, G. R., Hansen, A. L., Williams, S., Zhang, Y., & Bi, P. (2011). Impact of two recent extreme heat episodes on morbidity and mortality in Adelaide, South Australia: a case-series analysis. *Environmental Health*, 10(1), 42.
117. Ogden, N. H., St-Onge, L., Barker, I. K., Brazeau, S., Bigras-Poulin, M., Charron, D. F., et al. (2008). Risk maps for range expansion of the Lyme disease vector, *Ixodes scapularis*, in Canada now and with climate change. *International Journal of Health Geographics*, 7(1), 24.
118. O'Neill, M. S., Kinney, P. L., & Cohen, A. J. (2008). Environmental equity in air quality management: local and international implications for human health and climate change. *Journal of Toxicology and Environmental Health, Part A*, 71(9–10), 570–577.
119. Östblom, G., & Samakovlis, E. (2007). Linking health and productivity impacts to climate policy costs: A general equilibrium analysis. *Climate Policy*, 7(5), 379–391.
120. Overview - FHIR. <https://www.hl7.org/fhir/overview.html>
121. Pace, P., Aloï, G., Gravina, R., Caliciuri, G., Fortino, G., & Liotta, A. (2018). An edge-based architecture to support efficient applications for healthcare industry 4.0. *IEEE Transactions on Industrial Informatics*, 15(1), 481–489.
122. Pace, P., Gravina, R., Aloï, G., Fortino, G., Ibanez-Sanchez, G., Traver, V., et al. (2017). IoT platforms interoperability for active and assisted living healthcare services support. In *2017 Global Internet of Things Summit (GloTS)* (pp. 1–6). Piscataway: IEEE.
123. Peel, J. L., Haeuber, R., Garcia, V., Russell, A. G., & Neas, L. (2013). Impact of nitrogen and climate change interactions on ambient air pollution and human health. *Biogeochemistry*, 114(1–3), 121–134.
124. Peng, R. D., Bobb, J. F., Tebaldi, C., McDaniel, L., Bell, M. L., & Dominici, F. (2010). Toward a quantitative estimate of future heat wave mortality under global climate change. *Environmental Health Perspectives*, 119(5), 701–706.
125. Pfister, G., Wiedinmyer, C., & Emmons, L. (2008). Impacts of the fall 2007 California wildfires on surface ozone: Integrating local observations with global model simulations. *Geophysical Research Letters*, 35(19), 1973–1991.
126. Post, E. S., Grambsch, A., Weaver, C., Morefield, P., Huang, J., Leung, L. Y., et al. (2012). Variation in estimated ozone-related health impacts of climate change due to modeling choices and assumptions. *Environmental Health Perspectives*, 120(11), 1559–1564.
127. Rahman, M. A., Rashid, M., Barnes, S., Hossain, M. S., Hassanain, E., & Guizani, M. (2019). An IoT and blockchain-based multi-sensory in-home quality of life framework for cancer patients. In *2019 15th International Wireless Communications & Mobile Computing Conference (IWCMC)* (pp. 2116–2121). Piscataway: IEEE.
128. Rappold, A. G., Cascio, W. E., Kilaru, V. J., Stone, S. L., Neas, L. M., Devlin, R. B., et al. (2012). Cardio-respiratory outcomes associated with exposure to wildfire smoke are modified by measures of community health. *Environmental Health*, 11(1), 71.
129. Reiter, P. (2008). Climate change and mosquito-borne disease: knowing the horse before hitching the cart. *Revue Scientifique et Technique*, 27(2), 383–398.
130. Rey, G., Jougl, E., Fouillet, A., Pavillon, G., Bessemoulin, P., Frayssinet, P., et al. (2007). The impact of major heat waves on all-cause and cause-specific mortality in France from 1971 to 2003. *International Archives of Occupational and Environmental Health*, 80(7), 615–626.
131. Reynolds, K. A., Mena, K. D., & Gerba, C. P. (2008). Risk of waterborne illness via drinking water in the United States. In *Reviews of environmental contamination and toxicology* (pp. 117–158). Berlin: Springer.

132. Rizak, S., & Hrudehy, S. E. (2008). Drinking-water safety—challenges for community-managed systems. *Journal of Water and Health*, 6(S1), 33–41.
133. Sarabia-Jacome, D., Belsa, A., Palau, C. E., & Esteve, M. (2018). Exploiting IoT data and smart city services for chronic obstructive pulmonary diseases risk factors monitoring. In *2018 IEEE International Conference on Cloud Engineering (IC2E)* (pp. 351–356). Piscataway: IEEE.
134. Schmidt, S. A., Gukelberger, E., Hermann, M., Fiedler, F., Großmann, B., Hoinkis, J., et al. (2016). Pilot study on arsenic removal from groundwater using a small-scale reverse osmosis system—Towards sustainable drinking water production. *Journal of Hazardous Materials*, 318, 671–678.
135. Schmier, J. K., & Ebi, K. L. (2009). The impact of climate change and aeroallergens on children's health. In *Allergy & asthma proceedings*, (vol. 30).
136. Semenza, J. C., Suk, J. E., Estevez, V., Ebi, K. L., & Lindgren, E. (2011). Mapping climate change vulnerabilities to infectious diseases in Europe. *Environmental Health Perspectives*, 120(3), 385–392.
137. Serbanescu, M., Placinta, V., Hutanu, O., & Ravariu, C. (2017). Smart, low power, wearable multi-sensor data acquisition system for environmental monitoring. In *2017 10th International Symposium on Advanced Topics in Electrical Engineering (ATEE)* (pp. 118–123). <https://doi.org/10.1109/ATEE.2017.7905059>. Cited By 5.
138. Shahidul Islam, M., Islam, M. T., Almutairi, A. F., Beng, G. K., Misran, N., & Amin, N. (2019). Monitoring of the human body signal through the internet of things (IoT) based LoRa wireless network system. *Applied Sciences*, 9(9), 1884.
139. Sharp, I., & Yu, K. (2019). Signaling techniques. In *Wireless positioning: Principles and practice* (pp. 37–73). Berlin: Springer.
140. Shea, K. M., et al. (2007). Global climate change and children's health. *Pediatrics*, 120(5), e1359–e1367.
141. Sheffield, P. E., & Landrigan, P. J. (2010). Global climate change and children's health: Threats and strategies for prevention. *Environmental Health Perspectives*, 119(3), 291–298.
142. Sheffield, P. E., & Landrigan, P. J. (2010). Global climate change and children's health: Threats and strategies for prevention. *Environmental Health Perspectives*, 119(291), 229–237.
143. Shonkoff, S. B., Morello-Frosch, R., Pastor, M., & Sadd, J. (2011). The climate gap: Environmental health and equity implications of climate change and mitigation policies in California—A review of the literature. *Climatic Change*, 109(1), 485–503.
144. Somula, R., Anilkumar, C., Venkatesh, B., Karrothu, A., Kumar, C. P., & Sasikala, R.: Cloudlet services for healthcare applications in mobile cloud computing. In *Proceedings of the 2nd International Conference on Data Engineering and Communication Technology* (pp. 535–543). Berlin: Springer.
145. Speldewinde, P. C., Cook, A., Davies, P., & Weinstein, P. (2009). A relationship between environmental degradation and mental health in rural Western Australia. *Health & Place*, 15(3), 880–887.
146. Spickett, J. T., Brown, H., & Rumchev, K. (2011). Climate change and air quality: The potential impact on health. *Asia Pacific Journal of Public Health*, 23(2_suppl), 37S–45S.
147. Staedter, T. (2018). 100,000 IoT sensors monitor a 1400-kilometer canal in China. *IEEE Spectrum*. Accessed on: September, 28. <https://ieeexplore.ieee.org/document/8322033>.
148. Staudt, A., Glick, P., Mizejewski, D., & Inkley, D. (2011). Extreme allergies and global warming. In *National Wildlife Federation*. http://www.nwf.org/pdf/Reports/NWF_AllergiesFinal.pdf.
149. Sun, F., Zang, W., Gravina, R., Fortino, G., & Li, Y. (2020). Gait-based identification for elderly users in wearable healthcare systems. *Information Fusion*, 53, 134–144.
150. Tagaris, E., Liao, K. J., DeLucia, A. J., Deck, L., Amar, P., & Russell, A. G. (2009). Potential impact of climate change on air pollution-related human health effects. *Environmental Science & Technology*, 43(13), 4979–4988.

151. Tagaris, E., Manomaiphiboon, K., Liao, K. J., Leung, L. R., Woo, J. H., He, S., et al. (2007). Impacts of global climate change and emissions on regional ozone and fine particulate matter concentrations over the United States. *Journal of Geophysical Research: Atmospheres*, 112(D14), 1–11.
152. Thomas, E., Andrés, L. A., Borja-Vega, C., & Sturzenegger, G. (2018). *Innovations in WASH impact measures: Water and sanitation measurement technologies and practices to inform the sustainable development goals*. Washington: The World Bank.
153. (USGCRP), U.G.C.R.P.: *Impacts of climate change on human health in the United States: A scientific assessment*. <http://dx.doi.org/10.7930/JOR49NQX>
154. Vanicek, K., Frei, T., Litynska, Z., & Schmalwieser, A. (2000). *UV-index for the public*. Brussels, Belgium: European Communities.
155. Wearable AI system can detect a conversations tone - MIT news. <http://news.mit.edu/2017/wearable-ai-can-detect-tone-conversation-0201>
156. Wearable system helps visually impaired users navigate. <http://news.mit.edu/2017/wearable-visually-impaired-users-navigate-0531>
157. Wen, S., Heidari, H., Vilouras, A., & Dahiya, R. (2016). A wearable fabric-based RFID skin temperature monitoring patch. In *Proceedings of IEEE Sensors Conference* (pp. 1–3). Cited By 10.
158. Wilhelm, E., Siby, S., Zhou, Y., Ashok, X., Jayasuriya, M., Foong, S., et al. (2016). Wearable environmental sensors and infrastructure for mobile large-scale urban deployment. *IEEE Sensors Journal*, 16(22), 8111–8123. <https://doi.org/10.1109/JSEN.2016.2603158>. Cited By 17.
159. Wolf, J., O'Neill, N. R., Rogers, C. A., Muilenberg, M. L., & Ziska, L. H. (2010). Elevated atmospheric carbon dioxide concentrations amplify *Alternaria alternata* sporulation and total antigen production. *Environmental Health Perspectives*, 118(9), 1223–1228.
160. Woodcock, J., Edwards, P., Tonne, C., Armstrong, B. G., Ashiru, O., Banister, D., et al. (2009). Public health benefits of strategies to reduce greenhouse-gas emissions: Urban land transport. *The Lancet*, 374(9705), 1930–1943.
161. Wu, F., Redoute, J. M., & Yuce, M. (2018). WE-safe: A self-powered wearable IoT sensor network for safety applications based on LoRa. *IEEE Access*, 6, 40846–40853. <https://doi.org/10.1109/ACCESS.2018.2859383>. Cited By 8.
162. Wu, T., Wu, F., Redoute, J. M., & Yuce, M. (2017). An autonomous wireless body area network implementation towards IoT connected healthcare applications. *IEEE Access*, 5, 11413–11422. <https://doi.org/10.1109/ACCESS.2017.2716344>. Cited By 55.
163. Yuce, M., & Khan, J. (2011). *Wireless body area networks: Technology, implementation and applications*. Boca Raton: CRC Press. <https://doi.org/10.4032/9789814241571>. Cited By 43.
164. Zang, W., Miao, F., Gravina, R., Sun, F., Fortino, G., & Li, Y. (2019). CMDP-based intelligent transmission for wireless body area network in remote health monitoring. *Neural computing and applications* (pp. 1–9). Berlin: Springer.
165. Zhang, G., Wu, P., Gao, S., et al. (2019). Properties and microstructure of low-carbon whole-tailings cemented paste backfill material containing steel slag, granulated blast furnace slag and flue gas desulphurization gypsum. *Acta Microscopica*, 28(4), 770–780.
166. Zhang, Y., Fortino, G., Hu, L., & Lin, K. (2018). Editorial note: Emotion-aware healthcare systems integrating with wearable and cloud computing. *Multimedia Tools and Applications*, 77, 21823–21823.
167. Zhang, Y., Gravina, R., Lu, H., Villari, M., & Fortino, G. (2018). PEA: Parallel electrocardiogram-based authentication for smart healthcare systems. *Journal of Network and Computer Applications*, 117, 10–16.
168. Zhou, P., Yang, L., & Huang, Y. X. (2019). A smart phone based handheld wireless spirometer with functions and precision comparable to laboratory spirometers. *Sensors*, 19(11), 2487.
169. Zigbee alliance. www.zigbee.org

151. Salam A. (2020) Internet of Things for Sustainable Community Development: Introduction and Overview. In: Internet of Things for Sustainable Community Development. Internet of Things (Technology, Communications and Computing). Springer, Cham. DOI: https://doi.org/10.1007/978-3-030-35291-2_1
152. Salam A. (2020) Internet of Things for Environmental Sustainability and Climate Change. In: Internet of Things for Sustainable Community Development. Internet of Things (Technology, Communications and Computing). Springer, Cham. DOI: https://doi.org/10.1007/978-3-030-35291-2_2
153. Salam A. (2020) Internet of Things in Agricultural Innovation and Security. In: Internet of Things for Sustainable Community Development. Internet of Things (Technology, Communications and Computing). Springer, Cham. DOI: https://doi.org/10.1007/978-3-030-35291-2_3
154. Salam A. (2020) Internet of Things for Water Sustainability. In: Internet of Things for Sustainable Community Development. Internet of Things (Technology, Communications and Computing). Springer, Cham. DOI: https://doi.org/10.1007/978-3-030-35291-2_4
155. Salam A. (2020) Internet of Things for Sustainable Forestry. In: Internet of Things for Sustainable Community Development. Internet of Things (Technology, Communications and Computing). Springer, Cham. DOI: https://doi.org/10.1007/978-3-030-35291-2_5
156. Salam A. (2020) Internet of Things in Sustainable Energy Systems. In: Internet of Things for Sustainable Community Development. Internet of Things (Technology, Communications and Computing). Springer, Cham. DOI: https://doi.org/10.1007/978-3-030-35291-2_6
157. Salam A. (2020) Internet of Things for Sustainable Human Health. In: Internet of Things for Sustainable Community Development. Internet of Things (Technology, Communications and Computing). Springer, Cham. DOI: https://doi.org/10.1007/978-3-030-35291-2_7
158. Salam A. (2020) Internet of Things for Sustainable Mining. In: Internet of Things for Sustainable Community Development. Internet of Things (Technology, Communications and Computing). Springer, Cham. DOI: https://doi.org/10.1007/978-3-030-35291-2_8
159. Salam A. (2020) Internet of Things in Water Management and Treatment. In: Internet of Things for Sustainable Community Development. Internet of Things (Technology, Communications and Computing). Springer, Cham. DOI: [10.1007/978-3-030-35291-2_9](https://doi.org/10.1007/978-3-030-35291-2_9)
160. Salam A. (2020) Internet of Things for Sustainability: Perspectives in Privacy, Cybersecurity, and Future Trends. In: Internet of Things for Sustainable Community Development. Internet of Things (Technology, Communications and Computing). Springer, Cham. DOI: https://doi.org/10.1007/978-3-030-35291-2_10
161. Salam, A.; Hoang, A.D.; Meghna, A.; Martin, D.R.; Guzman, G.; Yoon, Y.H.; Carlson, J.; Kramer, J.; Yansi, K.; Kelly, M.; Skvarek, M.; Stankovic, M.; Le, N.D.K.; Wierzbicki, T.; Fan, X. The Future of Emerging IoT Paradigms: Architectures and Technologies. Preprints 2019, 2019120276 (doi: <https://doi.org/10.20944/preprints201912.0276.v1>).
162. A. Konda, A. Rau, M. A. Stoller, J. M. Taylor, A. Salam, G. A. Pribil, C. Argyropoulos, and S. A. Morin, "Soft microreactors for the deposition of conductive metallic traces on planar, embossed, and curved surfaces," *Advanced Functional Materials*, vol. 28, no. 40, p. 1803020. [Online]. Available: <https://onlinelibrary.wiley.com/doi/abs/10.1002/adfm.201803020>
163. A. Salam, M. C. Vuran, and S. Irmak, "Pulses in the sand: Impulse response analysis of wireless underground channel," in *The 35th Annual IEEE International Conference on Computer Communications (INFOCOM 2016)*, San Francisco, USA, Apr. 2016.
164. A. Salam and M. C. Vuran, "Impacts of soil type and moisture on the capacity of multi-carrier modulation in internet of underground things," in *Proc. of the 25th ICCCN 2016*, Waikoloa, Hawaii, USA, Aug 2016.
165. A. Salam, M. C. Vuran, and S. Irmak, "Towards internet of underground things in smart lighting: A statistical model of wireless underground channel," in *Proc. 14th IEEE International Conference on Networking, Sensing and Control (IEEE ICNSC)*, Calabria, Italy, May 2017.

151. A. Salam and M. C. Vuran, "Smart underground antenna arrays: A soil moisture adaptive beamforming approach," in Proc. IEEE INFOCOM 2017, Atlanta, USA, May 2017.
152. —, "Wireless underground channel diversity reception with multiple antennas for internet of underground things," in Proc. IEEE ICC 2017, Paris, France, May 2017.
153. —, "EM-Based Wireless Underground Sensor Networks," in *Underground Sensing*, S. Pamukcu and L. Cheng, Eds. Academic Press, 2018, pp. 247 – 285.
154. A. Salam, M. C. Vuran, and S. Irmak, "Di-sense: In situ real- time permittivity estimation and soil moisture sensing using wireless underground communications," *Computer Networks*, vol. 151, pp. 31 – 41, 2019. [Online]. Available: <http://www.sciencedirect.com/science/article/pii/S1389128618303141>
155. A. Salam and S. Shah, "Urban underground infrastructure monitoring IoT: the path loss analysis," in 2019 IEEE 5th World Forum on Internet of Things (WF- IoT) (WF-IoT 2019), Limerick, Ireland, Apr. 2019.
156. A. Salam, "Pulses in the sand: Long range and high data rate communication techniques for next generation wireless underground networks," ETD collection for University of Nebraska - Lincoln, no. AAI10826112, 2018. [Online]. Available: <http://digitalcommons.unl.edu/dissertations/AAI10826112>
157. A. Salam and S. Shah, "Internet of things in smart agriculture: Enabling technologies," in 2019 IEEE 5th World Forum on Internet of Things (WF-IoT) (WF-IoT 2019), Limerick, Ireland, Apr. 2019.
158. A. Salam, M. C. Vuran, X. Dong, C. Argyropoulos, and S. Irmak, "A theoretical model of underground dipole antennas for communications in internet of under- ground things," *IEEE Transactions on Antennas and Propagation*, 2019.
159. A. Salam, "Underground soil sensing using subsurface radio wave propagation," in 5th Global Workshop on Proximal Soil Sensing, COLUMBIA, MO, May 2019.
160. —, *Underground Environment Aware MIMO Design Using Transmit and Receive Beamforming in Internet of Underground Things*. Cham: Springer International Publishing, 2019, pp. 1–15.
161. A. Salam and U. Karabiyik, "A cooperative overlay approach at the physical layer of cognitive radio for digital agriculture," in Third International Balkan Conference on Communications and Networking 2019 (BalkanCom'19), Skopje, Macedonia, the former Yugoslav Republic of, Jun. 2019.
162. A. Salam, "An underground radio wave propagation prediction model for digital agriculture," *Information*, vol. 10, no. 4, 2019. [Online]. Available: <http://www.mdpi.com/2078-2489/10/4/147>
163. S. Temel, M. C. Vuran, M. M. Lunar, Z. Zhao, A. Salam, R. K. Faller, and C. Stolle, "Vehicle-to-barrier communication during real-world vehicle crash tests," *Computer Communications*, vol. 127, pp. 172 – 186, 2018. [Online]. Available: <http://www.sciencedirect.com/science/article/pii/S0140366417305224>
164. M. C. Vuran, A. Salam, R. Wong, and S. Irmak, "Internet of underground things: Sensing and communications on the field for precision agriculture," in 2018 IEEE 4th World Forum on Internet of Things (WF-IoT) (WF-IoT 2018), Singapore, Feb. 2018.
165. —, "Internet of underground things in precision agriculture: Architecture and technology aspects," *Ad Hoc Networks*, 2018.
166. A. Salam, "A Path Loss Model for Through the Soil Wireless Communications in Digital Agriculture", in Proc. 2019 IEEE International Symposium on Antennas and Propagation (IEEE APS 2019), Atlanta, GA, USA, July 2019.
167. A. Salam, "A Comparison of Path Loss Variations in Soil using Planar and Dipole Antennas", in Proc. 2019 IEEE International Symposium on Antennas and Propagation (IEEE APS 2019), Atlanta, GA, USA, July 2019.
168. Salam A. (2020) *Internet of Things for Sustainable Community Development*. Springer, Cham. DOI: <https://doi.org/10.1007/978-3-030-35291-2>
169. A. Salam, "Design of Subsurface Phased Array Antennas for Digital Agriculture Applications", in Proc. 2019 IEEE International Symposium on Phased Array Systems and Technology (IEEE Array 2019), Waltham, MA, USA, Oct 2019.
170. A. Salam, "Subsurface MIMO: A Beamforming Design in Internet of Underground Things for Digital Agriculture Applications", *J. Sens. Actuator Netw.*, Volume 8, No. 3, August 2019. doi: 10.3390/jsan8030041