

БЪЛГАРСКО НАУЧНО ДРУЖЕСТВО ПО ФАРМАЦИЯ BULGARIAN SCIENTIFIC PHARMACEUTICAL SOCIETY



КОНГРЕС ПО ФАРМАЦИЯ С МЕЖДУНАРОДНО УЧАСТИЕ 21-24 ноември 2019 г.

хотел "Рила", к.к. Боровец

С подкрепата на: Български Фармацевтичен Съюз Supported by: Bulgarian Pharmaceutical Union 7th

CONGRESS OF PHARMACY WITH INTERNATIONAL PARTICIPATION November 21-24, 2019

Rila Hotel, Borovets





November 21-24, 2019, Rila Hotel, Borovets



Dear Colleagues,

On behalf of the Executive Council of the Bulgarian Scientific Pharmaceutical Society and of the Organizing Committee I am pleased to cordially welcome You at the 7th Congress of Pharmacy with International Participation "Pharmaceutical Altitudes" in the lovely resort of Borovetz (Rila Hotel), Bulgaria (21-24 November 2019).

We are organizing the Congress as an exciting venue, whereby leading internationally acknowledged experts in the fields of pharmacy and allied sciences will meet to debate the state-of-the-art scientific advances, and to face the evolving challenges and opportunities in the fast-changing world of Pharmacy, as an integral part of healthcare. Special emphasis is focused on drug design, phytopharmaceuticals, biotechnological drugs and biosimilars, pharmaceutical nanotechnologies and biopharmaceutics, pharmaco-economics and health technology assessment.

Esteemed colleagues, we welcome You to present your own research, to learn from prominent experts, network with key-opinion leaders, enjoy hearing high level lecturers reporting their latest scientific projects or sharing their vision over the evolving challenges in the pharmaceutical science and practice. The agenda of the Congress also includes specialized expert panels with prominent Bulgarian clinical key-opinion leaders, intended to discuss the state-of-the-art advances and the challenges of modern pharmacotherapy.

Cordially Yours, Prof. Georgi Ts. Momekov, PhD President of the Bulgarian Scientific Pharmaceutical Society How &

7th CONGRESS OF PHARMACY WITH INTERNATIONAL PARTICIPATION

November 21-24, 2019, Rila Hotel, Borovets

Supported by: Bulgarian Pharmaceutical Union

ORGANIZER

BULGARIAN SCIENTIFIC PHARMACEUTICAL SOCIETY



ORGANIZING COMMITTEE

Chairman:

Prof. Georgi Momekov, PhD

Members:

Prof. Danka Obreshkova, Dsci Prof. Denitsa Momekova, PhD Assoc. prof. Niko Benbassat, PhD

Secretary:

Lilia Dimitrova, PhD

SCIENTIFIC COMMITTEE

Chairman:

Prof. Nikolay Danchev, PhD

Members:

Akad. Hristo Tsvetanov, Dsci Prof. Nikolay Lambov, PhD Prof. Plamen Peykov, PhD Prof. Valentina Petkova, Dsci Prof. Genka Petrova, Dsci Prof. Irini Doychinova, Dsci



БЪЛГАРСКО НАУЧНО ДРУЖЕСТВО ПО ФАРМАЦИЯ BULGARIAN SCIENTIFIC PHARMACEUTICAL SOCIETY

7th CONGRESS OF PHARMACY WITH INTERNATIONAL PARTICIPATION

November 21-24, 2019, Rila Hotel, Borovets

ABSTRACTS





November 21-24, 2019, Rila Hotel, Borovets

ANALYTICAL STUDY OF ACTIVE INGREDIENTS IN MODEL MIXTURES CONTAINING EXTRACTS FROM MEDICINAL PLANTS CRATAEGUS SP., TRIBULUS TERRESTRIS L. AND SIDERITIS SCARDICA GRIZEB Mitkov S., Yordanov D., Najdenov V., Petrova Z., Pencheva I
METHODOLOGICAL AND TECHNOLOGICAL APPROACH TO IMPROVING THE STATISTICAL ACCURACY OF DIAGNOSTIC TEST AND METHODS Mitov K., Doneva M., Tachkov K
CHALLENGES IN THE DIAGNOSIS OF DISEASES THROUGH REFERENCE INTERVALS AND THEIR CHANGES Tachkov K., Savova A., Mitov K
COMPARISON BETWEEN PEDIATRIC AND ADULT SUSPECTED NEUROLOGICAL AND PSYCHIATRIC ADVERSE DRUG REACTIONS(ADRs) OF MELATONIN REPORTED TO THE EUROPEAN MEDICINES AGENCY (EMA) AND US FOOD AND DRUG ADMINISTRATION (FDA) Bakalov D., Andreeva-Gateva P., Hadjiolova R
OLMESARTAN TABLETS – DRUG RELEASE OPTIMAZITION BY GRANULATION IN FLUIDIZED BED APPARATUS Tzankov S., Ivanova I
DEVELOPMENT AND OPTIMISATION OF THE PROCESS OF DECARBOXYLATION OF TETRAHYDROCANNABINOIC ACID, FOLLOWED BY FTIR DETECTION OF TETRAHYDROCANNABINOL IN MEDICINAL CANNABIS Cocovska I., Demirovski Kockova K., Trajanovska Faizova V., Maksimova V
TECHNOLOGICAL APPROACHES FOR EXTEMPORANEOUS PREPARATION OF ORAL PEDIATRIC FORMULATIONS WITH SILDENAFIL CITRATE Dimitrov M., Borinarova M
DEVELOPMENT OF MESOPOROUS SILICA PARTICLES AS A DRUG DELIVERY SYSTEM FOR QUERCETIN Voycheva C., Tsankov B., Popova T., Spassova I., Kovacheva D., Yoncheva K., Lambov N
EFFECTS OF ANTHOCYANINS ^R ON FRUCTOSYLTRANSFERASE Lm17 ACTIVITY Bodlev S., Vasileva T., Iliev I., Nikolova M
PHENOLIC COMPOUNDS WITH RADICAL-SCAVENGING, ANTI-α-GLUCOSIDASE AND PROLIPASE ACTIVITIES FROM THE AERIAL PARTS OF HYPERICUM CERASTOIDES (SPACH) N. ROBSON Kokanova-Nedialkova Z., Nedialkov P., Ilieva Y



November 21-24, 2019, Rila Hotel, Borovets

back to contents

DEVELOPMENT AND OPTIMISATION OF THE PROCESS OF DECARBOXYLATION OF TETRAHYDROCANNABINOIC ACID, FOLLOWED BY FTIR DETECTION OF TETRAHYDROCANNABINOL IN MEDICINAL CANNABIS

Cocovska I.^{1,2}, Demirovski Kockova K.¹, Trajanovska Faizova V.¹, Maksimova V².

 Oaza Alakaloidi, Shtip, Gladno pole, bb, Tarinci, POB 2000, Shtip, Republic of North Macedonia,
 Gotse Delchev" University, Krste Misirkov, bb, POB 2000, Shtip, Republic of North Macedonia

Aim of the study: Conversion of tetrahydrocanabinoic acid (THCA) to tetrahydrocannabinol (THC), is the main reaction essential for the use of cannabis, *Cannabis indica* L. buds in medicinal purposes. Therefore, the aim of this study was to develop and optimize the thermal treatment of Cannabis buds, required for the reaction of decarboxylation of THCA to THC followed by FTIR technique.

Materials and methods: Cannabis buds were heated on aluminum shelves, programmed by heating oven POL EKO SL 400. Temperature program was strictly monitored and changes were recorded on every 5 minutes. Mid Infrared spectra were collected for each sample and temperature, respectively, using Perkin Elmer Spectrum Two™ coupled to an UATR accessory in spectral range of 400-4000 cm-1. Results: Changes in the infrared spectra indicated that the required elimination of water and appropriate conversion of THCA to THC were established, as the reaction progressed. Reaction of decarboxylation has occurred in temperature range from 85-120° C. Conversion of THCA to THC contributed for obtaining of high concentrations

the obtaining of THC. **Conclusion:** Monitoring of the process of decarboxylation with FTIR technique presents a fast and plausible method for controlling the conversion of acidic forms of cannabinoids to their neutral forms. The thermal treatment has shown a high yield of THC up to 80% w/w. It should be stressed out that these two methods could be ideally suited to everyday analysis because of their high performances.

of THC which ranged 38-80% w/w. The progress of the decarboxylation enhanced

Key words: cannabinoids, Cannabis indica, decarboxylation, FTIR

TECHNOLOGICAL APPROACHES FOR EXTEMPORANEOUS PREPARATION OF ORAL PEDIATRIC FORMULATIONS WITH SILDENAFIL CITRATE

Dimitrov M., Borinarova M.

Faculty of Pharmacy, Medical University, Sofia e-mail: mdimitrov@pharmfac.mu-sofia.bg, tel. +35929236526

The aim of the study: The aim of the study is to analyze and critically evaluate potential technological approaches for extemporaneous preparation of pediatric oral formulations containing sildenafil citrate for pediatric personalized therapy.