

©2020, Elsevier. Licensed under the Creative Commons Attribution-NonCommercial-NoDerivatives 4.0 International <http://creativecommons.org/about/downloads>



Full published version can be found at <https://doi.org/10.1016/j.cptl.2020.02.006>

Development and evaluation of an educational game to support pharmacy students

Title: Development and evaluation of an educational game to support pharmacy students

Reem Kayyali, PhD, MSc, BPharm [corresponding author]
Head of Department of Pharmacy
Kingston University
Penrhyn Road
Kingston, England, KT1 2EE
Phone 020 8417 2561

Shereen Nabhani, Pharm D
Senior Lecturer in Clinical Pharmacy
Kingston University
Penrhyn Road
Kingston, England, KT1 2EES
Phone 020 8417 9000
s.nabhani@kingston.ac.uk

Nicola Harrap, MSc, MPharm
Teaching Fellow in Pharmacy Practice
Kingston University
Penrhyn Road
Kingston, England, KT1 2EE
Phone 020 8417 9000
n.harrap@kingston.ac.uk

Sonya Ishtiaq, MPharm
Pharmacy Graduate
Kingston University
Penrhyn Road
Kingston, England, KT1 2EE
Phone 020 8417 9000
Sonya_ishtiaq@hotmail.co.uk

Victoria Ling, MPharm
Pharmacy Graduate
Kingston University
Penrhyn Road
Kingston, England, KT1 2EE
Phone 020 8417 9000
Victoria.ling@talk21.com

Maciej Dudzinski
Pharmacy Graduate
Kingston University
Penrhyn Road
Kingston, England, KT1 2EE
Phone 020 8417 9000
k0926455@kingston.ac.uk

Darrel Greenhill, PhD BSc
Head of Department of Networks and Digital Media
Kingston University
Penrhyn Road
Kingston, England, KT1 2EE
Phone 020 8417 9000
d.greenhill@kingston.ac.uk

Hope Caton, PhD

Lecturer, School of Computer Science and Mathematics
Kingston University
Penrhyn Road
Kingston, England, KT1 2EE
Phone 020 8417 9000
h.caton@kingston.ac.uk

Nada Philip, PhD, MSc, BSc
Associate Professor, School of Computer Science and Mathematics
Kingston University
Penrhyn Road
Kingston, England, KT1 2EE
Phone 020 8417 9000
N.Philip@kingston.ac.uk

Joshua Wells, MPharm
PhD Candidate
Kingston University
Penrhyn Road
Kingston, England, KT1 2EE
Phone 020 8417 9000
Joshua.wells@kingston.ac.uk

Abstract

Introduction: Pharmacy students in the United Kingdom (UK) need to efficiently navigate the British National Formulary (BNF), a standard medicines reference source. "Pharmacy Challenge" is a web based prototype game based on the BNF. This research aimed to evaluate the game in terms of design, content and impact on students' performance and confidence.

Methods: Evaluation comprised three phases: implementation, perception and impact of a serious game. Game design and evaluation methods were modelled using adapted elements of the RETAIN framework. Qualitative and quantitative questionnaires were utilised to assess students' perceptions of the game and its role in their education and to evaluate changes in confidence and performance experienced by students after playing the game. Quizzes were developed to determine changes in performance through comparison of scores before and following game use.

Results: The questionnaire evaluation (n=152) found students' confidence increased significantly ($p<0.05$) in: speed of using, knowledge of BNF sections, extracting information and knowing where to look for the answer. Students (88%;106/120) felt they had learnt something new, 86% (103/120) felt that it reinforced their learning. A significant ($p<0.05$) increase in pre and post BNF quiz marks was observed (n=33).

Conclusions: Statistically significant improvement in students' perceived confidence was noted. The study identified design elements such as the need for a simple interface to encourage engagement.

The prototype has undergone a design transformation based on the feedback provided and is now released under the name “DOSE” with a bank of 300 questions, improved graphics, a leadership board and medals.

Keywords: Educational game; serious game; game design; online education; pharmacy education; information skills.

Conflict of interest: None

Disclosure(s): None

Development and evaluation of an educational game to support pharmacy students

Abstract

Introduction: Pharmacy students in the United Kingdom (UK) need to efficiently navigate the British National Formulary (BNF), a standard medicines reference source. "Pharmacy Challenge" is a web based prototype game based on the BNF. This research aimed to evaluate the game in terms of design, content and impact on students' performance and confidence.

Methods: Evaluation comprised three phases: implementation, perception and impact of a serious game. Game design and evaluation methods were modelled using adapted elements of the RETAIN framework. Qualitative and quantitative questionnaires were utilised to assess students' perceptions of the game and its role in their education and to evaluate changes in confidence and performance experienced by students after playing the game. Quizzes were developed to determine changes in performance through comparison of scores before and following game use.

Results: The questionnaire evaluation (n=152) found students' confidence increased significantly ($p<0.05$) in: speed of using, knowledge of BNF sections, extracting information and knowing where to look for the answer. Students (88%;106/120) felt they had learnt something new, 86% (103/120) felt that it reinforced their learning. A significant ($p<0.05$) increase in pre and post BNF quiz marks was observed (n=33).

Conclusions: Statistically significant improvement in students' perceived confidence was noted. The study identified design elements such as the need for a simple interface to encourage engagement. The prototype has undergone a design transformation based on the feedback provided and is now released under the name "DOSE" with a bank of 300 questions, improved graphics, a leadership board and medals.

Keywords: Educational game; serious game; game design; online education; pharmacy education; information skills.

Conflict of interest: None

Disclosure(s): None

Introduction

Contextualising "Serious Games" in Pharmacy Education

1 Interest in educational games referred to as “serious games” has significantly increased in the
2 last decade.¹ Unlike the traditional definition of games as forms of entertainment, Serious Games
3 (SGs) primarily focus on education and training.^{2,3} A 2015 review of educational games introduced as
4 part of US pharmacy curricula identified 11 games from 13 studies published between 1995-2013.⁴
5 The format for each game varied across several components including; the number of participants,
6 use of a staff facilitator and their objectives. However, some key commonalities were identified such
7 as the use of PowerPoint as part of the activity, student collaboration and the application of curricular
8 knowledge. The review highlights advantages, with cited engagement from students, improved
9 confidence and promotion of peer interaction. In contrast, the authors note a key issue throughout the
10 review with respect to increased staff workload for both game development and facilitation, which
11 proved to be a problematic aspect of implementation. The review also underlined the lack of evidence
12 for assessing the role of educational games as a method of learning within pharmacy curricula.
13 Despite this, Aburamha and Mohamed⁴ highlighted the potential for educational games as a learning
14 tool in pharmacy education but describe the need for collaboration between educators and designers
15 to optimise overall game development and overcome previously cited barriers to implementation.
16 Breuer and Bente⁵ define SGs as digital learning tools and emphasise the need for SGs to effectively
17 deliver both educational and entertainment elements to match the fast-growing digital game market.
18 Based on the aforementioned, there is still a gap in evidence related to not only SG development
19 within pharmacy curricula but also the importance of designing more comprehensive tools that can
20 deliver quality learning outcomes within a digitally-driven field.^{4,5}

41 Development of “Serious Games”

42 To develop a successful educational game, emotional, social and cognitive factors must be
43 considered and motivation must be identified.⁶ For example, gender differences have been found in
44 the participation in, and reason for playing, games.^{7,8} Research by Rose⁹ and Petitdit Dariel et al¹⁰ has
45 shown that each learner develops at their own specific rate, which can make tailoring a game
46 challenging. Frameworks, such as the Relevance Embedding Translation Adaption Immersion and
47 Naturalization (RETAIN) model, have been developed to help overcome the limitations within
48 educational games.¹¹ More specifically, RETAIN seeks to identify how well a measure reflects what is
49 taught, otherwise known as instructional validity. Based on RETAIN, embedding curricular content
50
51
52
53
54
55
56
57
58
59
60
61
62
63
64
65

1 within an SG narrative supports student engagement and as a result may encourage both active
2 learning and knowledge retention^{9,12}. Therefore, SG narrative development needs to take into account
3 the potential for students to achieve relevant curricular learning outcomes that may result in
4 motivating them to immerse fully within the SG, thus resulting in enhanced self-regulated and
5 productive learning.^{6,13} When utilising the RETAIN model, game development can lean toward
6 designs that promote knowledge transfer, as demonstrated by Campbell et al¹⁴, making RETAIN a
7 useful tool for implementing SGs within an educational curriculum.
8
9
10
11
12
13

14 "Pharmacy Challenge" as a "Serious Game"

15 Health-related SGs are on the rise for junior doctors, nurses and pharmacists.^{15,16} In 2012,
16 Kingston University conducted a needs-assessment to identify a successful design for an educational
17 game for pharmacy students to improve their knowledge and retrieval of information in the British
18 National Formulary (BNF): the BNF is a standard reference source in Great Britain (GB) for all
19 healthcare professionals involved in the prescribing, supply and monitoring of the use of medicines.
20 Social interaction through competition/collaboration and feedback were identified as important
21 aspects of an educational game.
22
23
24
25
26
27
28
29
30
31

32 Following the needs assessment, a prototype called "Pharmacy Challenge" was designed as a
33 web-based digital SG, accessible on both PC and mobile devices. The prototype was designed with a
34 focus on the curricula for students in their 3rd and 4th year of the MPharm degree. Years 3 and 4,
35 referred to as Level 6 and 7, focus on the development of students' clinical knowledge and ability to
36 extract information to make informed decisions regarding patient care and disease management. For
37 students to qualify as pharmacists after university, they must sit a professional registration
38 assessment, which includes completion of clinical multiple-choice questions under timed conditions.
39 To reflect this and the examination format used currently at our university, students were given 3
40 minutes to answer multiple-choice questions (Appendix 1) based on clinical content from the BNF,
41 with additional points awarded for answers given in less than one minute. In all seminars, workshops
42 and practicals the BNF is used as the main source of information for students during case-based
43 learning and Objective Structured Clinical Examinations (OSCEs), where students' knowledge and
44 clinical skills are assessed. The purpose of the game was for students to acquire as many points as
45 possible by giving correct answers to each question using the BNF. To reflect student confidence in
46
47
48
49
50
51
52
53
54
55
56
57
58
59
60
61
62
63
64
65

1
2 their use of the BNF for finding the relevant information, players were asked to decide how many
3 points (out of 50) to bet on that answer. If the correct answer was given, the points were doubled.
4 Incorrect answers did not incur a penalty.

5
6 There were 20 rounds in each game. The game initially consisted of a bank of approximately 130
7 questions and offered feedback with respect to BNF information if the wrong answer was given e.g.
8 “See Chapter 3, Sub-section 3.2 – Thromboembolism”. Players could complete the game individually
9 (single-player mode) or create teams via the online browser to answer questions together (multi-
10 player mode) which meant increasing the potential to earn extra points through the betting feature.
11
12 The game was not a mandatory activity as part of the curriculum, but rather a tool that sought to
13 support students’ confidence and use of the BNF, as well as potentially improving clinical knowledge
14 associated with Level 6 and 7 curricula. Therefore, the learning objectives of the game were to
15 enable students to effectively utilise the BNF for clinical decision making, to enhance students’
16 engagement with the BNF outside of the curriculum and to indirectly optimise their clinical knowledge
17 in relation to disease management. Furthermore, the game provided the opportunity for students to
18 practise multiple-choice clinical questions under timed conditions as additional preparation for exams.
19
20
21
22
23
24
25
26
27
28
29

30 The aim of this research was to evaluate the “Pharmacy Challenge” game in terms of design,
31 content and impact on students’ performance and confidence.
32
33
34
35

36 Methodology

37 RETAIN Framework

38
39 An essential part of the pharmacy challenge development process involved the implementation
40 of the RETAIN model for each iteration of the SG. As discussed, RETAIN seeks to identify how well a
41 SG achieves its intended objectives by analysing the 6 key domains as part of the development
42 framework. The RETAIN elements were adapted into larger concepts from which items for the study
43 were then derived, these have been demonstrated in Table 1.
44
45
46
47
48
49

50 Evaluation of the design and content focused on items that explored the concepts of Relevance,
51 Immersion and Naturalisation e.g. motivation to play the SG, motivators for playing, perceptions of SG
52 content and barriers to engagement. Evaluation of changes to confidence, as well as subjective and
53 objective improvements in performance, were explored through the concepts of Embedding, Transfer
54
55
56
57
58
59
60
61
62
63
64
65

1 and Adaptation e.g. recognition of curricular content within the SG and transfer of knowledge to a
2 similar context outside of the SG.
3
4
5

6 Phase 1 – Prototype development and pilot evaluation 7

8 A questionnaire was developed to evaluate both the design and content of the game, as well as
9 perceived improvements in performance (Appendix 2). The questionnaire was provided to students
10 (n=70) following a brief pilot study in 2013 using the first iteration of the game prototype.
11
12

13 Face validity was confirmed using five students, who were not participating in the research. Hard
14 copies of the questionnaire were distributed in class a week after the game's release. The data received
15 was entered into SPSS19^{®17}. All data was anonymous except where students gave their university ID
16 number to indicate they wanted to know more about the project. Data was analysed descriptively using
17 SPSS19^{®17} and Microsoft Excel[®].¹⁸
18
19
20
21
22
23
24
25

26 Phase 2 – Revised prototype implementation 27

28 A. Evaluation of design and content 29

30 Following feedback from Phase 1, minor changes were implemented to better support the design,
31 content and playability of "Pharmacy Challenge". As part of the iterative review process, a revised
32 questionnaire was designed to capture students' perceptions of design features, the usability of the
33 game and ideas for future development following the prototype changes in a wider prototype release in
34 2014. This was collated in Section 1 of the questionnaire. Section 2 consisted of items relating to
35 students' confidence and perceived improvement in performance. Demographic details were captured
36 in Section 3 (Appendix 3). The questionnaire was validated by three students not participating in the
37 research.
38
39
40
41
42
43
44
45
46

47 B. Evaluation of perceived improvement in confidence and performance 48 49

50 Questionnaire items were designed to examine how the use of resources such as the BNF, and
51 familiarisation of clinical knowledge embedded in the curriculum might impact students. The
52 questionnaire was distributed to all Level 6 and 7 pharmacy students (n=256) via the university's
53 virtual learning environment (Blackboard[®]). A hard copy of the questionnaire was also made available
54 to increase the response rate. Students were invited to play the game and then complete the
55
56
57
58
59
60
61
62
63
64
65

1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
21
22
23
24
25
26
27
28
29
30
31
32
33
34
35
36
37
38
39
40
41
42
43
44
45
46
47
48
49
50
51
52
53
54
55
56
57
58
59
60
61
62
63
64
65

questionnaire. Completed questionnaires were only accepted if the student had provided their unique university registration number to prevent duplication. Following feedback, students were able to access “Pharmacy Challenge” for an extended duration of 3 weeks compared to Phase 1 with only 1 week of accessibility.

Data received was entered into Microsoft Excel^{®18}. The data was analysed by question initially then by sub-analysis. Descriptive statistical analysis was conducted, and *t*-tests were used to test for statistical significance.

Phase 3 – Objective impact on performance

“Pharmacy Challenge” was designed to improve students’ information skills and use of resources such as the BNF. However, it was also expected that exposure to clinical content, aligned with the Level 6 and 7 curricula, would potentially influence student performance outside of the SG context. To measure impact, two quizzes based on the BNF were designed by the researchers to investigate competence in using the BNF (Appendix 1) and clinical knowledge expected of students in Levels 6 and 7. The two quizzes were designed to be implemented in a timed classroom setting, with the aim of reflecting a standard examination scenario unlike the format of students playing the “Pharmacy Challenge” game in a timed, but open environment. Students supplied with a quiz both before, and after completing the game providing data for a pre and post-analysis. For the quizzes, 24 multiple-choice questions were developed. From the 24 questions, 16 were selected and divided evenly between the pre and post quiz, hence students could score a maximum of 8. The questions had 5 potential answers, with one correct response. Topics chosen for the questions were varied and focused on interactions, indications and common side-effects associated with medicines. Due to timetable restrictions, only Level 6 students were available to participate in Phase 3 of the study. Clinical teaching staff reviewed the quizzes’ content to confirm suitability for Level 6 students.

One quiz was administered to Level 6 pharmacy students in class before the game was released. The students were given 10 minutes to answer the questions using their BNF. Three weeks after the game’s release, the second quiz was administered under the same conditions. The scores for each quiz were anonymously recorded and *t*-tests were carried to test for statistical significance with $p < 0.05$ being used as the indicator of significance.

1 Ethical approval was received from the Kingston University Faculty Research Ethics Committee
2 (1213/045).
3
4
5

6 Results

7 Phase 1 – Prototype pilot development

8 A. Design, Content and Playability

9
10 The majority (80%; 56/70) of the students completed the questionnaire. The demographic
11 characteristics of responders are presented in Table 2.
12
13

14 A large proportion (80%; 45/56) had played the game. With respect to content, the majority (89%;
15 40/45) thoroughly enjoyed playing the game describing it as “fun and enjoyable”, “brilliant” and
16 “amazing”. Most (84%; 38/45) wanted to play the game again. Reasons given for playing the game
17 were; knowledge of an upcoming test in class, to improve their BNF skills and some were “just
18 curious”. The main reason given for not playing the game was; “timing”. The game was only
19 accessible for a week; some students had placements and assignments to complete and revision for
20 mid-module tests. Overall students found the game “very helpful” and felt “the game was well
21 designed” and “amazing”. Others concluded; “great game but ... room for improvement” and “good
22 fun but had technical problems”. The majority (93%; 42/45) felt a game with the same concept but for
23 different modules would be beneficial. One of the most popular suggestions was to add more
24 questions to the game with others suggesting, “Faster speed, more questions and easy access”,
25 “answers at the end of the quiz”, “No betting required” and “More calculations”
26
27
28
29
30
31
32
33
34
35
36
37
38
39
40
41

42 When examining SG design elements, approximately a third of the students (31%; 14/45)
43 favoured the “time challenge” feature the most. Students commented: “I am quite slow so it forced me
44 to be aware of my time” “made me have to be faster with BNF” and “it helps me complete tasks within
45 time”. The second most popular feature (24%; 11/45) was the “questions”. Students found them
46 “interesting, it actually makes me want to find the answer” and “relevant to what we are expected to
47 know at university”. They also liked that “questions were from different parts of the BNF which
48 enabled me to learn new things”. About a fifth (22%; 10/45) enjoyed the single-player mode.
49
50
51
52
53
54
55

56 When asked about the least liked feature, 22% (10/45) said the “multiplayer mode”. Some
57 reasons for this were: “Too much time needed to wait for all the players to be ready”, “no clear
58
59
60
61
62
63
64
65

1 instruction in how to use it for example; like the fact that both parties need to be live at the same time”
2 and “took too long to respond”. A similar percentage of students (20%; 9/45) stated the “betting”
3 feature. Some reasons for this were: “I wasn’t very good at it”, “Difficult to select the exact amount of
4 betting by using the finger on the iPad” and “time consuming”.

5
6
7 Feedback from the 10 students who did not play the game included “wanted more access time to
8 play the game” and “easy access to the game” as some browsers that were suggested did not open
9 the game. However, 70% (7/10) of these students felt the game could have a positive influence on
10 their performance. The frequency of playing the game ranged from once a week (18%; 8/45) to more
11 than 10 times (4%; 2/45). The modal response was 3 to 5 times per week (38%, 17/45).

12 13 14 15 16 17 18 19 20 B. Perceived improvement in performance

21 With regards to improvement in academic skills, the modal response was “helped but not a lot”
22 (31%; 14/45) however the game helped the majority (93%; 42/45) to some extent. The things they
23 had learnt were: “New sections of the BNF, I wasn’t aware of and managed my nerves when
24 searching for an answer”, “to time myself more appropriately” and “about some new drugs I didn’t
25 know before; how to get information faster”. Male students felt the game improved their pharmacy
26 skills more than females ($p=0.019$) as shown in Table 3.

27
28
29
30
31
32 Perceptions of the game are summarised in Table 4.

33 34 35 36 37 38 Phase 2 – Revised prototype implementation

39 Following phase 1 and in response to student feedback, the following changes were made:
40 instructions on use of the game prior to implementation, an extended duration for players to access
41 the game and directing students to suitable internet browsers in order to avoid previously cited
42 technical issues and formatting e.g. loading game features.

43 44 45 46 47 48 49 50 A. Design, content and playability

51 The response rate to the questionnaire was 60% (152/256), a further eight were returned
52 incomplete. The demographic characteristics of the respondents are shown in Table 5. Of the 152
53 respondents, 79% (120/152) had played the game. 91% (118/120) of respondents would play the game
54 again. Feedback on the design and playability was similar to Phase 1.

1
2 When considering game development students highlighted more BNF questions (71%;85/120)
3 followed by calculations (63%;76/120) and 'responding to symptoms' (48%; 58/120) type questions as
4 features to improve content. Further design suggestions included: inclusion of a progression bar; the
5 ability to save progress; affiliation of identification number with score; flexibility to choose the number
6 of questions to answer.
7

8
9
10 The questionnaire identified that a majority of students (86%;103/120) felt that the questions in the
11 game reinforced their learning, while 88% (106/120) felt that they had learnt something new from playing
12 the game. "The importance of reading [the] beginning of sections (in the BNF) to help aid in decision
13 making." was highlighted. Others felt that the game highlighted important sections of the BNF, "some
14 sections in the BNF have now been familiarised with the use of the game". A number of respondents
15 strongly agreed/agreed (65%;78/120) that the "Pharmacy Challenge" game motivated them to do well
16 in their studies. Overall, 88% (106/120) felt that the game had aided their learning.
17
18

19
20 Over half of respondents (52%;62/120) agreed the feedback given was helpful as "it allowed you
21 to look at the answer again, to challenge yourself to find the correct answer." However, 12% (14/120)
22 felt that the feedback was not helpful and it "would be better to give the extract from the BNF, ability to
23 view the questions you get wrong like a summary so that you can look it up later for revision.", or to
24 "display answer for a question if wrong instead of just the BNF section," "as there are questions (that)
25 even with the feedback I still don't know the answer to".
26
27
28
29
30
31
32
33
34
35
36
37

38 B. Perceived improvement in confidence and performance 39

40 The majority of respondents (89%; 135/152) felt that an online game can have a positive
41 influence on performance. On a scale from 1 to 5, with 1 denoting 'a lot' and 5 'not a lot', 51% and
42 52% of males and females respectively rated improvements in their ability to use the BNF as 1 and 2
43 with 24% and 27% being neutral respectively.
44
45
46
47

48 Similarly, the majority (55%; 66/120) of respondents felt their overall confidence in using the BNF
49 had increased since using the game, with just 17% (20/120) stating their confidence had not improved
50 (points 4 and 5 on the scale) and this could be influenced by the realisation of the speed required to
51 answer a question; "I am slow" and "I need to speed up". A student summed up their confidence, "I
52 first would bet less but was surprised my answers were correct, so I started betting with more
53
54
55
56
57
58
59
60
61
62
63
64
65

confidence.” Confidence was shown to increase significantly in all aspects of using the BNF as shown by the increase in the rating score of 1 or 2 (most confident) in Table 6.

Phase 3 – Objective impact on performance

Sixty students participated in the quizzes with 33 taking part in both quizzes who were included as part of the performance analysis. When comparing scores from the pre and post quizzes following the implementation of the game, there was a significant increase ($p=0.87 \times 10^{-4}$) incorrect answers with the mean score rising from 4.4 to 6.2 out of 8 possible marks. The majority (81%; 27/33) of students improved or maintained their score after accessing the game.

Discussion

Design, Content and Playability

Active learning results in an improvement in knowledge retention.^{9,12} This coupled with the understanding that student motivation drives learning¹⁶, plays an important role in conceptualising and designing methods to support students as part of academic curricula. Educational games offer an alternative approach to both broaden teaching styles and address the range of learning needs amongst students.¹⁹ “Pharmacy Challenge” was rationalised as a digital SG, with the aim of overcoming obstacles presented by traditional educational games in pharmacy curricula⁴ and as a step away from classic didactic teaching methods, which often lack accommodation for different learning styles.²⁰ “Pharmacy Challenge” provided students with a digital platform outside of the lecture hall, and hence an opportunity to learn in a non-threatening environment, which may support self-regulated and productive learning as discussed by Connolly⁶ and Dominguez¹³. These findings were supported across both iterations of “Pharmacy Challenge”, with the majority of students confirming that they felt an online game can have a positive impact on performance. Further evidence of self-regulated learning was demonstrated, with almost all respondents agreeing that they would play the game again. This may be potentially impactful for students in achieving learning outcomes as part of the curriculum by encouraging engagement with the BNF outside of compulsory sessions.

To better understand the impact of “Pharmacy Challenge”, questionnaires were developed to examine design, content and perceived benefit to students. Questions were developed with a focus on the RETAIN model, examining elements of the framework with the aim of supporting SG development and implementation. Students rated the game positively for its content and purpose with the majority

1 feeling the game had aided and reinforced their learning. This response from students is suggestive
2 that criteria for 'Adaptation' and 'Immersion' had been met to some extent, building upon existing
3 knowledge derived from the curriculum in an interactive manner. Another aspect of interest is the level
4 of difficulty introduced by the SG. Martin et al²¹ comment that students can be deterred by overly difficult
5 content in academia. To overcome this, it is important to ensure correlation between both curricular and
6 SG content, an element reflected in the RETAIN framework ('Embedding'). Overlap supports the
7 relevance of the content as described by Gunter¹¹, which may potentially improve student engagement
8 irrespective of difficulty. Some evidence to support this was demonstrated in Phase 2. Despite the
9 majority of students finding the game content challenging, 88% felt they learnt something new, which
10 in most cases was related to working under a time constraint and to learning about different sections of
11 the BNF. Content was developed from the BNF in correspondence with Level 6 and 7 curricula. This
12 may have been a factor in the relevancy of SG content and student stimulation irrespective of pressures
13 such as the time limit and question difficulty.

14 Numan²² describes how time constraints, specifically within examinations, can negatively impact
15 performance at the undergraduate level, often as the result of stimulated student anxiety.
16 Interestingly, the "time-challenge" was deemed as the main beneficial feature of "Pharmacy
17 Challenge" by students. They felt the game "forced" them to be aware of their time. This positive
18 response implicates a number of potential factors. Firstly, delivering clinical examination material via a
19 digital SG format may dissociate students from a perceived threatening environment.^{6,13} Secondly,
20 digital SGs have been shown to enhance visual attention, perhaps distracting students from time-
21 constraint related anxiety.²³ Thirdly, having a small window of timed engagement with each question
22 may motivate students to focus on the immediate activity. This last suggestion was investigated using
23 a popular puzzle-based game played in South Korea "ANIPANG", with each game lasting only 1
24 minute.²⁴ The study demonstrated that the shorter the time period, the greater the level of players'
25 loyalty. More work is required to understand whether introduction of clinical content via SGs under
26 timed conditions can help alleviate student test-related anxiety.

27 The single-player and multi-player mode gave the game diversity as some students preferred to
28 learn individually and others in a group. The literature^{25,26} shows students prefer working in a group,
29 however in this study this feature was disliked the most despite the evidence demonstrating multi-
30 player games to be more engaging and fun.^{27,28} In "Pharmacy Challenge" players were required to

1 place their bets and wait for everyone to answer before results were shown. Marsh²⁹ describes how
2 digital SGs with a focus on fast interactions are prone to player impatience where the design is
3 deemed to include unnecessary waiting times. The multi-player format of “Pharmacy Challenge”
4 proved to be too slow, resulting in reduced playability and player satisfaction.
5
6

7
8 Player betting added an interesting dynamic to the design of “Pharmacy Challenge”. It was
9 proposed that this feature would reflect student confidence and encourage informed attempts at
10 answering questions with the incentive of increasing the overall score from the game. SG competitive
11 scoring has been shown to improve motivation and engagement, which in turn contributes to active
12 involvement from players.³⁰ As already discussed, active players are more likely to retain knowledge
13 from SG interaction.^{12,16} The results did not reflect this however, with betting being described as one
14 of the least favourite features. Students stated it was time-consuming and hard to use, potentially
15 reducing SG immersion, which is an essential factor in successful SG design with respect to the
16 RETAIN model.¹¹
17
18
19
20
21
22
23
24
25
26
27

28 Perceived improvement in confidence and performance

29
30 The preliminary feedback showed that using a web-based game can enhance students’ learning
31 experience and make it more fun while improving their learning efficacy. It was interesting to note that
32 males felt that they had improved pharmacy skills more than females (76.9% vs 56.2%) though with
33 such small numbers the significance at this stage is unknown. Tsai⁷ also found females considerably
34 less positive in their attitudes towards digital games, which may explain their perceived level of
35 improvement and confidence in skills provided by participation in the game.
36
37
38
39
40
41

42 Students found the featured feedback helpful in terms of improving performance, however many
43 students cited that they wanted to see the correct answer, reflecting this generation of learners, who
44 require an instant response and satisfaction from a tool.^{25,31} Feedback was provided if an incorrect
45 answer was given in the form of the BNF section number where the answer could be found. Whilst
46 research by Lam et al³² shows that performance is increased over time with more feedback received,
47 students must take this feedback and learn from it. Vitasari³³ shows that students would become
48 complacent and not partake in the game to its full potential if the correct answer was provided
49 instantly. This would defeat the basics of blended learning through self-directed engagement, in this
50
51
52
53
54
55
56
57
58
59
60
61
62
63
64
65

1 case navigating the BNF.¹⁶ One suggestion was having an optional “hint” button in the game that
2 would require players to sacrifice some of their points if used.

3
4 When students were asked to rate their confidence before and after playing the game,
5 confidence was shown to have significantly increased in terms of: speed of using the BNF, increased
6 knowledge of sections, ability to extract information and knowing where to look for the answer
7
8 ($p < 0.001$). Both this study and work by Boctor²⁵ and Knight³⁴ have shown that SGs can build
9 confidence and knowledge such as in nursing registration exams and in major incident triage training
10 respectively. Overall confidence in using the BNF had increased, with 55% citing this. Students
11 experienced the recognition that there were sections in the BNF they had now become familiarised
12 with by using the game. As the students are performing a real-life activity whilst playing the game, it is
13 hoped that their improved ability will transfer into their everyday work when accessing the BNF.
14
15

16 Objective impact on performance

17
18 Students felt that the “Pharmacy Challenge” game had improved their use of the BNF with
19 performance showing a significant improvement ($p = 8.7 \times 10^{-5}$). Whilst the game could be seen to have
20 improved the scores in the post-game quiz, other factors should be considered, such as repetition of
21 playing the game, the knowledge that there would be a quiz and the expectations that come from
22 this.^{25,35} Furthermore, these results should be treated with caution due to the small sample size.
23
24

25 Areas for Game development

26
27 The “Pharmacy Challenge” game was described as having a poor interface and complicated to
28 play by some students, which discouraged engagement. The additional need of learning how to play
29 the SG also deterred student uptake. When considering the RETAIN model¹¹, full immersion requires
30 that the elements of gameplay should not impede the pedagogic element. In order to encourage
31 more students to use the game, it needs to be made simpler and more inherent to play. However, it
32 should be noted that over 90% of students felt that it would be beneficial to have the same game for
33 different modules, showing the overall acceptability of the concept. All feedback on the design, ease
34 of use and additional content will be reviewed in the future development of the game.
35
36

37
38 There are some limitations around asking respondents to assess their own performance. Whilst
39 students felt that their confidence had increased, and answered the question accordingly, the data
40 collected was anonymous and therefore there is no way of attributing actual performance to perceived
41
42
43
44
45
46
47
48
49
50
51
52
53
54
55
56
57
58
59
60
61
62
63
64
65

1 performance. To assess confidence levels and differentiate between gender and age, further research
2 is needed, as the sample size is small and biased to females and younger age. In terms of objective
3 improvements in performance, the study had a small sample size, hence these results should be
4 treated with caution.
5
6

7
8 There is no control group to enable a comparison with other methods of training students how to
9 use and search the BNF effectively. However, this game was intended to be an addition to other
10 methods of teaching and not as a replacement. As noted by Squire³⁶ games are not intended as a
11 replacement for traditional teaching methods, but to motivate students to return to the traditional
12 resources to improve their performance in the games.
13
14
15
16
17
18
19

20 Conclusion

21
22 The purpose of this study was to evaluate the design, content and playability of the game. The
23 student response was positive but provided valuable feedback in terms of improvement and
24 development of the “Pharmacy Challenge” model, especially regarding format aspects that hindered
25 playability. In terms of perceptions on confidence, students felt that they had gained confidence from
26 using the game. This finding was similar to perceived improvement in their ability to use the BNF,
27 which was also reflected in the objective improvement in performance using the pre and post-game
28 clinical quizzes. Overall, the concept was well accepted with “Pharmacy Challenge” providing an
29 alternative digital learning platform, which students indicated they would like to see implemented for
30 additional clinical modules and topics.
31
32
33
34
35
36
37
38
39

40 Following feedback and support from students, the prototype has now undergone a design
41 transformation regarding design and is now released under the name “DOSE” with a bank of 300
42 questions. Developed features include improved graphics, a leader board and medals. An evaluation
43 of this will be reported elsewhere.
44
45
46
47
48
49

50 References

- 51
52 1. Pereira G, Brisson A, Prada R, Paiva A, Bellotti F, Kravcik M, et al. Serious Games for
53 Personal and Social Learning & Ethics: Status and Trends. *Procedia Computer Science*
54 2012;15:53-65. doi: <https://doi.org/10.1016/j.procs.2012.10.058>
55
56
57
58
59
60
61
62
63
64
65

- 1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
21
22
23
24
25
26
27
28
29
30
31
32
33
34
35
36
37
38
39
40
41
42
43
44
45
46
47
48
49
50
51
52
53
54
55
56
57
58
59
60
61
62
63
64
65
2. Mayo, M.J. Video games: A route to large-scale STEM education? *Science*. 2009;323(5910):79-82. doi: <https://doi.org/10.1126/science.1166900>
3. D. R. Michael and S. L. Chen, *Serious Games: Games That Educate, Train, and Inform*. Muska & Lipman/Premier-Trade, 2005. <https://dl.acm.org/citation.cfm?id=1051239> Accessed 23 January 2019
4. Aburahma, M.H. and Mohamed, H.M.. Educational games as a teaching tool in pharmacy curriculum. *American journal of pharmaceutical education*. 2015;79(4):59. <https://www.ajpe.org/content/79/4/59> Accessed 23 January 2019
5. Breuer, J. and Bente, G. Why so serious? On the relation of serious games and learning. *Journal for Computer Game Culture*. 2010;4:7-24. <https://hal.archives-ouvertes.fr/hal-00692052/> Accessed 23 January 2019
6. Connolly TM, Boyle EA, MacArthur E, Hainey T, Boyle JM. A systematic literature review of empirical evidence on computer games and serious games. *Comput Educ* 2012; 59 (2); 661–686. doi: <https://doi.org/10.1016/j.compedu.2012.03.004>
7. Tsai, F An investigation of gender differences in a game-based learning environment with different game modes. *Eurasia Journal of Mathematics Science and Technology Education* 2017;13 (7): 3209-3226
doi: <https://doi.org/10.12973/eurasia.2017.00713a>
8. Lundbeck, M & Mohan L Context matters: Gender and cross-cultural differences in confidence. In D. Hacker, J. Dunlosky, & A Grasser (Eds), *Handbook of metacognition in education* New York, NY: Routledge/Taylor & Francis; 2009:221-239
<https://psycnet.apa.org/record/2010-06038-012> Accessed 24 January 2019
9. Rose, T.M. A board game to assist pharmacy students in learning metabolic pathways. *American journal of pharmaceutical education*, 2011;75(9):183.
<https://www.ajpe.org/content/75/9/183> Accessed 23 January 2019
10. Petit dit Dariel, O.J.P., Raby, T., Ravaut, F. and Rothan-Tondeur, M. Developing the serious games potential in nursing education. *Nurse education today*, 2013;33(12):1569-1575. doi: <https://doi.org/10.1016/j.nedt.2012.12.014>
11. Gunter, G.A., Kenny, R.F. and Vick, E.H. Taking educational games seriously: using the RETAIN model to design endogenous fantasy into standalone educational games. *Educational*

technology research and Development. 2008;56(5-6):511-537. doi:

<https://doi.org/10.1007/s11423-007-9073-2>

12. Ulicsak, M., 2010. Games in education: serious games: A Futurelab literature review. FutureLab. <https://www.nfer.ac.uk/media/1823/futl60.pdf> Accessed 23 January 2019
13. Domínguez, A., Saenz-De-Navarrete, J., De-Marcos, L., Fernández-Sanz, L., Pagés, C. and Martínez-Herráiz, J.J. Gamifying learning experiences: Practical implications and outcomes. Computers & Education. 2003;63:380-392. doi: <https://doi.org/10.1016/j.compedu.2012.12.020>
14. Campbell, L.O. and Gunter, G., 2017, March. An Evaluation of Social Change Games as viewed through the RETAIN model. In Society for Information Technology & Teacher Education International Conference (pp. 2552-2556). Association for the Advancement of Computing in Education (AACE). <http://www.learntechlib.org/p/178118/> Accessed 8 February 2019
15. Ricciardi, F. and Paolis, L.T.D. A comprehensive review of serious games in health professions. International Journal of Computer Games Technology, 2014;9. doi: <https://doi.org/10.1155/2014/787968>
16. Evgeniou, E. and Loizou, P. The theoretical base of e-learning and its role in surgical education. Journal of surgical education. 2012;69(5):665-669. doi: <https://doi.org/10.1016/j.jsurg.2012.06.005>
17. IBM Corp. Released 2010. IBM SPSS Statistics for Windows [computer programme]. Version 19.0. Armonk, NY: IBM Corp.
18. Microsoft Excel for Windows [computer programme]. Version 16.0.10228.20080. Redmond, WA: Microsoft; 2016.
19. Truong, H.M. Integrating learning styles and adaptive e-learning system: Current developments, problems and opportunities. Computers in human behavior. 2016;55:1185-1193. doi: <https://doi.org/10.1016/j.chb.2015.02.014>
20. Petrović, J. and Pale, P. Students' perception of live lectures' inherent disadvantages. Teaching in higher education, 2015;20(2):143-157. doi: <https://doi.org/10.1080/13562517.2014.962505>

- 1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
21
22
23
24
25
26
27
28
29
30
31
32
33
34
35
36
37
38
39
40
41
42
43
44
45
46
47
48
49
50
51
52
53
54
55
56
57
58
59
60
61
62
63
64
65
21. Martin, J.H., Hands, K.B., Lancaster, S.M., Trytten, D.A. and Murphy, T.J. Hard but not too hard: Challenging courses and engineering students. *College Teaching*, 2008;56(2):107-113. doi: <https://doi.org/10.3200/CTCH.56.2.107-113>
 22. Numan, A., 2017. Test-anxiety-provoking stimuli among undergraduate students. *Journal of Behavioural Sciences*, 27(1).
<https://search.proquest.com/openview/14ee3e42bf07df31918f894a1debdb0e/1?cbl=136244&p-q-origsite=gscholar> Accessed 26 March 2019
 23. Susi, T., Johannesson, M. and Backlund, P., 2007. Serious games: An overview.
<http://www.diva-portal.org/smash/record.jsf?pid=diva2%3A2416&dsid=8937> Accessed 26 March 2019
 24. Lee, J., Yoon, J. Analysis on Fun Elements of the SNG in ANIPANG. *World Academy of Science, Engineering and Technology*. 2013;7 (1):110-114.
<https://search.proquest.com/docview/1549957144?accountid=14557> Accessed 23 January 2019
 25. Boctor, L. Active-learning strategies: The use of a game to reinforce learning in nursing education. A case study. *Nurse education in practice*, 2013;13(2): 96-100. doi:
<https://doi.org/10.1016/j.nepr.2012.07.010>
 26. van der Stege, H.A., van Staa, A., Hilberink, S.R. and Visser, A.P.. Using the new board game SeCZ TaLK to stimulate the communication on sexual health for adolescents with chronic conditions. *Patient education and counseling*, 2010;81(3):324-331. doi:
<https://doi.org/10.1016/j.pec.2010.09.011>
 27. Paraskeva, F., Mysirlaki, S., Papagianni, A. Multiplayer online games as educational tools. Facing new challenges in learning. *Comput Educ.* 2010;54(2):498-505. doi:
<https://doi.org/10.1016/j.compedu.2009.09.001>
 28. Sung, H.Y. and Hwang, G.J. A collaborative game-based learning approach to improving students' learning performance in science courses. *Computers & education*, 2013;63:43-51. doi: <https://doi.org/10.1016/j.compedu.2012.11.019>
 29. Marsh, T. Slow serious games, interactions and play: Designing for positive and serious experience and reflection. *Entertainment computing*. 2016;14:45-53. doi:
<https://doi.org/10.1016/j.entcom.2015.10.001>

- 1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
21
22
23
24
25
26
27
28
29
30
31
32
33
34
35
36
37
38
39
40
41
42
43
44
45
46
47
48
49
50
51
52
53
54
55
56
57
58
59
60
61
62
63
64
65
30. Hakulinen, L., 2011, November. Using serious games in computer science education. In Proceedings of the 11th Koli Calling International Conference on Computing Education Research (pp. 83-88). ACM. <https://dl.acm.org/citation.cfm?id=2094147> Accessed 23 February 2019
31. Gonzalez-Gonzalez C, Blanco-Izquierdo F. Designing social videogames for educational uses.(Report). Comput Educ 2012;58(1):250. doi: <https://doi.org/10.1016/j.compedu.2012.11.019>
32. Lam, C.F., DeRue, D.S., Karam, E.P. and Hollenbeck, J.R. The impact of feedback frequency on learning and task performance: Challenging the “more is better” assumption. Organizational Behavior and Human Decision Processes. 2011;116(2):217-228. doi: <https://doi.org/10.1016/j.obhdp.2011.05.002>
33. Vitasari, P., Wahab, M.N.A., Othman, A., Herawan, T. and Sinnadurai, S.K. The relationship between study anxiety and academic performance among engineering students. Procedia-Social and Behavioral Sciences. 2010;8:490-497. <https://doi.org/10.1016/j.sbspro.2010.12.067>
34. Knight, J.F., Carley, S., Tregunna, B., Jarvis, S., Smithies, R., de Freitas, S., Dunwell, I. and Mackway-Jones, K. Serious gaming technology in major incident triage training: a pragmatic controlled trial. Resuscitation, 2010;81(9):1175-1179. doi: <https://doi.org/10.1016/j.resuscitation.2010.03.042>
35. Bekebrede G, Warmelink HJG, Mayer IS. Reviewing the need for gaming in education to accommodate the next generation. Comput Educ 2011;57(2):1521-1529. doi: <https://doi.org/10.1016/j.compedu.2011.02.010>
36. Squire, K. and Jenkins, H. Harnessing the power of games in education. Insight, 2003;3(1):5-33. [.http://plato.acadiau.ca/courses/engl/saklofske/download/digital%20gaming%20education.pdf](http://plato.acadiau.ca/courses/engl/saklofske/download/digital%20gaming%20education.pdf) Accessed 23 January 2019

Appendix 1

BNF quizzes

Quiz 1

- 1) Which one of the following drugs causes a change in a patient's thyroid functioning when taking levothyroxine? BNF: Appendix 1: Interactions
 - a. Warfarin
 - b. Amitriptyline
 - c. Carbamazepine**
 - d. Propranolol
 - e. Simvastatin
- 2) When using Ergot derived dopamine receptor agonists what aren't patients monitored for to check for Fibrotic reactions? Section 4.9.1
 - a. Persistent cough
 - b. Chest pain
 - c. Cardiac failure
 - d. Dyspnea
 - e. Nocturnia**
- 3) If a 75kg female was given Amiodarone tablets for the first time, how many 200mg tablets would she need for a month's supply? Section 2.3.2
 - a. 28
 - b. 56
 - c. 42
 - d. 49**
 - e. 112
- 4) If a patient was taking 400mg of Sulpiride daily, and they needed to change to Chlorpromazine, what dose would you give daily? Section 4.2.1
 - a. 200mg**
 - b. 400mg
 - c. 75mg
 - d. 25mg
 - e. 100mg
- 5) Over a period of a week what would you expect the haemoglobin concentration of an anaemic to increase by? Section 9.1.1
 - a. 1-2g/litre
 - b. 7-14g/litre**
 - c. 20g/litre
 - d. 2g/100ml
 - e. 7-14g/100ml
- 6) Which eye drop would you use to treat corneal ulcers? Section 11.4
 - a. Chloramphenicol
 - b. Azithromycin
 - c. Ciprofloxin**
 - d. Levofloxin
 - e. Ofloxacin
- 7) Which one of the following is not a severe adverse effect from methotrexate? Section 10.1.3
 - a. Dark urine
 - b. Bruising
 - c. Cough
 - d. Shortness of breath
 - e. Headaches**
- 8) What dose of prednisolone orally would need to be given to treat a 22kg child daily for treatment of life threatening acute asthma? Section 3.1

- 1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
21
22
23
24
25
26
27
28
29
30
31
32
33
- a. 22-44mg
 - b. 22-40mg**
 - c. 40-50mg
 - d. 88mg
 - e. 50mg
- 9) Which of the following is an aldosterone antagonist? Section 2.2.3
- a. Triamterne
 - b. Inspra**
 - c. Amiloride
 - d. Bumetanide
 - e. Furosemide
- 10) Which of the following is a short acting human insulin? Section 6.1.1
- a. Apidra**
 - b. Insulin Glargine
 - c. Novomix 30
 - d. Levimir
 - e. Lantus
- 11) The antiplatelet effect of clopidogrel is reduced when it is taken with:
- a. Fluoxetine
 - b. Etravirine
 - c. Prasugrel**
 - d. Cimetidine
 - e. Moclobemide
- 12) Which of the following classes of drugs can impair cerebral function and precipitate hepatic encephalopathy?
- a. Non-opioid analgesics
 - b. Opioid analgesics**
 - c. Insulin
 - d. Stimulant laxatives
 - e. Osmotic laxatives

Quiz 2

- 34
35
36
37
38
39
40
41
42
43
44
45
46
47
48
49
50
51
52
53
54
55
56
57
58
59
60
61
62
63
64
65
1. Which of the following is a side effect of Alteplase?
 - a. Headache
 - b. Diarrhoea
 - c. Bleeding**
 - d. Bruising
 - e. Blurred vision
 2. Which of the following is the correct cautionary and advisory label for Malarone®?
 - a. Protect your skin from sunlight-even on a bright but cloudy day. Do not use sunbeds
 - b. Take with or just after food, or a meal**
 - c. Take 30-60 minutes before food
 - d. Take with a full glass of water
 - e. Swallow this medicine whole. Do not chew or crush
 3. Which eye drop would you use to treat Glaucoma?
 - a. Levobunolol**
 - b. Lodoxamine
 - c. Tropicamide
 - d. Dexamethasone
 - e. Moxifloxacin
 4. How much corticosteroid preparation is prescribed for application to the scalp?
 - a. 15-30g**
 - b. 100g
 - c. 30g
 - d. 15g

- 1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
21
22
23
24
25
26
27
28
29
30
31
32
33
34
35
36
37
38
39
40
41
42
43
44
45
46
47
48
49
50
51
52
53
54
55
56
57
58
59
60
61
62
63
64
65
- e. 30-60g
 - 5. Your patient is taking 20mg of Prednisolone tablets daily, how much Hydrocortisone (mg) would they need to take if you wanted to change their steroid?
 - a. 20mg
 - b. 5mg
 - c. 100mg
 - d. 80mg**
 - e. 16mg
 - 6. Which one of the following anti-depressants is better tolerated?
 - a. Clomipramine
 - b. Trazodone Hydrochloride
 - c. Moclobemide
 - d. Agomelatine
 - e. Fluvoxamine Maleate**
 - 7. Which oral contraceptive has Ethinylestradiol 35 micrograms and Norethisterone 500 micrograms in its dose?
 - a. Logynon ED®
 - b. Brevinor ®**
 - c. Mercilon ®
 - d. Cerazette®
 - e. Micronor®
 - 8. What is the usual maintenance dose of Allopurinol in moderately severe conditions of gout?
 - a. 300mg daily
 - b. 300-600mg daily**
 - c. 100mg daily
 - d. 100-200mg daily
 - e. 700-900mg daily
 - 9. Which class of drugs does Simvastatin have a black dot interaction with?
 - a. Antidepressants
 - b. Antidiabetics
 - c. Calcium Channel blockers**
 - d. Cardiac Glycosides
 - e. Oestrogens
 - 10. Which one of the following is a symptom of severe acute asthma?
 - a. Arterial oxygen saturation <92%
 - b. Peak flow >50% of predicted
 - c. Pulse <110 beats a minutes
 - d. Pulse >110 beats a minute**
 - e. Hypotension
 - 11. Levothyroxine has no interaction with which one of the following?
 - a. Warfarin
 - b. Glibenclamide**
 - c. Imatinib
 - d. Gemfibrozil
 - e. Orlistat
 - 12. Which of the following antidiabetics is delivered by sub cut injection?
 - a. Jentadueto®
 - b. Forxiga®
 - c. Amaryl®
 - d. Lyxumia®**
 - e. Januvia®

Appendix 2

Phase 1 Questionnaire

Section A – Design & Playability

1. Did you play the ‘Pharmacy Challenge’ game?

Yes, If yes go 1.1

No, If no go to 1.2

1.1 If yes please answer following questions

a. What feature did you like most? Please select one from the feature list and explain why.

(Single player mode, Chat, Multiplayer mode, Betting, Competition, Questions, BNF reference, Time challenge)

.....

b. What feature did you like least? Please select one from the feature list and explain why.

(Single player mode, Chat, Multiplayer mode, Betting, Competition, Questions, BNF reference, Time challenge)

.....

c. What made you want to play the game?

.....

d. How many times did you play the game?

Please tick one:

Once Twice 3-5 times 5-10 times More than 10 times

Please proceed to section B and C.

1.2 If you answered no to question 1, please answer following questions:

a. Please explain why you didn’t play it.

.....

b. What would make you play it?

.....

c. Do you think such a game could have positive influence on your performance?

.....

.....

Please proceed to section D

Section B – Perceived improvement in performance & design improvements

1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
21
22
23
24
25
26
27
28
29
30
31
32
33
34
35
36
37
38
39
40
41
42
43
44
45
46
47
48
49
50
51
52
53
54
55
56
57
58
59
60
61
62
63
64
65

Please fill out only if you played the Pharmacy Challenge game

2. How much did you feel that the game improve your pharmacy skills and/or knowledge?

Please circle a number from the range below.

1 2 3 4 5
(Not at all) **(Moderate)** **(A lot)**

3. What have you learnt from the game?

.....
.....

4. For future development, what changes would you recommend to support students' learning in the game?

.....
.....

5. Would you use the game again to help you with future work or exams?

Yes No

6. Do you think it would be beneficial to have this same game concept with other modules?

Yes No

Section C – Perceptions

Please fill out only if you played the Pharmacy Challenge game

SD - Strongly Disagree, D – Disagree, N - Neither Agree or Disagree, A – Agree, SA - Strongly Agree

Please tick one for each statement.

Statement	SD	D	N	A	SA
I really enjoyed playing the 'Pharmacy Challenge' game					
The game was very stimulating					
The pharmacy educational game motivated me to do well in my studies					

I learnt something new from playing the game					
The game was challenging					
The feedback the game provided was very helpful					
I found the game satisfying					
The goals/aims of the game were clear					
I would play the game again					
User interface was clear and well designed					
The game was boring / pointless					

7. Could you describe your overall perception of the game in one sentence?

.....

Section D – Background information

This section of the questionnaire refers to background or demographic information. Your responses to this section will provide us with information that will allow us to compare groups of respondents.

Once again, we assure you that your responses to this section will remain anonymous.

A. Gender

Please tick one: Male Female

B. Age

Please tick one: < 18 18-20 21-24 25-30 > 30

C. Current student level

Please tick one:

MPharm 3rd year

MPharm 4th year

OSPAP



- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14
- 15
- 16
- 17
- 18
- 19
- 20
- 21
- 22
- 23
- 24
- 25
- 26
- 27
- 28
- 29
- 30
- 31
- 32
- 33
- 34
- 35
- 36
- 37
- 38
- 39
- 40
- 41
- 42
- 43
- 44
- 45
- 46
- 47
- 48
- 49
- 50
- 51
- 52
- 53
- 54
- 55
- 56
- 57
- 58
- 59
- 60
- 61
- 62
- 63
- 64
- 65

Appendix 3**Phase 2 Questionnaire****Section 1: Perceptions of the game and future development**

1. Did you play the "Pharmacy Challenge" game?

a. Yes b. No

b. If not, why not? (free text)

c. Do you think an online game can have a positive influence on performance?

i. Yes

ii. No

2. Please rate the features in the order that you liked (1- liked the most, 8- liked the least)

	1,2,3,4,5,6,7,8
Questions	
Time challenge	
Single player mode	
Chat	
Competition	
BNF reference	
Multi player mode	
Betting	

3. Are there any other functions you would like to see incorporated into the game? Eg progression bar, ability to choose how many questions are asked

4. Please rate the following topics in order of preference for future game development. (1- Most preferred 5-least preferred)

	1	2	3	4	5

BNF					
Law and Ethics					
Calculations					
Responding to symptoms					
Drug Tariff					

5. Are there any other topics you would like to see added to the game?

Section 2: These questions look at how the game may have helped improve your use of the BNF

6. On a scale of 1-5, how much do you feel the “Pharmacy Challenge” game has improved your use of the BNF?

1,2,3,4,5 (1= A lot, 5=Not a lot)

7. On a scale of 1-5, how confident do you now feel when using the BNF after playing the “Pharmacy Challenge” game?

1,2,3,4,5,(1= A lot, 5=Not a lot)

8. Please rate your confidence in the following before playing the “Pharmacy Challenge” game and after playing the “Pharmacy Challenge” game.

	1	2	3	4	5
Before playing: Speed at using the BNF					
After playing: Speed at using the BNF					
Before playing: Increased knowledge of BNF sections					
After playing: Increased knowledge of BNF sections					
Before playing: Confidence in extracting the information from the text					

After playing: Confidence in extracting the information from the text					
Before playing: Confidence in knowing where to look for an answer					
After playing: Confidence in knowing where to look for an answer					

9. What else have you learnt from the game?

10. Please rate the statements below in relation to the game:

	Strongly agree	Agree	Neither agree or disagree	Disagree	Strongly disagree
The feedback the game provided was helpful					
The user interface was clear and well designed					
The instructions were clear on how to play					
The questions aided my learning					
The questions reinforced my learning					
The "Pharmacy Challenge" game motivated me to do well in my studies					
I learnt something new from playing the game					
The game was challenging					

11. Would you play Pharmacy Challenge again?

a. Yes

b. No

If not why not?

Section 3: A little bit about you

1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
21
22
23
24
25
26
27
28
29
30
31
32
33
34
35
36
37
38
39
40
41
42
43
44
45
46
47
48
49
50
51
52
53
54
55
56
57
58
59
60
61
62
63
64
65

12. Are you? (Please circle)

Male/ Female

13. What is your age range?

19-25 26-30 31-40 41-45 46-50 50+

14. What is your year of study?

a. Year 3

b. Year 4

c. Ospam

Thank you for taking the time to complete this questionnaire.

1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
21
22
23
24
25
26
27
28
29
30
31
32
33
34
35
36
37
38
39
40
41
42
43
44
45
46
47
48
49
50
51
52
53
54
55
56
57
58
59
60
61
62
63
64
65



[Click here to access/download](#)
Table
Table 1 New.docx

1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
21
22
23
24
25
26
27
28
29
30
31
32
33
34
35
36
37
38
39
40
41
42
43
44
45
46
47
48
49
50
51
52
53
54
55
56
57
58
59
60
61
62
63
64
65



[Click here to access/download](#)
Table
Table 2 New.docx



1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
21
22
23
24
25
26
27
28
29
30
31
32
33
34
35
36
37
38
39
40
41
42
43
44
45
46
47
48
49
50
51
52
53
54
55
56
57
58
59
60
61
62
63
64
65



[Click here to access/download](#)
Table
Table 3 New.docx



1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
21
22
23
24
25
26
27
28
29
30
31
32
33
34
35
36
37
38
39
40
41
42
43
44
45
46
47
48
49
50
51
52
53
54
55
56
57
58
59
60
61
62
63
64
65



[Click here to access/download](#)
Table
Table 4 New.docx



1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
21
22
23
24
25
26
27
28
29
30
31
32
33
34
35
36
37
38
39
40
41
42
43
44
45
46
47
48
49
50
51
52
53
54
55
56
57
58
59
60
61
62
63
64
65



[Click here to access/download](#)
Table
Table 5 New.docx



1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
21
22
23
24
25
26
27
28
29
30
31
32
33
34
35
36
37
38
39
40
41
42
43
44
45
46
47
48
49
50
51
52
53
54
55
56
57
58
59
60
61
62
63
64
65



[Click here to access/download](#)
Table
Table 6 New.docx



Author Statement

The following table outlines the involvement of all authors for this manuscript.

Shereen Nabhani	Conceptualisation, methodology, validation, writing (review and editing), supervision, resources
Sonya Ishtiaq	Formal analysis, data curation, project administration, investigation
Victoria Ling	Formal analysis, data curation, project administration, investigation
Nicola Harrap	Formal analysis, writing (original, review and editing)
Maciej Dudzinski	Formal analysis, data curation, project administration, investigation
Darrel Greenhill	Conceptualisation, methodology, validation, writing supervision, software
Hope Caton	Conceptualisation, methodology, validation, supervision, software, resources
Nada Philip	Conceptualisation, supervision, software, resources
Joshua Wells	Writing (review and editing), visualisation
Reem Kayyali	Conceptualisation, methodology, validation, writing (review and editing) supervision, project administration