



THE UNIVERSITY *of* EDINBURGH

Edinburgh Research Explorer

Variable selection in classification for multivariate functional data

Citation for published version:

Blanquero, R, Carrizosa, E, Jiménez-cordero, A & Martin-Barragan, B 2019, 'Variable selection in classification for multivariate functional data', *Information Sciences*, vol. 481, pp. 445-462. <https://doi.org/10.1016/j.ins.2018.12.060>

Digital Object Identifier (DOI):

[10.1016/j.ins.2018.12.060](https://doi.org/10.1016/j.ins.2018.12.060)

Link:

[Link to publication record in Edinburgh Research Explorer](#)

Document Version:

Peer reviewed version

Published In:

Information Sciences

General rights

Copyright for the publications made accessible via the Edinburgh Research Explorer is retained by the author(s) and / or other copyright owners and it is a condition of accessing these publications that users recognise and abide by the legal requirements associated with these rights.

Take down policy

The University of Edinburgh has made every reasonable effort to ensure that Edinburgh Research Explorer content complies with UK legislation. If you believe that the public display of this file breaches copyright please contact openaccess@ed.ac.uk providing details, and we will remove access to the work immediately and investigate your claim.



Variable Selection in Classification for Multivariate Functional Data

Rafael Blanquero^a, Emilio Carrizosa^a, Asunción Jiménez-Cordero^{a,*},
Belén Martín-Barragán^b

*^aDepartamento de Estadística e Investigación Operativa and
Instituto de Matemáticas de la Universidad de Sevilla (IMUS).
Facultad de Matemáticas.*

C/ Tarfia s/n 41012, Seville, Spain

*^bBusiness School, 29 Buccleuch Place, University of Edinburgh, EH89JS,
Edinburgh, UK*

Abstract

When classification methods are applied to high-dimensional data, selecting a subset of the predictors may lead to an improvement in the predictive ability of the estimated model, in addition to reducing the model complexity. In Functional Data Analysis (FDA), i.e., when data are functions, selecting a subset of predictors corresponds to selecting a subset of individual time instants in the time interval in which the functional data are measured. In this paper, we address the problem of selecting the most informative time instants in multivariate functional data, a case much less studied than its single-variate counterpart. Our proposal allows one to use in a very simple way high-order information of the data, e.g. monotonicity or convexity by means of the functional data derivatives. The aforementioned problem is addressed with tools of Global Optimization in continuous variables: the time instants are selected to maximize the correlation between the class label and the Support Vector Machine score used for classification. The effectiveness of the proposal is shown in univariate and multivariate datasets.

Keywords: Feature Selection, Multivariate Functional Data Analysis, Support

*Corresponding author

Email addresses: rblanquero@us.es (Rafael Blanquero), ecarrizosa@us.es (Emilio Carrizosa), asuncionjc@us.es (Asunción Jiménez-Cordero), belen.martin@ed.ac.uk (Belén Martín-Barragán)

1. Introduction

Real-time information monitoring has become extremely popular thanks to the technological advances witnessed in recent years. Consequently Functional Data Analysis (FDA), [18, 38, 39], has become an outstanding field in many real-world areas. See [7, 10, 32, 34, 40] for applications in physical and chemical processes, spectrometry, meteorology, or speech recognition, among others.

FDA can be seen as a generalization of the standard multivariate analysis, where the data are (multivariate) functions of a continuous parameter instead of vectors in a finite dimensional space. A multivariate functional datum is defined as a finite dimensional vector where each component is a univariate function. A simple approach to handle functional data consists of the discretization of the multivariate observed function to then apply multivariate techniques to the resulting vector. Nevertheless, functional data are intrinsically infinite dimensional and have properties that differentiate them from multivariate data. In fact, the direct use of the standard multivariate methodologies shows severe limitations. For instance, multivariate analysis is not able to deal with situations where the curse of dimensionality appears, i.e. when the number of covariates is larger than the number of individuals. On the other hand, although theoretically functional data are infinite dimensional, in practice they are discretized in a grid of points, yielding high dimensional vectors with larger cardinality than the number of records. Therefore, some issues may appear when solving such type of instances. Furthermore, the strong correlation between two consecutive points of the functions, which is an intrinsic characteristic of functional data, may not be adequately considered in traditional multivariate analysis procedures.

Many efforts have been done in the literature to extend the multivariate techniques to FDA, mostly for univariate functional data, and specific problems such as clustering [24] and PCA [3]. Hence, it is desirable to promote the development

of new tools which exploit the functional structure of the multivariate functional
30 data.

In this paper, we address the problem of classifying multivariate functional data
into two prefixed classes by using the information provided by a training sample
[18]. Classifiers will be based on the benchmark supervised classification tool
Support Vector Machines (SVM), [32, 34, 40]. For other classification techniques
35 used with functional data, the reader is referred to [18, 37] and [1] for a survey.
Functional data classification entails some difficulties associated with the high
computational costs, and the introduction of redundancy and noise from mea-
surement errors, which may deteriorate the correct classification rate. Since
functional data are intrinsically infinite dimensional data, it is thus useful to
40 select the time instants providing the most relevant information of the data,
i.e., to perform variable selection.

Advantages of the variable selection are highlighted in what follows. First, in-
terpretability may be enhanced and monitoring costs may be reduced if just a
few time instants capable of discriminating the behavior of functional data are
45 considered instead of the full time interval. Second, variable selection may lead
to a better performance of the classifier. The reduction of dimensionality of
the (discretized) functional data may result in a better classification, since the
correlation between features (time instants) may negatively affect classification
rates.

50 The feature selection problem has been widely studied in the multivariate data
literature. See for instance the surveys [27], the papers [2] addressing classifi-
cation problems, [33] for regression, and [28] for clustering. Particularly, some
references in very high-dimensional problems such as cancer detection via gene
expression data, must be mentioned. The work of [36] presents a theoretical
55 and practical framework for feature selection based on a conditional mutual in-
formation criterion. [35, 50] focus on the chemotherapy effectiveness problems
solved by means of ranking (SVM-RFE) and fuzzy if-then rules, respectively.
Moreover, the paper of [31] combines a Difference of Convex functions Algo-
rithm (DCA) with a double-regularized SVM formulation to select the most

60 important features.

Dimensionality reduction techniques, based on the projection of the functional data on lower-dimensional spaces have also been considered. These include, among others, Functional Principal Component Analysis (FPCA) [30], Partial Least Squares (PLS) [37], and B-splines functions [47]. For other dimensionality reduction techniques in functional data, see [48]. In this paper, however, 65 we focus on a different approach of dimensionality reduction based on variable selection. Our goal is, as mentioned before, to select the most informative time instants in order to obtain good classification rates. In such a context of variable selection, some regression papers should be mentioned. In [49] for instance, the 70 standard LASSO and Dantzig selector procedures are proposed. Moreover, [25] focuses on the interpretability of the coefficient function, whereas [17] work with nonlinear models.

On univariate functional classification, some multivariate techniques have been directly applied to select the relevant features. This is the case, for example, 75 of [22] where new covariates, e.g. mean, maximum and minimum value, are extracted from the functional data in order to select the most important variables based on a mutual information criterion. In the work in [29], one single time instant is sought. As admitted in the paper, it is not possible to generalize their methodology to search a set of more time instants. With respect to the 80 selection of time instants, we should emphasize the recent works of [4, 6, 43, 44], where greedy approaches, yielding local optima, are used. These papers follow a combinatorial approach: such time instants are assumed to belong to the finite set of instants at which actual measurements exist.

Variable selection for multivariate functional data has not been analyzed in the 85 literature, to the best of our knowledge. Therefore, the main contribution of this paper is to provide a new strategy able to seek the most informative time instants to achieve good classification rates in multivariate functional data. Contrary to what is usually done in the literature, [4, 6, 43, 44], we consider the time as a continuous variable, and we search for the global solution using a 90 surrogate of the number of misclassified data, namely the correlation between

the SVM score and the actual class. See [41, 44] for a deeper analysis. Finding such optimal time instants amounts to solving a continuous smooth optimization problem. Moreover, our algorithmic strategy is improved thanks to the definition of nested models of increasing complexity, following the idea in [8, 11].

95 Finally, our approach involves a framework which can accommodate from one to several functions, allowing one to address in the very same way univariate and multivariate functional data. In particular, one can easily include in the model high-order information (monotonicity, convexity, ...) by replacing each single-
100 variate functional datum by a multivariate functional datum, corresponding to the functional datum itself and its derivatives. The information provided by the derivatives has been utilized in the clustering context, [23], with outstanding results.

The remainder of this paper is structured as follows. Section 2 explains the details of the SVM model applied to functional data. In Section 3 the optimization method used in our approach, as well as the solving strategy and some
105 improvements of the method, are detailed. Section 4 is focused on the numerical experiments, and finally, Section 5 is devoted to present some conclusions and extensions.

110 2. Variable Selection with Functional SVM

In this section, the SVM problem for multivariate functional data is introduced. For a deeper analysis of SVM, the reader is referred to [14]. Section 2.1 explains the notation used in this paper and details how the high-order information can be included in the multivariate data structure. In Section 2.2 the
115 basic concepts of the linear and nonlinear SVM are explained. Finally, Section 2.3 is devoted to the details of the kernel function employed along this work.

2.1. Some Notation and High-Order Information

We assume given a sample s of individuals, where each instance $i \in s$ is associated to the pair (X_i, Y_i) . The datum $X_i \in \mathcal{X} = \mathcal{F}^p$ is composed by

p functional features, i.e. $X_i = (X_{i1}(t), \dots, X_{ip}(t))$, with $X_{iv} : [0, T] \rightarrow \mathbb{R}$, $v = 1, \dots, p$ belonging to the class \mathcal{F} of d -times continuously differentiable functions on the time interval $[0, T]$. Furthermore, $Y_i \in \{-1, +1\}$ denotes the class label of the observation $i \in s$. Our aim is to find a classification rule which allows us to infer the class Y of a new functional observation $X \in \mathcal{X}$.

It is worthwhile to mention that our methodology is not only restricted to pure multivariate functional data. Indeed, the approach here proposed can be directly applied to univariate functional data, $X(t) \in \mathcal{F}$. More specifically, apart from the straightforward case in which one just considers $p = 1$, we can also make a pre-processing which transforms the univariate data into multivariate by taking advantage of the high-order information throughout the usage of the derivatives of X . This process yields data of the form:

$$(X(t), X'(t), \dots, X^{(d)}(t)), \quad (1)$$

where $X^{(d)}(t)$ denotes the d -th derivative of $X(t)$. Moreover, the information provided by the derivatives can also be added to the pure multivariate functional case, yielding

$$(X_1(t), \dots, X_p(t), X_1'(t), \dots, X_p'(t), \dots, X_1^{(d)}(t), \dots, X_p^{(d)}(t)), \quad (2)$$

The numerical experience in Section 4 shows that the high-order information will be crucial in the classifier performance.

120

2.2. SVM Classification for Functional Data

Regarding the SVM classification, when the instances in the training sample are linearly separable, SVM provides an optimal hyperplane $\langle \mathbf{w}, X_i \rangle + b$, separating both classes, where $\mathbf{w} \in \mathcal{X}$, $b \in \mathbb{R}$ and $\langle \cdot, \cdot \rangle$ denotes the inner product in the functional space \mathcal{X} . Such hyperplane is obtained by maximizing the so called margin, i.e. the distances to the closest positive and negative training data. The maximal margin is provided by the element \mathbf{w} with minimum norm such that $Y_i (\langle \mathbf{w}, X_i \rangle + b) \geq 1$, $\forall i \in s$. Furthermore, since perfect classification

of the training sample is quite rare, some classification errors are allowed thanks to the artificial variables ξ_i introduced for all $i \in s$. In that case, the optimal solution of the linear SVM is obtained by solving the following optimization problem:

$$\begin{cases} \min_{\mathbf{w}, b, \xi} & \langle \mathbf{w}, \mathbf{w} \rangle + C \sum_{i \in s} \xi_i \\ \text{s.t.} & Y_i (\langle \mathbf{w}, X_i \rangle + b) \geq 1 - \xi_i, i \in s, \\ & \xi_i \geq 0, i \in s \end{cases} \quad (3)$$

The parameter C is a regularization parameter, to be tuned, that penalizes the existence of misclassified observations in the training sample [45]. Larger values of C yield smaller-margin hyperplanes, whilst smaller values of C result in larger-margin hyperplanes, even if they misclassify more data. In order to tune the parameter C , k -fold crossvalidation with a grid search on a sufficiently large interval is usually applied. See [13] for further information.

The procedure above defines a linear classification rule: given \mathbf{w} , optimal solution of (3), a score $\hat{Y}(X) = \langle \mathbf{w}, X \rangle$ is associated to each functional data X , and thus X is classified in class +1 if and only if $\hat{Y}(X) > \beta$, where β is a prefixed threshold value. To gain versatility in the procedure, records are mapped to a higher dimensional space by a nonlinear feature map, and a so-called kernel K is defined in the space of functions \mathcal{X} , [45]. Instead of solving (3), the following quadratic concave maximization problem with linear constraints is solved:

$$\begin{cases} \max_{\alpha} & \sum_{i \in s} \alpha_i - \frac{1}{2} \sum_{i, j \in s} \alpha_i \alpha_j Y_i Y_j K(X_i, X_j) \\ \text{s.t.} & \sum_{i \in s} \alpha_i Y_i = 0 \\ & \alpha_i \in [0, C], i \in s, \end{cases} \quad (4)$$

This way, a nonlinear classification rule is obtained: given α , optimal solution of (4), a score $\hat{Y}(X)$ in (5) is associated with each functional data X ,

$$\hat{Y}(X) = \sum_{i \in s} \alpha_i Y_i K(X, X_i), \quad X \in \mathcal{X}, \quad (5)$$

and thus X is classified in class +1 if and only if $\hat{Y}(X) > \beta$.

2.3. Kernel Function

Several kernel functions have been proposed in the literature for finite dimensional data, e.g., the linear kernel, [14], the polynomial kernel, [34, 40], or the Gaussian (RBF) kernel, [11, 14].

Let $H, p \geq 1$ be integers, and consider a kernel $\tilde{K} : \mathbb{R}^{Hp} \times \mathbb{R}^{Hp} \rightarrow \mathbb{R}$. Given a vector $\mathbf{t} = (t_1, \dots, t_H)$ of H time instants in $[0, T]$, we can define a kernel K for p -variate functional data $X_i = (X_{i1}, \dots, X_{ip}) \in \mathcal{X}$ by taking into account the values of each functional record X_v at time instants t_1, \dots, t_H , namely,

$$K(X_i, X_j, \mathbf{t}) = \tilde{K}((X_i(t_1), \dots, X_i(t_H)), (X_j(t_1), \dots, X_j(t_H))), \quad X_i, X_j \in \mathcal{X}$$

For instance, from the Gaussian kernel \tilde{K} ,

$$\begin{aligned} & \tilde{K}((f_{11}, \dots, f_{1p}, \dots, f_{H1}, \dots, f_{Hp}), \\ & (g_{11}, \dots, g_{1p}, \dots, g_{H1}, \dots, g_{Hp})) = \exp\left(-\sum_{v=1}^p \sum_{h=1}^H \omega_v (f_{hv} - g_{hv})^2\right) \end{aligned}$$

one obtains the following Gaussian kernel K for p -variate functional data

$$\begin{aligned} K(X_i, X_j, \boldsymbol{\omega}, \mathbf{t}) &= \tilde{K}((X_{i1}(t_1), \dots, X_{ip}(t_1), \dots, (X_{i1}(t_H), \dots, X_{ip}(t_H)), \\ & (X_{j1}(t_1), \dots, X_{jp}(t_1), \dots, (X_{j1}(t_H), \dots, X_{jp}(t_H)))) = \\ &= \exp\left(-\sum_{v=1}^p \sum_{h=1}^H \omega_v (X_{iv}(t_h) - X_{jv}(t_h))^2\right), \quad X_i, X_j \in \mathcal{X}. \end{aligned} \quad (6)$$

In this paper, for simplicity, we only focus on the Gaussian kernel, since it is one of the most used and effective kernels, but the methodology proposed is easily extended to other classes.

Hence, our objective is to select the time instants that provide the most relevant information for discriminating between the two groups. A global optimization approach for this selection will be proposed in the next sections. Two types of parameters are to be tuned: the vector, $\mathbf{t} = (t_1, \dots, t_H)$, such that

$$0 \leq t_1 \leq \dots \leq t_H \leq T \quad (7)$$

and the parameters associated to the SVM problem (4), i.e. the regularization parameter C and the bandwidth ω . Extra constraints over the parameters can be easily imposed in the optimization problem. For instance, if we want the H time instants to be far apart from each other, we may add the constraints

$$t_{h+1} \geq t_h + \delta, \quad h = 1, \dots, H - 1$$

140 for some fixed $\delta > 0$.

Following the methodology of [8], we propose in this paper to combine a grid search to tune the parameter C and an alternating procedure to seek the bandwidth ω , and the time instants \mathbf{t} .

145 Details about the resulting optimization problem and the solving strategy are given in Section 3.

3. A Global Optimization Approach

In this section, the mathematical formulation of the variable selection problem in SVM classification with functional data is presented. Section 3.1 is devoted to the problem formulation and how to solve such a problem, whereas 150 a nested heuristic is proposed in Section 3.2, in which we take advantage of the fact that the different time instants $\mathbf{t} = (t_1, \dots, t_H)$ can be easily embedded in a nested structure of models. Section 3.3 addresses the problem of determining the number H of time instants.

155 3.1. The Bilevel Optimization Problem

As previously mentioned, two different types of decision variables are involved in the variable selection problem for classification of functional data with SVM. First, the H time instants $\mathbf{t} = (t_1, \dots, t_H)$ satisfying (7), and second, the parameters C and ω involved in the SVM problem (4), and in the Gaussian 160 kernel (6), respectively.

A strategy analogous to the one used in [8] is proposed to find the optimal values

of $C, \boldsymbol{\omega}$ and \mathbf{t} . C is obtained by using a standard grid search, while a bilevel optimization problem is defined to tune the parameters $\boldsymbol{\omega}$ and \mathbf{t} . In such bilevel problem, we propose to maximize the Pearson correlation between the class label Y_i of the observation $i \in s$, and the score $\hat{Y}(X_i(\mathbf{t}), \boldsymbol{\omega}, \alpha)$ due to two main reasons. Firstly, this surrogate has been recently proposed in [8, 41, 44] with outstanding results, and secondly, such dependency measure yields a smooth optimization problem, in which gradient information can be used to speed up convergence. This last issue means a significant advantage over the use of other performance measures, such as those based on the confusion matrix, which usually leads to mixed-integer optimization problems hard to solve for realistic data sizes.

It is known that variable selection and parameter tuning may lead to overfitting when the optimization is directly performed in the whole dataset, Chapter 7 of [21]. To avoid overfitting and obtain more stable solutions, frequently the data are randomly divided into training, validation and testing samples. This process is repeated k times by performing k -fold cross-validation.

In this paper, the parameters and time instants sought, as well as the performance estimates of the classifier, are obtained as follows: the database is split into k folds. Then, $k - 1$ folds are chosen to be again divided into three parts, yielding the samples s_1, s_2 and s_3 . Finally, the remaining fold constitutes the fourth independent sample s_4 . Samples s_1 and s_2 act training samples, while s_3 and s_4 are the validation and testing samples, respectively. This division process is repeated one time per fold.

Regarding the role of each sample in the optimization strategy, sample s_1 is used to obtain the SVM dual variables, α , solving Problem (4) for fixed $\boldsymbol{\omega}, \mathbf{t}$ and C . Sample s_2 is employed to compute $R((Y_i, \hat{Y}(X_i(\mathbf{t}, \boldsymbol{\omega}, \alpha)))_{i \in s_2})$, i.e. the correlation between the class labels and the scores. Sample s_3 is used to tune the regularization parameter C , by evaluating the accuracy for all the values of C in a grid, and keeping the one with the largest value. Finally, the accuracy obtained with the optimal parameters is estimated on the independent sample s_4 .

To sum up, for a fixed C , the resulting bilevel optimization problem is given in (8)

$$\left\{ \begin{array}{l} \max_{\boldsymbol{\omega}, \mathbf{t}} \quad R((Y_i, \hat{Y}(X_i(\mathbf{t}), \boldsymbol{\omega}, \alpha))_{i \in s_2}) \\ \text{s.t.} \quad \alpha \text{ solves (4) in } s_1, \\ \quad \quad \omega_v \geq 0, v = 1, \dots, p \\ \quad \quad 0 \leq t_1 \leq \dots \leq t_H \leq T \end{array} \right. \quad (8)$$

Note also that we have emphasized the dependence of the score \hat{Y} on the time instants in \mathbf{t} , on the bandwidth $\boldsymbol{\omega}$, and on the classification coefficients α in the notation. When such values are clear, they will be omitted in the notation for the sake of simplicity.

Problem (8) is a nonlinear problem which can be solved with the techniques described in e.g. [12]. For instance, we may mention branch-and-bound schemes in which the problem is reformulated under some convexity assumptions using the Karush-Kuhn-Tucker (KKT) conditions. Even with these reductions, the so-obtained problem is difficult to solve due to the nonconvexities in the complementary and Lagrangian constraints. Penalty function methods can also be used to solve bilevel problems. Convergence, is however, to stationary points. Instead, we propose to address the bilevel problem (8) for each C by a procedure consisting in two alternating steps: the SVM step, in which for $\boldsymbol{\omega}$ and \mathbf{t} fixed, we solve Problem (4) to obtain the optimal SVM variables α ; and the max-corr step, where for α fixed, one maximizes the Pearson correlation R in (9) to obtain the optimal bandwidth $\boldsymbol{\omega}$ and the time instants \mathbf{t} . This correlation maximization problem can be expressed as:

$$\left\{ \begin{array}{l} \max_{\boldsymbol{\omega}, \mathbf{t}} \quad R((Y_i, \hat{Y}(X_i(\mathbf{t}), \boldsymbol{\omega}))_{i \in s_2}) \\ \text{s.t.} \quad \omega_v \geq 0, v = 1, \dots, p \\ \quad \quad 0 \leq t_1 \leq \dots \leq t_H \leq T \end{array} \right. \quad (9)$$

195 Different strategies are used to solve Problems (4) and (9). The SVM problem (4) is a quadratic concave maximization problem with linear constraints. Therefore, standard local search routines or specific tools, as in [19], can be applied.

On the other hand, Problem (9) is a continuous optimization problem, where classic local searches are combined with a multistart approach to avoid getting
 200 stuck at local optima.

The initial values of $\boldsymbol{\omega}$ and \mathbf{t} in the first iteration of the alternating approach are randomly selected in their corresponding domains of definition.

The alternating procedure is running until some stopping criteria, such as the number of evaluations or the maximum time allowed is reached, yielding certain
 205 values of $\boldsymbol{\omega}$, \mathbf{t} and α , for a fixed C . The value of C is chosen by applying a grid search, i.e. for each value of C in a grid, the accuracy obtained with the classification rule that the parameters gives after solving Problem (8), is measured in sample s_3 . The parameter C with the largest value in terms of accuracy will be kept.

210 Finally, we test our approach by measuring the accuracy in a forth sample, s_4 . It is worth-mentioning that calculating the gradient of the objective function in (9) will reduce the computational effort, since numerical differentiation is avoided. Just applying the chain rule and taking into account (10) we can easily obtain an explicit expression for the gradient of the objective function in
 215 (9):

$$\begin{aligned} \frac{\partial K(X_i, X_j, \boldsymbol{\omega}, \mathbf{t})}{\partial \omega_v} &= K(X_i, X_j, \boldsymbol{\omega}, \mathbf{t}) \left(- \sum_{h=1}^H (X_{iv}(t_h) - X_{jv}(t_h))^2 \right) \quad v = 1, \dots, p \\ \frac{\partial K(X_i, X_j, \boldsymbol{\omega}, \mathbf{t})}{\partial t_h} &= -2 K(X_i, X_j, \boldsymbol{\omega}, \mathbf{t}) \sum_{v=1}^p (\omega_v (X_{iv}(t_h) - X_{jv}(t_h))) \times \\ &\quad \times \left(\frac{\partial X_{iv}(t)}{\partial t} \Big|_{t=t_h} - \frac{\partial X_{jv}(t)}{\partial t} \Big|_{t=t_h} \right), \quad h = 1, \dots, H \end{aligned} \quad (10)$$

We recall that, in practice, the original functional data X_i may be only available throughout a grid of time instants. Therefore, interpolation techniques, such as cubic splines, [15, 21], should be used as a preprocessing step so that the functional data can be properly rebuilt. It is important to remark that the interpolation step recovers the smoothness of the data with respect to $\boldsymbol{\omega}$, \mathbf{t} .

Furthermore, if we want to take advantage of the high-order information of the

data, it is necessary to get, as pre-processing, the derivatives from the data $X(t)$. One possible choice would be to compute the derivative of the smoothed data. Nevertheless, in order to avoid numerical errors from the interpolation, we suggest using the finite-increments as an approximation of the derivatives. For instance, if the first derivative of $X(t)$ in the point t_h should be computed, one has:

$$X'(t_h) = \frac{X(t_h) - X(t_{h-1})}{t_h - t_{h-1}} \quad (11)$$

Note that in (11), $t_h, \forall h$, indicates the time instants where the functional data are discretized. The formula in (11) should be reproduced for all the time points of the discretization, and it is easy to see that it can be extended to any derivative's order. After obtaining the discretized derivatives, they should be
220 smoothed with an interpolation technique, as explained before.

A pseudocode of our approach is outlined in Algorithm 1, and an extension of it based on a nested heuristic is detailed in Section 3.2.

3.2. A Nested Heuristic

In this section we enhance the basic heuristic detailed in Algorithm 1. Adopt-
225 ing the same idea of [8, 11], we propose to define a series of nested models of increasing complexity, where the optimal solution of the elementary case is used as a starting solution in the following more complex model.

The idea is that, in order to find the vector \mathbf{t}^{h+1} of $h + 1$ time instants, one can use as starting solution a perturbation of \mathbf{t}^h , the solution obtained when
230 only h time instants are sought. Therefore, if we want to find the H time instants which best discriminate between two groups, we solve successively the Alternating Procedure of Algorithm 1 for $h = 1$ to H , but considering the easy-to-tune structure of the simple models as a simplification of the complex cases, in such a way that the (suboptimal) solution $K(X_i, X_j, \omega^h, \mathbf{t}^h)$ is used as initial
235 solution for kernel $K(X_i, X_j, \omega^{h+1}, \mathbf{t}^{h+1})$. More precisely, in order to build the initial solution for the $h + 1$ time instants in \mathbf{t}^{h+1} , we first select a random value $\tau \in [0, T]$, and then we include it in the appropriate position of the optimal solution of the level h , \mathbf{t}_{opt}^h , in such a way that \mathbf{t}^{h+1} satisfies the conditions in

Algorithm 1 Heuristic for variable selection

Input: H

- Randomly split the sample s into s_1, s_2, s_3 and s_4 .
- Compute the derivatives of the functional data.
- Smooth the data with some interpolation technique.

for C in the grid **do**

Alternating Procedure

repeat

1. Fixed ω, \mathbf{t} , calculate the parameters α of the SVM classifier by solving Problem (4) using s_1 .
2. Fixed α , calculate ω, \mathbf{t} by solving Problem (9) over s_2 .

until stopping criteria

- Evaluate the accuracy using the sample s_3 for the C fixed in the grid.

end for

- The optimal value of C is the one with best accuracy in s_3 , and the optimal values of α, ω and \mathbf{t} are the parameters associated to the optimal C .

Output: Optimal parameters $\omega, \mathbf{t}, C, \alpha$, and the accuracy estimated from s_4 .

(7), i.e. $\mathbf{t}^{h+1} := \sigma(\tau, \mathbf{t}_{opt}^h)$, where σ is the function that sorts in increasing order
240 the time instants \mathbf{t}_{opt}^h and τ .

One of the advantages of our nested heuristic is that it allows us to obtain a trajectory of the accuracy in terms of the number of time instants chosen. This is a crucial issue, since, in practice, the number H of time instants to consider may not be fixed, and thus a list of classifiers, with different complexity (H)
245 and accuracy, can be provided.

Note that the solution of the level h will be used just as starting point of level $h + 1$, in order to speed the algorithm, but still allows the algorithm to yield a solution that is very different from the level h solution. In this way, our proposal clearly differs from [44], where greedy schemes are proposed.

250 The pseudocode of the nested heuristic is shown in Algorithm 2.

Algorithm 2 Nested heuristic for variable selection

Input: H , nested kernels $K(X_i, X_j, \boldsymbol{\omega}^1, \mathbf{t}^1) \prec \dots \prec K^H(X_i, X_j, \boldsymbol{\omega}^H, \mathbf{t}^H)$.

- Randomly split the sample s into s_1, s_2, s_3 and s_4 .
- Compute the derivatives of the functional data.
- Smooth the data with some interpolation technique.

for C in the grid **do**

Initialization:

- $h := 1$.
- Randomly select an initial solution $\tilde{\boldsymbol{\omega}}^1 \in [0, +\infty)^p$ and $\tilde{\mathbf{t}}^1 := t_1 \in [0, T]$.
- Set $(\boldsymbol{\omega}, \mathbf{t}) := (\tilde{\boldsymbol{\omega}}^1, \tilde{\mathbf{t}}^1)$.

while $h \leq H$ **do**

1. Run the Alternating Procedure of Algorithm 1 for $K(X_i, X_j, \boldsymbol{\omega}^h, \mathbf{t}^h)$, starting from $(\boldsymbol{\omega}, \mathbf{t})$ and yielding $(\boldsymbol{\omega}_{opt}^h, \mathbf{t}_{opt}^h)$ as solution, using samples s_1 and s_2 .
2. Randomly generate $\tau \in [0, T]$.
3. Set $\boldsymbol{\omega}^{h+1} := \boldsymbol{\omega}_{opt}^h$, $\mathbf{t}^{h+1} := \sigma(\tau, \mathbf{t}_{opt}^h)$, $(\boldsymbol{\omega}, \mathbf{t}) := (\boldsymbol{\omega}^{h+1}, \mathbf{t}^{h+1})$ and $h := h + 1$.
4. Evaluate the accuracy over the sample s_3 with C fixed.

end while

end for

- For h fixed, the optimal value of C is the one with the best accuracy in s_3 . The optimal values of α , $\boldsymbol{\omega}$ and \mathbf{t} are the parameters associated to the optimal C .

Output: Optimal parameters $\boldsymbol{\omega}_{opt}^h, \mathbf{t}_{opt}^h, \forall h$, the associated coefficients C, α , and the accuracy estimated from s_4 .

3.3. Choice of the number of variables, H

The choice of the optimal number of time instants, H , is a critical issue. The larger is H , the better is the classification accuracy expected to be obtained, although the risk of overfit increases. However, the smaller the value of H , the easier the interpretation of the results obtained.

In this paper we propose to follow the common strategy carried out in the literature, [4, 6, 43, 44], and choose the value of H by estimating the accuracy on the validation sample s_3 with k -fold crossvalidation. The value of H with the largest accuracy will be kept.

260 4. Numerical Experiments

This section details the computational results of our approach, in which we provide the accuracy obtained when only some selected time instants and not the whole functional interval $[0, T]$ is considered. Section 4.1 describes the settings of the computational experience. The results obtained on the different
265 databases are presented in Section 4.2.

4.1. Description of the Experiments

Our proposal has been applied to both univariate and multivariate functional data. On top of comparing the performance of the SVM based on the full time interval against the SVM classifier for data measured at just H time instants,
270 we have also analyzed the improvements in performance obtained when instead of the functional data alone, up to d derivatives of the functional data are also included in the input. For this reason, we have also run Algorithm 2 for three different values of d , namely $d = 0, 1, 2$, which correspond respectively to the cases in which just the information of the functional data, or also its
275 monotonicity, or both monotonicity and convexity, are considered.

In order to obtain stable results, k -fold cross-validation is performed. The number of folds, k , depends on the dataset considered. Particularly, if a database is small, k coincides with the number of individuals, that is to say, leave-one-out is applied. On the other hand, for big databases $k = 10$ has been chosen. In
280 this paper, we consider that a dataset is small if its cardinal is smaller than 100 individuals. See Table 1. Algorithm 2 is run k times, one per fold. Each time, the dataset is divided into four samples $s_1 - s_4$ as explained in Section 3.1. To test our results we provide the average of the accuracy across the folds,

measured on s_4 . The number of iterations of the multistart is five, the number
285 of iterations of the Alternating Procedure is eight, and the (maximum) number
of time instants to be selected, i.e., the number of nested kernels is $H = 20$.
Finally, the parameter C takes values in the set $\{2^{-10}, \dots, 2^{10}\}$ in logarithmic
scale.

Apart from the experiments explained above, we have also tuned the optimal
290 number of time instants, H by performing cross-validation on sample s_3 , as
explained in Section 3.3.

The whole computational experience is executed on a cluster with 2 terabytes
of RAM memory at 6.2 TFlops, running CentOS Linux 7.3, and it is coded in
R, [42].

295 4.2. Numerical results

Three univariate (Section 4.2.1) and three multivariate (Section 4.2.2) func-
tional databases have been considered to check the performance of our approach.
Table 1 shows the number of records of each database, the number of time in-
stants in which the records are measured, the number of records of each class
300 and the number of components of the functional data vector.

Samples of ten individuals of each dataset are plotted in Figure 1 (univariate
data) and 2 (multivariate data). The records in class -1 are depicted with a
solid black line, whereas the records in class $+1$ are plotted in red dashed line.
Section 4.2.3 is devoted to the computational experience for the optimal choice
305 of the number of time instants to be considered, H .

4.2.1. Results on Univariate Functional Data

First, our methodology is tested in three databases widely used in the liter-
ature, namely *growth*, [34, 44], *phoneme*, [5, 20, 21], and *tecorator*, [18, 32, 40, 44].
Table 2 reports the averaged accuracy on the testing sample provided by Al-
310 gorithm 2 with the information given by the data ($d = 0$), the first derivative
($d = 1$), and the first two derivatives ($d = 2$). Leave-one-out is performed on
the *growth* dataset, whereas 10-fold cross-validation is done in *phoneme* and


	#records	#time instants	#records label -1	#records label +1	#components
growth	93	31	54	39	1
phoneme	1717	256	1022	695	1
teator	215	100	77	138	1
batch	100	101	50	50	3
batch_noise	100	101	50	50	3
trigonometric	400	1001	200	200	2

Table 1: Data description summary


teator. Our results are compared with *acc max* and *acc min*, respectively the best and worst accuracy results obtained with the state-of-the-art methods, as reported in Tables 2 and 3 of [5].

The same information shown in Table 2 is depicted in Figure 3. Particularly, the solid red-circled, blue-triangled and green-crossed lines indicates the averaged accuracy obtained with $d = 0, 1, 2$, respectively. The horizontal black solid line marks the value *acc max*, whereas the horizontal pink dashed line illustrates the value *acc min*.


Two main conclusions are obtained from our analysis. First, our results are competitive against the state-of-the-art. Moreover, the use of high-order information deeply affects the classification performance. This fact is extremely noticeable in the *teator* dataset. Furthermore, in such database we are very close to the value *acc max* with just $H = 2$ time instants and $d = 2$. If we focus on the *growth* dataset, we realize that with $H = 3, 5, 10, 13, 14$ and $d = 2$ we achieve the same accuracy as the value *acc max*. This fact also happens with $H = 6$ or $H = 10$ and $d = 1$. Furthermore, our methodology is capable of improving the value *acc max* if $H = 6$ or $H = 11$ time instants and $d = 2$ derivatives are considered.



(a) growth



(b) phoneme



(c) tecator

Figure 1: Sample of functional data in the univariate datasets analyzed.

4.2.2. Results on Multivariate Functional Data

Three databases have been analyzed in this section, denoted by *batch*, Section 4.1 of [46], *batch_noise*, Section 4.2 of [46], and *trigonometric*, Section 5.2.2 of [24]. Note that the *trigonometric* dataset is used in [24] for clustering purposes with three and five groups. Nevertheless, in our paper, since binary classification is studied, we only consider two groups. Furthermore, the authors in [46] take the lower bound of the time domain as zero and the upper bound is sampled from a uniform distribution on $[0.9, 1.1]$. For the sake of simplicity, we assume that the time interval considered in the datasets *batch* and *batch_noise* is $[0, 1]$. Since, to the best of our knowledge, there is no methodology in the literature which handles the variable selection problem in classification with multivariate functional data, in this section, we compare our results with the standard SVM-classification in which the whole time domain and just the information of the functional data are considered, i.e. $d = 0$. More specifically, we run the SVM problem (4) for the C values in $\{2^{-10}, \dots, 2^{10}\}$, and $\omega_v \in \{2^{-5}, \dots, 2^5\}$, for $v = 1, \dots, p$, to then keep the best accuracy as reference value. Both standard SVM and Algorithm 2 have been run using 10-fold cross-validation in all the datasets.

Table 3 and Figure 4 give the accuracy values of our method for $d = 0, 1, 2$, plotted in solid red-circled, blue-triangled and green-crossed lines, respectively. Furthermore, the classification accuracy with all the time instants is depicted using a horizontal solid black line.

As in the analysis of univariate functional data, using derivatives turns out to be crucial to enhance classification rates. Moreover, classifying using the information of the whole time interval yields worse accuracy than using only carefully selected time instants. This can be seen, for instance, in the *batch_noise* dataset, where for $H = 7$ and $d = 0$, accuracy is improved in around two points, or even better with $H = 8$, and $d = 2$, where the difference is about ten points. When $d = 2$ derivatives are considered, the accuracy values here obtained are always much better by optimally selecting from $H = 1$ to $H = 20$ than when

the whole time domain is taken into account. Focusing on the *trigonometric* dataset, the accuracy values are better when more than $H = 2$ time points are chosen than when the whole time interval is considered.

4.2.3. Results on the optimal choice of the time instants, H

365 In order to obtain the best number of time instants, H , we performed cross-validation on the validation sample s_3 , as is detailed in Section 3.3. Thanks to the nested structure of our algorithm, we are able to build a trajectory, from $h = 1$ to $h = H$, in which the evolution of the optimal number of time instants can be observed. Particularly, Table 4 shows the average optimal number of
370 time instants over all the folds in the univariate and multivariate databases. Moreover, in Figures 5 and 6 the resulting boxplots are depicted. In the x -axis, the maximum number of time instants considered when running our heuristic is given, whereas the y -axis indicates the optimal number of time instants obtained across the different runs. Boxplots in red, blue and green show the
375 results when the information of the derivative $d = 0$, $d = 1$ or $d = 2$ is used, respectively.

We can observe that, although the experiments are run until $H = 20$, the optimal number of time instants to be selected is lower in almost all databases. Indeed, most of the datasets need between 1 and 8 time instants. It implies that
380 data information is summarized on a small finite set of time points, which may yield good interpretation results.

5. Conclusions and Extensions

We have proposed in this paper a new approach able to optimally select the most informative time instants in multivariate functional data in order to
385 get good classification rates. Furthermore, our methodology, by its nature, allows the easy usage of high-order information, e.g. monotonicity, or convexity by means of the derivatives. The numerical experience here presented has shown that the information provided by the derivatives has valuable consequences in the classification performance, yielding competitive results when

390 compared against the state-of-the-art in the literature. We have worked under
the assumption that time is a continuous parameter, and continuous optimiza-
tion tools are then used to optimize the parameters.

The nested structure of the problem improves the current methodology by using
the optimal solutions obtained in simpler models as starting solutions in more
395 complex models.

In our analysis, for the sake of simplicity, we have considered the Pearson correla-
tion as the performance measure to be optimized. Nevertheless, other measures
such as the Mutual Information Criterion [22], the Fisher-Correlation Criteria,
[16], the distance covariance [4, 41, 44], or the distance correlation in [44] can be
400 used. In this paper, we restricted ourselves to the multivariate functional data
case. The problem of time instants selection in multivariate hybrid functional
data [26] is also worth being analyzed. Possible extension of this work to the
clustering context deserve further study. The extension to the regression area is
being analyzed in [9]. Here, we have just employed the information provided by
405 the first and second derivatives. Thanks to kernel definition, it is very easy to
extend our proposal, in order to include the derivatives of order equal or greater
than three.

Acknowledgments

Research partially supported by research grants MTM2015-65915-R (Min-
410 isterio de Ciencia e Innovación, Spain), P11-FQM-7603, FQM329 (Junta de
Andalucía, Spain), FPU (Ministerio de Educación, Cultura y Deporte), all with
EU ERDF funds, as well as FBBVA-COSECLA. This support is gratefully ac-
knowledged. We also thank the team of the Scientific Computing Center of
Andalucía (CICA) for the computing services they provided.

415 References

- [1] Bañlo, A., Cuevas, A., & Fraiman, R. (2011). Classification methods for
functional data. *The Oxford Handbook of Functional Data Analysis*, (pp.

259–297).

- [2] Benítez-Peña, S., Blanquero, R., Carrizosa, E., & Ramírez-Cobo, P. (2018).
420 Cost-sensitive feature selection for support vector machines. *Computers & Operations Research*, . doi:10.1016/j.cor.2018.03.005.
- [3] Berrendero, J., Justel, A., & Svarc, M. (2011). Principal components for multivariate functional data. *Computational Statistics & Data Analysis*, 55, 2619–2634.
- [4] Berrendero, J. R., Cuevas, A., & Torrecilla, J. L. (2016). Variable selection
425 in functional data classification: A maxima-hunting proposal. *Statistica Sinica*, 26, 619–638.
- [5] Berrendero, J. R., Cuevas, A., & Torrecilla, J. L. (2016). Variable selection in functional data classification: a maxima-hunting proposal. *Statistica*
430 *Sinica*, 26, 619–638.
- [6] Berrendero, J. R., Cuevas, A., & Torrecilla, J. L. (2017). On the use of reproducing kernel hilbert spaces in functional classification. *Journal of the American Statistical Association*, . doi:10.1080/01621459.2017.1320287.
- [7] Blanquero, R., Carrizosa, E., Chis, O., Esteban, N., Jiménez-Cordero, A.,
435 Rodríguez, J. F., & Sillero-Denamiel, M. R. (2016). On extreme concentrations in chemical reaction networks with incomplete measurements. *Industrial & Engineering Chemistry Research*, 55, 11417–11430.
- [8] Blanquero, R., Carrizosa, E., Jiménez-Cordero, A., & Martín-Barragán, B. (2018). Functional-bandwidth kernel for support vector machine with
440 functional data: an alternating optimization algorithm. *European Journal of Operational Research*, . doi:https://doi.org/10.1016/j.ejor.2018.11.024.
- [9] Blanquero, R., Carrizosa, E., Jiménez-Cordero, A., & Martín-Barragán, B. (2018). *Variable Selection with Support Vector Regression for Multivariate*


- 445 *Functional Data*. Technical Report University of Edinburgh - Universidad
de Sevilla. Available at [https://www.researchgate.net/publication/
327552293_Variable_Selection_with_Support_Vector_Regression_
for_Multivariate_Functional_Data](https://www.researchgate.net/publication/327552293_Variable_Selection_with_Support_Vector_Regression_for_Multivariate_Functional_Data).
- [10] Blanquero, R., Carrizosa, E., Jiménez-Cordero, A., & Rodríguez, J. F.
450 (2016). A global optimization method for model selection in chemical re-
actions networks. *Computers & Chemical Engineering*, *93*, 52–62.
- [11] Carrizosa, E., Martín-Barragán, B., & Romero Morales, D. (2014). A
nested heuristic for parameter tuning in support vector machines. *Com-
puters & Operations Research*, *43*, 328–334.
- 455 [12] Colson, B., Marcotte, P., & Savard, G. (2007). An overview of bilevel
optimization. *Annals of Operations Research*, *153*, 235–256.
- [13] Cortes, C., & Vapnik, V. (1995). Support-vector networks. *Machine learn-
ing*, *20*, 273–297.
- [14] Cristianini, N., & Shawe-Taylor, J. (2000). *An introduction to support
460 vector machines and other kernel-based learning methods*. Cambridge Uni-
versity Press.
- [15] De Boor, C. (1978). *A practical guide to splines* volume 27 of *Applied
Mathematical Sciences*. Springer-Verlag New York.
- [16] Ding, C., & Peng, H. (2005). Minimum redundancy feature selection from
465 microarray gene expression data. *Journal of Bioinformatics and Computa-
tional Biology*, *3*, 185–205.
- [17] Ferraty, F., Hall, P., & Vieu, P. (2010). Most-predictive design points for
functional data predictors. *Biometrika*, *97*, 807–824.
- 470 [18] Ferraty, F., & Vieu, P. (2006). *Nonparametric functional data analysis:
theory and practice*. Springer Science & Business Media.

- [19] Ferris, M. C., & Munson, T. S. (2004). Semismooth support vector machines. *Mathematical Programming*, *101*, 185–204.
- [20] Friedman, J., Hastie, T., & Tibshirani, R. (2001). Datasets for *The Elements of Statistical Learning*. <https://web.stanford.edu/~hastie/ElemStatLearn/data.html>.
475
- [21] Friedman, J., Hastie, T., & Tibshirani, R. (2001). *The elements of statistical learning* volume 1 of *Springer Series in Statistics*. Springer, Berlin.
- [22] Gómez-Verdejo, V., Verleysen, M., & Fleury, J. (2009). Information-theoretic feature selection for functional data classification. *Neurocomputing*, *72*, 3580–3589. Financial Engineering Computational and Ambient
480 Intelligence (IWANN 2007).
- [23] Ieva, F., Paganoni, A. M., Pigoli, D., & Vitelli, V. (2013). Multivariate functional clustering for the morphological analysis of electrocardiograph curves. *Journal of the Royal Statistical Society: Series C (Applied Statistics)*, *62*, 401–418.
485
- [24] Jacques, J., & Preda, C. (2014). Model-based clustering for multivariate functional data. *Computational Statistics & Data Analysis*, *71*, 92–106.
- [25] James, G. M., Wang, J., & Zhu, J. (2009). Functional linear regression that’s interpretable. *The Annals of Statistics*, *37*, 2083–2108.
- [26] Jiménez-Cordero, A., & Maldonado, S. (2018). *Automatic Feature Scaling and Selection for Support Vector Machine Classification with Functional Data*. Technical Report Universidad de los Andes - Universidad de Sevilla. Available at https://www.researchgate.net/publication/323428879_Automatic_Feature_Scaling_and_Selection_for_Support_Vector_Machine_Classification_with_Functional_Data.
490
495
- [27] Khalid, S., Khalil, T., & Nasreen, S. (2014). A survey of feature selection and feature extraction techniques in machine learning. In *2014 Science and Information Conference* (pp. 372–378).


- [28] Li, Y., Dong, M., & Hua, J. (2008). Localized feature selection for clustering. *Pattern Recognition Letters*, 29, 10–18.
- [29] Lindquist, M. A., & McKeague, I. W. (2009). Logistic regression with brownian-like predictors. *Journal of the American Statistical Association*, 104, 1575–1585.
- [30] Locantore, N., Marron, J. S., Simpson, D. G., Tripoli, N., Zhang, J. T., Cohen, K. L., Boente, G., Fraiman, R., Brumback, B., Croux, C., Fan, J., Kneip, A., Marden, J. I., Peña, D., Prieto, J., Ramsay, J. O., Valderrama, M. J., & Aguilera, A. M. (1999). Robust principal component analysis for functional data. *Test*, 8, 1–73.
- [31] López, J., Maldonado, S., & Carrasco, M. (2018). Double regularization methods for robust feature selection and svm classification via dc programming. *Information Sciences*, 429, 377 – 389.
- [32] Martín-Barragán, B., Lillo, R., & Romo, J. (2014). Interpretable support vector machines for functional data. *European Journal of Operational Research*, 232, 146–155.
- [33] Mehmood, T., Liland, K. H., Snipen, L., & Sæbø, S. (2012). A review of variable selection methods in partial least squares regression. *Chemometrics and Intelligent Laboratory Systems*, 118, 62–69.
- [34] Muñoz, A., & González, J. (2010). Representing functional data using support vector machines. *Pattern Recognition Letters*, 31, 511–516.
- [35] Naftchali, R. E., & Abadeh, M. S. (2017). A multi-layered incremental feature selection algorithm for adjuvant chemotherapy effectiveness/futility assessment in non-small cell lung cancer. *Biocybernetics and Biomedical Engineering*, 37, 477 – 488.
- [36] Peng, H., & Fan, Y. (2017). Feature selection by optimizing a lower bound of conditional mutual information. *Information Sciences*, 418-419, 652 – 667.

- [37] Preda, C., Saporta, G., & Lévêder, C. (2007). PLS classification of functional data. *Computational Statistics*, 22, 223–235.
- [38] Ramsay, J. O., & Silverman, B. W. (2002). *Applied functional data analysis: methods and case studies* volume 77 of *Springer Series in Statistics*. Springer-Verlag.
- 530
- [39] Ramsay, J. O., & Silverman, B. W. (2005). *Functional data analysis*. Springer Series in Statistics (2nd ed.). Springer-Verlag.
- [40] Rossi, F., & Villa, N. (2006). Support vector machine for functional data classification. *Neurocomputing*, 69, 730–742.
- 535
- [41] Székely, G. J., Rizzo, M. L., Bakirov, N. K. et al. (2007). Measuring and testing dependence by correlation of distances. *The Annals of Statistics*, 35, 2769–2794.
- [42] Core Team, R. (2017). *R: A Language and Environment for Statistical Computing*. R Foundation for Statistical Computing Vienna, Austria. <https://www.R-project.org/>.
- 540
- [43] Torrecilla, J. L., & Suárez, A. (2016). Feature selection in functional data classification with recursive maxima hunting. In D. D. Lee, M. Sugiyama, U. V. Luxburg, I. Guyon, & R. Garnett (Eds.), *Advances in Neural Information Processing Systems 29* (pp. 4835–4843). Curran Associates, Inc.
- 545
- [44] Torrecilla Noguerales, J. L. (2015). *On the Theory and Practice of Variable Selection for Functional Data*. Ph.D. thesis Universidad Autónoma de Madrid.
- [45] Vapnik, V. (1998). *Statistical Learning Theory*. John Wiley and Sons.
- 550
- [46] Wang, H., & Yao, M. (2015). Fault detection of batch processes based on multivariate functional kernel principal component analysis. *Chemometrics and Intelligent Laboratory Systems*, 149, 78–89.

- [47] Wang, X., Ray, S., & Mallick, B. K. (2007). Bayesian curve classification using wavelets. *Journal of the American Statistical Association*, *102*, 962–973.
- 555
- [48] Zhang, X., Park, B. U., & Wang, J.-L. (2013). Time-varying additive models for longitudinal data. *Journal of the American Statistical Association*, *108*, 983–998.
- [49] Zhao, Y., Ogden, R. T., & Reiss, P. T. (2012). Wavelet-based lasso in functional linear regression. *Journal of Computational and Graphical Statistics*, *21*, 600–617.
- 560
- [50] Zibakhsh, A., & Abadeh, M. S. (2013). Gene selection for cancer tumor detection using a novel memetic algorithm with a multi-view fitness function. *Engineering Applications of Artificial Intelligence*, *26*, 1274 – 1281.




(a) batch




(b) batch_noise

Figure 2: Sample of functional data in the multivariate datasets analyzed.




(c) trigonometric


Figure 2: Sample of functional data in the multivariate datasets analyzed (cont.)



(a) growth



(b) phoneme




(c) tecator


Figure 3: Average accuracy in the univariate datasets analyzed.

		<i>H</i>																			
<i>batch</i>		1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
whole time domain	<i>d</i>																				
83.87	0	62.00	70.00	74.00	71.00	80.00	79.00	78.00	81.00	76.00	78.00	77.00	75.00	76.00	75.00	76.00	82.00	78.00	78.00	74.00	77.00
	1	77.00	78.00	81.00	80.00	82.00	84.00	81.00	80.00	81.00	80.00	82.00	87.00	83.00	82.00	86.00	86.00	83.00	84.00	80.00	83.00
	2	79.00	87.00	86.00	86.00	85.00	84.00	84.00	85.00	84.00	87.00	86.00	85.00	87.00	85.00	87.00	84.00	85.00	86.00	86.00	88.00
		<i>H</i>																			
<i>batch_noise</i>																					
whole time domain	<i>d</i>																				
71.00	0	68.00	64.00	66.00	62.00	65.00	62.00	73.00	62.00	69.00	66.00	68.00	71.00	66.00	66.00	65.00	60.00	59.00	64.00	63.00	65.00
	1	69.00	74.00	69.00	68.00	69.00	70.00	79.00	75.00	68.00	74.00	70.00	73.00	76.00	74.00	71.00	71.00	70.00	74.00	72.00	75.00
	2	80.00	80.00	76.00	75.00	76.00	74.00	77.00	81.00	72.00	76.00	75.00	74.00	71.00	73.00	71.00	76.00	75.00	77.00	75.00	76.00
		<i>H</i>																			
<i>trigonometric</i>																					
whole time domain	<i>d</i>																				
96.00	0	90.75	97.00	97.00	97.25	96.00	96.75	97.25	97.00	96.75	97.00	98.25	98.25	98.25	97.50	98.50	97.50	98.25	98.00	97.75	98.00
	1	91.25	97.25	96.5	96.75	97.50	97.75	97.75	97.50	98.00	97.50	97.50	97.50	97.25	97.25	97.25	97.25	97.25	97.00	97.25	97.25
	2	91.75	96.75	98.25	98.00	97.50	97.00	98.00	98.00	97.75	98.50	98.00	98.50	98.25	98.25	98.00	97.75	97.50	97.75	97.75	98.25


Table 3: Accuracy results on multivariate datasets



(a) batch



(b) batch_noise



(c) trigonometric

Figure 4: Average accuracy in the multivariate datasets analyzed.

		<i>H</i>																			
<i>batch</i>	<i>d</i>	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
	0	1.00	1.80	2.40	2.60	2.70	3.00	3.00	3.70	4.90	4.90	6.50	7.60	7.70	7.70	7.70	8.50	8.50	8.50	8.50	8.50
	1	1.00	1.90	2.30	2.80	2.80	3.00	3.00	4.00	4.10	4.10	5.70	5.70	5.70	5.70	5.70	5.70	5.70	5.70	5.70	5.70
	2	1.00	1.90	2.20	2.40	2.70	2.70	2.70	2.70	3.40	3.40	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00

		<i>H</i>																			
<i>batch_noise</i>	<i>d</i>	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
	0	1.00	1.20	1.60	2.00	2.10	2.20	2.20	2.20	2.20	3.10	3.10	3.10	4.30	4.30	5.70	5.70	5.70	7.40	7.40	7.40
	1	1.00	1.40	1.60	1.90	1.90	2.80	3.30	3.30	4.00	4.00	4.50	4.50	4.50	4.50	5.40	5.40	5.40	5.40	5.40	5.40
	2	1.00	1.50	1.50	1.70	2.10	2.40	2.40	2.40	2.40	2.40	2.40	2.40	2.40	2.40	4.30	4.30	5.80	5.80	5.80	5.80


		<i>H</i>																			
<i>growth</i>	<i>d</i>	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
	0	1.00	1.91	2.43	2.70	2.97	3.27	3.44	3.48	3.54	3.54	3.54	3.54	3.54	3.54	3.54	3.54	3.54	3.54	3.54	3.54
	1	1.00	1.64	2.17	2.40	2.53	2.74	2.89	2.89	2.94	2.94	2.94	2.94	2.94	2.94	2.94	2.94	2.94	2.94	2.94	2.94
	2	1.00	1.70	2.06	2.23	2.43	2.56	2.68	2.89	3.12	3.12	3.12	3.12	3.12	3.12	3.12	3.12	3.12	3.12	3.12	3.12

		<i>H</i>																			
<i>phoneme</i>	<i>d</i>	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
	0	1.00	1.80	2.30	3.30	3.40	3.40	3.40	4.50	4.50	7.00	7.90	8.40	8.80	12.80	13.10	13.10	13.10	13.10	13.10	13.10
	1	1.00	1.60	1.80	2.60	3.10	3.30	3.30	4.10	4.80	6.30	7.40	9.10	9.60	11.20	12.50	12.50	12.50	12.50	12.50	12.50
	2	1.00	1.50	2.30	2.70	3.00	3.00	3.00	4.80	5.20	5.20	6.50	7.10	8.30	9.40	10.50	11.80	11.80	11.80	11.80	11.80


		<i>H</i>																			
<i>teacator</i>	<i>d</i>	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
	0	1.00	1.10	1.50	1.50	1.50	1.50	1.50	1.50	2.20	2.20	2.20	2.20	2.20	2.20	2.20	2.20	2.20	2.20	2.20	2.20
	1	1.00	1.40	1.60	1.90	2.60	2.60	3.20	3.20	3.20	3.20	3.20	3.20	3.20	3.20	3.20	3.20	3.20	3.20	3.20	3.20
	2	1.00	1.50	1.70	2.00	2.00	2.40	2.40	2.40	2.90	2.90	2.90	2.90	2.90	2.90	2.90	2.90	2.90	2.90	2.90	2.90

		<i>H</i>																			
<i>trigonometric</i>	<i>d</i>	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
	0	1.00	2.00	2.40	2.50	2.50	2.50	3.00	4.10	4.10	4.10	4.10	4.90	4.90	4.90	4.90	4.90	4.90	5.50	5.50	5.50
	1	1.00	2.00	2.30	2.40	2.60	2.60	2.90	3.50	3.50	3.50	3.50	4.10	4.10	4.10	4.10	4.10	4.10	4.10	4.10	4.10
	2	1.00	2.00	2.20	2.40	2.40	2.40	2.40	3.00	3.00	3.80	4.70	4.70	4.70	4.70	4.70	4.70	4.70	4.70	4.70	4.70


Table 4: Average results of the optimal number of time instants on univariate and multivariate databases



(a) growth




(b) phoneme




(c) tecator


Figure 5: Boxplots of the optimal number of time instants in the univariate datasets.



(a) batch



(b) batch_noise



(c) trigonometric

Figure 6: Boxplots of the optimal number of time instants in the multivariate datasets.