

Washington University in St. Louis

Washington University Open Scholarship

Volume 13

Washington University
Undergraduate Research Digest

Spring 2018

Experimental Verification of Metallic Glass Prediction from Liquid Data

Ryan Chang

Washington University in St. Louis

Follow this and additional works at: https://openscholarship.wustl.edu/wuurd_vol13

Recommended Citation

Chang, Ryan, "Experimental Verification of Metallic Glass Prediction from Liquid Data" (2018). *Volume 13*. 29.

https://openscholarship.wustl.edu/wuurd_vol13/29

This Abstracts A-I is brought to you for free and open access by the Washington University Undergraduate Research Digest at Washington University Open Scholarship. It has been accepted for inclusion in Volume 13 by an authorized administrator of Washington University Open Scholarship. For more information, please contact digital@wumail.wustl.edu.

EXPERIMENTAL VERIFICATION OF METALLIC GLASS PREDICTION FROM LIQUID DATA

Ryan Chang

Mentor: Ken Kelton

Unlike ordinary metals with crystalline atomic arrangement, metallic glasses or amorphous alloys, have a disordered atomic arrangement with local order extending to nearest and next-nearest neighbors only. From a practical standpoint metallic glasses have many desirable technological advantages over normal, crystalline, metals that make them of potential commercial and military interest. They are much stronger than normal metals and can be processed into intricate shapes using techniques that are similar to those used to prepare polymeric materials. However, the process of metallic glass formation and of how a liquid transforms into a glass (the glass transition) are incompletely understood. Our goal is to go beyond the trial and error methods commonly used to predict whether a liquid can make a good glass, and to devise an algorithm for identifying good glass formers that does not require measuring T_g (the glass transition temperature) beforehand.

We propose that the critical casting thickness (d_{max}), which is a glass forming ability indicator, is correlated with T_g and T_g/T . Based on this we can derive a predictive formula for glass formation. Further, we have shown that T_g/T^* , T_g/T_A , and the liquid expansion coefficient are correlated with T_g . This allows us to predict T_g before making any glass; it can be predicted based on only the liquid data. Using the predicted T_g and the correlation between $\log(d_{max} * d_{max})$, T_g , and T_g/T^* , glass formability can be predicted from liquid data alone. Our work will tell us whether our predictive algorithms are capable of pointing to good glass formers and, if so, giving an accurate value for T_g , using only data from the high temperature liquid. Our studies of adding element to destroy the icosahedral structure in alloys will also tell us whether the predictive algorithm needs to correct for a liquid structure term.