

## Title Page

**Title: Social Work Implications of Anabolic-Androgenic Steroid Use, particularly among young people: A literature review**

## Abstract

**Non-prescribed Anabolic-Androgenic Steroid (AAS) use has increased during recent years. Often used “recreationally” and for aesthetic purposes, AAS are easily purchased over the internet and informally from gym-using peers. Social workers have a responsibility to support service users, to identify and manage risks and AAS use raises some noteworthy challenges to social work practice. This literature review aims to identify AAS-related knowledge social workers might require and consider its implications for social work practice. Although some of the evidence is inconclusive, particularly in relation to causal relationships between AAS use and behavioural change or polysubstance use implications, there are consequences that could cause significant short and long-term harm to physical and/or psychological health to young people. Social workers should consider the possibility that a young person may be vulnerable to using AAS without being fully aware of the risks, as this could result in harm reduction and enhanced outcomes among this easily overlooked population. While rarely addressed in the existing social work literature, the risks associated with AAS usage, particularly in young people, necessitate more awareness and attention from social work practitioners particularly in today’s image conscious society.**

**Keywords:** Anabolic-androgenic Steroids (AAS), Image and Performance Enhancing Drugs (IPED), Young People, Adolescents, Social Work, Substance Use

188 (abstract)

**Word count: article without abstract, tables and references is 5012**

## **Title: Social work implications of anabolic-androgenic steroid (AAS) use, particularly among young people: A review of the literature**

### **Introduction**

Anabolic-androgenic Steroids (AAS) are those drugs that relate to testosterone and its synthetic derivatives and are increasingly used recreationally by the general population for their anabolic effects to build muscle mass (McVeigh and Begley 2016). As an array of evidence pertaining to the detrimental physical and behavioural consequences of AAS use has emerged since 2000 (Evans-Brown et al. 2012), it appears timely to consider the need for professionals to have an understanding of AAS use as wider engagement with stakeholders, including social workers, around the issues of using AAS could help to minimise harm (Evans-Brown et al. 2012). A global lifetime prevalence of AAS is indicated at 3.3% (men: 6.4%, women: 1.6%) (Sagoe et al. 2014) and users often take supraphysiological doses orally or via injection (Pope Jr. and Kanayama 2012). Whilst users still represent a minority of the overall substance using population in the UK, the National Crime Survey (NCS) estimated that just under 61,000 16-59 year-olds had used AAS in 2017/2018; 17000 of these were 16-24yr-olds (UK Home Office 2018), which is an increase on previous years. This could be an under-estimate, as the NCS relies upon self-reported data. The Advisory Council on the Misuse of Drugs (2010) expressed particular concerns for the potential negative impact of AAS use on the physiological and behavioural development of young people. This increase in recreational use also raises practice implications when working with young people, especially those who may be susceptible to body image concerns as studies have highlighted both the negative impact of social media on body image for young people (de Vries et al. 2016) and found high concerns around muscularity are common in adolescent boys (Field et al. 2014) .

### **Social work, risk and substance use**

To be effective and meet the challenges of evidence-based practice (EBP), social workers require an extensive, relevant and identifiable knowledge base (Thompson 2005). An examination of current

standard social work and substance use textbooks suggests that general information for social workers remains scarce; e.g. Paylor, Wilson and Measham (2012) refer to AAS use once and there is a short synopsis in Heanue and Lawton (2012) but no information is found in Goodman (2013) or Parrish (2014). Moreover, studies have shown that often social workers lack confidence in working with substance abuse and this has been recognised as a shortfall in social work education (Galvani and Forrester 2011). While not all social workers subscribe to the British Association of Social Workers (BASW) Code of Ethics, the BASW Policy Ethics and Human Rights Committee (2012, p12) nonetheless provides a relevant set of guidelines for professional practice, including the obligation to help people “to identify and manage potential and actual risk”. Galvani (2015) suggests the need for practitioners to fulfil three roles entailing specific capabilities aligned to working with harmful substance use to:

- Engage with the topic to support service users,
- Motivate people to consider changing their behaviours,
- Support people in maintaining changes.

In keeping with Galvani’s perspective, the authors have sought to incorporate her suggestions into the consideration of practice implications. Consequently, to identify areas for enhanced practice, the findings and discussion will focus on the first two of Galvani’s (2015) aforementioned roles.

## **Aims**

The aims of this review are to:

- Provide an overview of the physical and psychological harms associated with AAS use,
- Identify the motivations for recreational/non-prescribed AAS use,
- Identify the risks of AAS use to young people (adolescents: age 13-19),
- Explore the implications for social workers working with those at risk of AAS use.

For the purposes of brevity, the phrase ‘AAS users’ will be used to refer to people who choose to use AAS.

## **Methods**

To explore the nature and scope of the problem, the authors have undertaken a literature review, as such a review supports EBP (Aveyard 2014). This review covers material published primarily between January 2007 and July 2017, however when no information was found on relevant areas (for example domestic and child sexual abuse) within these date restrictions, the restrictions were broadened (1990 - 2017) to include pertinent articles.

### **Identification and Selection of Studies**

The literature was searched following a systematic process and included peer-reviewed publications, case studies and Government reports. To select the most relevant literature, searches of terms such as ‘anabolic-androgenic steroids’, ‘image and performance enhancing drugs’ and associated acronyms were combined with the term ‘social work’ in the EBSCOhost online database. When no specific results were found, the search was widened to include terms for areas of risk e.g. safeguarding, violence, mental health. A complete list of search terms is at Appendix 1.

Specific inclusion (e.g. peer-reviewed literature) and exclusion criteria (e.g. excluding animal studies, prescribed steroids) were applied to ensure the most relevant articles were included. Where it was not possible to refine the results using inclusion and exclusion criteria, titles and/or abstracts were used to determine whether sources should be included based on the relevance to the research question. As the majority of AAS users are male due to the motivation to increase muscle size (Kanayama et al., 2009) and the majority of studies are focussed on male populations, this review concentrates on the risks for male AAS users.

Studies chosen were selected because of their potential contribution to the subject in relation to social work, which could have led to potential selection bias. Another possible limitation is that useful evidence may have been omitted as only English language articles were included; specific exclusion

criteria were used and the limitations of the databases searched. Other considerations for omissions could be the lack of consistent terminology around IPED use.

### **Risks of physical harm of Anabolic-androgenic Steroid use**

Physical harm from using AAS can include acne, erectile dysfunction, hypogonadism, headaches, heart palpitations, testicular atrophy, liver toxicity, renal failure, dermal scarring, memory loss and cognitive problems, raised blood pressure, gynaecomastia (breast enlargement), muscle damage, myocardial injuries, and infertility (Nieschlag and Vorona 2015). Of the potentially negative physical side effects of AAS, only some are reversible after cessation (van Amsterdam, Opperhuizen, and Hartgens 2010). Furthermore, exposure during adolescence alters the normal pattern of brain development as well as neurotransmitter function and adult behaviour patterns (Cunningham, Lumia, and McGinnis 2013). There have been cases of prolonged AAS-use related deaths, however specifying their role is sometimes made difficult, as a cocktail of drugs is often involved (Fрати et al. 2015). There is also a risk of harm due to the quality of the drugs, as the AAS sold may be of variable strength, adulterated, or counterfeit (Cho et al. 2015). A study of websites on AAS use found that less than 5% of those websites presented reliable health information (Clement et al. 2012); which is particularly concerning as studies have found that many AAS users seek out information on AAS use from websites and online forums (Harvey et al. 2019). An awareness of the physical harms could help social workers credibly discuss the risks with users and support them to reevaluate their use or seek professional support from specialist AAS services, their GP or counselling services.

### **Behavioural and psychological impact of using Anabolic-androgenic Steroids**

AAS users report increased libido during AAS use (Petersson et al. 2010), are more likely to engage in high-risk sexual behaviours, and have more multiple partners than the general population (Ip et al. 2016; R. Brennan, Wells, and Van Hout 2017). However, the increase in libido does not last, and

reduces significantly when use ceases (Petersson et al. 2010). This increased libido, if acted upon, could suggest AAS users may be at more risk of contracting blood borne viruses (BBVs) or sexually transmitted infections and subsequently pass these on to partners. AAS users also face risks of contracting BBVs and HIV due to risky injecting practices and sharing vials (R. Brennan, Wells, and Van Hout 2017; Ip et al. 2016). Yet, the authors of both papers agree that this risk was lower than traditional intravenous substance users. Studies show that about 30% of AAS users use doctors or Needle Exchanges to access tests for Hepatitis B and C (Hope et al. 2015; Zahnow et al. 2017). However, 30% is not a high number of users, and the majority of participants in these studies were not adolescents. Young initiates to AAS use are thus potentially at heightened risk of BBVs and other infections unless they are encouraged to use safe injection practices and contraception.

The psychological effects of AAS use depend upon a range of factors such as type and dose of AAS, effects of use in combinations, pre-existing conditions and personality (Barceloux and Palmer 2013). Common effects include anxiety, mood disturbances and reckless behaviour (Piacentino et al. 2015). Links have been found between cessation of AAS use and depression, and AAS dependent users were more likely to report diagnoses of anxiety or major depressive disorder than non-dependent AAS users (Ip et al. 2012; Kaufman et al. 2015). While AAS use may be linked with mental health problems, the impact on individuals is idiosyncratic and unpredictable (Kanayama, Hudson, et al. 2010) therefore social workers should be alert for mental health-related problems, regardless of whether AAS is the cause of the mood disturbances or being used to alleviate them.

Unlike animal studies which link testosterone and aggression, the relationship between AAS and aggression in humans is inconclusive (Tomlinson, Brown, and Hoaken 2016). Yet, a UK study of 638 Image and Performance Enhancing Drugs (IPED) users found that 110 participants reported increased aggression and 164 reported mood swings (Bates and McVeigh 2016) and Piacentino et al.'s (2015) review linked long-term AAS use with the potential for increased aggression, mood destabilisation

and psychoses. Three relatively large studies found adolescent AAS users reported significantly increased levels of aggression compared to non-users (Beaver et al. 2008; Kokkevi et al. 2008; Jenssen and Johannessen 2015). Adolescent AAS use is linked with heightened vigilance in response to social encounters (Cunningham, Lumia, and McGinnis 2013) and there is a significant relationship between aggression and adolescent exposure to AAS use (Sagoe, Andreassen, et al. 2015).

Adolescents who scored high on tests for aggression were more likely to report intent and curiosity towards initiating AAS use (Sagoe et al. 2016). Adult AAS users who started using before age nineteen reported more impulsivity and behavioural disinhibition, and poorer planning and affective processing while using (Hildebrandt et al. 2014). The authors found that early onset use was associated with more hostility, but not other types of aggression when compared with users who started using after the age of twenty-two. The prevalence of antisocial behaviours including the bullying of peers was highest amongst AAS users when compared to non-AAS users (Hallgren et al. 2015). This study also noted a higher proportion of AAS users engaged in criminal activities such as theft, using weapons and rape. AAS use has been used in preparation for crime (Klötz et al. 2007), notably the case of Anders Breivik who used AAS in preparation for the July 2013 atrocities and as an adolescent (Melle 2013). Breivik provided details of his steroid use in his manifesto and primer for his followers (Breivik 2011). This is not to suggest that young people who choose to use AAS are involved in such activities, but is an example of the internet providing a place where potentially vulnerable young people can access information that could potentially put them at risk.

Regardless of whether AAS use increases the risk of aggression or if it is an indicator of low threshold for aggression, others could be put at risk. Skårberg, Nyberg, and Engström's (2008) qualitative study found that three of the five male AAS-users reported pathological jealousy which caused relationship difficulties. AAS users reported more incidents of having assaulted/threatened female partners (Skårberg and Engstrom 2007) and a study of 23 AAS users and 14 nonusers found AAS users reported more incidents of aggression against significant others than not when on AAS (Choi and Pope Jr. 1994). This could suggest that partners of AAS users may be more at risk of experiencing

violence when the AAS users are taking AAS. Assessing the links to aggression is complicated by the potential causal factors such as social background, polysubstance use and that the majority of studies rely on self-reported information. Moreover, the authors could find no studies that specifically sought information from partners and those close to people who use steroids about the impact on behaviour that they saw resulting from AAS use.

Adolescent AAS users might be parents or might be living in homes where young children are present therefore, consideration needs to be given to the potential risks to children. One case study suggested a link between AAS use and child sexual abuse; the participant reported having increased sexual desires as a result of the AAS use and whilst taking AAS had a male child masturbate him (Driessen et al. 1996). However, the authors found no further evidence in the literature to correlate AAS use and child sexual abuse. The evidence to suggest that children are at risk from harm from AAS users is limited, however it should not be ruled out completely. Social workers might find it prudent to alert AAS users and their families about the possible behavioural changes that could lead to more aggressive behaviour and also the potential risk of children accidentally consuming illicit substances, as illicit AAS does not come in child-resistant packaging (Evans-Brown et al. 2012).

### **Polypharmacy and use of Anabolic-androgenic Steroids**

Two reviews exploring the links between AAS use and polypharmacy found a positive association between the use of alcohol, illicit substances and AAS (Dodge and Hoagland 2011; Sagoe, McVeigh, et al. 2015), but gave no clear conclusions as to the relationships around causality and prevalence. Polysubstance use complicates any consideration of the impact of AAS on mental health. AAS users may use additional substances to achieve their goals or to alleviate AAS side effects e.g. taking amphetamines to train more; benzodiazepines to sleep or reduce pain (Skårberg, Nyberg, and Engström 2008). The authors hypothesised that AAS use could be a potential gateway substance as



the five male AAS users reported starting on AAS before adding other substances. However, in a study of individuals suspected of infringing Swedish narcotics laws 55% of their subjects' narcotics use preceded their AAS use (Gårevik and Rane 2010). Polysubstance use with AAS use was significantly correlated with violent crime (Lundholm et al. 2015) and also with aggressive behaviours (van Amsterdam, Opperhuizen, and Hartgens 2010).

In assessing risk around substance use, people diagnosed with substance dependence could be considered at greatest risk of harm and substance dependence consistently raises questions of masking other underlying problems (Rudd 2014). The ICD-10 (World Health Organisation 2010) lists AAS as non-dependence producing substances whereas the DSM-5 (APA 2013) categorises AAS under "other" substances but does not explicitly state non-dependent and instead has criteria for substance use disorders (e.g., mild anabolic steroid use disorder). One study found substantial evidence for AAS dependence and a 30% likely prevalence amongst AAS users (Grönbladh, Nylander, and Hallberg 2016). Kanayama et al. (2010) proposed three pathways for developing dependence:

- Body image (fear of losing muscle size);
- Androgenic effects (loss of sexual function, fatigue, depression);
- Hedonic effects (reinforced psychoactive effects such as increased confidence and aggressiveness).

Although there is evidence for the possibility of developing AAS dependency, there is a lack of clarity around determining specific risk factors for dependency. Social workers need to be aware that AAS use varies from stereotypical substance dependency, in that the substances themselves may not cause physical dependence per se, but there may be psychological elements for the dependence e.g. positive feelings and peer admiration linked to increased muscle size (Griffiths et al. 2016). While these factors may not be sufficient to meet the criteria for dependence, professional awareness of progressive usage patterns may prove relevant to identifying vulnerability, and matching needs with the support available.

## **Motivations for using Anabolic-androgenic Steroids**

Understanding the motivations for using substances is essential to effective professional practice with people misusing substances (Galvani 2015). The most prominent motivations for AAS use are enhanced physical appearance and/or improved physical performance, a full list of motivations is summarised in Table 1.

### **Table 1. Further motivations for use**

As improving appearance and enhancing performance are prominent motivators for AAS use, this raises the question: what is driving this desire? The DSM-5 (APA 2013) links AAS use with some cases of muscle dysmorphia (MD), a form of body image disturbance and notes that MD occurs predominantly in men, affecting those with “normal” physiques who are preoccupied with the idea that their body is not sufficiently muscular. AAS users who self-reported using AAS to improve their appearance had greater overall disordered eating and MD symptomatology (Murray et al. 2016). AAS users had a similar prevalence of psychiatric symptomatology, e.g. anxiety, depression, interpersonal sensitivity and obsessive-compulsive behaviour as men with eating disorders, but did not share the same negative self-image (Björk, Skårberg, and Engström 2013). Potentially, seeing their muscles develop as a result of exercise and AAS use had helped them overcome previous negative self-images. Over- and underweight boys were four times more likely to use AAS than boys who perceived themselves as the right weight (Jampel et al. 2016). Looking at initial and current motivations for use, Harris, Dunn, and Alwyn (2016) found that the initial external motivation of wanting to be more muscular led to an internal motivation of body image concerns. The authors concluded that continued AAS use could be linked to the development of body image disorders among young people.

Adolescent concerns about muscles and body image and body checking behaviour are predictive factors for AAS use (Jenssen and Johannessen 2015), as are participation in sports, and diagnosed depression (Sagoe, Andreassen, and Pallesen 2014). AAS is normally used in conjunction with an exercise regime (Hakansson et al. 2012); users tend to exercise more than non-users (Onakomaiya and Henderson 2016) and students who exercised daily increased the odds of lifetime AAS use (Kokkevi et al. 2008). Other factors that potentially predict AAS use in adolescents are the use of legal-performance-enhancing substances e.g. protein supplements, and ease of access to AAS via the internet (Karazsia, Crowther, and Galioto 2013; B. Brennan, Kanayama, and Pope Jr. 2013). Social workers who are curious to know if a young person is engaged in AAS use, could talk with them about physical activity, healthy eating and body image. Terms such as ‘shredded’ to describe an ideal body are used by AAS users (Underwood 2017), so an adolescent’s use of such terms could indicate an interest in building muscle, and other possible signs could be use of protein supplements or membership of online bodybuilding forums or Instagram feeds.

One study of 518 AAS users highlighted that 90% of participants planned to continue their usage despite negative side effects (Ip et al. 2011), and over 50% of AAS users thought AAS were not harmful to their health if used correctly (Alsaed and Alabkal 2015). AAS users did not generally express anxiety over the harms of using and viewed their new lifestyle as having alleviated previous problems such as obesity and depression (Kimergård 2015). R. Brennan, Wells, and Van Hout (R. Brennan, Wells, and Van Hout 2017) suggest that high-risks may be normalised within IPED communities and that AAS users may “disassociate from potential harms”. This information is relevant to social work as denial and rationalisation can be resistant to change (Harmon-Jones 1999), potentially compromising the service user’s motivations to stop AAS usage.

In a large US study of adolescent males, respondents perceived AAS use as less risky or harmful when they considered it easily obtained, if they had close friends who used AAS, or if they self-reported low levels of self-esteem, depression or risk-taking behaviours (Denham 2009). AAS users only sought treatment when the negative experiences outweighed the positive experiences (Skårberg, Nyberg, and Engström 2008), and tend to seek out advice from anonymous sources or personal networks (Larance et al. 2008). They often rely on ‘bro-science’ (information from other AAS users) (Underwood 2017; Hanley Santos and Coomber 2017) for information on combining drugs and risks; question the harms noted by medical professionals and prioritise information from experienced AAS users (Kimergård 2015). A potential risk for adolescents wishing to enhance their body to meet stereotypical masculine norms is the seeking out of role models who have enhanced their own body image and being unduly influenced by them. Social workers should be mindful that their expertise may be perceived as inferior to the peer group’s advice.

There have been a range of noteworthy psychosocial influences on the initiation of AAS use including: family histories of divorce, poor social support, childhood and adolescent conduct disorders, history of mental or physical abuse, problems at school, time in foster care and problematic parental interactions (Sagoe, Andreassen, and Pallesen 2014; Pope Jr., Kanayama, and Hudson 2012; Skårberg and Engstrom 2007; McDonald et al. 2014). One study found a negative relationship with fathers linked to AAS use, but identified no correlation with child sexual abuse or a reported family history of substance dependence (Pope Jr., Kanayama, and Hudson 2012); however, an earlier study had found that AAS users were more likely than non-users to have a history of sexual abuse (Ip et al. 2011).

### **Knowledge and skills for social workers**

This review has identified risks to young people who use AAS. Parrish (p187, 2014) highlights the need for social workers to be aware of the implications in the area of substance use “regardless of

their identified area of expertise”. For example, social workers may well encounter AAS-related concerns among young people whose Adverse Childhood Experiences place them at risk of body image concerns or looked after children who lack positive male role models. Because of social work’s inherent person-in-environment emphasis they are amongst the helping professions most likely to understand dominant social and cultural scripts such as masculinity (Shafer and Bellamy 2016), peer group influences and social media pressure. Social workers need to establish sufficient rapport and trust to ask about substance use in order to encourage disclosure and offer support (Galvani, Hutchinson, and Dance 2014). Asking AAS users their own reasons for using AAS, while avoiding implications of stigma or disapproval aligns to taking a person-centred approach (Pettersson et al. 2010), which is anti-oppressive and empowering (Thompson 2005).

Approaching young people’s AAS use with an appreciation of the benefits of use may enhance professional credibility with young AAS users (Griffiths et al. 2016). Professionals need to understand the physical (the increase in muscle size and strength gain) and psychological (positive reinforcement from attaining desired results) benefits as well as the associated side effects and harms from use. Understanding that a person’s perception of their body and their perception of gender norms may be possible motivations for using AAS, and that initiating AAS use could lead to young people and men developing unrealistic norms around body image (Harris, Dunn, and Alwyn 2016) allows professionals to be better placed to assess risks to young people. Moreover, identifying someone’s motivations for use could help ensure that they are signposted to the right type of support, e.g. support for adverse side effects or psychological support to address an underlying issue. Social workers are strongly placed to incorporate such practice frameworks as Prochaska and DiClemente’s (Prochaska and Diclemente 1986) Cycle of Change and motivational interviewing (Miller and Rollnick 2013). Social workers are further advantaged by their professional emphasis on a psychosocial perspective informing practice (Parrish 2014).

People can make unwise decisions and professionals must consider the possibility that users may focus on the benefits for a variety of reasons including but not exclusively: peer pressure, lacking

sufficient information, having a poor understanding in relation to harm, perceiving risks to outweigh benefits, or being more vulnerable due to pre-existing mental health difficulties. In terms of providing the best possible outcomes for adolescents, it could be beneficial to support a young person accessing the gym to help their overall physical wellbeing. However, giving consideration to the potential susceptibility of vulnerable adolescents to AAS use, effective discussions with them regarding the risks that could come from this type of environment are crucial, especially as adolescence is a developmental stage, when risk-taking behaviours are more prevalent than in child or adult-hood (Slee, Campbell, and Spears 2012). Furthermore, it is beneficial to educate parents about AAS use in order to help influence and support adolescent users (Dodge and Clarke 2015). This is especially relevant as the prevalence of fake AAS and reliance of information from the internet suggests practitioners need to be aware that websites tend to be biased towards pro-AAS use whilst downplaying the risks (Clement et al. 2012).

Social workers should also be aware of the legal status of AAS use within their own country as legal factors further complicate steroid use. Possession of AAS for personal use in the UK is legal (Misuse of Drugs Act, 2017), supplying and on-line purchasing of steroids remain illegal which is similar to Canada. Simultaneously, purchasing steroids in other countries in which they are legal, and bringing them back into the UK remains legal. However, in countries such as the US non-prescribed steroid use is illegal whereas use is legal in other parts of the world e.g. Hong Kong. Such factors make the law around purchase and supply complex and this could link to under reporting, secrecy around personal use and reluctance to access support.

When working with AAS users, a non-judgemental approach is needed by professionals (R. Brennan, Wells, and Van Hout 2017) which includes the need for careful listening to understand their experiences and not relying on assumptions based on stereotypes (Skårberg, Nyberg, and Engström 2008). One way to do this could be by reflecting on their own beliefs about AAS use, as it is

important for professionals to reflect on their own values around substance use (Galvani, Hutchinson, and Dance 2014). This is particularly important as many AAS users cite that a barrier to accessing support is the judgement that they perceive they will receive from professionals (Yu, Hildebrandt, and Lanzieri 2015). AAS users believe that the public has a distorted view of the negative side-effects of use (Cohen et al. 2007) and when considering AAS in society, often the media portrayal plays a key role. AAS users feel stigmatised by the public and press e.g. media depictions often focus on stories of ‘roid rage’ (Griffiths, Murray, and Mond 2016). This was evidenced recently in the wide-spread coverage of how the Westminster and London Bridge attacks that the perpetrators were reported to have used steroids prior to the attacks (Hamilton 2018; Weaver 2018), yet the subsequent inquest into the Westminster attack concluded that steroids were unlikely to have caused behavioural changes (Telegraph Reporters). As such, it is incumbent upon social workers to be aware of these risks but not to fall prey to the widely-held public belief that it causes ‘roid rage’ in all users as risk assessments need to be balanced.

### **Limitations and recommendations for future research**

When considering the conclusions of this review, it is useful to highlight possible limitations and the scope of this review was ambitious and so this is reflected in the limited depth in some areas and use of recent literature reviews. There are limitations as non-prescribed AAS are potentially used in a sub-cultural environment that confounds ascertaining accurate estimates of users (Skårberg, Nyberg, and Engström 2008) and individuals may be unwilling to participate in studies. Many of the studies were based on small sample sizes of AAS users, the larger size studies were often from cross-sectional studies that did not necessarily set out to measure the AAS use and its effects and the type of user was not clearly defined. In many of the studies, ethnicity was categorised as white, although there are studies that show that people from a range of ethnic backgrounds use AAS (van Hout and Kean 2015; Bates and McVeigh 2016). When using surveys and questionnaires, studies can be affected by self-reporting biases (Sheppard 2004) as often the extent of the AAS use and effects of the use were reliant

on the participant's recall and honesty. The lack of data on the potential risks faced by partners and families of AAS users highlights this as a much needed area for future research.

## **Conclusion**

Some of the evidence is not conclusive, particularly in relation to causal relationships between AAS use and behavioural change or polysubstance use, and not all adolescent AAS users will experience these risks, there are significant physical and psychological risks to self in relation to use which may be compounded by combining AAS with other illicit substances. Vulnerable people who could be more at risk of starting to use could be adolescents with poor self-image, adverse childhood experiences, or conduct problems. Given people's right to make unwise decisions under the Mental Capacity Act (HM Government, 2005) professionals could argue that there is no need for direct involvement unless the young person is actively seeking support. However, giving consideration to the possibility that a young person may be vulnerable to starting to use AAS or might be using AAS without being fully aware of the risks that they are taking could result in harm reduction and enhanced outcomes among this easily overlooked population. Considerably more research is needed regarding psychosocial factors related to young people at risk of AAS use.

In conclusion, an awareness of the risks associated with AAS use is both relevant and important knowledge for social work practice with an array of services users. The social work roles identified by Galvani (2015) are clearly applicable when it comes to working with young people who use AAS across a spectrum of settings. Developing expertise related to the complexities of AAS use is clearly needed to establish credibility and confidence among social workers. Social work education and training provides readily transferrable skills that are highly relevant to engaging with service users in ways that are trustworthy, credible and non-judgemental, providing motivation, and supporting change. Thus the authors argue that the existing literature serves to emphasise the relevance of sound social work practice in the burgeoning need for professional expertise in relation to AAS usage.



## **Acknowledgements**

Christianne Tipping for her critically review of this paper.

**Declaration of Interest:** The authors declare that there are no conflicts of interest.

**Source of Funding:** The author(s) received no financial support for the research, authorship, and/or publication of this article.

## References

- Advisory Council on the Misuse of Drugs. 2010. "Consideration of the Anabolic Steroids." Home Office.  
[https://www.gov.uk/government/uploads/system/uploads/attachment\\_data/file/144122/anabolic-steroids.pdf](https://www.gov.uk/government/uploads/system/uploads/attachment_data/file/144122/anabolic-steroids.pdf).
- Alsaeed, Ibrahim, and Jarrah R Alabkal. 2015. "Usage and Perceptions of Anabolic-Androgenic Steroids among Male Fitness Centre Attendees in Kuwait--a Cross-Sectional Study." *Substance Abuse Treatment, Prevention, And Policy* 10 (1). Manama: BioMed Central: 33.  
doi:10.1186/s13011-015-0030-5.
- American Psychiatric Association. 2013. *Diagnostic and Statistical Manual of Mental Disorders*. 5th ed. Arlington: American Psychiatric Publishing.
- Amsterdam, Jan van, Antoon Opperhuizen, and Fred Hartgens. 2010. "Adverse Health Effects of Anabolic-Androgenic Steroids." *Regulatory Toxicology and Pharmacology* 57 (1). Elsevier Inc.: 117–23. doi:10.1016/j.yrtph.2010.02.001.
- Aveyard, Helen. 2014. *Doing a Literature Review in Health and Social Care: A Practical Guide*. 3rd ed. Maidenhead: Open University Press.
- Barceloux, Donald, and Robert Palmer. 2013. "Anabolic-Androgenic Steroids." *Disease-a-Month* 59 (Anabolic-androgenic steroids). Mosby, Inc.: 226–48. doi:10.1016/j.disamonth.2013.03.010.
- Bates, Geoff, and Jim McVeigh. 2016. "Image and Performance Enhancing Drugs: 2015 Survey Results." *CPH, Liverpool John Moores University*.  
[http://www.ipedinfo.co.uk/resources/downloads/2015 National IPED Info Survey report.pdf](http://www.ipedinfo.co.uk/resources/downloads/2015%20National%20IPED%20Info%20Survey%20report.pdf).
- Beaver, Kevin, Michael Vaughn, Matt DeLisi, and John Paul Wright. 2008. "Anabolic-Androgenic Steroid Use and Involvement in Violent Behavior in a Nationally Representative Sample of Young Adult Males in the United States." *American Journal of Public Health* 98 (12): 2185–87.  
doi:10.2105/AJPH.2008.137018.

- Björk, Tabita, Kurt Skårberg, and Ingemar Engström. 2013. "Eating Disorders and Anabolic Androgenic Steroids in Males - Similarities and Differences in Self-Image and Psychiatric Symptoms." *Substance Abuse Treatment, Prevention, and Policy* 8 (30). doi:10.1186/1747-597X-8-30.
- Breivik, Anders. 2011. "2083 – A European Declaration of Independence." <https://publicintelligence.net/anders-behring-breiviks-complete-manifesto-2083-a-european-declaration-of-independence/>.
- Brennan, Brian, Gen Kanayama, and Harrison Pope Jr. 2013. "Performance-Enhancing Drugs on the Web: A Growing Public-Health Issue." *The American Journal on Addictions* 22 (2). Belmont: Wiley-Blackwell Publishing Ltd.: 158–61. doi:10.1111/j.1521-0391.2013.00311.x.
- Brennan, Rebekah, John JS Wells, and MC Marie-Claire Van Hout. 2017. "The Injecting Use of Image and Performance-Enhancing Drugs (IPED) in the General Population: A Systematic Review." *Health & Social Care in the Community* 25 (5). Waterford, England: Wiley-Blackwell: 1459–1531. doi:10.1111/hsc.12326.
- British Association of Social Workers Policy Ethics and Human Rights Committee,. 2012. "The Code of Ethics for Social Work." British Association of Social Workers. <https://www.basw.co.uk/codeofethics>.
- Cho, Sooyeul So-Hyun, Hyoung Joon Park, Ji Hyun Lee, Jung-Ah Ah Do, Seok Heo, and Jeong Hwa Jo. 2015. "Determination of Anabolic-Androgenic Steroid Adulterants in Counterfeit Drugs by UHPLC-MS/MS." *Journal of Pharmaceutical and Biomedical Analysis* 111. Republic of Korea.: Elsevier Science: 138–46. doi:10.1016/j.jpba.2015.03.018.
- Choi, Precilla, and Harrison G Pope Jr. 1994. "Violence toward Women and Illicit Androgenic-Anabolic Steroid Use." *Annals of Clinical Psychiatry* 6 (1). US: Elsevier Science Inc: 21–25. doi:10.3109/10401239409148835.
- Clement, Christen L, Douglas B Marlowe, Nicholas Patapis, David S Festinger, and Robert F Forman.

2012. "Nonprescription Steroids on the Internet." *Substance Use & Misuse* 47 (3). Philadelphia: Informa Healthcare: 329–41. doi:10.3109/10826084.2011.630225.
- Cohen, Jason, Rick Collins, Jack Darkes, and Daniel Gwartney. 2007. "A League of Their Own: Demographics, Motivations and Patterns of Use of 1,955 Male Adult Non-Medical Anabolic Steroid Users in the United States." *Journal of the International Society of Sports Nutrition* 4 (1). NY: BioMed Central: 12. doi:10.1186/1550-2783-4-12.
- Cunningham, Rebecca, Augustus Lumia, and Marilyn McGinnis. 2013. "Androgenic Anabolic Steroid Exposure during Adolescence: Ramifications for Brain Development and Behavior." *Hormones and Behavior* 64 (2): 350–56. doi:10.1016/j.yhbeh.2012.12.009.
- Denham, BE. 2009. "Determinants of Anabolic-Androgenic Steroid Risk Perceptions in Youth Populations: A Multivariate Analysis." *Journal of Health & Social Behavior* 50 (3): 277–92. doi:10.1177/002214650905000303.
- Dodge, Tonya, and Paige Clarke. 2015. "Influence of Parent–Adolescent Communication About Anabolic Steroids on Adolescent Athletes' Willingness to Try Performance-Enhancing Substances." *Substance Use & Misuse* 50 (10). Washington: Informa Healthcare: 1307–15. doi:10.3109/10826084.2014.998239.
- Dodge, Tonya, and MF Hoagland. 2011. "The Use of Anabolic Androgenic Steroids and Polypharmacy: A Review of the Literature." *Drug and Alcohol Dependence* 114: 100–109. doi:10.1016/j.drugalcdep.2010.11.011.
- Driessen, M, H Muessigbrodt, H Dilling, and B Driessen. 1996. "Child Sexual Abuse Associated with Anabolic Androgenic Steroid Use." *The American Journal Of Psychiatry* 153 (10): 1369.
- Evans-Brown, Michael, Jim McVeigh, Clare Perkins, and Mark Bellis. 2012. "Human Enhancement Drugs: The Emerging Challenges to Public Health." North West Public Health Observatory, Liverpool John Moores University. doi:10.1016/B978-0-12-373932-2.00384-7.
- Field, Alison E, Kendrin R Sonnevile, Ross D Crosby, Sonja A Swanson, Kamryn T Eddy, Carlos A

- Camargo Jr, Nicholas J Horton, and Nadia Micali. 2014. "Prospective Associations of Concerns about Physique and the Development of Obesity, Binge Drinking, and Drug Use among Adolescent Boys and Young Adult Men." *JAMA Pediatrics* 168 (1). Boston: American Medical Association: 34–39. doi:10.1001/jamapediatrics.2013.2915.
- Fрати, Paola, FP Busardò, Luigi Cipolloni, Vittorio Fineschi, and E De Dominicis. 2015. "Anabolic Androgenic Steroid (AAS) Related Deaths: Autoptic, Histopathological and Toxicological Findings." *Current Neuropharmacology* 13 (1): 146–59.  
doi:10.2174/1570159X13666141210225414.
- Galvani, Sarah. 2015. "Alcohol and Other Drug Use: The Roles and Capabilities of Social Workers." Public Health England and Manchester Metropolitan University.  
[http://cdn.basw.co.uk/upload/basw\\_25925-3.pdf](http://cdn.basw.co.uk/upload/basw_25925-3.pdf).
- Galvani, Sarah, and Donald Forrester. 2011. "How Well Prepared Are Newly Qualified Social Workers for Working with Substance Use Issues? Findings from a National Survey in England." *Social Work Education* 30 (4): 422–39. doi:10.1080/02615479.2010.504981.
- Galvani, Sarah, Aisha Hutchinson, and Cherilyn Dance. 2014. "Identifying and Assessing Substance Use: Findings from a National Survey of Social Work and Social Care Professionals." *British Journal of Social Work* 44 (7): 1895–1913. doi:10.1093/bjsw/bct033.
- Gårevik, Nina, and Anders Rane. 2010. "Dual Use of Anabolic-Androgenic Steroids and Narcotics in Sweden." *Drug & Alcohol Dependence* 109 (1–3). Stockholm: Elsevier Science: 144–46.  
doi:10.1016/j.drugalcdep.2009.12.024.
- Goodman, Anthony. 2013. *Social Work with Drug, Alcohol and Substance Misusers*. 3rd ed. London: Learning Matters/Sage.
- Griffiths, Scott, Stuart B Murray, Deborah Mitchison, and Jonathan M Mond. 2016. "Anabolic Steroids: Lots of Muscle in the Short-Term, Potentially Devastating Health Consequences in the Long-Term." *Drug and Alcohol Review* 35 (4). John Wiley & Sons: 375–76.

doi:10.1111/dar.12433.

Griffiths, Scott, Stuart B Murray, and Jonathan M Mond. 2016. "The Stigma of Anabolic Steroid Use." *Journal of Drug Issues* 46 (4): 446–56. doi:10.1177/0022042616661837.

Grönbladh, Alfild, Erik Nylander, and Mathias Hallberg. 2016. "The Neurobiology and Addiction Potential of Anabolic Androgenic Steroids and the Effects of Growth Hormone." *Brain Research Bulletin* 126. Elsevier Inc.: 127–37. doi:10.1016/j.brainresbull.2016.05.003.

Hakansson, Anders, Kajsa Mickelsson, Camilla Wallin, and Mats Berglund. 2012. "Anabolic Androgenic Steroids in the General Population: User Characteristics and Associations with Substance Use." *European Addiction Research* 18 (2): 83–90. doi:10.1159/000333037.

Hallgren, Mats, Harrison Pope Jr., Gen Kanayama, James Hudson, Andreas Lundin, and Håkan Källmén. 2015. "Anti-Social Behaviors Associated with Anabolic-Androgenic Steroid Use among Male Adolescents." *European Addiction Research* 21 (6). Stockholm: Karger: 321–26. doi:10.1159/000433580.

Hamilton, Fiona. 2018. "Westminster Attacker Khalid Masood Was High on Anabolic Steroids." *The Times*, January 15. <https://www.thetimes.co.uk/article/westminster-attacker-khalid-masood-was-high-on-anabolic-steroids-shm9m28mf>.

Hanley Santos, Gisella, and Ross Coomber. 2017. "The Risk Environment of Anabolic–Androgenic Steroid Users in the UK: Examining Motivations, Practices and Accounts of Use." *International Journal of Drug Policy* 40 (New Psychoactive Substances and Human Enhancement Drugs). Plymouth: Elsevier Science: 35–43. doi:10.1016/j.drugpo.2016.11.005.

Harmon-Jones, Eddie. 1999. "Toward an Understanding of the Motivation Underlying Dissonance Effects: Is the Production of Aversive Consequences Necessary?" In *Cognitive Dissonance: Progress on a Pivotal Theory in Social Psychology.*, edited by Eddie Harmon-Jones and Judson Mills, 71–99. Science Conference Series. Washington: American Psychological Association. doi:10.1037/10318-004.

- Harris, Marc A, Michael Dunn, and Tina Alwyn. 2016. "A Qualitative Exploration of the Motivations Underlying Anabolic-Androgenic Steroid Use from Adolescence into Adulthood." *Health Psychology Report* 4 (4): 315–20. doi:10.5114/hpr.2016.61669.
- Harvey, Orlanda, Steve Keen, Edwin van Teijlingen, Margarete Parrish, and Edwin van Teijlingen. 2019. "Support for People Who Use Anabolic Androgenic Steroids: A Systematic Scoping Review into What They Want and What They Access." *BMC Public Health* 19 (1): 1024. doi:10.1186/s12889-019-7288-x.
- Heanue, Kim, and Chris Lawton. 2012. *Working with Substance Users*. Maidenhead: McGraw-Hill/Open University Press.
- Hildebrandt, Tom, James W Langenbucher, Adrienne Flores, Seth Harty, and Heather Berlin. 2014. "The Influence of Age of Onset and Acute Anabolic Steroid Exposure on Cognitive Performance, Impulsivity, and Aggression in Men." *Psychology of Addictive Behaviors* 28 (4): 1096–1104. doi:10.1037/a0036482.
- HM Government,. 2005. "Mental Capacity Act 2005." <http://www.legislation.gov.uk/ukpga/2005/9/contents>.
- Hope, Vivian, Jim McVeigh, Andrea Marongiu, Michael Evans-Brown, Josie Smith, and Andreas Kimergard. 2015. "Injection Site Infections and Injuries in Men Who Inject Image- and Performance-Enhancing Drugs: Prevalence, Risks Factors, and Healthcare Seeking." *Epidemiology & Infection* 143 (1). London: Cambridge University Press: 132–40. doi:10.1017/S0950268814000727.
- Hout, Marie-Claire van, and Joseph Kean. 2015. "An Exploratory Study of Image and Performance Enhancement Drug Use in a Male British South Asian Community." *International Journal of Drug Policy* 26 (9). Elsevier: 860–67. doi:10.1016/j.drugpo.2015.03.002.
- Ip, Eric J ., Michael Yadao, Bijal Shah, and Bonnie Lau. 2016. "Infectious Disease, Injection Practices, and Risky Sexual Behavior among Anabolic Steroid Users." *AIDS Care* 28 (3).

Routledge: 294–99. doi:10.1080/09540121.2015.1090539.

Ip, Eric J, Mitchell J Barnett, Michael J Tenerowicz, and Paul J Perry. 2011. “The Anabolic 500 Survey: Characteristics of Male Users versus Nonusers of Anabolic-Androgenic Steroids for Strength Training.” *Pharmacotherapy* 31 (8). California: Wiley-Blackwell: 757–66. doi:10.1592/phco.31.8.757.

Ip, Eric J, Debbie H Lu, Mitchell J Barnett, Michael J Tenerowicz, Justin C Vo, and Paul J Perry. 2012. “Psychological and Physical Impact of Anabolic-Androgenic Steroid Dependence.” *Pharmacotherapy* 32 (10). Vallejo: Wiley-Blackwell: 910–19. doi:10.1002/j.1875-9114.2012.01123.

Jampel, Jonathon D, Stuart B Murray, Scott Griffiths, and Aaron J Blashill. 2016. “Self-Perceived Weight and Anabolic Steroid Misuse Among US Adolescent Boys.” *Journal of Adolescent Health* 58 (4): 397–402. doi:10.1016/j.jadohealth.2015.10.003.

Jensen, Ida Heimly, and Kim Berg Johannessen. 2015. “Aggression and Body Image Concerns among Anabolic Androgenic Steroid Users, Contemplators, and Controls in Norway.” *Body Image* 12 (1). Elsevier Ltd: 6–13. doi:10.1016/j.bodyim.2014.08.009.

Kanayama, Gen, Kirk Brower, Ruth Wood, James Hudson, and Harrison Pope Jr. 2010. “Treatment of Anabolic-Androgenic Steroid Dependence: Emerging Evidence and Its Implications.” *Drug & Alcohol Dependence* 109 (1–3): 6–13. doi:10.1016/j.drugalcdep.2010.01.011.

Kanayama, Gen, KJ Brower, RI Wood, James Hudson, and Harrison Pope Jr. 2009. “Anabolic-Androgenic Steroid Dependence: An Emerging Disorder.” *Addiction* 104 (12): 1966–78. doi:10.1111/j.1360-0443.2009.02734.x.

Kanayama, Gen, James Hudson, Harrison Pope Jr., and Jr. Harrison Pope. 2010. “Illicit Anabolic-Androgenic Steroid Use.” *Hormones and Behavior* 58 (1). Elsevier Inc.: 111–21. doi:10.1016/j.yhbeh.2009.09.006.

Karazsia, Brian T, Janis H Crowther, and Rachel Galioto. 2013. “Undergraduate Men’s Use of



- Performance- and Appearance-Enhancing Substances: An Examination of the Gateway Hypothesis.” *Psychology of Men & Masculinity* 14 (2): 129–37. doi:10.1037/a0027810.
- Kaufman, MJ, AC Janes, James Hudson, BP Brennan, Gen Kanayama, AR Kerrigan, JE Jensen, and HG Pope. 2015. “Brain and Cognition Abnormalities in Long-Term Anabolic-Androgenic Steroid Users.” *Drug and Alcohol Dependence* 152: 47–56. doi:10.1016/j.drugalcdep.2015.04.023.
- Kimergård, Andreas. 2015. “A Qualitative Study of Anabolic Steroid Use amongst Gym Users in the United Kingdom: Motives, Beliefs and Experiences.” *Journal of Substance Use* 20 (4). Liverpool, United Kingdom: Taylor & Francis: 288–94. doi:10.3109/14659891.2014.911977.
- Klötz, Fia, Anna Petersson, Dag Isacson, and Ingemar Thiblin. 2007. “Violent Crime and Substance Abuse: A Medico-Legal Comparison between Deceased Users of Anabolic Androgenic Steroids and Abusers of Illicit Drugs.” *Forensic Science International* 173: 57–63. doi:10.1016/j.forsciint.2007.01.026.
- Kokkevi, Anna, Anastasios Fotiou, Anina Chileva, Alojz Nociar, and Patrick Miller. 2008. “Daily Exercise and Anabolic Steroids Use in Adolescents: A Cross-National European Study.” *Substance Use & Misuse* 43 (14). Athens: Taylor & Francis Ltd: 2053–65. doi:10.1080/10826080802279342.
- Larance, Briony, Louisa Degenhardt, Jan Copeland, and Paul Dillon. 2008. “Injecting Risk Behaviour and Related Harm among Men Who Use Performance- and Image-Enhancing Drugs.” *Drug and Alcohol Review* 27 (6). Sydney: Taylor & Francis: 679–86. doi:10.1080/09595230802392568.
- Lundholm, Lena, Thomas Frisell, Paul Lichtenstein, and Niklas Långström. 2015. “Anabolic Androgenic Steroids and Violent Offending: Confounding by Polysubstance Abuse among 10,365 General Population Men.” *Addiction* 110 (1). Stockholm: Wiley-Blackwell: 100–108. doi:10.1111/add.12715.
- McDonald, Thomas P., E. Susana Mariscal, Yueqi Yan, and Jody Brook. 2014. “Substance Use and

- Abuse for Youths in Foster Care: Results From the Communities That Care Normative Database.” *Journal of Child & Adolescent Substance Abuse* 23 (4). Taylor & Francis Group: 262–68. doi:10.1080/1067828X.2014.912093.
- McVeigh, Jim, and Emma Begley. 2016. “Anabolic Steroids in the UK: An Increasing Issue for Public Health.” *Drugs: Education, Prevention and Policy* 24 (3). Public Health Institute, Liverpool John Moores University, Liverpool, United Kingdom: Taylor and Francis Ltd: 278–85. doi:10.1080/09687637.2016.1245713.
- Melle, Ingrid. 2013. “The Breivik Case and What Psychiatrists Can Learn from It.” *World Psychiatry* 12 (1): 16–21. doi:10.1002/wps.20002.
- Miller, William R. (William Richard), and Stephen Rollnick. 2013. *Motivational Interviewing: Helping People Change*. 3rd ed. New York: Guilford Press.
- Murray, Stuart, Scott Griffiths, Jonathon Mond, Joseph Kean, and Aaron Blashill. 2016. “Anabolic Steroid Use and Body Image Psychopathology in Men: Delineating between Appearance- versus Performance-Driven Motivations.” *Drug and Alcohol Dependence* 165 (August). Elsevier Ireland Ltd: 198–202. doi:10.1016/j.drugalcdep.2016.06.008.
- Nieschlag, Eberhard, and Elena Vorona. 2015. “Medical Consequences of Doping with Anabolic Androgenic Steroids: Effects on Reproductive Functions.” *European Journal of Endocrinology* 173 (2): 47. doi:10.1530/EJE-15-0080.
- Onakomaiya, Marie, and Leslie Henderson. 2016. “Mad Men, Women and Steroid Cocktails: A Review of the Impact of Sex and Other Factors on Anabolic Androgenic Steroids Effects on Affective Behaviors.” *Psychopharmacology* 233: 549–69. doi:10.1007/s00213-015-4193-6.
- Parrish, Margarete. 2014. *Social Work Perspectives On Human Behaviour*. 2nd ed. Open University Press, McGraw-Hill Education.
- Paylor, Ian, Alison Wilson, and Fiona Measham. 2012. *Social Work And Drug Use*. Maidenhead: McGraw-Hill Education.

- Petersson, Anna, Johanna Bengtsson, Anette Voltaire-Carlsson, and Ingemar Thiblin. 2010. "Substance Abusers' Motives for Using Anabolic Androgenic Steroids." *Drug and Alcohol Dependence* 111 (1–2): 170–72. doi:10.1016/j.drugalcdep.2010.04.008.
- Piacentino, Daria, Georgios Kotzalidis, Antonio del Casale, Maria Rosaria Aromatario, Cristoforo Pomara, Paolo Girardi, and Gabriele Sani. 2015. "Anabolic-Androgenic Steroid Use and Psychopathology in Athletes. A Systematic Review." *Current Neuropharmacology* 13 (1): 101–21. doi:10.2174/1570159X13666141210222725.
- Pope Jr., Harrison G, and Gen Kanayama. 2012. "Anabolic- Androgenic Steroids." In *Drug Abuse and Addiction in Medical Illness: Causes, Consequences and Treatment*, edited by P Verster, J, Brady, K , Galanter, M, Conrod, 251–74. New York: Springer.
- Pope Jr., Harrison G, Gen Kanayama, and James I Hudson. 2012. "Risk Factors for Illicit Anabolic-Androgenic Steroid Use in Male Weightlifters: A Cross-Sectional Cohort Study." *Biological Psychiatry* 71 (Addiction: Risk and Recovery). Belmont, USA: Elsevier Inc.: 254–61. doi:10.1016/j.biopsych.2011.06.024.
- Prochaska, James O., and Carlo C. Diclemente. 1986. "Toward a Comprehensive Model of Change." In *Treating Addictive Behaviors*, 3–27. Boston: Springer US. doi:10.1007/978-1-4613-2191-0\_1.
- Rudd, Betty. 2014. *Introducing Psychopathology*. London: Sage Publications Ltd.
- Sagoe, Dominic, Cecile Andreassen, Helge Molde, Torbjørn Torsheim, and Ståle Pallesen. 2015. "Prevalence and Correlates of Anabolic-Androgenic Steroid Use in a Nationally Representative Sample of 17-Year-Old Norwegian Adolescents." *Substance Use & Misuse* 50 (2): 139–47. doi:10.3109/10826084.2014.958859.
- Sagoe, Dominic, Cecilie Schou Andreassen, and Ståle Pallesen. 2014. "The Aetiology and Trajectory of Anabolic-Androgenic Steroid Use Initiation: A Systematic Review and Synthesis of Qualitative Research." *Substance Abuse Treatment, Prevention & Policy* 9 (1): 24.

doi:<https://doi.org/10.1186/1747-597X-9-27>.

Sagoe, Dominic, Jim McVeigh, Astrid Bjørnebekk, Marie-Stella Essilfie, Cecilie Andreassen, and Ståle Pallesen. 2015. "Polypharmacy among Anabolic-Androgenic Steroid Users: A Descriptive Metasynthesis." *Substance Abuse Treatment, Prevention & Policy* 10 (12): 1–19.  
doi:10.1186/s13011-015-0006-5.

Sagoe, Dominic, Rune A Mentzoni, Daniel Hanss, and Ståle Pallesen. 2016. "Aggression Is Associated with Increased Anabolic–Androgenic Steroid Use Contemplation among Adolescents." *Substance Use & Misuse* 51 (11). Bergen: Taylor & Francis: p1462-1469.  
doi:10.1080/10826084.2016.1186696.

Sagoe, Dominic, Helge Molde, Cecilie Andreassen, Torbjørn Torsheim, and Ståle Pallesen. 2014. "The Global Epidemiology of Anabolic-Androgenic Steroid Use: A Meta-Analysis and Meta-Regression Analysis." *Annals of Epidemiology* 24 (5). Elsevier: 383–98.  
doi:10.1016/j.annepidem.2014.01.009.

Shafer, Kevin, and Jennifer L Bellamy. 2016. "Focusing on Men and Fathers: A Challenge for Social Work Research and Practice." *Social Work Research* 40 (4). Assistant professor, School of Social Work, Brigham Young University, 2173 Joseph F. Smith Building, Provo, UT 84602: Oxford University Press / USA: 199–202. doi:10.1093/swr/svw020.

Sheppard, Michael. 2004. *Appraising and Using Social Research in the Human Services: An Introduction for Social Work and Health Professionals*. London: Jessica Kingsley Publishers.

Skårberg, Kurt, and Ingemar Engstrom. 2007. "Troubled Social Background of Male Anabolic-Androgenic Steroid Abusers in Treatment." *Substance Abuse Treatment, Prevention, and Policy* 2 (20). London: BioMed Central. doi:10.1186/1747-597X-2-20.

Skårberg, Kurt, Fred Nyberg, and Ingemar Engström. 2008. "The Development of Multiple Drug Use among Anabolic-Androgenic Steroid Users: Six Subjective Case Reports." *Substance Abuse Treatment, Prevention, and Policy* 3 (24). London: BioMed Central: 24. doi:10.1186/1747-

597X-3-24.

Slee, Phillip T., Marilyn Campbell, and Barbara Spears. 2012. *Child, Adolescent and Family Development*. 3rd ed. Cambridge: Cambridge University Press.

doi:10.1017/CBO9781139196567.

Telegraph Reporters. "London Bridge Attackers Did Not Become More Aggressive through Steroids, Inquests Hear," May. <https://www.telegraph.co.uk/news/2019/05/28/london-bridge-attackers-did-not-become-aggressive-steroids-inquests/>.

Thompson, Neil. 2005. *Understanding Social Work: Preparing for Practice*. 2nd ed. Basingstoke: Palgrave Macmillan.

Tomlinson, MF., Matthew Brown, and PNS Hoaken. 2016. "Recreational Drug Use and Human Aggressive Behavior: A Comprehensive Review since 2003." *Aggression and Violent Behavior* 27. Elsevier Ltd: 9–29. doi:10.1016/j.avb.2016.02.004.

UK Home Office. 2018. "Drug Misuse: Findings from the 2017/18 Crime Survey for England and Wales." *Statistical Bulletin 14/18*. <https://www.gov.uk/government/publications/drug-misuse-findings-from-the-2013-to-2014-csew/drug-misuse-findings-from-the-201314-crime-survey-for-england-and-wales>.

Underwood, Mair. 2017. "Exploring the Social Lives of Image and Performance Enhancing Drugs: An Online Ethnography of the Zyzz Fandom of Recreational Bodybuilders." *International Journal of Drug Policy* 39 (January). Underwood, Mair: Elsevier B.V.: 78–85. doi:10.1016/j.drugpo.2016.08.012.

Vries, Dian A. de, Jochen Peter, Hanneke de Graaf, and Peter Nikken. 2016. "Adolescents' Social Network Site Use, Peer Appearance-Related Feedback, and Body Dissatisfaction: Testing a Mediation Model." *Journal of Youth and Adolescence* 45 (1): 211–24. doi:10.1007/s10964-015-0266-4.

Weaver, Matthew. 2018. "London Bridge Attack Trio 'Had Taken Large Quantities of Steroids.'" *The*

*Guardian*. London. February 9. <https://www.theguardian.com/uk-news/2018/feb/09/london-bridge-attack-trio-had-taken-large-quantities-of-steroids-inquest>.

World Health Organisation. 2010. *International Statistical Classification of Diseases and Related Health Problems*. 10th ed. Vol. 2.

Yu, Jessica, Thomas Hildebrandt, and Nicholas Lanzieri. 2015. "Healthcare Professionals' Stigmatization of Men with Anabolic Androgenic Steroid Use and Eating Disorders." *Body Image* 15 (September). Elsevier Science: 49–53. doi:10.1016/j.bodyim.2015.06.001.

Zahnow, Renee, Jim McVeigh, Jason Ferris, and Adam Winstock. 2017. "Adverse Effects, Health Service Engagement, and Service Satisfaction Among Anabolic Androgenic Steroid Users." *Contemporary Drug Problems* 44 (1). St. Lucia: Sage Publications: 69–83. doi:10.1177/0091450917694268.

## **Appendix**

1. Supplementary Information: Table of Search Terms