



University of Dundee

A robust network DEA model for sustainability assessment

Chen, Zhongfei ; Kourtzidis, Stavros; Tzeremes, Panayiotis; Tzeremes, Nickolaos

Published in:
Operational Research

DOI:
[10.1007/s12351-020-00553-x](https://doi.org/10.1007/s12351-020-00553-x)

Publication date:
2020

Document Version
Peer reviewed version

[Link to publication in Discovery Research Portal](#)

Citation for published version (APA):

Chen, Z., Kourtzidis, S., Tzeremes, P., & Tzeremes, N. (2020). A robust network DEA model for sustainability assessment: An application to Chinese Provinces . *Operational Research*. <https://doi.org/10.1007/s12351-020-00553-x>

General rights

Copyright and moral rights for the publications made accessible in Discovery Research Portal are retained by the authors and/or other copyright owners and it is a condition of accessing publications that users recognise and abide by the legal requirements associated with these rights.

- Users may download and print one copy of any publication from Discovery Research Portal for the purpose of private study or research.
- You may not further distribute the material or use it for any profit-making activity or commercial gain.
- You may freely distribute the URL identifying the publication in the public portal.

Take down policy

If you believe that this document breaches copyright please contact us providing details, and we will remove access to the work immediately and investigate your claim.

A robust network DEA model for sustainability assessment: An application to Chinese Provinces

Zhongfei Chen¹, Stavros Kourtzidis^{2*}, Panayiotis Tzeremes³, Nickolaos Tzeremes⁴

¹*School of Economics, China Center for Economic Development and Innovation Strategy, Jinan University, Guangzhou, China., E-mail address: hongyeczf@163.com*

^{2*}*University of Dundee, School of Business Perth Road 1-3, DDI 4HN, Dundee, United Kingdom, *Corresponding author's E-mail address: s.kourtzidis@dundee.ac.uk*

³*University of Thessaly, Department of Economics, 28th October 78, 38333, Volos, Greece, E-mail address: tzeremes@econ.uth.gr*

⁴*University of Thessaly, Department of Economics, 28th October 78, 38333, Volos, Greece, E-mail address: bus9nt@econ.uth.gr*

Abstract: This paper constructs an Environmental Sustainability index in order to investigate regional efficiency in China between 2000 and 2012. The Environmental Sustainability index consists of a Production Efficiency index and an Eco-efficiency index. A multiplicative relational network data envelopment analysis model is applied, and a window analysis is conducted to capture the efficiency trends over time. The results reveal significant heterogeneity among Chinese provinces for the Environmental Sustainability and the Eco-efficiency indices, while there is a high level of Production Efficiency across all provinces. Furthermore, there are large differences among geographical areas. Specifically, high Production Efficiency levels are reported for the eastern area, whereas, high Eco-efficiency levels are reported for the western area. The reported results provide valuable insights to decision makers, revealing a high potential for improvement in the overall Environmental Sustainability score, especially for the eastern and middle areas. In addition, regional heterogeneity should be taken into account when considering new legislation.

Keywords: Chinese provinces; Eco-efficiency; Environmental Sustainability; Network Data envelopment analysis; Production efficiency.

JEL classification: C61; C67; P25; P28

1. Introduction

The greenhouse effect is one of the major environmental challenges faced by countries in modern society. At the centre of public dialogue is international cooperation, which is vital in order to tackle this challenge. Starting with the Kyoto Protocol, countries cooperate under the United Nations Framework Convention on Climate Change (UNFCCC). The newly sealed Paris Agreement aims at reducing the carbon emissions and the average temperature, which meanwhile has been risen by 2 degrees Celsius above the pre-industrial levels.

As one of the largest countries in the world, the reduction of carbon emission in China has a prominent role on the global environmental agenda. In 2016, total carbon dioxide emissions of China accounted for the 29% of the global emissions (Olivier et al., 2017). In line with the sustainable development principals, China has already promised to reduce its carbon intensity by 40%-45% by 2020 and 60%-65% by 2030, compared to the 2005 levels. The sustainability of the Chinese economy relies heavily on energy consumption (Wu et al., 2017), which not only leads to soaring energy prices, but also causes air pollution (Chen et al., 2013, 2016). In addition, the dependence of energy consumption on the fossil fuels triggers negative health effects (Tanaka, 2015). Furthermore, economic growth has been slowed down after the global financial crisis, which can also be attributed to the ageing population, the declining rural workforce, and substantial energy and environmental issues. As a result, China is trying to shift its strategy of economic development from the gross domestic product (the “Old Normal Growth”) to a holistic economic development, which includes economic, political, cultural, social and environmental development. This new phase of economic development has been described as the “New Normal”.

There is a growing interest on the sustainable development across the literature. The concept of sustainability as depicted by Brundtland (1987) is the “*development that meets the needs of the present without compromising the ability of future generations to meet their own needs*”. Sustainable development drew the attention of the academic literature after the UN World Commission on Environment and Development in 1978. Our study considers the aforementioned issues and contributes to the sustainable development literature by proposing an innovative methodological framework in order to study Chinese regions over time. An Environmental Sustainability Index (ESI) is constructed, using a network data envelopment analysis (DEA) model. The ESI is decomposed into two sub-indices, the Production Efficiency Index (PEI) in the first stage and Eco-Efficiency Index (EEI) in the second stage.

The contribution of this paper is two-fold. As for the methodological contribution, we extend the multiplicative network DEA model of Kao and Hwang (2008) to account for multiple time periods, using window analysis (Charnes et al., 1994). To the best of our knowledge, this is the first time that the multiplicative network DEA model is extended to a window analysis framework. Regarding our empirical contribution, we study the environmental sustainability of Chinese regions during 2000-2012, taking into account both the production efficiency and the eco-efficiency dimensions. This is in line with the “New Normal” strategy for the economic development of China. In addition, we take into account the geographical location, as well as the implementation of environmental regulations for each region.

The remainder of this paper is organized as follows: Section 2 presents the literature review, and Section 3 demonstrates the methodology. Section 4 describes the data and discusses the empirical analysis for the Chinese provinces and Section 5 provides our conclusions.

2. Literature Review

The possible synergies between economic and environmental performance have been examined across the literature (Huppes and Ishikawa, 2011; Wang et al., 2018). The concept of sustainable development encompasses both the economic and the environmental aspects. Kuosmanen and Kortelainen (2005) suggested that a significant tool towards sustainability is eco-efficiency, which has the objective to maximize the economic production with the least possible environmental impact. Moreover, Huppes and Ishikawa (2005) describe four different ways eco-efficiency can be defined. In line their definitions, this study adopts the definition of eco-efficiency as the ratio of environmental pressure to production output, which is described as an “*environmental intensity*” index. According to Wusthorn et al. (2011) an environmental intensity index has the attractive feature of decoupling, since it examines the capacity of the economy to grow without hampering the environment. Decoupling is a significant concept towards sustainability (Lu et al., 2015).

DEA is considered an important tool for the assessment of environmental efficiency (Flamos et al., 2004; Peng et al., 2017; Song et al., 2017). The most challenging aspect in defining an environmental DEA model is the modelling of undesirable outputs (Aparicio et al., 2019). According to the traditional axioms by Shephard (1970), (i) inputs are strongly disposable, meaning that the same amount of good and undesirable outputs can be produced using more inputs, (ii) good outputs are strongly disposable, meaning that a lower amount of good outputs can be produced using the same amount of inputs and

undesirable outputs. However, the problem arises in the case of undesirable outputs, because assuming strong disposability of undesirable outputs would lead to costless reduction (Førsund, 2009).

Several approaches have been suggested to tackle this issue which can be divided into two groups (Scheel, 2001). The first group applies a data transformation on undesirable outputs and includes them in the model as good outputs, keeping the traditional axioms by Shephard (1970) intact. The undesirable outputs can be transformed by using either the inverse of the output (Lovell et al., 1995) or a translation vector (Seiford and Zhu, 2002, 2005). Imposing strong disposability on the transformed variable does not lead to a costless reduction (Hampf, 2018). The second group modifies the disposability assumptions. The most prominent approach in this group imposes weak disposability on undesirable outputs and assumes the joint production of good and undesirable outputs (Färe and Grosskopf, 2003; Kuosmanen, 2005). Under this approach, undesirable outputs can be decreased only if a simultaneously decrease of the good outputs takes place. Hampf (2018) includes in this group the studies which use undesirable outputs as inputs, an approach which was introduced by Hailu and Veeman (2001).

Our modelling framework is in line with Zaim (2004), who applied a directional distance function approach assuming weak disposability of undesirable outputs, to construct an economic index and an environmental index. The ratio of the two indices can be considered as an environmental intensity index. Different from Zaim (2004), this paper uses a network DEA framework; therefore, it is able to consider both production efficiency and the eco-efficiency dimensions at the same time, and estimate an overall ESI. Since the final outputs in our modelling framework are only undesirable outputs, weak disposability and null-joint production can no longer apply. Therefore, we choose the data translation approach in order to handle undesirable outputs (Seiford and Zhu, 2002, 2005).

As the environmental and energy issue has become an increasing concern for China's economic development and social welfare, the related research on the sustainable efficiency or eco-efficiency is growing rapidly, especially during the recent years (See Table 1). However, the majority of these studies employ the conventional DEA model to analyse the eco-efficiency, without considering possible network structures.

Table 1 about here

3. Methodology

Starting with the pioneer work of Färe and Grosskopf (1996), network data envelopment analysis (DEA) opens the “black box” inside the Decision Making Unit (DMU). Instead of considering only the inputs which enter the system in the beginning of the process and the final outputs at the end of the process, network DEA allows the DMU to consist of two or more stages. The stages can either be connected in series with intermediate variables as links, or operate in parallel. Intermediate variables serve as outputs in one stage and inputs in another stage. Kao and Hwang (2010) classify these models into three categories: independent, connected and relational. This paper uses the relational network DEA approach, which considers the interactions among the stages due to intermediate variables, consequently it is able to calculate stage efficiencies and assumes a mathematical relationship among them.

3.1 The multiplicative efficiency decomposition approach

This section presents the network DEA model of Kao and Hwang (2008) which assumes a multiplicative relationship between the two stages. For the j th DMU ($j = 1, \dots, n$) we define x_{ij} ($i = 1, \dots, m$), z_{dj} ($d = 1, \dots, D$) and y_{rj} ($r = 1, \dots, s$) as the i th input, the d th intermediate variable and the r th output respectively and v_i , w_d and y_r as their respective multipliers. The overall efficiency for DMU 0 is as follows:

$$E_0 = \frac{\sum_{r=1}^s u_r^* y_{r0}}{\sum_{i=1}^m v_i^* x_{i0}} \leq 1, E_0^1 = \frac{\sum_{d=1}^D w_d^* z_{d0}}{\sum_{i=1}^m v_i^* x_{i0}} \leq 1, E_0^2 = \frac{\sum_{r=1}^s u_r^* y_{r0}}{\sum_{d=1}^D w_d^* z_{d0}} \leq 1 \quad (1)$$

Under the multiplicative efficiency decomposition approach, the overall efficiency can be calculated as the product of the first and second stage efficiencies: $E_0 = E_0^1 \times E_0^2$. It should be noted here that following Kao and Hwang (2008) the multipliers of the intermediate variables are the same for the first and second stage, an assumption which connects the two stages and allows the fractional model to convert into a linear one. It has been argued that the multiplicative network DEA model cannot be extended to the case of variable returns to scale (VRS) (Chen et al., 2009). However, Wang and Chin (2010) demonstrated an approach to extend Kao and Hwang’s (2008) model to VRS. Note that u^1 and u^2 are free variables which account for the variable returns to scale.

$$E_0 = \max E_0^1 \times E_0^2 = \left[\frac{\sum_{r=1}^s \gamma_r y_{r0} + u^2}{\sum_{i=1}^m \omega_i x_{i0} - u^1} \right] \quad (2)$$

$$\text{s.t.} \quad \frac{\sum_{r=1}^s \gamma_r y_{rj}}{\sum_{i=1}^m \omega_i x_{ij} - u^1} \leq 1,$$

$$\frac{\sum_{r=1}^s \gamma_r y_{r_j} + u^2}{\sum_{i=1}^m \omega_i x_{i_j}} \leq 1,$$

$$\gamma_r, \mu_d, \omega_i \geq 0$$

$$j = 1, \dots, n; i = 1, \dots, m; d = 1, \dots, D; r = 1, \dots, s$$

u^1 and u^2 are free in sign

Using the Charnes and Cooper (1965) transformation, model (2) is equivalent to:

$$E_0 = \max \sum_{r=1}^s \gamma_r y_{r_0} + u^2 \quad (3)$$

s.t.

$$\sum_{i=1}^m \omega_i x_{i_0} - u^1 = 1$$

$$\sum_{d=1}^D \mu_d z_{d_j} - \sum_{i=1}^m \omega_i x_{i_j} + u^1 \leq 0,$$

$$\sum_{r=1}^s \gamma_r y_{r_j} - \sum_{d=1}^D \mu_d z_{d_j} + u^2 \leq 0,$$

$$\gamma_r, \mu_d, \omega_i \geq 0$$

$$j = 1, \dots, n; i = 1, \dots, m; d = 1, \dots, D; r = 1, \dots, s$$

u^1 and u^2 are free in sign

In case the solution and multipliers in (3) are not unique, an additional linear program is needed in order to calculate the stage efficiencies. Following Kao and Hwang (2008), we decide which of the two stages has a priority and we solve the linear program for that stage first, keeping the overall efficiency at the same level as calculated in (3)¹.

$$E_0^2 = \max \sum_{r=1}^s \gamma_r y_{r_0} + u^2 \quad (4)$$

s.t.

$$\sum_{d=1}^D \mu_d z_{d_0} = 1$$

¹ In this study, priority is given to the efficiency of the second stage because we primarily want to focus on the environmental intensity index and the relationship between economic production and environmental pollution.

$$\sum_{r=1}^s \gamma_r y_{r_0} - E_0 \sum_{i=1}^m \omega_i x_{i_0} + E_0 \cdot u^1 + u^2 = 0,$$

$$\sum_{d=1}^D \mu_d z_{d_j} - \sum_{i=1}^m \omega_i x_{i_j} + u^1 \leq 0,$$

$$\sum_{r=1}^s \gamma_r y_{r_j} - \sum_{d=1}^D \mu_d z_{d_j} + u^2 \leq 0$$

$$\gamma_r, \mu_d, \omega_i \geq 0$$

$$j = 1, \dots, n; i = 1, \dots, m; d = 1, \dots, D; r = 1, \dots, s$$

u^1 and u^2 are free in sign

We can calculate the efficiency of the first stage using the optimal solutions from (3) and (4):

$$E_0^1 = \frac{E_0}{E_0^2} \quad (5)$$

3.2 Window analysis of the multiplicative efficiency decomposition approach

DEA window analysis, which originates at the seminal work of Charnes and Cooper (1984), is able to handle data which varies over time and is based on moving averages. Specifically, this approach evaluates the efficiency of a DMU against the efficiency of other DMUs in the same and other periods and also against its own performance over other periods. According to Asmild et al. (2004), window-based DEA analysis captures the efficiency trends over time. Alternative models for the performance analysis over time, such as the global meta-frontier model (Kao and Liu, 2014) which is widely used for the eco-efficiency analysis (Zhang and Chen 2017), treat an additional time period differently. While the addition of a new time period in window analysis will not have an effect on previous performance changes, in the global-meta frontier model the re-estimation of all performance changes will be required, including for previous periods (Pastor et al. 2011).

The first step for the window analysis is to define the size of the rolling window, which is the number of years to be considered every time we run the model. In order to increase the credibility of our results, we choose a narrow three-years window (Asmild et al., 2004). Specifically, we consider n DMUs ($j = 1, \dots, n$) for Ψ periods ($\psi = 1, \dots, \Psi$) where $x_{\psi}^j = (x_{1\psi}^j, x_{2\psi}^j, \dots, x_{m\psi}^j)'$, $z_{\psi}^j = (z_{1\psi}^j, z_{2\psi}^j, \dots, z_{D\psi}^j)'$ and $y_{\psi}^j = (y_{1\psi}^j, y_{2\psi}^j, \dots, y_{s\psi}^j)'$ describe the input ($i = 1, \dots, m$), the intermediate variable ($d = 1, \dots, D$) and the output vector ($r = 1, \dots, s$) of the j th DMU at time ψ .

Furthermore, w_q with $n \times q$ observations define the window which starts at time w , $1 \leq w \leq$

Ψ and has a width of q , $1 \leq q \leq \Psi - w$. Then, matrix of inputs can be defined as:

$$X_{w_q} = (x_w^1, \dots, x_w^n, x_{w+1}^1, \dots, x_{w+1}^n, \dots, x_{w+q}^1, \dots, x_{w+q}^n)$$

the matrix of intermediate variables can be defined as:

$$Z_{w_q} = (z_w^1, \dots, z_w^n, z_{w+1}^1, \dots, z_{w+1}^n, \dots, z_{w+q}^1, \dots, z_{w+q}^n)$$

and the matrix of outputs can be defined as:

$$Y_{w_q} = (y_w^1, \dots, y_w^n, y_{w+1}^1, \dots, y_{w+1}^n, \dots, y_{w+q}^1, \dots, y_{w+q}^n)$$

The VRS version of the multiplicative network DEA model can be represented as follows:

$$E_{w_q\psi} = \max \gamma \cdot y'_\psi + U^2 \quad (6)$$

s.t.

$$\omega \cdot x'_\psi - U^1 = 1$$

$$M \cdot Z_{w_q} - \Omega \cdot X_{w_q} + U^1 \leq 0$$

$$\Gamma \cdot Y_{w_q} - M \cdot Z_{w_q} + U^2 \leq 0$$

$$\gamma_r, \mu_d, \omega_i \geq 0$$

$$j = 1, \dots, n \times q; i = 1, \dots, m; d = 1, \dots, D; r = 1, \dots, s$$

Accordingly, the efficiency of the second stage is:

$$E_{w_q\psi}^2 = \max \gamma \cdot y'_\psi + U^2 \quad (7)$$

s.t.

$$\mu \cdot z'_\psi = 1$$

$$\gamma \cdot Y_{w_q} - E_{w_q} \cdot \Omega \cdot X_{w_q} + E_{w_q} \cdot U^1 + U^2 = 0$$

$$M \cdot Z_{w_q} - \Omega \cdot X_{w_q} + U^1 \leq 0$$

$$\Gamma \cdot Y_{w_q} - M \cdot Z_{w_q} + U^2 \leq 0$$

$$\gamma_r, \mu_d, \omega_i \geq 0$$

$$j = 1, \dots, n \times q; i = 1, \dots, m; d = 1, \dots, D; r = 1, \dots, s$$

Finally, the efficiency of the first stage using the optimal solutions from (6) and (7) is:

$$E_{w_q\psi}^1 = \frac{E_{w_q\psi}}{E_{w_q\psi}^2} \quad (8)$$

4. Empirical Analysis

4.1 Variable and model description

Our empirical application investigates the sustainability efficiency of the 30 Chinese provinces (or autonomous regions, municipalities)² for the time period 2000-2012 based on the data availability. As most of the relevant data is missing, Tibet is dropped from the sample. Considering the particularity of Hong Kong, Macau and Taiwan, they are also excluded from the sample. The data is collected from the China Statistical Yearbook (National Bureau of Statistics of China, 2013a), China Environment Statistical Yearbook (National Bureau of Statistics of China, 2014) and China Energy Statistical Yearbook (National Bureau of Statistics of China, 2013b), dating from 2001 to 2013.

The first stage of the decomposed sustainability efficiency measures the production efficiency, whereas, the second stage measures the eco-efficiency. Following Huppes and Ishikawa (2005), eco-efficiency can be defined as environmental intensity and calculated as the ratio of the undesirable output which is the environmental pollutant to desirable output which is the economic production. The production process of each province consumes capital, labour and energy as inputs and produces GDP which is the intermediate variable. The eco-efficiency process uses GDP as input and produces CO₂ and SO₂ which are the final outputs. Note that the final outputs of the DMU are undesirable, meaning that a higher value of CO₂ and SO₂ should lead to a lower efficiency score. In order to accommodate for undesirable outputs, Seiford and Zhu's (2002) transformation is applied following formula:

$$f(U) = -U + \beta. \quad (9)$$

In equation (9), U represents the vector of the undesirable outputs, which is multiplied by -1. In addition, β represents a proper translation vector such that $f(U) > 0$. Note that weak disposability is usually assumed for the environmental problems, since the reduction of an environmental pressure such as CO₂, requires the reduction of the economic production (Färe and Grosskopf 2004). However, since the final outputs in our modelling framework are only undesirable outputs, weak disposability and null-joint production can no longer apply. Therefore, we choose the data translation approach in order to handle undesirable outputs (Seiford and Zhu, 2002, 2005).

The general framework of our overall two-stage ESI is straightforward. Specifically, a high value of ESI means that the economy is able to expand (in the first stage) without hampering the

² There are four municipalities, including Beijing, Shanghai, Tianjin and Chongqing. Meanwhile, there are five autonomous regions, including Xinjiang, Tibet, Inner Mongolia, Guangxi and Ningxia. They all have the same the administrative status with other provinces.

environment (in the second stage). Therefore, our overall ESI index satisfies the concept of sustainability and serves as a decoupling indicator (Wusthorn et al., 2011).

In order to ensure the validity of the model specification, Avkiran (1999) suggested an isotonicity test, which was adopted by a number of studies across the literature (Mostafa, 2009; Tsolas, 2015; Tsolas and Charles, 2015). This test investigates whether increasing amounts of inputs results in increasing amount of outputs, using the intercorrelations between inputs and outputs. All our variables in the first stage pass this test. Indeed, all the correlations among the three inputs and the one output are positive and significant. There is also one very high correlation coefficient (between capital and GDP). According to Charnes et al. (1994), inputs and outputs which are highly correlated do not have a significant effect on the DEA efficiency score, however, there is discrimination power is lower (Siriopoulos and Tziogkidis 2010). Regarding the second stage, the outputs are anti-isotonic (Dyson et al., 2001; Scheel, 2001) and they were handled using the translation vector (9).

Regarding our modelling framework, we use a VRS model in order to catch any possible scale effects across the Chinese provinces. In order to use models (5)-(7) we need to specify the width of the window. According to Asmild et al. (2004) we choose a narrow 3-year window. Starting with the first window, it includes 2000, 2001 and 2002. Next, the second window excludes 2000 and includes 2003, keeping the width constant at 3 years, and the analysis continues until all the windows are formed. Therefore, there are 11 windows into the analysis and each of them consists of 90 DMUs ($n \times w = 30 \times 3 = 90$), with a total of 990 DMUs. Descriptive statistics are presented at Table 2 and Figure 1 presents the visual illustration of the proposed model.

Table 2 about here

Figure 1 about here

DEA models are deterministic in nature, which means that they do not allow any random noise and every deviation from the frontier is due to inefficiency. This results to a drawback of DEA models, which is the sensitivity to extreme values and outliers. Such extreme observations can impact the shape of the efficient frontier, while their isolated location casts doubt on the credibility of the data (Thanassoulis et al., 2011). The use of DEA window analysis greatly increases the number of observations, which leads to more robust results.

4.2 Empirical Results and discussion

An illustrative example of the window analysis for the Guangdong Province, which is the biggest Chinese province in terms of population³, is provided at Table 3. The first part of Table 3 presents the overall ESI, the second part presents the PEI and the last part presents EEI. Our findings can be analysed either by investigating the Table's rows or by investigating the Table's columns. On the one hand, rows indicate the trend and the behaviour across the same window. On the other hand, columns demonstrate the efficiency of a specific year and its stability across different windows. We can observe that the scores of the ESI and the EEI are relative stable across the years, with a slight increase 3% over the entire period. On the same time, Guangdong Province achieves perfect score for the PEI across the entire period, which is consistent with the results of other scholars (Wang et al., 2013b). The high PEI can perhaps be explained by the intensive competition in the province, mainly due to multinational companies. In addition, Guangdong Province is the first pilot-reform area of "Open-up and reform" since 1978. The local economy has been booming with the international and FDI flowing into China. Plenty of private companies have been set up in the last decades. Moreover, the GDP of Guangdong Province has been ranked as the top one among all the China's provinces for about thirty years. Note that the last line of each part of Table 3 calculates the average results for each year.

Table 3 about here

Table 4 presents the average results for each year for all Chinese provinces. The average results for the overall ESI reveal some heterogeneity among the Chinese provinces. All but three provinces range from 0.611 (Shanghai) to 0.779 (Gansu). Qinghai is the best performing province with an average efficiency of 0.999, closely followed by Hunan (0.971) and Ningxia Hui (0.946). Furthermore, the results are stable across the time period. The largest increase in terms of average annual growth was achieved by Beijing (0.55%) and the largest decrease by Inner Mongolia (0.69%). Figure 2 demonstrates the visual representation of the results⁴.

³ Similar tables have been created for all Chinese provinces and are available upon request. Here we present only one due to space restrictions.

⁴ Bright green colour depicts the most efficient countries and red colour depicts the least efficient countries. The range among each class is 0.10 for all classes. Starting from the better classes in terms of efficiency scores they are classified as bright green, dark green, blue, light blue, turquoise, yellow, rose, pink, orange and red.

Table 4 about here

Figure 2 here

The average PEI scores are very high for all provinces across all years. Specifically, the scores range from 0.935 for Guizhou to perfect unity for Guangdong, Tianjin and Qinghai. The results are stable across time since the largest increase was only 0.20% (Jiangsu) and the largest decrease 0.47% (Guangxi Zhuang). Meanwhile, most of the provinces experienced a slight decrease of production efficiency, which is probably due to the global financial crisis. The average EEI scores are quite similar with the overall ESI scores. All but five provinces range from 0.614 (Guangdong) to 0.788 (Xinjiang). Qinghai is the best performing province with an average efficiency of 0.999, closely followed by Ningxia province (0.974) and Hunan province (0.973). In addition, two provinces achieved efficiency over 80% (Gansu 0.812 and Guizhou 0.814). The results are stable across the entire time period, showing a slightly growing trend for the majority of sample provinces. The largest increase in terms of average annual growth was achieved by Beijing (0.54%) and the largest decrease by Inner Mongolia (0.29%). As the overall ESI is mainly driven by the EEI, it is quite important to focus on the improvement of the latter one. The most developed provinces, like Beijing, Shanghai, Zhejiang, Shandong and Guangdong, all have displayed higher growth rate during the sample period.

Referring to the literature, the 30 provinces are classified into different groups, in order to address the regional heterogeneity. First, they are divided into three groups, i.e. eastern, middle and western areas⁵, based on their location. According to Figure 3, the eastern area has the highest PEI, while the western region achieves best performance on the EEI. The China's eastern region experienced the most remarkable economic development during the last forty years, contributing 55.34% to the total GDP in 2014. The overall ESI is driven by the EEI, since they follow similar patterns. In addition, eastern and middle areas perform similarly, especially after 2005. Both of them have great potential to improve in terms of the overall ESI (by 30%). Meanwhile, the west region can improve its ESI by about 20% in order to reach the efficient frontier.

⁵ The eastern area includes the eight coastal provinces, Liaoning, Hebei, Shandong, Jiangsu, Zhejiang, Fujian, Guangdong and Hainan, and the three municipalities of Beijing, Tianjin and Shanghai. The middle area consists of 10 inland provinces, Heilongjiang, Jilin, Inner Mongolia, Henan, Shanxi, Anhui, Hubei, Hunan, Jiangxi and Guangxi, it is the agricultural base for the country. The western area contains 1 municipality and 9 provinces, Chongqing and provinces of Gansu, Guizhou, Ningxia, Qinghai, Shaanxi, Tibet, Yunnan, Xinjiang and Sichuan.

Furthermore, Figure 3 shows the dynamics of the three indicators during the sample period. In contrast to the EEI, which has an upward trend, the PEI decreased at the beginning of the sample period. Specifically, there was a sharp decrease on the PEI in the middle area starting in 2005. Owing to positive and negative effects being neutralized, the overall ESI displayed a stable pattern before 2009. After this point, the decrease rate of PEI exceeded the increase rate of EEI, leading to the decline of the overall ESI.

Figure 3 about here

The kernel density plots for overall ESI, PEI and EEI are shown in Figure 4. There are obvious differences in distribution patterns among the three areas, indicating regional heterogeneity. In addition, results in certain areas follow the bimodal distribution, suggesting that there is divergence in the specific groups. Meanwhile, the location does not imply a prior advantage on the performance of PEI, which contradicts the findings of previous studies (Wang et al., 2013a,b; Huang et al., 2014).

Figure 4 about here

Furthermore, the 30 provinces are further classified into two groups, based on the regulations on the SO₂ emission⁶. There are 13 regulated provinces in the list of government. We first check whether there are any significant differences in the three indicators between the two groups, using the Wilcoxon-Mann-Whitney rank-sum test. As shown in Table 5, all of the null hypotheses are rejected at the 10% significance level, which implies that the three indices behaved differently in the presence of government's regulation regarding the SO₂ emissions.

Table 5 about here

⁶ According to the Air Pollution Prevention and Control Law, the government decided to restrict the SO₂ emissions in some provinces since 1998, including Beijing, Tianjin, Hebei, Jilin, Liaoning, Inner Mongolia, Shandong, Jiangsu, Henan, Shaanxi, Gansu, Ningxia and Xinjiang. As the regulation on carbon emission has not launched until the beginning of 21 century.

We further display the kernel density plots for the ESI in Figure 5, which indicates obvious differences in distribution patterns for the two groups. This further validates the results presented above.

Figure 5 about here

Figure 6 presents the box plot of unregulated and regulated area for comparison. It appears that the regulated area has higher overall ESI and EEI in comparison to the unregulated area. Meanwhile, the regulated area's PEI seems slightly lower than its counterparty. Overall, the regulation on the SO₂ emissions improved the ESI of the Chinese provinces, despite a slightly decrease in PEI.

Figure 6 about here

The ESI trend for the two distinct groups is shown in Figure 7. The EEI has an increasing trend for both areas. Specifically, regulated area has a leading role in the EEI ever since 2000, which further justifies the effect of regulatory policy. With respect to the PEI, the regulated area displayed an insignificant disadvantage over the unregulated one. After 2005, the gap between the two has been increasing, which may have been caused by the regulatory constraints. Hence, the overall ESI has been worsened for the regulated area since 2005, due to the PEI.

Figure 7 about here

5. Conclusions and Policy implications

As environmental and sustainable development issues have attracted increasing attention in China, the related research on sustainable efficiency and eco-efficiency is growing rapidly. Our study contributes to the sustainable development literature by proposing an innovative methodological framework to study Chinese regions over time. Specifically, this paper analyses the sustainability efficiency of the Chinese provinces during the period of 2000-2012, following a window-based multiplicative network DEA approach. An ESI is constructed, using a network DEA model. The ESI is decomposed into two sub-indices, PEI in the first stage and EEI in the second stage. Different from previous studies, the network structure of the sustainability index takes into account both the production efficiency and the eco-

efficiency dimensions. This is in line with the sustainability principals in general, and the “New Normal” strategy for the economic development of China in particular.

Results show that the ESI of Chinese provinces has been significantly improved during the examined time period. Furthermore, the overall ESI reveals heterogeneity among the provinces. This is consistent with previous studies which found that the performance of Chinese regions is not uniform both in production and in environmental terms (Wang et al., 2013a,b; Huang et al., 2014). The mean score for the ESI is 0.723, which reveals a great potential for improvement. The PEI scores are quite high for all provinces across the entire time period under investigation, with an average score of 0.976. Meanwhile, the EEI scores are quite similar with the overall ESI scores, with a mean of 0.740.

We further divide the provinces into different groups according to their geographical location as well as the environmental regulations. In the first case, the 30 provinces are divided into three areas, i.e. the eastern, middle and western. There is heterogeneity regarding the geographical location for the EEI and as a result the overall ESI. However, the results indicate that the location does not imply a prior advantage on the performance of PEI, which contradicts the findings of previous studies (Wang et al., 2013a,b; Huang et al., 2014). The eastern area experienced the highest results in PEI, while the western area had the best performance in EEI. The eastern and middle areas had a similar performance in ESI, especially after 2005. Both of them have great potential to improve the overall efficiency up to 30%. Meanwhile, the west area can enhance its performance up to 20%. Furthermore, we classify the provinces into two groups based on the regulations for the SO₂ emissions. The regulated area has a leading role in the EEI ever since 2000. However, the regulated area displays worse PEI than the unregulated one, especially after 2005 when the Chinese economic growth accelerated and the gap between the two has been increased. Due to the negative effect of regulation, the overall ESI has been worsened for the regulated area since 2005.

There is large space for China to enhance its ESI, especially for the eastern and middle areas. When initiating reforms or regulations, the government should pay attention to the regional heterogeneity. Specifically, the government should aim to enact different sets of policies in east, central and west areas, in order to improve the environmental sustainability (Choi and Lee 2009). Therefore, each area should be considered as a separate case and based on its own characteristics, such as the level of economic growth, the social environment and the environmental needs (Yu and Choi, 2015). For the provinces located at the eastern and middle areas, their ESI is restricted by the EEI. Although some of the developed

provinces has already made progress on the EEI, they still need to accelerate the green economic growth, which aims for social equity and well-being, with diminishing environmental threats (Chao et al., 2012). Furthermore, the central government can take actions in order to transfer capital towards the deficit areas, aiming to improve environmentally friendly technologies and R&D (Yu and Choi, 2015). In addition, when launching emission regulations, the development of new industries should be encouraged, in order to offset the negative effects of restrictions on old industries.

Further research is still needed on this area. The proposed framework is in line with the sustainability principals; therefore, it can be used to measure the performance of other countries, taking into account the production and the environmental dimensions. Furthermore, due to the availability of the carbon emission data, this paper has not focused on the environmental regulation during recent years. In addition, other environmental pollutants, such as the PM 2.5 and waste water, can also be considered into a future analysis.

References

- Aparicio J, Kapelko M, Ortiz L (2019) Modelling environmental inefficiency under a quota system. <https://doi.org/10.1007/s12351-019-00487-z>
- Asmild M, Paradi JC, Aggarwall V, Schaffnit C (2004) Combining DEA window analysis with the Malmquist index approach in a study of the Canadian banking industry. *J Product Anal* 21:67–89.
- Avkiran N (1999) An application reference for data envelopment analysis in branch banking: Helping the novice researcher. *Int J Bank Marke* 17:206–220.
- Brundtland GH (1987) Our common future. World Commission on Environment and Development, United Nations. www.undocuments.net/our-common-future.pdf.
- Chao C-W, Ma H-W, Heijungs R (2013) The green economy mirage? Examining the environmental implications of low carbon growth plans in Taiwan. *J Ind Ecol* 17:835-845.
- Charnes A, Cooper WW (1984) Preface to topics in data envelopment analysis. *Ann Oper Res* 2(1):59–94.
- Charnes A, Cooper WW, Seiford LM (1994) Extension to DEA Models. In: Charnes A, Cooper WW, Lewin AY, Seiford LM (ed) *Data Envelopment Analysis: Theory, Methodology and Applications*. Kluwer Academic Publishers, Massachusetts, USA.

- Chen Y, Cook WD, Li N, Zhu J (2009) Additive efficiency decomposition in two-stage DEA. *Eur J Oper Res* 196(3):1170–1176.
- Choi Y, Lee EY (2009) Optimizing risk management for the sustainable performance of the Regional Innovation system in Korea through meta-mediation. *Hum Ecol Risk Assess*, 15:270–280.
- Chu J, Wu J, Zhu Q, An Q, Xiong B (2016) Analysis of China's regional eco-efficiency: a DEA two-stage network approach with equitable efficiency decomposition. *Comput Econ* doi: 10.1007/s10614-015-9558-8.
- Dyson RG, Allen R, Camanho AS, Podinovski VV, Sarrico CS, Shale EA (2001) Pitfalls and protocols in DEA. *Eur J Oper Res* 132:245-259.
- Färe R, Grosskopf S (1996) *Intertemporal production frontiers: With dynamic DEA*. Kluwer Academic Publishers, Boston.
- Färe R, Grosskopf S (2003) Non-parametric Productivity Analysis with Undesirable Outputs: Comment. *Am J Agr Econ* 85:1070–74.
- Färe R, Grosskopf S (2004) Modeling undesirable factors in efficiency evaluation: comment. *Eur J Oper Res* 157(1):242–245
- Flamos A, Anagnostopoulos K, Doukas H, Goletsis Y, Psarras J (2004) Application of the IDEA-AM (Integrated Development and Environmental Additionality — Assessment Methodology) to compare 12 real projects from the Mediterranean region. *Oper Res Int J* 4(2):119-145.
- Førsund FR (2009) Good modelling of bad outputs: pollution and multiple-output production. *Int Rev Environ Resour Econ* 3:1–38.
- Hailu A, Veeman TS (2001) Non-parametric productivity analysis with undesirable outputs: An application to the Canadian pulp and paper industry. *Am J Agr Econ* 83(3):605–616.
- Hampf B (2018) Measuring inefficiency in the presence of bad outputs: Does the disposability assumption matter? *Empir Econ* 54(1):101-127.
- Huang J, Yang X, Cheng G, Wang S (2014) A comprehensive eco-efficiency model and dynamics of regional eco-efficiency in China. *J Clean Prod* 67:228–238.
- Huppes G, Ishikawa M (2005) Eco-efficiency and its terminology. *J Ind Ecol* 9(4):43–46.
- Huppes G, Ishikawa M (2011) Visions for industrial ecology: Preface to the special edition. *J Ind Ecol* 15:641-642.

- Kao C, Hwang S-N (2008) Efficiency decomposition in two-stage data envelopment analysis: An application to non-life insurance companies in Taiwan. *Eur J Oper Res* 185:418–429.
- Kao C, Hwang S-N (2010) Efficiency measurement for network systems: IT impact on firm performance. *Decis Support Syst* 48:437–446.
- Kao C, Liu S-T (2014) Multi-period efficiency measurement in data envelopment analysis: The case of Taiwanese commercial banks. *Omega* 47:90–98.
- Kuosmanen T (2005) Weak disposability in nonparametric production analysis with undesirable outputs. *Am J Agr Econ* 87(4):1077-1082.
- Kuosmanen T, Kortelainen M (2005) Measuring eco-efficiency of production with data envelopment analysis. *J Ind Ecol* 9(4):59–72.
- Li LB, Hu JL (2012) Ecological total-factor energy efficiency of regions in China. *Energ Policy* 46:216–224.
- Lovell CAK, Pastor JT, Turner JA (1995) Measuring macroeconomic performance in the OECD: A comparison of European and non-European countries. *Eur J Oper Res* 87(3):507–518.
- Lu Z, Wang H, Yue Q (2015) Decoupling analysis of the environmental mountain: with case studies from China. *J Ind Ecol* 19:1082-1090.
- Mostafa MM (2009) Modeling the efficiency of top Arab banks: A DEA–neural network approach. *Expert Syst Appl* 36:309-320.
- National Bureau of Statistics of China (2013a) *China Statistical Yearbook 2013*. China: China Statistics Press. ISBN-13: 978-7503769634.
- National Bureau of Statistics of China (2013b) *China Energy Statistics Yearbook 2013*. China: China Statistics Press. ISBN-13: 978-7-5037-7022-7.
- National Bureau of Statistics of China (2014) *China Environment Statistical Yearbook 2013*. China: China Statistics Press. ISBN-13: 978-7503770234.
- Olivier JGJ, Schure KM, Peters JAHW (2017) Trends in global CO₂ and total greenhouse gas emissions: 2017 report. The Hague: PBL Netherlands Environmental Assessment Agency.
- Pastor JT, Asmild M, Lovell CK (2011) The biennial Malmquist productivity change index. *Socio Econ Plann Sci* 45(1):10–15.
- Peng C, Wu X, Fu Y, Lai KK (2017) Alternative approaches to constructing composite indicators: an application to construct a Sustainable Energy Index for APEC economies. *Oper Res Int J* 17(3):747-759.

- Ren S, Li X, Yuan B, Li D, Chen X (2016) The effects of three types of environmental regulation on eco-efficiency: A cross-region analysis in China. *J Clean Prod* 173(1):245–255.
- Scheel H (2001) Undesirable outputs in efficiency valuations. *Eur J Oper Res* 132:400–410.
- Seiford LM, Zhu J (2005) A response to comments on modeling undesirable factors in efficiency evaluation. *Eur J Oper Res* 161(2):579–581.
- Seiford LM, Zhu J (2002) Modeling undesirable factors in efficiency evaluation. *Eur J Oper Res* 142(1):16–20.
- Shephard RW (1970) *Theory of cost and production functions*. Princeton University Press, Princeton.
- Siriopoulos C, Tziogkidis P (2010) How do Greek banking institutions react after significant events? A DEA approach. *Omega* 38(5):294–308.
- Song M-L, Zhou Y-X, Zhang R-R, Fisher R (2017) Environmental efficiency evaluation with left–right fuzzy numbers. *Oper Res Int J* 17(3):697-714.
- Tanaka S (2015) Environmental regulations on air pollution in China and their impact on infant mortality. *J Health Econ* 42:90–103.
- Thanassoulis E, Kortelainen M, Johnes G, Johnes J (2011) Costs and efficiency of higher education institutions in England: a DEA analysis. *J Oper Res Soc* 62(7):1282-1297.
- Tsolas IE (2015) Firm credit risk evaluation: a series two-stage DEA modeling framework. *Ann Oper Res* 233:483-500.
- Tsolas IE, Charles V (2015) Incorporating risk into bank efficiency: A satisficing DEA approach to assess the Greek banking crisis. *Expert Syst Appl* 42(7):3491-3500
- Wang K, Yu S, Zhang W (2013c) China’s regional energy and environmental efficiency: A DEA window analysis based dynamic evaluation. *Math Comput Model* 58:1117-1127.
- Wang K, Wei YM, Zhang X (2013a) Energy and emissions efficiency patterns of Chinese regions: a multi-directional efficiency analysis. *Appl Energy* 104:105–116.
- Wang K, Lu B, Wei YM (2013b) China’s regional energy and environmental efficiency: A Range-Adjusted Measure based analysis. *Appl Energy* 112:1403-1415.
- Wang K, Mi Z, Wei Y-M (2018) Will pollution taxes improve joint ecological and economic efficiency of thermal power industry in China? A DEA-based materials balance approach. *J Ind Ecol* 23:389-401.
- Wang Y-M, Chin K-S (2010) Some alternative DEA models for two-stage process. *Expert Syst Appl* 37:8799–8808.

- Wu J, Zhu Q, Yin P, Song M (2017) Measuring energy and environmental performance for regions in China by using DEA-based Malmquist indices. *Oper Res Int J* 17(3):715-735.
- Wursthorn S, Poganietz W-R, Schebek L (2011) Economic environmental monitoring indicators for European countries: A disaggregated sector-based approach for monitoring eco-efficiency. *Ecol Econ* 70(3):487–496.
- Yang L, Zhang X (2018) Assessing regional eco-efficiency from the perspective of resource, environmental and economic performance in China: a bootstrapping approach in global data envelopment analysis. *J Clean Prod* 173:100–111.
- Yang L, Ouyang H, Fang K, Ye L, Zhang J (2015) Evaluation of regional environmental efficiencies in China based on super-efficiency-DEA. *Ecol Indic* 51:13-19.
- Yu Y, Choi Y (2015) Measuring Environmental Performance Under Regional Heterogeneity in China: A Metafrontier Efficiency Analysis. 46(3):375-388.
- Zaim O (2004) Measuring environmental performance of state manufacturing through changes in pollution intensities: A DEA framework. *Ecol Econ* 48(1):37–47.
- Zhang B, Bi J, Fan Z, Yuan Z, Ge J (2008) Eco-efficiency analysis of industrial system in China: A data envelopment analysis approach. *Ecol Econ* 68(1-2):306–316.
- Zhang J, Zeng W, Shi H (2016) Regional environmental efficiency in China: Analysis based on a regional slack-based measure with environmental undesirable outputs. *Ecol Indic* 71:218-228.
- Zhang N, Chen Z (2017) Sustainability characteristics of China's Poyang Lake Eco-Economics Zone in the big data environment. *J Clean Prod* 142:642–653.

Table 1: Literature on the eco-efficiency of different provinces in China

| Author | Methodology | Inputs and outputs | Time Period | Sample |
|------------------------|---|---|--------------------|---------------|
| Zhang et al. (2008) | DEA-CCR | Input: Water resource, Raw mining resource, Energy Output: Value-added of industry, COD, NO _x , SO ₂ , Soot emission, Dust emission, Industrial solid wastes | 2005 | 30 provinces |
| Li and Hu (2012) | SBM | Input: Capital, Labor, Energy Output: GDP, CO ₂ , SO ₂ | 2005-2009 | 30 provinces |
| Wang et al. (2013a) | RAM-DEA | Input: Capital, Labor, Energy Output: GDP, CO ₂ | 2006-2010 | 30 provinces |
| Wang et al. (2013b) | MEA | Input: Capital, Labor, Energy Output: GDP, CO ₂ | 1997-2010 | 30 provinces |
| Wang et al. (2013c) | non-radial DEA, DEA window analysis | Input: Capital, Labor, Energy Output: GDP, CO ₂ , SO ₂ | 2000-2008 | 29 provinces |
| Huang et al. (2014) | GB-US-SBM model | Input: Capital, Land, Labor and Energy Output: GDP, environment index | 2000-2010 | 30 provinces |
| Yang et al. (2015) | Supper- efficiency DEA | Input: Capital, Labor, Energy Output: GDP, CO ₂ , SO ₂ | 2000-2010 | 30 provinces |
| Chu et al. (2016) | Two-stage Network DEA | Input: capital, Labor, Energy, Pollution control investments Intermediate: Waste Water, Waste gas, Solid Waste Output: GDP, Waste Water removed, Waste gas removed, Solid waste removed | 2013 | 30 provinces |
| Zhang et al. (2016) | SBM | Input: Capital, Labor, Energy Output: GDP, COD, CO ₂ , SO ₂ | 2005-2011 | 30 provinces |

| | | | | |
|-----------------------------|--|---|-----------|--------------|
| Ren et al. (2016) | DEA-DDF | Input: Energy, Labor, Land, Water Output: GDP, Industrial waste water, Chemical oxygen, SO ₂ , Soot emission, Dust emission, solid waste | 2000-2013 | 30 provinces |
| Yang and Zhang (2018) | Global DEA, Malmquist- Luenberger index | Input: Capital stock, Labor, Construction land area, Water, Energy Output: GDP, Solid Waste emission, Waste Water, SO ₂ , Household Refuse, Soot and Dust emission | 2003-2014 | 30 provinces |

Table 2: Descriptive statistics

| | | 2000 | 2001 | 2002 | 2003 | 2004 | 2005 | 2006 | 2007 | 2008 | 2009 | 2010 | 2011 | 2012 |
|---------|--------------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|-----------|
| Capital | mean | 7860.26 | 8802.88 | 9893.48 | 11256.01 | 12887.48 | 14906.78 | 17323.12 | 20148.95 | 23402.12 | 27421.90 | 32096.07 | 37311.49 | 43098.65 |
| | Stdev | 5059.46 | 5739.78 | 6517.13 | 7513.96 | 8687.58 | 10132.74 | 11768.52 | 13565.96 | 15517.59 | 17988.43 | 20775.13 | 23972.29 | 27035.02 |
| | Min | 1195.31 | 1368.19 | 1571.08 | 1808.51 | 2059.04 | 2338.17 | 2644.85 | 2987.68 | 3362.38 | 3882.35 | 4562.18 | 5392.49 | 6535.35 |
| | Max | 19945.72 | 22523.83 | 25474.13 | 29530.21 | 34005.36 | 39679.18 | 46059.69 | 53000.56 | 60804.50 | 71330.97 | 83356.20 | 96223.94 | 110064.98 |
| Labor | mean | 2095.18 | 2097.60 | 2121.69 | 2157.74 | 2205.81 | 2262.90 | 2318.09 | 2373.24 | 2426.36 | 2493.07 | 2555.31 | 2641.09 | 2663.03 |
| | Stdev | 1422.84 | 1419.69 | 1414.27 | 1432.98 | 1458.68 | 1509.50 | 1547.77 | 1587.67 | 1620.22 | 1662.03 | 1700.90 | 1710.59 | 1711.99 |
| | Min | 238.57 | 240.32 | 247.30 | 254.26 | 263.08 | 267.62 | 271.80 | 276.29 | 276.79 | 285.54 | 294.10 | 309.18 | 310.89 |
| | Max | 5571.67 | 5516.59 | 5522.00 | 5535.68 | 5587.45 | 5662.41 | 5717.70 | 5772.72 | 5835.45 | 5948.78 | 6041.56 | 6198.00 | 6288.00 |
| Energy | mean | 4949.40 | 5244.19 | 5649.67 | 6415.15 | 7432.88 | 8845.80 | 9718.07 | 10517.76 | 11038.67 | 11719.66 | 12674.83 | 14023.04 | 14328.53 |
| | Stdev | 3060.11 | 3255.10 | 3503.03 | 3975.43 | 4668.28 | 6120.00 | 6729.56 | 7228.63 | 7527.94 | 7774.99 | 8354.37 | 9157.12 | 9266.10 |
| | Min | 424.08 | 466.48 | 545.12 | 623.76 | 657.61 | 699.73 | 861.87 | 1001.01 | 1205.23 | 1288.69 | 1253.58 | 1381.52 | 1615.75 |
| | Max | 11970.47 | 12321.39 | 12194.96 | 14272.37 | 18052.62 | 26333.26 | 29442.20 | 32085.32 | 33423.48 | 34124.86 | 36987.29 | 38973.31 | 40630.76 |
| GDP | mean | 3279.58 | 3596.01 | 3987.21 | 4478.03 | 5089.77 | 5760.36 | 6556.44 | 7509.58 | 8402.18 | 9380.27 | 10610.43 | 11856.83 | 13069.41 |
| | Stdev | 2538.82 | 2799.32 | 3134.72 | 3578.10 | 4111.92 | 4702.23 | 5401.02 | 6195.51 | 6880.55 | 7612.50 | 8541.62 | 9397.35 | 10212.01 |
| | min | 263.68 | 294.56 | 330.14 | 369.30 | 414.62 | 465.21 | 521.96 | 587.21 | 661.78 | 728.62 | 840.10 | 953.51 | 1070.34 |

| | | | | | | | | | | | | | | |
|-----------------|--------------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|-----------|----------|
| | max | 10741.25 | 11867.83 | 13336.29 | 15316.33 | 17581.26 | 20064.83 | 23035.81 | 26460.15 | 29221.18 | 32041.04 | 36030.23 | 39628.60 | 42860.33 |
| CO ₂ | mean | 12934.88 | 13707.07 | 14809.62 | 16853.00 | 19590.54 | 23225.24 | 25527.02 | 27570.14 | 28998.25 | 30761.25 | 33300.06 | 36922.20 | 37684.20 |
| | stdev | 7903.79 | 8438.36 | 9185.73 | 10457.86 | 12311.16 | 16078.51 | 17723.15 | 19036.53 | 19949.57 | 20578.63 | 22145.10 | 24379.07 | 24617.79 |
| | min | 977.35 | 1066.24 | 1269.62 | 1472.99 | 1744.88 | 1872.27 | 2339.28 | 2560.55 | 2892.14 | 3262.02 | 3308.75 | 3629.54 | 4260.97 |
| | max | 30773.91 | 31367.55 | 32667.70 | 38048.88 | 47760.00 | 69261.08 | 77351.87 | 84115.31 | 88226.56 | 90102.81 | 97449.01 | 102411.23 | 10667.02 |
| | mean | 64.84 | 62.57 | 62.60 | 71.96 | 75.17 | 84.78 | 86.21 | 82.26 | 77.36 | 73.81 | 72.29 | 73.82 | 70.47 |
| SO ₂ | stdev | 43.80 | 43.37 | 42.50 | 46.46 | 46.53 | 50.94 | 51.03 | 47.79 | 44.41 | 42.07 | 40.88 | 44.35 | 41.93 |
| | min | 2.00 | 2.00 | 2.20 | 2.30 | 2.30 | 2.20 | 2.40 | 2.56 | 2.20 | 2.20 | 2.88 | 3.26 | 3.41 |
| | max | 180.00 | 172.00 | 169.00 | 184.00 | 182.00 | 200.00 | 196.00 | 182.00 | 169.00 | 159.00 | 154.00 | 183.00 | 175.00 |

Table 3: A three-year window analysis for the Guangdong Province

| Overall efficiency | 2000 | 2001 | 2002 | 2003 | 2004 | 2005 | 2006 | 2007 | 2008 | 2009 | 2010 | 2011 | 2012 |
|------------------------------|--------------|--------------|--------------|--------------|--------------|--------------|--------------|--------------|--------------|--------------|--------------|--------------|--------------|
| W1 | 0.601 | 0.594 | 0.587 | | | | | | | | | | |
| W2 | | 0.606 | 0.599 | 0.590 | | | | | | | | | |
| W3 | | | 0.611 | 0.602 | 0.593 | | | | | | | | |
| W4 | | | | 0.613 | 0.605 | 0.597 | | | | | | | |
| W5 | | | | | 0.617 | 0.608 | 0.600 | | | | | | |
| W6 | | | | | | 0.620 | 0.611 | 0.603 | | | | | |
| W7 | | | | | | | 0.623 | 0.614 | 0.609 | | | | |
| W8 | | | | | | | | 0.626 | 0.620 | 0.615 | | | |
| W9 | | | | | | | | | 0.632 | 0.626 | 0.619 | | |
| W10 | | | | | | | | | | 0.635 | 0.628 | 0.623 | |
| W11 | | | | | | | | | | | 0.642 | 0.636 | 0.631 |
| Average | 0.601 | 0.600 | 0.599 | 0.602 | 0.605 | 0.608 | 0.611 | 0.615 | 0.620 | 0.625 | 0.630 | 0.629 | 0.631 |
| Production efficiency | | | | | | | | | | | | | |
| W1 | 1.000 | 0.999 | 1.000 | | | | | | | | | | |
| W2 | | 1.000 | 1.000 | 1.000 | | | | | | | | | |
| W3 | | | 1.000 | 1.000 | 1.000 | | | | | | | | |
| W4 | | | | 1.000 | 1.000 | 1.000 | | | | | | | |
| W5 | | | | | 1.000 | 1.000 | 1.000 | | | | | | |
| W6 | | | | | | 1.000 | 1.000 | 1.000 | | | | | |
| W7 | | | | | | | 1.000 | 1.000 | 1.000 | | | | |
| W8 | | | | | | | | 1.000 | 1.000 | 1.000 | | | |
| W9 | | | | | | | | | 1.000 | 1.000 | 1.000 | | |
| W10 | | | | | | | | | | 1.000 | 1.000 | 1.000 | |
| W11 | | | | | | | | | | | 1.000 | 1.000 | 1.000 |
| Average | 1.000 | 1.000 | 1.000 | 1.000 | 1.000 | 1.000 | 1.000 | 1.000 | 1.000 | 1.000 | 1.000 | 1.000 | 1.000 |
| Eco-efficiency | | | | | | | | | | | | | |

| | | | | | | | | | | | | | |
|----------------|--------------|--------------|--------------|--------------|--------------|--------------|--------------|--------------|--------------|--------------|--------------|--------------|--------------|
| W1 | 0.601 | 0.594 | 0.587 | | | | | | | | | | |
| W2 | | 0.606 | 0.599 | 0.590 | | | | | | | | | |
| W3 | | | 0.611 | 0.602 | 0.593 | | | | | | | | |
| W4 | | | | 0.613 | 0.605 | 0.597 | | | | | | | |
| W5 | | | | | 0.617 | 0.608 | 0.600 | | | | | | |
| W6 | | | | | | 0.620 | 0.612 | 0.603 | | | | | |
| W7 | | | | | | | 0.623 | 0.614 | 0.609 | | | | |
| W8 | | | | | | | | 0.626 | 0.620 | 0.615 | | | |
| W9 | | | | | | | | | 0.632 | 0.626 | 0.619 | | |
| W10 | | | | | | | | | | 0.635 | 0.628 | 0.623 | |
| W11 | | | | | | | | | | | 0.642 | 0.636 | 0.631 |
| Average | 0.601 | 0.600 | 0.599 | 0.602 | 0.605 | 0.608 | 0.612 | 0.615 | 0.620 | 0.625 | 0.630 | 0.629 | 0.631 |

Table 4: Efficiency scores over time

| Province | 2000 | 2001 | 2002 | 2003 | 2004 | 2005 | 2006 | 2007 | 2008 | 2009 | 2010 | 2011 | 2012 | Average | Average Annual Growth |
|--|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|---------|-----------------------|
| Overall Sustainability efficiency index | | | | | | | | | | | | | | | |
| BJS | 0.691 | 0.689 | 0.685 | 0.690 | 0.698 | 0.706 | 0.704 | 0.705 | 0.713 | 0.715 | 0.721 | 0.773 | 0.735 | 0.710 | 0.005526 |
| TJS | 0.749 | 0.745 | 0.741 | 0.742 | 0.748 | 0.754 | 0.750 | 0.750 | 0.748 | 0.748 | 0.748 | 0.757 | 0.745 | 0.748 | 0.000428 |
| HEB | 0.632 | 0.629 | 0.627 | 0.632 | 0.636 | 0.639 | 0.641 | 0.645 | 0.647 | 0.650 | 0.656 | 0.652 | 0.652 | 0.641 | 0.002594 |
| SAX | 0.730 | 0.725 | 0.721 | 0.724 | 0.727 | 0.728 | 0.726 | 0.724 | 0.725 | 0.725 | 0.726 | 0.720 | 0.717 | 0.725 | 0.001498 |
| IMZ | 0.760 | 0.757 | 0.752 | 0.749 | 0.744 | 0.736 | 0.727 | 0.721 | 0.718 | 0.714 | 0.713 | 0.705 | 0.699 | 0.730 | 0.006884 |
| LNS | 0.655 | 0.656 | 0.656 | 0.661 | 0.663 | 0.666 | 0.667 | 0.668 | 0.667 | 0.670 | 0.673 | 0.669 | 0.668 | 0.665 | 0.001580 |
| JLS | 0.733 | 0.732 | 0.730 | 0.736 | 0.741 | 0.747 | 0.737 | 0.727 | 0.721 | 0.719 | 0.718 | 0.712 | 0.709 | 0.728 | 0.002793 |
| HLJ | 0.680 | 0.681 | 0.682 | 0.690 | 0.697 | 0.707 | 0.710 | 0.712 | 0.716 | 0.717 | 0.722 | 0.716 | 0.714 | 0.703 | 0.004087 |
| SHS | 0.657 | 0.656 | 0.654 | 0.658 | 0.661 | 0.669 | 0.671 | 0.673 | 0.679 | 0.685 | 0.691 | 0.704 | 0.699 | 0.674 | 0.005181 |
| JSS | 0.599 | 0.603 | 0.605 | 0.609 | 0.609 | 0.609 | 0.613 | 0.617 | 0.622 | 0.627 | 0.632 | 0.634 | 0.639 | 0.617 | 0.005412 |
| ZJS | 0.626 | 0.623 | 0.624 | 0.629 | 0.628 | 0.628 | 0.629 | 0.631 | 0.637 | 0.641 | 0.646 | 0.646 | 0.649 | 0.634 | 0.003074 |
| AHS | 0.688 | 0.686 | 0.685 | 0.691 | 0.696 | 0.706 | 0.705 | 0.704 | 0.705 | 0.707 | 0.711 | 0.706 | 0.702 | 0.699 | 0.001684 |
| FJS | 0.677 | 0.677 | 0.675 | 0.679 | 0.686 | 0.692 | 0.691 | 0.689 | 0.693 | 0.693 | 0.696 | 0.692 | 0.692 | 0.687 | 0.001774 |
| JXS | 0.733 | 0.730 | 0.724 | 0.723 | 0.729 | 0.734 | 0.729 | 0.728 | 0.730 | 0.733 | 0.734 | 0.730 | 0.732 | 0.730 | 0.000112 |
| SHD | 0.603 | 0.599 | 0.597 | 0.600 | 0.602 | 0.604 | 0.606 | 0.611 | 0.617 | 0.622 | 0.626 | 0.629 | 0.633 | 0.611 | 0.004051 |
| HEN | 0.637 | 0.635 | 0.633 | 0.638 | 0.641 | 0.642 | 0.642 | 0.641 | 0.640 | 0.640 | 0.642 | 0.638 | 0.646 | 0.640 | 0.001187 |
| HUB | 0.657 | 0.655 | 0.653 | 0.659 | 0.664 | 0.672 | 0.672 | 0.674 | 0.678 | 0.680 | 0.684 | 0.679 | 0.677 | 0.669 | 0.002541 |
| HUN | 0.677 | 0.674 | 0.672 | 0.678 | 0.682 | 0.687 | 0.688 | 0.688 | 0.691 | 0.692 | 0.694 | 0.689 | 0.690 | 0.685 | 0.001596 |
| GDS | 0.601 | 0.600 | 0.599 | 0.602 | 0.605 | 0.608 | 0.611 | 0.615 | 0.620 | 0.625 | 0.630 | 0.629 | 0.631 | 0.614 | 0.004172 |
| GXZ | 0.730 | 0.727 | 0.724 | 0.730 | 0.735 | 0.740 | 0.734 | 0.729 | 0.728 | 0.726 | 0.721 | 0.710 | 0.704 | 0.726 | 0.002899 |
| HAN | 1.000 | 0.899 | 0.931 | 0.972 | 0.939 | 1.000 | 0.999 | 1.000 | 0.998 | 0.956 | 0.947 | 0.994 | 0.989 | 0.971 | 0.000071 |
| CQS | 0.741 | 0.738 | 0.732 | 0.741 | 0.745 | 0.747 | 0.744 | 0.745 | 0.736 | 0.740 | 0.744 | 0.737 | 0.738 | 0.740 | 0.000252 |
| SCS | 0.658 | 0.656 | 0.654 | 0.657 | 0.661 | 0.672 | 0.673 | 0.672 | 0.674 | 0.676 | 0.682 | 0.681 | 0.680 | 0.669 | 0.002745 |
| GZS | 0.751 | 0.747 | 0.742 | 0.744 | 0.751 | 0.765 | 0.767 | 0.768 | 0.772 | 0.775 | 0.780 | 0.774 | 0.766 | 0.762 | 0.001737 |
| YNS | 0.702 | 0.700 | 0.699 | 0.704 | 0.712 | 0.719 | 0.717 | 0.716 | 0.721 | 0.724 | 0.725 | 0.717 | 0.713 | 0.713 | 0.001344 |
| SNX | 0.696 | 0.694 | 0.692 | 0.697 | 0.702 | 0.712 | 0.708 | 0.707 | 0.707 | 0.709 | 0.710 | 0.705 | 0.701 | 0.703 | 0.000710 |

| | | | | | | | | | | | | | | | |
|------------------------------------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|----------|
| GSS | 0.797 | 0.792 | 0.786 | 0.790 | 0.801 | 0.810 | 0.807 | 0.805 | 0.800 | 0.802 | 0.805 | 0.797 | 0.791 | 0.799 | 0.000696 |
| QHS | 1.000 | 0.994 | 0.996 | 1.000 | 0.998 | 1.000 | 1.000 | 1.000 | 1.000 | 0.996 | 1.000 | 0.998 | 1.000 | 0.999 | 0.000004 |
| NXZ | 0.968 | 0.961 | 0.952 | 0.952 | 0.957 | 0.960 | 0.954 | 0.950 | 0.947 | 0.929 | 0.934 | 0.920 | 0.918 | 0.946 | 0.004376 |
| XJZ | 0.728 | 0.726 | 0.724 | 0.728 | 0.735 | 0.743 | 0.740 | 0.741 | 0.747 | 0.753 | 0.760 | 0.755 | 0.750 | 0.741 | 0.002510 |
| Production efficiency index | | | | | | | | | | | | | | | |
| BJS | 0.999 | 1.000 | 0.997 | 0.997 | 0.998 | 0.998 | 0.997 | 0.997 | 0.999 | 0.999 | 0.999 | 1.000 | 1.000 | 0.998 | 0.000115 |
| TJS | 1.000 | 0.999 | 1.000 | 0.999 | 1.000 | 1.000 | 1.000 | 1.000 | 1.000 | 1.000 | 1.000 | 1.000 | 1.000 | 1.000 | 0.000011 |
| HEB | 0.966 | 0.962 | 0.960 | 0.960 | 0.960 | 0.960 | 0.959 | 0.958 | 0.954 | 0.951 | 0.954 | 0.952 | 0.949 | 0.957 | 0.001466 |
| SAX | 0.985 | 0.981 | 0.981 | 0.983 | 0.986 | 0.984 | 0.977 | 0.973 | 0.966 | 0.955 | 0.954 | 0.951 | 0.947 | 0.971 | 0.003233 |
| IMZ | 1.000 | 1.000 | 1.000 | 0.998 | 0.996 | 0.992 | 0.983 | 0.976 | 0.973 | 0.968 | 0.965 | 0.960 | 0.953 | 0.982 | 0.003986 |
| LNS | 0.993 | 0.994 | 0.996 | 0.997 | 0.994 | 0.992 | 0.989 | 0.987 | 0.980 | 0.980 | 0.980 | 0.978 | 0.975 | 0.987 | 0.001566 |
| JLS | 0.997 | 0.997 | 0.995 | 0.996 | 0.996 | 0.993 | 0.983 | 0.973 | 0.964 | 0.959 | 0.954 | 0.951 | 0.950 | 0.978 | 0.004020 |
| HLJ | 0.983 | 0.985 | 0.988 | 0.992 | 0.996 | 0.999 | 1.000 | 0.999 | 0.999 | 0.996 | 0.997 | 0.994 | 0.990 | 0.994 | 0.000634 |
| SHS | 0.999 | 0.999 | 0.998 | 0.997 | 0.998 | 0.996 | 0.997 | 1.000 | 1.000 | 0.999 | 1.000 | 0.999 | 1.000 | 0.999 | 0.000099 |
| JSS | 0.973 | 0.979 | 0.985 | 0.985 | 0.981 | 0.976 | 0.977 | 0.980 | 0.982 | 0.983 | 0.985 | 0.990 | 0.996 | 0.983 | 0.001984 |
| ZJS | 0.979 | 0.977 | 0.981 | 0.985 | 0.979 | 0.972 | 0.970 | 0.968 | 0.969 | 0.967 | 0.968 | 0.969 | 0.970 | 0.973 | 0.000787 |
| AHS | 0.984 | 0.982 | 0.982 | 0.982 | 0.985 | 0.983 | 0.982 | 0.980 | 0.977 | 0.977 | 0.979 | 0.977 | 0.973 | 0.980 | 0.000911 |
| FJS | 1.000 | 1.000 | 0.998 | 0.998 | 0.997 | 0.993 | 0.995 | 0.993 | 0.993 | 0.989 | 0.990 | 0.986 | 0.987 | 0.994 | 0.001049 |
| JXS | 1.000 | 0.997 | 0.991 | 0.986 | 0.983 | 0.980 | 0.976 | 0.973 | 0.975 | 0.976 | 0.975 | 0.975 | 0.978 | 0.982 | 0.001858 |
| SHD | 0.977 | 0.971 | 0.970 | 0.968 | 0.967 | 0.966 | 0.966 | 0.968 | 0.971 | 0.972 | 0.973 | 0.978 | 0.983 | 0.972 | 0.000545 |
| HEN | 0.974 | 0.972 | 0.969 | 0.968 | 0.969 | 0.966 | 0.962 | 0.956 | 0.949 | 0.943 | 0.940 | 0.937 | 0.948 | 0.958 | 0.002264 |
| HUB | 0.963 | 0.960 | 0.958 | 0.958 | 0.959 | 0.960 | 0.960 | 0.960 | 0.961 | 0.961 | 0.963 | 0.961 | 0.960 | 0.961 | 0.000284 |
| HUN | 0.992 | 0.990 | 0.986 | 0.987 | 0.987 | 0.982 | 0.981 | 0.980 | 0.979 | 0.978 | 0.977 | 0.973 | 0.976 | 0.982 | 0.001408 |

| | | | | | | | | | | | | | | | | |
|-----------------------------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|----------|----------|
| GDS | 1.000 | 1.000 | 1.000 | 1.000 | 1.000 | 1.000 | 1.000 | 1.000 | 1.000 | 1.000 | 1.000 | 1.000 | 1.000 | 1.000 | 1.000 | 0.000000 |
| GXZ | 1.000 | 0.996 | 0.995 | 0.994 | 0.990 | 0.988 | 0.984 | 0.978 | 0.975 | 0.970 | 0.961 | 0.951 | 0.945 | 0.979 | 0.004740 | |
| HAN | 1.000 | 1.000 | 1.000 | 1.000 | 1.000 | 1.000 | 0.999 | 1.000 | 0.998 | 0.996 | 1.000 | 0.994 | 0.989 | 0.998 | 0.000920 | |
| CQS | 0.980 | 0.978 | 0.973 | 0.975 | 0.970 | 0.964 | 0.963 | 0.965 | 0.957 | 0.961 | 0.967 | 0.966 | 0.972 | 0.969 | 0.000711 | |
| SCS | 0.977 | 0.975 | 0.972 | 0.970 | 0.971 | 0.974 | 0.975 | 0.974 | 0.969 | 0.969 | 0.975 | 0.979 | 0.980 | 0.974 | 0.000273 | |
| GZS | 0.934 | 0.931 | 0.927 | 0.925 | 0.929 | 0.934 | 0.937 | 0.939 | 0.939 | 0.940 | 0.943 | 0.943 | 0.939 | 0.935 | 0.000439 | |
| YNS | 0.957 | 0.954 | 0.953 | 0.952 | 0.954 | 0.949 | 0.947 | 0.945 | 0.947 | 0.947 | 0.944 | 0.940 | 0.937 | 0.948 | 0.001780 | |
| SNX | 0.936 | 0.935 | 0.937 | 0.938 | 0.939 | 0.940 | 0.938 | 0.938 | 0.937 | 0.937 | 0.937 | 0.936 | 0.934 | 0.937 | 0.000154 | |
| GSS | 0.995 | 0.992 | 0.988 | 0.987 | 0.990 | 0.991 | 0.990 | 0.987 | 0.977 | 0.975 | 0.974 | 0.971 | 0.967 | 0.983 | 0.002411 | |
| QHS | 1.000 | 1.000 | 1.000 | 1.000 | 0.999 | 1.000 | 1.000 | 1.000 | 1.000 | 0.999 | 1.000 | 0.998 | 1.000 | 1.000 | 0.000001 | |
| NXZ | 0.988 | 0.987 | 0.985 | 0.982 | 0.977 | 0.974 | 0.973 | 0.971 | 0.971 | 0.956 | 0.961 | 0.954 | 0.958 | 0.972 | 0.002516 | |
| XJZ | 0.943 | 0.941 | 0.940 | 0.940 | 0.939 | 0.938 | 0.935 | 0.937 | 0.939 | 0.940 | 0.943 | 0.942 | 0.939 | 0.940 | 0.000357 | |
| Eco-efficiency index | | | | | | | | | | | | | | | | |
| BJS | 0.692 | 0.689 | 0.687 | 0.692 | 0.699 | 0.708 | 0.706 | 0.707 | 0.714 | 0.716 | 0.721 | 0.773 | 0.735 | 0.711 | 0.005405 | |
| TJS | 0.749 | 0.745 | 0.741 | 0.742 | 0.748 | 0.754 | 0.750 | 0.750 | 0.748 | 0.748 | 0.748 | 0.757 | 0.745 | 0.748 | 0.000440 | |
| HEB | 0.654 | 0.654 | 0.654 | 0.658 | 0.662 | 0.665 | 0.669 | 0.673 | 0.678 | 0.683 | 0.687 | 0.686 | 0.686 | 0.670 | 0.004064 | |
| SAX | 0.741 | 0.739 | 0.735 | 0.736 | 0.737 | 0.740 | 0.743 | 0.744 | 0.751 | 0.759 | 0.761 | 0.757 | 0.757 | 0.746 | 0.001752 | |
| IMZ | 0.760 | 0.757 | 0.752 | 0.750 | 0.747 | 0.742 | 0.740 | 0.738 | 0.738 | 0.737 | 0.739 | 0.734 | 0.733 | 0.744 | 0.002908 | |
| LNS | 0.660 | 0.660 | 0.659 | 0.663 | 0.667 | 0.671 | 0.675 | 0.677 | 0.681 | 0.684 | 0.687 | 0.684 | 0.685 | 0.673 | 0.003152 | |
| JLS | 0.736 | 0.734 | 0.733 | 0.738 | 0.744 | 0.752 | 0.750 | 0.748 | 0.748 | 0.750 | 0.753 | 0.749 | 0.747 | 0.745 | 0.001225 | |
| HLJ | 0.692 | 0.691 | 0.690 | 0.695 | 0.700 | 0.707 | 0.710 | 0.712 | 0.717 | 0.720 | 0.724 | 0.721 | 0.721 | 0.708 | 0.003447 | |
| SHS | 0.658 | 0.657 | 0.655 | 0.659 | 0.662 | 0.671 | 0.673 | 0.673 | 0.679 | 0.685 | 0.691 | 0.704 | 0.699 | 0.675 | 0.005085 | |
| JSS | 0.616 | 0.615 | 0.614 | 0.618 | 0.621 | 0.624 | 0.627 | 0.630 | 0.634 | 0.637 | 0.642 | 0.641 | 0.641 | 0.628 | 0.003429 | |
| ZJS | 0.639 | 0.638 | 0.636 | 0.639 | 0.642 | 0.646 | 0.649 | 0.652 | 0.657 | 0.663 | 0.668 | 0.667 | 0.669 | 0.651 | 0.003867 | |
| AHS | 0.699 | 0.699 | 0.698 | 0.704 | 0.707 | 0.717 | 0.718 | 0.718 | 0.721 | 0.724 | 0.726 | 0.722 | 0.721 | 0.713 | 0.002594 | |
| FJS | 0.677 | 0.677 | 0.676 | 0.680 | 0.688 | 0.697 | 0.695 | 0.694 | 0.697 | 0.700 | 0.703 | 0.702 | 0.700 | 0.691 | 0.002828 | |
| JXS | 0.733 | 0.732 | 0.730 | 0.733 | 0.741 | 0.749 | 0.747 | 0.748 | 0.749 | 0.751 | 0.753 | 0.749 | 0.749 | 0.743 | 0.001751 | |

| | | | | | | | | | | | | | | | |
|-----|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|----------|
| SHD | 0.617 | 0.617 | 0.616 | 0.620 | 0.622 | 0.625 | 0.628 | 0.631 | 0.636 | 0.639 | 0.644 | 0.643 | 0.644 | 0.629 | 0.003503 |
| HEN | 0.654 | 0.654 | 0.653 | 0.658 | 0.662 | 0.665 | 0.668 | 0.670 | 0.675 | 0.679 | 0.683 | 0.681 | 0.681 | 0.668 | 0.003463 |
| HUB | 0.682 | 0.682 | 0.681 | 0.687 | 0.692 | 0.699 | 0.700 | 0.702 | 0.705 | 0.707 | 0.710 | 0.706 | 0.705 | 0.697 | 0.002821 |
| HUN | 0.682 | 0.682 | 0.681 | 0.687 | 0.691 | 0.699 | 0.701 | 0.702 | 0.706 | 0.708 | 0.710 | 0.707 | 0.707 | 0.697 | 0.003008 |
| GDS | 0.601 | 0.600 | 0.599 | 0.602 | 0.605 | 0.608 | 0.612 | 0.615 | 0.620 | 0.625 | 0.630 | 0.629 | 0.631 | 0.614 | 0.004172 |
| GXZ | 0.730 | 0.729 | 0.727 | 0.734 | 0.742 | 0.749 | 0.746 | 0.745 | 0.746 | 0.748 | 0.750 | 0.747 | 0.746 | 0.742 | 0.001844 |
| HAN | 1.000 | 0.899 | 0.931 | 0.972 | 0.939 | 1.000 | 1.000 | 1.000 | 1.000 | 0.959 | 0.947 | 1.000 | 1.000 | 0.973 | 0.001017 |
| CQS | 0.755 | 0.754 | 0.752 | 0.760 | 0.768 | 0.775 | 0.772 | 0.771 | 0.769 | 0.770 | 0.769 | 0.762 | 0.759 | 0.764 | 0.000464 |
| SCS | 0.674 | 0.673 | 0.672 | 0.677 | 0.681 | 0.690 | 0.690 | 0.690 | 0.695 | 0.697 | 0.699 | 0.695 | 0.694 | 0.687 | 0.002473 |
| GZS | 0.804 | 0.802 | 0.800 | 0.805 | 0.809 | 0.819 | 0.818 | 0.817 | 0.822 | 0.825 | 0.827 | 0.820 | 0.816 | 0.814 | 0.001288 |
| YNS | 0.733 | 0.734 | 0.733 | 0.739 | 0.746 | 0.758 | 0.757 | 0.757 | 0.762 | 0.765 | 0.768 | 0.763 | 0.761 | 0.752 | 0.003126 |
| SNX | 0.744 | 0.742 | 0.739 | 0.743 | 0.748 | 0.757 | 0.755 | 0.754 | 0.755 | 0.756 | 0.758 | 0.753 | 0.751 | 0.750 | 0.000861 |
| GSS | 0.801 | 0.798 | 0.796 | 0.800 | 0.809 | 0.818 | 0.815 | 0.816 | 0.818 | 0.822 | 0.826 | 0.821 | 0.817 | 0.812 | 0.001711 |
| QHS | 1.000 | 0.994 | 0.996 | 1.000 | 0.998 | 1.000 | 1.000 | 1.000 | 1.000 | 0.998 | 1.000 | 1.000 | 1.000 | 0.999 | 0.000003 |
| NXZ | | | | | | | | | | | | | | | - |
| | 0.980 | 0.974 | 0.967 | 0.970 | 0.980 | 0.986 | 0.981 | 0.979 | 0.975 | 0.972 | 0.972 | 0.964 | 0.958 | 0.974 | 0.001863 |
| XJZ | 0.772 | 0.771 | 0.771 | 0.775 | 0.783 | 0.793 | 0.791 | 0.791 | 0.795 | 0.801 | 0.806 | 0.801 | 0.799 | 0.788 | 0.002865 |

Table 5: Results of the Wilcoxon-Mann-Whitney Rank-Sum test

| Index | Null Hypothesis (Ho) | p-value |
|-----------------------|------------------------------------|---------|
| Overall efficiency | Mean(unregulated)= Mean(regulated) | 0.07 |
| Production efficiency | Mean(unregulated)= Mean(regulated) | 0.01 |
| Eco-efficiency | Mean(unregulated)= Mean(regulated) | 0.06 |

Figure 1: Sustainability efficiency index




Figure 2: Map of Chinese provinces with overall sustainability efficiency scores







Figure 3: The sustainability efficiency dynamics of different areas.



a. the overall efficiency




b. the production efficiency




c. the eco-efficiency


Figure 4: the distribution of different areas.



a. overall efficiency




b. production efficiency




c. eco-efficiency


Figure 5: the distribution of unregulated and regulated area



a. Overall efficiency



b. Production efficiency



c. Eco-efficiency

Figure 6: the box plots of unregulated and regulated area







Figure 7: The sustainability efficiency dynamics of regulated and unregulated area.



a. overall efficiency



b. production efficiency



c. eco-efficiency