

NEW INSIGHTS INTO TIME AND QUANTUM GRAVITY

Ozer Oztekin*

*Pamukkale University Faculty of Medicine

Department of Obstetrics and Gynecology, Denizli, TURKEY

Address of Correspondence:

Yenisehir Mah 41/2 sok.

Altinportakal Konutlari. E Kapisi

No: 4E, 20125

Denizli, TURKEY

e-mail:

ooztekin@pau.edu.tr

Abstract

According to Einstein, a universal time does not exist. But what if time is different than what we think of it? Cosmic Microwave Background Radiation was accepted as a reference for a universal clock and a new time concept has been constructed. According to this new concept, time was tackled as two-dimensional having both a wavelength and a frequency. What our clocks measure is actually a derivation of the frequency of time. A relativistic time dilation actually corresponds to an increase in the wavelength of time. At the point where time wavelength and time frequency is equal, where light is positioned, quantum-world and macro-world are separated. Gravity was redefined with respect to time and the new two dimensional time fabric of the universe was speculated to be the source of dark energy causing the universe to expand. According to this new point of view quantum realm and macro-world can be better understood. This new time concept provide a basis for our understanding of quantum gravity and provide the long-sought answers to well known problems of it. A prediction of the presented theory is that the universe will expand at various rates at different regions due to the fact that particular surroundings will create different gravities and cause a different gravity- time wavelength effect yielding various time delays for calculating this rate of expansion.

Keywords:

Quantum gravity, time, General Relativity, gravity, black hole

INTRODUCTION

What is time ? Does time have a flow rate ? What does the speed of time flow mean ? How fast does it flow ? What determines the speed of time flow ? What happens to time when we approach to the limits of universe at macro and micro levels ? Is there a universal time ? How is time and duration related ? How is time and mass related? Why the time has one-way direction ? Is time preserved within the universe? Is it time to change our understanding of time concept ? As we can see, questions are many. Do the answers to these questions have the potential to provide the long-sought answers to the problems of quantum gravity or the theory of everything ?

I. CREATING A NEW TIME CONCEPT

Let's look deeper into our "time concept" to find answers to above questions. Consider an object with rest mass of m starts moving with a velocity v with respect to an observer who is stationary. Suppose that v is a significant fraction of the speed of light. Einstein's theory of special relativity predicts that time slows down or speeds up depending on how fast you move relative to something else and being affected by acceleration it does not flow at a steady rate [1,2]. In Einstein's theory of special relativity, time dilation describes a difference of elapsed time which stems from the difference between the rates of time flow in different conditions. Apparently, what is meant by "rate of time flow" here is the speed of the "ticks" of the clock in each condition. Nevertheless, the object experiences a time dilation and will have a relativistic mass of m' . Let's designate the elapsed time as t for the observer and t' for the object.

I.1 Relativistic Time-Mass Formula

According to Einstein, a universal time does not exist [3]. But what if time is different than what we think of it? We will discuss this below but for the moment let's suppose that there is a universal time and for simplicity let's choose the cosmic background microwave radiation as a frame of reference for this universal clock. According to this universal clock, the amount of time (not the duration !) for each condition (for observer and the object moving) should be the same. How can this be possible ? This could only be possible if the

time is condensed for the object moving. So, we should describe a new concept at this point: time density. Time density can be described as the amount of time quanta (Planck time) within each time unit. Let's denote time density as 'z' for the moment. We can conclude that time density is inversely proportional to the elapsed time. Hence we can say that for the universal clock the amount of time for the observer ($t \times z$) is equal to the amount of time for the moving object ($t' \times z'$), (see Fig 1 below). We can write the equation as :

$$t \times z = t' \times z'$$




Figure 1. Schematic representation for the elapsed time (t for the observer, t' for the moving object) and time density (z for the observer, z' for the moving object). Note that for the moving object, time slows down (dilated) and time density increases meaning time is condensed. Elapsed times are represented by the length of the bars and time densities are represented by the gradient difference of the bars ($z' > z$).

Relativistic formulas for dilated time and relativistic mass for this object are as follows:

$$t' = t \cdot \sqrt{1 - \frac{v^2}{c^2}} \text{ where } t' \text{ is dilated time which is the elapsed time experienced by the object,}$$

t is the elapsed time experienced by the observer, v is velocity of the object and c is the speed of light [4].

$$m' = \frac{m}{\sqrt{1 - \frac{v^2}{c^2}}} \text{ where } m' \text{ is relativistic mass of the object, } m \text{ is rest mass of the object, } v \text{ is the}$$

velocity of the object and c is the speed of light [5].

From these equations it can be derived that : $t = \frac{m'}{m} t'$. Combining with the above equation ($t \times$

$z = t' \times z'$) we can conclude that $\frac{m}{m'} = \frac{z}{z'}$ or $m \times z' = m' \times z$. This result relates the time with

mass and implies that every object with a mass has a time density and this time density is directly proportional to the amount of mass the object has.

1.2 Time Wavelength and Time Frequency

We know that when a mass is subjected to relativistic speeds, the time slows down and when this speed reaches to the speed of light, the time stops. So, it is clear that there is a close relationship with the velocity of time flow and the light speed. The speed of light is the limit for the time to flow. They both have speeds and they both have limits to their speeds. Another common property is that they both have different speeds in different circumstances. Continuing this analogy brings us to the thought that time may be a kind of wave.

To understand this concept better, let's turn back to above example. From the figure below we can conclude that what we previously called as time density (z) actually turns out to be the time wavelength and ticks of the clock represent a measure of time frequency (Fig. 2). To measure the elapsed time we measured the time frequency. So time in its historical meaning that is used until today turns out to be equivalent to the time frequency (t_f) of our new time concept. In the figure, distance between the dots represents the time wavelength (t_λ) and the frequency of the dots represents the time frequency (t_f).




Figure 2. Schematic representation of time wavelength (t_λ) and time frequency (t_f) in relation to elapsed time and ticks of clock in relativistic speeds. Note that both t_λ and t_f have units of s^{-1} .

Now we face with a new time concept having two parameters as frequency and wavelength. What our clocks measure is actually a derivation of the frequency of time. A relativistic time dilation actually corresponds to an increase in the wavelength of time.

Let's consider our previous equation: $t \times z = t' \times z'$. We just concluded that 'z' is time wavelength (t_λ) and 't' is time frequency (t_f). So correcting the equation according to our new time concept we find that:

$$t_\lambda \cdot t_f = t'_\lambda \cdot t'_f$$

It can be deduced logically that t_f is constant throughout the universe. Graphic below depicts the t_λ and t_f relevancy of our universe (Fig. 3).




Figure 3. Time wavelength (t_λ) and time frequency (t_f) graphic depicting $t_\lambda \times t_f$ is constant. Note that at extremely high t_λ values, black hole conditions apply while at extremely high t_f values Big Birth (see below) conditions apply. GR:General relativity, QP: Quantum Physics.

Our mass-time density equation ($m \times z' = m' \times z$) is now as follow:

$$m \cdot t'_\lambda = m' \cdot t_\lambda$$

II. GRAVITY WITH RESPECT TO TIME

At this point, I postulate a new definition for gravity: "Gravity (g) is the resistance of a mass to move against time wavelength (t_λ)". In an analogy to Newton's second law of

motion [6], this definition states that gravity of an object is directly proportional to the magnitude of its mass and time wavelength it is bound to. Hence, we get a new equation;

$$g = m \cdot t_\lambda$$

When the Fig.3 is explored we can see that as we go towards the right side on x axis, both gravity and t_λ increases and reaches their maximum (infinity ?). At the point where t_λ and t_f is equal, quantum-world and macro-world are separated. When we go to the right side beyond the point “g” on x-axis, gravity emerges and the rules of General Relativity (GR) applies. When we go upwards on y-axis beyond the point “w”, wave function emerges and the rules of Quantum Physics (QP) applies. Thus, these two worlds are separated within a continuum of time. Changing the parameters of time changes our worlds. In the intersection between them where t_λ and t_f is equal the light is placed which is massless and has both particle and wave properties meaning it has the properties of both worlds. Going towards the right end of x-axis brings us to zero or starting point on y-axis. Is this the end of everything? Does this bring us to a singularity? To understand the situation for time better let’s draw a 3-dimensional time graphic (Fig. 4). Notice that both t_λ and t_f have their maximum and minimum limits. On this graphic we see that when maximum t_λ is reached we get to the starting point again. At this moment t_f is zero which means we are at the starting point again. From another point of view, we are at maximum t_f and minimum t_λ which also means that we are at the start of a new cycle if we go further !




Figure 4. Three-dimensional representation of time wavelength (t_λ) and time frequency (t_f) relevance. Note that as t_λ (represented on x-axis) increases t_f (represented on y-axis) decreases and vice versa. At maximum value of t_λ , t_f is minimum and both are at the starting point represented by a black point.

For the embodiment of this new time concept let's think that we symbolise the time as an hourglass. One compartment of the hourglass represents the frequency of time (t_f) and the other compartment represents the time wavelength (t_λ). Let's assume that as we go along x- axis, the hourglass turns clockwise (Fig. 5).




Figure 5. Representation of time as an hourglass model. Black compartment of the hourglass represents t_λ and white compartment represents t_f . At photon level both are in equilibrium.

III. BIG BANG OR BIG BIRTH ?

At maximum t_λ and minimum t_f , the present author further proposes that increasing gravity is not possible at this stage and trying to increase the gravity will cause the time to shift (turns the hourglass upside down) and birth of a new universe (or galaxy at lower scales) starts. As it can be clearly understandable from fig.4 and fig.5 this time shift is not a time reversal or change in the direction of the time arrow. In fact, it is the direct result of the continuing in the direction of the time arrow. What would this time shift mean? It means that a new cycle starts and we get to the beginning of the time graphic in Fig.3. Here at the beginning as we pass from the world of GR to a new world of QP, a massless ‘‘ *quark gluon plasma (QGP)* ‘‘ [7] emerges at the site of the black hole.

Here, it appears that just like the light, both t_λ and t_f have their own maximum limits which can't be exceeded (fig. 4). At this point let's remember *Cherenkov radiation* [8] in which an electromagnetic radiation is emitted when a charged particle passes through a medium at a

speed greater than the velocity of light in that medium. Similar to this situation, present author suppose that when a mass with maximum gravity is forced through the maximum t_λ and minimum t_f , a QGP with maximum t_f and minimum t_λ gradually appears along with a radiation. Here, the transition is smooth and instantaneous and no singularity appears. It is just like an hourglass again; things are passing smoothly from one compartment to the other, instantaneously. I term this transition as ‘**Big Birth**’ which is in opposition to **Big Bang** but correlates well with **Big Bounce Theory**. Nevertheless, we have matter-gravity, maximum t_λ and **Hawking Radiation** [9] on the left side of the equation and QGP-wave function, maximum t_f and **Cosmic Microwave Background Radiation** (CMBR) on the other side. This CMBR is a conjugate of t_λ and t_f at the time of Big Birth and can serve as a universal clock for the time evolution in our universe.

IV. SOLUTIONS TO FAMOUS PROBLEMS

If we were able to observe the event horizon of a black hole we would see that time stopped eventually and everything was frozen. We would think ourselves as watching the past since the time velocity of the black hole is slower than ours. We would feel that we were ahead of the black hole as far as the time was considered. But for the black hole itself, behind the event horizon, the instantaneous time-shift was happening and the Big Birth of a new universe (or galaxy) was taking place. Besides by-passing *singularity*, it is clear that Big Birth Theory does not possess ‘*the black hole information loss paradox*’ [10].

When we go on x-axis towards the left side below the level ‘g’, t_λ decreases to minimum levels while t_f reaches maximum levels meaning time flows at an extremely high velocity. If we were able to observe a particle there, we would see everything happening at an infinite pace. We would think ourselves as watching the future of that particle since the time velocity of the particle is higher than ours. To understand the situation better consider a wheel of fortune on which a small object placed. In this case the wheel represents the time, while the object placed on it represents our particle. When the wheel turns around at very high speeds (t_f approaches maximum) we as observers from outside can not determine the objects position at a given time exactly. We can not even see it at very high speeds. Hence at a certain moment of the time we are not certain where the object is. There is a way to see where the object is; we place ourselves on a similar wheel and increase our speed till we are sure for the place of the object. But this time the objects speed becomes vague since the speed difference

between us disappears. This means that it is not possible to measure both the velocity and position of a particle simultaneously. It seems that the condition which is known as the ***Heisenberg Uncertainty Principle*** [11] is the natural result of the difference between the time wavelengths of ours and that of particles at quantum scale.

Considering the object on the wheel of fortune again, it can be present at anywhere on the wheel until we observe it. So, we –from outside- are looking to the future of the object in a sense and until we observe it the object can be present at anywhere on the wheel at a given time moment with a certain probability and the sum of the probabilities of being at all possible locations is always 1 for the object. This is in accordance with ***wave function and unitarity***.

For the interpretation of the situation in ***double-slit experiment*** we can say that when there is no observer, the situation is a future event (t_f of the particle is greater than that of ours) and the probabilities that the electron or photon passes through each slit is equal and the reality is that the electron or photon behave as a wave and passes through both slits. In contrary when the electron or photon is observed, the event isn't in future anymore, one of the probabilities is realised and wave function collapses and electron or photon behave as a particle now.

How can we explain ***quantum entanglement*** ? When two particles are in close proximity or interact with each other, actually they equalise their time wavelength and time frequency. So knowing momentum, position, or polarisation of one particle of this pair actually means that we know that property for the other wherever or how far it is since they will behave synchronously.

Since the new time concept presented in this paper describes the time as an external parameter, this new approach conflicts with the background independence of GR and rather treats GR as background dependent. Furthermore, since the time plays of a pivotal role in both GR and QP, and it is impossible to describe a universe without time according to the presented approach, any ‘timeless’ physical approach is rejected by definition.

The time-dependent Schrödinger Equation is reversible, meaning that we can find solutions for propagating either forward or backward in time. But time-symmetric equivalent of this equation corresponds to the same time frequency (t_f) values of its equivalent but has no physical meaning (Fig.3). Making the time values negative does not change the positivity of

the time frequency (t_f) values and physically meaningless. Thus, the arrow of time can not be changed (Fig. 4).

In an above section we described the gravity as being the resistance of a mass to move against time. From this perspective, the time itself with its two dimensions can be regarded as a counteracting force against gravity or as a force of repulsive gravity. Thus, the two dimensional time fabric of the universe acts as the source of a form of energy (*dark energy*) for its expansion. We stated above that $t_\lambda \times t_f$ is constant throughout the universe. It now appears that $t_\lambda \times t_f$ is the *Universal Constant (A)* which is equal to $\Lambda = 2.036 \times 10^{-35} \text{ s}^{-2}$ [12].

A prediction of the presented theory here is that the universe will expand at various rates at different regions due to the fact that particular surroundings will create different gravities and cause a different gravity- time wavelength effect yielding various time delays for calculating this rate of expansion (*Hubble Constant*) [13]. Regions with high matter density will have higher gravitational effect on time and will have lower expansion rates. Thus even the same measuring method will yield different Hubble Constant values when applied to the gravitationally different parts of the universe where these parts will be different timewise as well.

CONCLUSION

The present author tried to outline a theory to solve the well known problems of time and quantum gravity. The essence of the theory is that it tackles the time as a two dimensional entity that weaves the fabric of the universe and approaches it as a kind of energy. The theory has inferences derived from the intrinsic characteristics of matter, time and space equilibrium that we probably did not take into account until now. With this perspective it is possible to find the long-sought answers to some of the famous problems of physics.

ACKNOWLEDGMENTS

I am particularly grateful to Ferhat Dindaroglu for helpful discussions and comments.

REFERENCES

1. Einstein A .On the Electrodynamics of moving bodies, *Annalen der Physik*. 1905;17 (10): 891–921.
2. Giese A. Ongoing problems with special and general relativity, and solutions. 2019 *J. Phys.: Conf. Ser.* 1251 012017
3. Gott J R. *Time Travel in Einstein's Universe: The Physical Possibilities of Travel Through Time*. New York: Houghton Mifflin Company, 2002. 44 p.
4. Friedman Y. Extending the Relativity of Time. 2013 *J. Phys.: Conf. Ser.* 437 012017
5. Okun LB. Mass versus relativistic and rest masses. *Am J Phys.*2009; 77(5):430-431
6. Schewe PF. Newton’s second law of motion. *Physics Today*.2007; 60, 6, 28
7. Mrowczynski, S. Quark-gluon plasma. *Acta Physica Polonica B*. 1998 .29 (12); 3711-24.
8. Cerenkov PA. Visible emission of clean liquids by action of γ radiation. *Compt Rend Dokl Akad Mauk SSSR* 1934; 8: 451.
9. Hawking SW. Black hole explosions? *Nature*. 1974; 248,30–31.
10. Gurevich I. A Simple Explanation of the Information Paradox by the Information Model of a Black Hole. *Open Journal of Microphysics* 2014; 04(03):21-25 ·
11. Peckham GD. Illustrating the Heisenberg uncertainty principle. *J. Chem. Educ.* 1984; 61, 10, 868.
12. Carmeli M, Kuzmenko T. Value of the cosmological constant: Theory versus experiment. *AIP Conference Proceedings* 2001; 586, 316.
doi:10.1063/1.1419571
13. Bahcall NA. Hubble’s Law and the expanding universe. *PNAS*.2015; 112 (11)3173-3175