INTEGRATED DISEASE	Leader:	The project is progressing well and meeting
MANAGEMENT TOOLS TO MANAGE SUMMER CROP DISEASES IN	Dante Adorada, Research Fellow (Summer Crop Pathology)	milestone schedule. An Annual Operating Plan (AOP) was submitted to and accepted by GRDC for the project to commence on 1 July 2019.
	Team:	Research
THE NORTHERN REGION	Team: Kirsty Owen, Research Fellow (Nematology) Encarnacion Adorada, Research Officer (Summer Crop Pathology) Yuriy Tsupko, Research Officer (Summer Crop Pathology) Martin Fiske, Research Officer (Nematology) Murray Sharman, Senior Plant Pathologist/Virologist (QDAF) Lisa Kelly, Plant Pathologist (QDAF) Peter Vukovic, Molecular Biologist (QDAF)	Research The Fusarium wilt host range glasshouse experiment has been established in August, that looks into the range of hosts, i.e., mungbean, sorghum, chickpea, barley, etc., being affected by the two Fusarium wilt pathogen of mungbean, <i>Fusarium oxysporum</i> and <i>Fusarium solani</i> . Also in August was the establishment of a glasshouse experiment investigating the interaction between the two Fusarium wilt pathogens and root lesion nematode, <i>Pratylenchus thornei</i> , on severity of Fusarium wilt in mungbeans and black gram. The glasshouse experiment that investigates the potential of six Trichoderma-based products in managing sorghum charcoal rot disease, caused by <i>Macrophomina phaseolina</i> , was established in September. Different rates of the different products were evaluated for their efficacy as biological control of the disease when applied as seed treatment. In a related study, a total of 26 isolates of indigenous <i>Trichoderma</i> spp. were isolated from sorghum paddocks' soil collected from Central Queensland (CQ), Southern Queensland (CQ) and Northern New South Wales (NNSW). The different Trichoderma isolates are currently being evaluated <i>in vitro</i> via dual culture test against three different isolates (one each from CQ, SQ and NNSW) of <i>M. phasseolina</i> . Simultaneously, these <i>Trichoderma</i> spp. are being identified using molecular techniques. PCR amplification and DNA sequencing using markers (ITS, EF1, Calmodulin, etc) used to identify <i>Trichoderma</i> spp. have been used and the purified DNA has been submitted to Macrogen for sequencing. Isolates that show potential in inhibiting growth of <i>M. phaseolina</i> in <i>in vitro</i> test will be further tested as seed treatment in an <i>in vivo</i> replicated glasshouse experiment. Those that were not found to be antagonists will still be tested in <i>in vitro</i> glasshouse experiments for their potential as plant resistance inducers (PRIs) to reduce infection by sorghum plant against <i>M. phaseolina</i> , when applied as seed treatment. A total

an annual the first stand of the first first first first stand
currently being evaluated <i>in vitro</i> for their ability to inhibit mycelial growth of three isolates of <i>M</i> . <i>phaseolina</i> (one each from CQ, SQ and NNSW). The tests used the "poison food technique" where the growth medium, potato dextrose agar (PDA), of <i>M</i> . <i>phaseolina</i> was amended with varying concentrations of the different fungicides and mycelia growth and growth inhibition was observed weekly up until six weeks to determine as well the fungicide efficacy longevity. Potentially efficacious fungicide will be selected and tested as seed treatment in a replicated glasshouse experiment using a sorghum cultivar. This is to be set up this coming November.
For the Peanut Kernel Shrivel (PKS) disease in peanuts, the association of PKS and phytoplasma is currently being investigated, The method of peanut plant grafting with phytoplasma is the method being employed. Phytoplasma infectedpeanut plants is being scouted at the moment for use in this experiment. The vector species detection and identification for phytoplasma is also a currently on- going investigation. Barcoding for ID-ing vector species has been adopted in this phytoplasma investigation.
Extension Communication and Training
Extension, Communication and Training
The milestone report for developing an extension, communication and training plan was submitted to GRDC on 30 September 2019 and is now under review.
The milestone report for developing an extension, communication and training plan was submitted to
The milestone report for developing an extension, communication and training plan was submitted to GRDC on 30 September 2019 and is now under review.
The milestone report for developing an extension, communication and training plan was submitted to GRDC on 30 September 2019 and is now under review. <u>Related activities are</u> : A Northern Pathology review Panel meeting was organised and scheduled for 6 November 2019 at USQ Toowoomba. The meeting aims to 1) Identify research gaps/research priorities for the northern grains region, and 2) identify pathology capacity in the northern region. The meeting will be attended by representatives from GRDC, university researchers, government researchers, agrochemical companies, agronomist and grower groups. At the end of the meeting, the northern pathology research direction

Participated in the Field Crop Diseases Community of Practice monthly meeting (July, August, September & October)
Research results presentation at the 2019 Australian Summer Grains Conference, 10 August 2019
Attended the Pacific Seeds/Syngenta Trial Co- Operation Meeting and Presentations at Pittsworth on 9 August 2019
Research partner meeting with AnKaOne AgChem Distributor staff on 7 August 2019
Attended the GRDC Grains Research Updates in Dalby on 2 August 2019
Published online extension articles:
Low levels of disease persist during the drier summer season in parts of the northern region.16 August 2019. <u>https://communities.grdc.com.au/field-crop-</u> <u>diseases/low-disease-drier-summer-northern/</u>
Moisture saves sorghum from disease in parts of the northern region. 01 July 2019. <u>https://communities.grdc.com.au/field-crop-diseases/sorghum-disease-survey/</u>
Conference and other Publications Adorada DL, Adorada EE, Gonzales P, Spark AH. 2019. Pathogenicity and aggressiveness of <i>Macrophomina phaseolina</i> isolates to sorghum in Australia's northern grains region (Poster presentation). 2019 Australian Summer Grains Conference, Gold Coast Qld, 8-10 July 2019.