



https://helda.helsinki.fi

Correction Self-Healing and Injectable Hydrogel for Matching Skin Flap Regeneration

Mao, Xiyuan

2019-07-03

Mao , X , Cheng , R , Zhang , H , Bae , J , Cheng , L , Zhang , L , Deng , L , Cui , W , Zhang , Y , Almeida Santos , H & Sun , X 2019 , 'Correction Self-Healing and Injectable Hydrogel for Matching Skin Flap Regeneration ' , Advanced Science , vol. 6 , no. 13 , 1901124 . https://doi.org/10.1002/advs.2

http://hdl.handle.net/10138/313304 https://doi.org/10.1002/advs.201901124

cc_by publishedVersion

Downloaded from Helda, University of Helsinki institutional repository.

This is an electronic reprint of the original article.

This reprint may differ from the original in pagination and typographic detail.

Please cite the original version.



www.advancedscience.com

Self-Healing and Injectable Hydrogel for Matching Skin Flap Regeneration

Xiyuan Mao, Ruoyu Cheng, Hongbo Zhang, Jinhong Bae, Liying Cheng, Lu Zhang, Lianfu Deng, Wenguo Cui,* Yuguang Zhang,* Hélder A. Santos,* and Xiaoming Sun*

Adv. Sci. **2019**, *6*, 1801555 DOI: 10.1002/advs.201801555

Several images in Figure 3, Figure 4, and Figure S7, Supporting Information, accidentally presented duplicate samples in the original article. The correct figures are presented below. The authors apologize for any inconvenience this may have caused.




Figure 4. Effect of MF-Lip@PEG on random-pattern skin flap neovascularization, inflammation, and infection. Immunohistochemical images of flaps highlighting a) blood vessel CD31-positive endothelial cells (red dots mark the microvessels) and CD68-positive macrophage/monocytes (red arrows mark the cells).


DOI: 10.1002/advs.201901124

Magnified view of the survival area in the 40 μM MF-Lip treated sample.

*p < 0.05.



PEG



MF-Lip40@PEG




Figure S7. The Morphological examination of hydrogels. SEM results at low magnification.