provided by CLoK



Article

Quantities of GLP-1 mimetics

Davies, Janice Anne

Available at http://clok.uclan.ac.uk/32634/

Davies, Janice Anne (2020) Quantities of GLP-1 mimetics. Journal of Prescribing Practice, 2 (3). p. 120. ISSN 2631-8385

It is advisable to refer to the publisher's version if you intend to cite from the work. 10.12968/jprp.2020.2.3.120

For more information about UCLan's research in this area go to http://www.uclan.ac.uk/researchgroups/ and search for <name of research Group>.

For information about Research generally at UCLan please go to http://www.uclan.ac.uk/research/

All outputs in CLoK are protected by Intellectual Property Rights law, including Copyright law. Copyright, IPR and Moral Rights for the works on this site are retained by the individual authors and/or other copyright owners. Terms and conditions for use of this material are defined in the http://clok.uclan.ac.uk/policies/





Quantities of GLP1 mimetics

It is important to ensure that appropriate quantities of GLP1 mimetics are prescribed to avoid financial waste and for patient safety reasons. Six GLP1 mimetics are licensed for diabetes management. (PrescQIPP, 2019)

Calculate the number of devices needed for a one month supply for each GLP1 mimetic.

Generic name (and brand name) of GLP1 mimetic	Dose	Strength and volume of device	How many devices are needed for one month?	
Exenatide (Byetta)	5 micrograms twice daily before meals, increased if necessary to 10 micrograms twice daily	5 micrograms/0.02ml, 1.2ml pre-filled pen 10 micrograms/0.02ml, 2.4ml pre-filled pen	5 microgram dose 10 microgram dose	Answer = 1 pre- filled pen Answer = 1 pre- filled pen
Exenatide (Byduron)	2mg once weekly	Pre-filled injection injection containing 2mg powder and solvent for prolonged release injection	Answer = 4 pre-filled disposable injections	
Liraglutide (Victoza)	Initially 0.6mg once a day for at least a week, then increased to 1.2mg daily for a week, increased if necessary to 1.8mg	6mg/ml 3ml prefilled pen	1.2mg dose 1.8mg dose	Answer = 2 pre-filled pens Answer = 3 pre-
Lixisenatide Lyxumia)	Initially 10 micrograms once daily for 2 weeks, then 20 micrograms once daily	10 microgram/0.2ml 3ml pre-filled pen (titration pack)	10 microgram titration dose	filled pens Answer = 1 pre- filled pen
	once daily	20 microgram/0.2ml 3 ml pre-filled pen	20 microgram dose	Answer = 2 pre-filled pens
Dulaglutide (Trulicity)	0.75 mg once weekly as monotherapy1.5mg once weekly in combination	0.75mg/0.5ml pre- filled pen 1.5mg/0.5ml pre-filled pen	0.75mg dose 1.5mg dose	Answer = 4 pre- filled pens Answer = 4 pre-

				filled pens
Semaglutide (ozempic)	Initially 0.25mg once weekly for 4 weeks, then 0.5mg once weekly for at least 4 weeks, then if necessary 1mg once weekly	0.5mg/0.37ml 1.5ml pre-filled pen 1mg/0.74ml 3 ml pre- filled pen	0.5mg dose 1mg dose	Answer = 1 pre-filled pen Answer = 1 pre-filled pen

Ensuring appropriate quantities of GLP1 mimetics, 2019, PrescQIPP https://www.prescqipp.info/our-resources/webkits/hot-topics/