



This item was submitted to Loughborough's Institutional Repository (<https://dspace.lboro.ac.uk/>) by the author and is made available under the following Creative Commons Licence conditions.


creative commons
COMMONS DEED

Attribution-NonCommercial-NoDerivs 2.5

You are free:

- to copy, distribute, display, and perform the work

Under the following conditions:

 **Attribution.** You must attribute the work in the manner specified by the author or licensor.

 **Noncommercial.** You may not use this work for commercial purposes.

 **No Derivative Works.** You may not alter, transform, or build upon this work.

- For any reuse or distribution, you must make clear to others the license terms of this work.
- Any of these conditions can be waived if you get permission from the copyright holder.

Your fair use and other rights are in no way affected by the above.

This is a human-readable summary of the [Legal Code \(the full license\)](#).

[Disclaimer](#) 

For the full text of this licence, please go to:
<http://creativecommons.org/licenses/by-nc-nd/2.5/>

Seven new champion linear codes

Gavin Brown and Alexander M. Kasprzyk

ABSTRACT

We exhibit seven linear codes exceeding the current best known minimum distance d for their dimension k and block length n . Each code is defined over \mathbb{F}_8 , and their invariants $[n, k, d]$ are given by [49, 13, 27], [49, 14, 26], [49, 16, 24], [49, 17, 23], [49, 19, 21], [49, 25, 16] and [49, 26, 15]. Our method includes an exhaustive search of all monomial evaluation codes generated by points in the $[0, 5] \times [0, 5]$ lattice square.

1. Introduction

The basic invariants of a linear code C over the finite field \mathbb{F}_q are its *dimension* k and its *block length* n . The code is the image in \mathbb{F}_q^n of a $k \times n$ matrix M over \mathbb{F}_q . The *minimum distance* d of C is the smallest Hamming weight of any nonzero linear combination of the rows of M . These invariants are conventionally recorded as a triple $[n, k, d]$. One usually seeks codes with minimum distance d as large as possible for a given block length n and dimension k . There are theoretical upper bounds for the minimum distance, although in many cases the largest known example falls short of these bounds. Grassl [9] catalogues the best known linear codes in this sense, and we refer to any code with larger minimum distance as a *champion code*. (The profile [36, 19, 12] over \mathbb{F}_7 discovered in [6] is not currently recorded in [9], but we will *not* regard any code matching these invariants as a champion.)

In this paper we find seven new champion codes defined over \mathbb{F}_8 by considering the class of *generalised toric codes* introduced by Little [11] (see §2).

THEOREM 1.1. *There are precisely five $[n, k, d]$ profiles of champion generalised toric codes over \mathbb{F}_8 generated by collections of points in a $[0, 5] \times [0, 5]$ square. There are (at least) another two champion codes arising from a $[0, 6] \times [0, 6]$ square. These profiles are listed in Table 1.*

The codes we consider correspond to subsets of lattice points in the $[0, m] \times [0, m]$ square for small values of m . In principle, our approach is to enumerate all such sets of points, construct the corresponding code over various small fields and then compute its invariants. In §3 we describe an algorithm to enumerate all such sets of points up to affine equivalence. To prove the theorem, we implement and run this algorithm to completion for $m = 5$, and a partial search when $m = 6$. Since our algorithm is exhaustive, we can say more, as follows.

THEOREM 1.2. *There are no champion generalised toric codes over \mathbb{F}_q when $q \leq 7$.*

It is worth noting that the new Bound A of [8] does not improve the existing theoretical upper bounds for minimum distance in the range of the champion codes we discover, so we cannot say that the codes of Theorem 1.1 are the best possible amongst all linear codes.

2. Generalised toric codes

Recall from [10] that a toric code C , over a sufficiently large field \mathbb{F}_q , is determined by a convex lattice polygon $P \subset \mathbb{Z}^2 \otimes \mathbb{Q}$ as follows. Suppose that P lies in a $[0, m] \times [0, m]$ square, where $q \geq m + 2$. Then C is given by the image of a $k \times n$ matrix M whose rows are generated by evaluating each lattice point $(a, b) \in P \cap \mathbb{Z}^2$ (regarded as a monomial $x^a y^b$) at each vector of the torus $(\mathbb{F}_q^*)^2$. The dimension of C is the number of rows $k = |P \cap \mathbb{Z}^2|$ of M and the block length is the number of columns $n = (q - 1)^2$.

A generalised toric code is constructed in the same way as a toric code but with the possibility of omitting one or more of the lattice points of P ; equivalently, one may remove rows from the generating matrix M . Conceptually this allows one to delete any particularly short vectors in C that arise as rows of M . Although of course this does not necessarily increase the minimum distance, they have recently also been proving fruitful in the search for champions [1, 7, 11, 13]. Little introduced the study of generalised toric codes, and found a champion [49, 12, 28] code over \mathbb{F}_8 coming from a particular subset of points of a polygon in a $[0, 5] \times [0, 5]$ square [11]; this is illustrated in Figure 2(a). Systematic attempts to produce examples of champion generalised toric codes have been performed over \mathbb{F}_4 and \mathbb{F}_5 [1], and over \mathbb{F}_7 , \mathbb{F}_8 and \mathbb{F}_9 [7].

Small polygons

In [6] we assembled a comprehensive database of lattice polygons that are contained, up to lattice automorphism and translation, in a $[0, m] \times [0, m]$ square, for $m \leq 7$. This database can be interrogated online via the Graded Ring Database [4], or from within the computational algebra software MAGMA [2]. In [6] we checked the toric code corresponding to each such polygon, over all prime-powered fields \mathbb{F}_q for $m + 2 \leq q \leq 9$, and found a single new champion code, defined over \mathbb{F}_7 with invariants [36, 19, 12]. In this paper we consider all generalised toric codes associated with polygons that lie in a $[0, m] \times [0, m]$ square, for $m \leq 5$ and $m + 2 \leq q \leq 9$. We also present partial results when $m = 6$; in this case the number of possible generalised toric codes is too large to be searched systematically using current techniques. The invariants listed in Table 1 are those of the champion codes we found with this search.

TABLE 1. The $[n, k, d]$ invariants of new champion generalised toric codes over \mathbb{F}_8 . In each case a single example is given, contained in the smallest possible $[0, m] \times [0, m]$ square, and illustrated in Figure 1.

n	k	d	Min m	Example points
49	13	27	4	(0, 2), (0, 3), (0, 4), (1, 0), (1, 2), (2, 1), (2, 2), (2, 4), (3, 0), (3, 2), (4, 1), (4, 3), (4, 4)
49	14	26	5	(0, 1) (0, 4), (1, 3), (2, 3), (2, 4), (3, 1), (3, 3), (3, 5), (4, 0), (4, 2), (4, 4), (4, 5), (5, 2), (5, 5)
49	16	24	5	(0, 1), (0, 2), (0, 4), (0, 5), (1, 1), (1, 4), (1, 5), (2, 0), (2, 1), (2, 4), (3, 2), (3, 3), (3, 5), (4, 2), (5, 0), (5, 5)
49	17	23	5	(0, 1), (0, 3), (0, 5), (1, 1), (1, 2), (1, 4), (2, 2), (2, 3), (2, 4), (3, 0), (3, 1), (3, 4), (3, 5), (4, 0), (4, 2), (5, 1), (5, 5)
49	19	21	5	(0, 0), (0, 2), (0, 4), (0, 5), (1, 0), (1, 1), (1, 5), (2, 1), (2, 2), (2, 5), (3, 1), (3, 3), (3, 4), (4, 0), (4, 5), (5, 0), (5, 2), (5, 4), (5, 5)
49	25	16	6	(0, 4), (0, 5), (0, 6), (1, 2), (1, 3), (1, 4), (1, 5), (1, 6), (2, 1), (2, 2), (2, 3), (2, 5), (2, 6), (3, 0), (3, 2), (3, 4), (3, 6), (4, 2), (4, 3), (4, 4), (4, 5), (5, 1), (5, 5), (6, 2), (6, 3)
49	26	15	6	(0, 2), (0, 4), (0, 5), (1, 1), (1, 2), (1, 3), (1, 4), (1, 6), (2, 2), (2, 3), (2, 5), (3, 0), (3, 1), (3, 3), (3, 5), (3, 6), (4, 3), (4, 4), (5, 0), (5, 2), (5, 3), (5, 4), (5, 5), (6, 1), (6, 2), (6, 4)




FIGURE 1. Example point configurations for the new champion generalised codes over \mathbb{F}_8 listed in Table 1.




FIGURE 2. (a) The $[49, 12, 28]$ code over \mathbb{F}_8 described by Little; (b) One of 448 non-equivalent ways of generating a $[49, 12, 28]$ code over \mathbb{F}_8 from points in a $[0, 4] \times [0, 4]$ square.




FIGURE 3. The possible choices of points in a $[0, 4] \times [0, 4]$ square giving a $[49, 13, 27]$ code over \mathbb{F}_8 .

Multiplicity of champions

Champion profiles such as $[49, 13, 27]$ over \mathbb{F}_8 are often achieved in many non-equivalent ways: this case, for example, is realised by four different sets of points in a $[0, 4] \times [0, 4]$ square, distinct up to lattice automorphism and translation; see Figure 3. Little's champion $[49, 12, 28]$ code is more striking still: we have 448 non-equivalent generalised codes in a $[0, 4] \times [0, 4]$ square that yield these invariants. An example is illustrated in Figure 2(b).

Toric codes often achieve best known minimum distance

We extracted the $[n, k, d]$ profiles of all generalised toric codes that matched, or exceeded, the largest minimum distances available in Grassl's catalogue over \mathbb{F}_q for $q \leq 7$. All such codes are contained in a $[0, 5] \times [0, 5]$ square, and so our results are complete. The bounds attained are recorded in the Appendix; generalised toric codes achieve (or exceed) the current best known minimum distance in 28 of the 57 cases.

3. The algorithm

The proof of Theorems 1.1 and 1.2 is by a systematic computer search. The hurdle to overcome is the sheer number of codes and the complexity of computing their minimum distances (often these calculations would take millions of years if the code achieved its apparent minimum distance). We describe an algorithm that carries out the enumeration of subsets of lattice points of a lattice square up to affine equivalence. We have implemented this in MAGMA exactly as described here, making use of the convex polytopes package [3]. Our code is available to download from [5].

Let $S \subset \mathbb{Z}^2$ be a collection of points contained in a $[0, m] \times [0, m]$ square generating the generalised toric code C_S over \mathbb{F}_q . For any lattice translation $S' = S - u$ of the points S , or more generally for any affine linear transformation $s \mapsto (s - u)M$ of S , where $u \in \mathbb{Z}^2$ and $M \in \text{GL}_2(\mathbb{Z})$, the toric codes C_S and $C_{S'}$ are monomially equivalent [12, Theorem 4]. Therefore it is enough to consider points S up to lattice translation and change of basis. Consider now the lattice polygon $P := \text{conv}(S) \subset \mathbb{Z}^2 \otimes \mathbb{Q}$. Up to equivalence, P can be assumed to be one of the polygons constructed in [6]. This motivates our approach: for each polygon P contained in a $[0, m] \times [0, m]$ square we will generate, up to equivalence, all possible subsets S of points $P \cap \mathbb{Z}^2$ such that S contains the vertices $\text{vert}(P)$ of P . Insisting that $\text{vert}(P) \subseteq S$ is a natural restriction; if this were not so, $Q := \text{conv}(S)$ is a lattice polygon distinct from P in the same $[0, m] \times [0, m]$ square, and, up to equivalence, that polygon will be considered separately.

Step 1: Compute the affine automorphism group of P

The first step is to compute the affine automorphism group $G := \text{AffAut}(P)$ of the polygon P , where any element $g \in G$ can be written as a combination of elements of $\text{GL}_2(\mathbb{Z})$ and translations. Embed P at height 1 in the lattice $\mathbb{Z}^3 = \mathbb{Z}^2 \times \mathbb{Z}$; for example, simply append a coordinate 1 to each vertex of P . We refer to this embedded image of P also as P . Form the cone σ with vertex the origin generated by the points of the embedded image of P . Let $\text{Aut}(\sigma)$ be the linear automorphism group of σ . The action of this group on σ restricts to a faithful action on P , realising the full group of affine lattice automorphisms of P .

Step 2: Extend the action to subsets of points of P

Clearly $v \cdot G \subseteq \text{vert}(P)$ for any $v \in \text{vert}(P)$. Let $\mathcal{P} := P \cap \mathbb{Z}^2 \setminus \text{vert}(P)$ be the set of non-vertex lattice points in P . We fix an order of the points of $\mathcal{P} = \{v_1, \dots, v_k\}$, where $k := |\mathcal{P}|$; G acts on \mathcal{P} via permutation. Choose a largest orbit O_1 of this action on \mathcal{P} . Without loss of generality we assume that O_1 permutes the first $k_1 \leq k$ elements.

Step 3: Enumerate subsets of a largest orbit up to the action

From now onwards we regard G as acting on $\{0, 1\}^k$, where an element $s \in \{0, 1\}^k$ corresponds to a choice of points $S \subseteq P \cap \mathbb{Z}^2$ via the obvious map

$$s = (b_1, \dots, b_k) \mapsto S = \text{vert}(P) \cup \{v_i \in \mathcal{P} \mid 1 \leq i \leq k, b_i = 1\}.$$

Let \mathcal{S}_1 be the set of all sequences in $\{0, 1\}^{k_1}$, up to this action. Enumerating \mathcal{S}_1 for small polygons is straightforward: in particular, \mathcal{S}_1 contains a unique sequence of zeros and also a unique sequence containing a single 1. Larger numbers $h \geq 2$ of nonzero coefficients depend on the h -transitivity of the action: the number is determined by the orbit–stabiliser theorem, but even without applying that the numbers are small enough simply to run through all possibilities rejecting those already seen (up to the action). We only compute the results for at most $\lfloor k_1/2 \rfloor$ nonzero coefficients, since the remaining possibilities are obtained via symmetry by exchanging 0 and 1.




FIGURE 4. The twelve equivalence classes of points S in the $[0, 2] \times [0, 2]$ square B such that $\text{vert}(B) \subseteq S$.

Step 4: Extend subsets to all of \mathcal{P}

For each $s \in \mathcal{S}_1$ we extend s to an element of $\{0, 1\}^k$ as follows. Let $G_s := \{g \in G \mid s \cdot g = s\} \leq G$, and let $\mathcal{P}_s := \{v_i \in \mathcal{P} \mid k_1 < i \leq k\}$. By induction we can construct the set of possible $\{0, 1\}^{k-k_1}$ -sequences \mathcal{S}_s , up to the action of G_s . Let $s \sqcup s'$ denote the concatenation of $s \in \{0, 1\}^{k_1}$ with an element $s' \in \{0, 1\}^{k-k_1}$, so that $s \sqcup s' \in \{0, 1\}^k$. Then

$$\mathcal{S} = \{s \sqcup s' \mid s \in \mathcal{S}_1, s' \in \mathcal{S}_s\}$$

corresponds to the set of all points in $P \cap \mathbb{Z}^2 \setminus \text{vert}(P)$, up to the action of G .

EXAMPLE 3.1. Consider the polygon B equal to the $[0, 2] \times [0, 2]$ square. This contains 3^2 points, and hence there exist 2^{3^2} subsets of points in B . If one insists that $\text{vert}(B) \subseteq S$ for any subset S of points, then this is reduced to $2^{3^2-4} = 32$ possibilities. Considering subsets S only up to equivalence, we obtain the twelve equivalence classes illustrated in Figure 4.

At this point, we have a list of all possible subsets of points of P up to affine automorphisms (and including its vertices). It remains to identify any champion generalised toric codes.

Step 5: Run a trial minimum distance algorithm to exclude most cases

Fix a prime power q and an integer $0 < m < q - 1$. Given a set of points $S \subset [0, m] \times [0, m]$, compute the generalised toric code $C = C_S(\mathbb{F}_q)$. (In our case, S is one of the subsets of points of a polygon enumerated in Step 4.) Let $M = M_C$ be the generator matrix of C . Compute the Hamming length of the shortest nonzero vector that is a linear combination over \mathbb{F}_q of up to four rows of M ; this is $q^4 - 1$ vectors, which is manageable for the small values of q we consider. If this length is strictly greater than the best known minimum distance for codes of dimension $|S|$ and block length $q - 1$, then keep the pair S, q for consideration at the next step; otherwise discard the pair S, q , since the corresponding code cannot be a new champion.

Step 6: Compute the minimum distance of successful trial candidates

In principle this is now the hard part. We employ MAGMA's `MinimumDistance` function; at heart, it must simply check the Hamming weight of all words in the code, and so can easily be expected to take too long for our purposes. In practice when $m \leq 5$, for the hundreds of thousands of codes that pass our four-line trial in Step 5, we can always calculate the minimum distance within a few hours, and there are several hundred cases realising champion invariants. So for $m \leq 5$ there are no numerical profiles $[n, d, k]$ other than the five listed in Table 1 that admit champion generalised codes.

REMARK 1. To get an idea of the effect of symmetries, Table 2 lists the number of subsets of points $2^{(m+1)^2-4}$ of the $[0, m] \times [0, m]$ square (excluding the vertices, since we handled vertices of polygons separately) and the number of such subsets up to equivalence. Of course there are

TABLE 2. A comparison of the number of subsets of points in a $[0, m] \times [0, m]$ square, and the number of subsets up to equivalence.

m	1	2	3	4
# subsets of points	1	32	4096	2097152
# up to symmetries	1	12	570	265488

eight symmetries of the square, and $8 \times 265\,488 = 2\,123\,904$; the full group of symmetries of P has been exploited.

It is conceivable that there are other ‘hidden’ symmetries that preserve the invariants of the toric code, even if they do not preserve the lattice subset, and the multiplicity of champions may be hinting at this.

Acknowledgements. Our thanks to Tom Coates for several helpful ideas, to John Cannon for providing MAGMA for use on the Imperial College mathematics cluster, and to Andy Thomas for technical assistance. The second author is supported by EPSRC grant EP/I008128/1.

Appendix. Generalised toric codes over \mathbb{F}_q , $q \leq 7$

The largest minimum distance d_t achieved by a generalised toric code with given block length n and dimension k over the field \mathbb{F}_q are documented in the following table. For comparison, we also give the current best minimum distance d_g amongst all linear codes as given by Grassl [9]. The penultimate column records whether $d_t \geq d_g$, and the final column gives an example collection of points realising these invariants. The only example for which a *generalised* toric code is required is [36, 7, 23] over \mathbb{F}_7 .

q	n	k	d_t	d_g	Best	Example points
3	4	3	2	2	y	(0, 1), (1, 0), (1, 1)
3	4	4	1	1	y	(0, 0), (0, 1), (1, 0), (1, 1)
4	9	3	6	6	y	(0, 1), (1, 0), (1, 1)
4	9	4	4	5	n	(0, 0), (0, 1), (1, 0), (1, 1)
4	9	5	3	4	n	(0, 1), (0, 2), (1, 1), (1, 2), (2, 0)
4	9	6	3	3	y	(0, 1), (0, 2), (1, 1), (1, 2), (2, 0), (2, 1)
4	9	7	2	2	y	(0, 1), (0, 2), (1, 1), (1, 2), (2, 0), (2, 1), (2, 2)
4	9	8	2	2	y	(0, 1), (0, 2), (1, 0), (1, 1), (1, 2), (2, 0), (2, 1), (2, 2)
4	9	9	1	1	y	(0, 0), (0, 1), (0, 2), (1, 0), (1, 1), (1, 2), (2, 0), (2, 1), (2, 2)
5	16	3	12	12	y	(0, 1), (1, 0), (1, 1)
5	16	4	10	11	n	(0, 1), (1, 1), (1, 2), (2, 0)
5	16	5	8	9	n	(0, 1), (0, 2), (1, 1), (1, 2), (2, 0)
5	16	6	8	8	y	(0, 1), (0, 2), (1, 1), (1, 2), (2, 0), (2, 1)
5	16	7	7	7	y	(0, 3), (1, 2), (1, 3), (2, 0), (2, 1), (2, 2), (3, 2)
5	16	8	6	7	n	(0, 1), (0, 2), (1, 0), (1, 1), (1, 2), (2, 0), (2, 1), (2, 2)
5	16	9	6	6	y	(0, 3), (1, 1), (1, 2), (1, 3), (2, 0), (2, 1), (2, 2), (3, 1), (3, 2)
5	16	10	4	5	n	(0, 3), (1, 0), (1, 1), (1, 2), (1, 3), (2, 1), (2, 2), (2, 3), (3, 1), (3, 2)
5	16	11	4	4	y	(0, 3), (1, 0), (1, 1), (1, 2), (1, 3), (2, 1), (2, 2), (2, 3), (3, 1), (3, 2), (3, 3)
5	16	12	4	4	y	(0, 2), (0, 3), (1, 1), (1, 2), (1, 3), (2, 0), (2, 1), (2, 2), (2, 3), (3, 0), (3, 1), (3, 2)
5	16	13	3	3	y	(0, 1), (0, 2), (1, 0), (1, 1), (1, 2), (1, 3), (2, 0), (2, 1), (2, 2), (2, 3), (3, 0), (3, 1), (3, 2)

continued on next page

continued from previous page

q	n	k	d_t	d_g	Best	Example points
5	16	14	2	2	y	(0, 1), (0, 2), (1, 0), (1, 1), (1, 2), (1, 3), (2, 0), (2, 1), (2, 2), (2, 3), (3, 0), (3, 1), (3, 2), (3, 3)
5	16	15	2	2	y	(0, 1), (0, 2), (0, 3), (1, 0), (1, 1), (1, 2), (1, 3), (2, 0), (2, 1), (2, 2), (2, 3), (3, 0), (3, 1), (3, 2), (3, 3)
5	16	16	1	1	y	(0, 0), (0, 1), (0, 2), (0, 3), (1, 0), (1, 1), (1, 2), (1, 3), (2, 0), (2, 1), (2, 2), (2, 3), (3, 0), (3, 1), (3, 2), (3, 3)
7	36	3	30	30	y	(0, 1), (1, 0), (1, 1)
7	36	4	27	28	n	(0, 1), (1, 1), (1, 2), (2, 0)
7	36	5	24	27	n	(0, 1), (0, 2), (1, 1), (1, 2), (2, 0)
7	36	6	24	25	n	(0, 1), (0, 2), (1, 1), (1, 2), (2, 0), (2, 1)
7	36	7	23	24	n	(0, 3), (1, 2), (1, 3), (2, 0), (2, 2), (3, 1), (3, 2)
7	36	8	20	22	n	(0, 1), (0, 2), (1, 0), (1, 1), (1, 2), (2, 0), (2, 1), (2, 2)
7	36	9	20	21	n	(0, 3), (1, 1), (1, 2), (1, 3), (2, 0), (2, 1), (2, 2), (3, 1), (3, 2)
7	36	10	18	20	n	(0, 3), (1, 0), (1, 1), (1, 2), (1, 3), (2, 1), (2, 2), (2, 3), (3, 1), (3, 2)
7	36	11	18	19	n	(0, 4), (1, 3), (1, 4), (2, 1), (2, 2), (2, 3), (3, 0), (3, 1), (3, 2), (3, 3), (4, 3)
7	36	12	17	18	n	(0, 4), (1, 3), (1, 4), (2, 1), (2, 2), (2, 3), (3, 0), (3, 1), (3, 2), (3, 3), (4, 2), (4, 3)
7	36	13	15	17	n	(0, 1), (0, 2), (1, 0), (1, 1), (1, 2), (1, 3), (2, 0), (2, 1), (2, 2), (2, 3), (3, 0), (3, 1), (3, 2)
7	36	14	15	16	n	(1, 1), (1, 2), (1, 3), (1, 4), (2, 1), (2, 2), (2, 3), (2, 4), (3, 1), (3, 2), (3, 3), (4, 0), (4, 1), (4, 2)
7	36	15	14	15	n	(0, 4), (1, 2), (1, 3), (1, 4), (2, 1), (2, 2), (2, 3), (2, 4), (3, 0), (3, 1), (3, 2), (3, 3), (4, 1), (4, 2), (4, 3)
7	36	16	12	14	n	(0, 3), (1, 0), (1, 1), (1, 2), (1, 3), (2, 1), (2, 2), (2, 3), (3, 1), (3, 2), (3, 3), (3, 4), (4, 1), (4, 2), (4, 3), (4, 4)
7	36	17	12	13	n	(0, 3), (1, 0), (1, 1), (1, 2), (1, 3), (1, 4), (2, 1), (2, 2), (2, 3), (2, 4), (3, 1), (3, 2), (3, 3), (3, 4), (4, 2), (4, 3), (4, 4)
7	36	18	12	13	n	(0, 3), (0, 4), (1, 2), (1, 3), (1, 4), (2, 0), (2, 1), (2, 2), (2, 3), (2, 4), (3, 0), (3, 1), (3, 2), (3, 3), (4, 0), (4, 1), (4, 2), (4, 3)
7	36	19	12	11	y	(0, 4), (1, 3), (1, 4), (2, 2), (2, 3), (2, 4), (2, 5), (3, 2), (3, 3), (3, 4), (3, 5), (4, 1), (4, 2), (4, 3), (4, 4), (4, 5), (5, 0), (5, 1), (5, 2)
7	36	20	10	11	n	(0, 3), (1, 2), (1, 3), (2, 1), (2, 2), (2, 3), (2, 4), (3, 1), (3, 2), (3, 3), (3, 4), (3, 5), (4, 1), (4, 2), (4, 3), (4, 4), (4, 5), (5, 0), (5, 1), (5, 2)
7	36	21	10	10	y	(0, 1), (0, 2), (0, 3), (0, 4), (1, 1), (1, 2), (1, 3), (1, 4), (1, 5), (2, 1), (2, 2), (2, 3), (2, 4), (2, 5), (3, 1), (3, 2), (3, 3), (4, 0), (4, 1), (4, 2), (5, 0)
7	36	22	9	10	n	(0, 3), (0, 4), (1, 2), (1, 3), (1, 4), (2, 1), (2, 2), (2, 3), (2, 4), (2, 5), (3, 1), (3, 2), (3, 3), (3, 4), (3, 5), (4, 0), (4, 1), (4, 2), (4, 3), (5, 0), (5, 1), (5, 2)
7	36	23	8	9	n	(1, 2), (1, 3), (1, 4), (1, 5), (2, 1), (2, 2), (2, 3), (2, 4), (2, 5), (3, 1), (3, 2), (3, 3), (3, 4), (3, 5), (4, 0), (4, 1), (4, 2), (4, 3), (4, 4), (5, 1), (5, 2), (5, 3), (5, 4)
7	36	24	8	8	y	(0, 3), (0, 4), (1, 2), (1, 3), (1, 4), (1, 5), (2, 1), (2, 2), (2, 3), (2, 4), (2, 5), (3, 1), (3, 2), (3, 3), (3, 4), (3, 5), (4, 0), (4, 1), (4, 2), (4, 3), (4, 4), (5, 0), (5, 1), (5, 2)
7	36	25	6	7	n	(0, 1), (0, 2), (0, 3), (1, 1), (1, 2), (1, 3), (1, 4), (1, 5), (2, 1), (2, 2), (2, 3), (2, 4), (2, 5), (3, 1), (3, 2), (3, 3), (3, 4), (3, 5), (4, 0), (4, 1), (4, 2), (4, 3), (4, 4), (4, 5), (5, 4)
7	36	26	6	7	n	(0, 1), (0, 2), (0, 3), (0, 4), (1, 1), (1, 2), (1, 3), (1, 4), (1, 5), (2, 1), (2, 2), (2, 3), (2, 4), (2, 5), (3, 1), (3, 2), (3, 3), (3, 4), (3, 5), (4, 0), (4, 1), (4, 2), (4, 3), (4, 4), (4, 5), (5, 4)

continued on next page

continued from previous page

q	n	k	d_t	d_g	Best	Example points
7	36	27	6	6	y	(0, 3), (0, 4), (0, 5), (1, 2), (1, 3), (1, 4), (1, 5), (2, 1), (2, 2), (2, 3), (2, 4), (2, 5), (3, 0), (3, 1), (3, 2), (3, 3), (3, 4), (3, 5), (4, 0), (4, 1), (4, 2), (4, 3), (4, 4), (5, 0), (5, 1), (5, 2), (5, 3)
7	36	28	6	6	y	(0, 3), (0, 4), (0, 5), (1, 1), (1, 2), (1, 3), (1, 4), (1, 5), (2, 1), (2, 2), (2, 3), (2, 4), (2, 5), (3, 0), (3, 1), (3, 2), (3, 3), (3, 4), (3, 5), (4, 0), (4, 1), (4, 2), (4, 3), (4, 4), (5, 0), (5, 1), (5, 2), (5, 3)
7	36	29	5	6	n	(0, 2), (0, 3), (0, 4), (0, 5), (1, 2), (1, 3), (1, 4), (1, 5), (2, 1), (2, 2), (2, 3), (2, 4), (2, 5), (3, 0), (3, 1), (3, 2), (3, 3), (3, 4), (3, 5), (4, 0), (4, 1), (4, 2), (4, 3), (4, 4), (4, 5), (5, 0), (5, 1), (5, 2), (5, 3)
7	36	30	4	5	n	(0, 1), (0, 2), (0, 3), (0, 4), (0, 5), (1, 1), (1, 2), (1, 3), (1, 4), (1, 5), (2, 0), (2, 1), (2, 2), (2, 3), (2, 4), (2, 5), (3, 0), (3, 1), (3, 2), (3, 3), (3, 4), (3, 5), (4, 1), (4, 2), (4, 3), (4, 4), (4, 5), (5, 2), (5, 3), (5, 4)
7	36	31	4	4	y	(0, 1), (0, 2), (0, 3), (0, 4), (0, 5), (1, 1), (1, 2), (1, 3), (1, 4), (1, 5), (2, 1), (2, 2), (2, 3), (2, 4), (2, 5), (3, 0), (3, 1), (3, 2), (3, 3), (3, 4), (3, 5), (4, 0), (4, 1), (4, 2), (4, 3), (4, 4), (4, 5), (5, 0), (5, 1), (5, 2), (5, 3)
7	36	32	3	4	n	(0, 1), (0, 2), (0, 3), (0, 4), (0, 5), (1, 1), (1, 2), (1, 3), (1, 4), (1, 5), (2, 0), (2, 1), (2, 2), (2, 3), (2, 4), (2, 5), (3, 0), (3, 1), (3, 2), (3, 3), (3, 4), (3, 5), (4, 0), (4, 1), (4, 2), (4, 3), (4, 4), (4, 5), (5, 1), (5, 2), (5, 3), (5, 4)
7	36	33	3	3	y	(0, 1), (0, 2), (0, 3), (0, 4), (0, 5), (1, 1), (1, 2), (1, 3), (1, 4), (1, 5), (2, 0), (2, 1), (2, 2), (2, 3), (2, 4), (2, 5), (3, 0), (3, 1), (3, 2), (3, 3), (3, 4), (3, 5), (4, 0), (4, 1), (4, 2), (4, 3), (4, 4), (4, 5), (5, 0), (5, 1), (5, 2), (5, 3), (5, 4)
7	36	34	2	2	y	(0, 1), (0, 2), (0, 3), (0, 4), (0, 5), (1, 0), (1, 1), (1, 2), (1, 3), (1, 4), (1, 5), (2, 0), (2, 1), (2, 2), (2, 3), (2, 4), (2, 5), (3, 0), (3, 1), (3, 2), (3, 3), (3, 4), (3, 5), (4, 0), (4, 1), (4, 2), (4, 3), (4, 4), (4, 5), (5, 1), (5, 2), (5, 3), (5, 4), (5, 5)
7	36	35	2	2	y	(0, 1), (0, 2), (0, 3), (0, 4), (0, 5), (1, 0), (1, 1), (1, 2), (1, 3), (1, 4), (1, 5), (2, 0), (2, 1), (2, 2), (2, 3), (2, 4), (2, 5), (3, 0), (3, 1), (3, 2), (3, 3), (3, 4), (3, 5), (4, 0), (4, 1), (4, 2), (4, 3), (4, 4), (4, 5), (5, 0), (5, 1), (5, 2), (5, 3), (5, 4), (5, 5)
7	36	36	1	1	y	(0, 0), (0, 1), (0, 2), (0, 3), (0, 4), (0, 5), (1, 0), (1, 1), (1, 2), (1, 3), (1, 4), (1, 5), (2, 0), (2, 1), (2, 2), (2, 3), (2, 4), (2, 5), (3, 0), (3, 1), (3, 2), (3, 3), (3, 4), (3, 5), (4, 0), (4, 1), (4, 2), (4, 3), (4, 4), (4, 5), (5, 0), (5, 1), (5, 2), (5, 3), (5, 4), (5, 5)

References

1. J. E. AMAYA, A. J. HARRY and B. M. VEGA, ‘A systematic census of generalized toric codes over \mathbb{F}_4 , \mathbb{F}_5 and \mathbb{F}_{16} ’, Technical report, MSRI-UP, July 2009, <http://www.msri.org/web/msri/scientific/workshops/show/-/event/Wm491>.
2. W. BOSMA, J. CANNON and C. PLAYOUST, ‘The Magma algebra system. I. The user language’, *J. Symbolic Comput.* 24 (1997) no. 3–4, 235–265.
3. G. BROWN, J. BUCZYŃSKI and A. M. KASPRZYK, ‘Convex polytopes and polyhedra’, Handbook of Magma Functions, Edition 2.17, 2011, <http://magma.maths.usyd.edu.au/>.
4. G. BROWN and A. M. KASPRZYK, 2005–2013, ‘The graded ring database’, <http://grdb.lboro.ac.uk/>.
5. G. BROWN and A. M. KASPRZYK, ‘Magma routines for computing sets of lattice points up to affine equivalence’, 2012, <http://grdb.lboro.ac.uk/files/toriccodes/distinctpoints.tar.gz>.
6. G. BROWN and A. M. KASPRZYK, ‘Small polygons and toric codes’, *J. Symbolic Comput.* 51 (2013) 55–62.
7. A. CARONARA, J. P. MURILLO and A. ORTIZ, ‘A census of two dimensional toric codes over Galois fields of sizes 7, 8 and 9’, Tech. report, MSRI-UP, July 2009, <http://www.msri.org/web/msri/scientific/workshops/show/-/event/Wm491>.

8. E. GUERRINI, E. BELLINI and M. SALA, ‘Some bounds on the size of codes’, Preprint, 2012, arXiv:1206.6006v2 [cs.IT].
9. M. GRASSL, ‘Bounds on the minimum distance of linear codes and quantum codes’, 2012, <http://www.codetables.de/>.
10. J. P. HANSEN, ‘Toric surfaces and error-correcting codes’, *Coding theory, cryptography and related areas Guanajuato, 1998* (Springer, Berlin, 2000) 132–142.
11. J. B. LITTLE, ‘Remarks on generalized toric codes’, Preprint, 2011, arXiv:1107.4530v2 [cs.IT].
12. J. LITTLE and R. SCHWARZ, ‘On toric codes and multivariate Vandermonde matrices’, *Appl. Algebra Engrg. Comm. Comput.* 18 (2007) no. 4, 349–367.
13. D. RUANO, ‘On the structure of generalized toric codes’, *J. Symbolic Comput.* 44 (2009) no. 5, 499–506.

Gavin Brown
Department of Mathematical Sciences
Loughborough University
Loughborough, LE11 3TU
United Kingdom

G.D.Brown@lboro.ac.uk

Alexander M. Kasprzyk
Department of Mathematics
Imperial College London
London, SW7 2AZ
United Kingdom

a.m.kasprzyk@imperial.ac.uk